


COUNTY SURVEYOR'S RECORD

TOWN *Sec* NORTH, RANGE *Sec West*, MERIDIAN OF MICHIGAN.SEC. *Four*

Page 42 Vol 1

TOWN *Sec* NORTH, RANGE *Sec West*, MERIDIAN OF MICHIGAN.

- Bush 8 in 664 E 47 M
 1 W Ash 8 in S 22 W 10 1/2 M
 2 Bush 16 in N 9 E 20 M
 3 Bush 12 in S 46 1/2 W 24 1/2 M
 4
 5
 6
 7 Bush 10 in N 10 E 28 M
 8 Bush 12 S 55 1/2 W 9 M
 9 Sugar 26 in S 17 1/2 W 14 M
 10 Bush 10 in S 79 1/2 W 21 1/2 M
 Bush 16 in S 70 1/2 W 23 M
 11 Bush 9 in S 74 1/2 E 24 1/2 M
 12 Bush 14 in N 62 E 31 M
 13 Sugar 12 in N 10 E 6 M
 14
 15
 16
 17
 18
 19
 20

24

25


INGHAM COUNTY, MICHIGAN.

43

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var $3^{\circ}20'E$
Surveyed and Recorded May 10th 1840
by A Jackson County Surveyor for the County of Ingham

COUNTY SURVEYOR'S RECORD,

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.SEC. *Thirty three*

Page 57 Vol 1

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

- | | |
|----|-----------------------------------|
| 1 | 24 |
| 2 | 25 |
| 3 | Willow 8 in N 35° E 19' 1/2" 1/2" |
| 4 | 26 Elm 4 S 1° E 10' 1/2" |
| 5 | Sage 24 in N 86° W 8' 1/2" |
| 6 | 27 Bush 6 in N 32° E 14' 1/2" |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | Elm 22 in |
| 12 | corner tree |
| 13 | Bush 16 S 84° W 31' 1/2" |
| 14 | Bush 7 in N 33° E 6' 18' 1/2" |
| 15 | Bush 10 in S 45° E 11' 1/2" |
| 16 | Bush 5 in S 55° E 10' 1/2" |
| 17 | Bush 8 in N 18° W 12' 1/2" |
| 18 | Bush 12 in S 17° W 7' 1/2" |
| 19 | |
| 20 | |
| 21 | Maple 18 S 5° E 29' 1/2" |
| 22 | Elm 17 in N 57° E 8' 1/2" |
| 23 | Bush 8 in S 35° E 8' 22' 1/2" |
| 24 | Elm 9 in N 82° W 12' 1/2" |
| 25 | |
| 26 | |
| 27 | Bush 7 in N 40° E 28' 1/2" |
| 28 | Bush 6 in N 72° W 20' 1/2" |
| 29 | Maple 20 in S 54° W 4' 1/2" |
| 30 | Bush 6 in S 78° E 10' 1/2" |
| 31 | Bush 6 in N 75° W 24' 1/2" |
| 32 | Bush 9 in N 71° E 39' 1/2" |

INGHAM COUNTY, MICHIGAN.

68

TOWN *Thos* NORTH, RANGE *Two* West....., MERIDIAN OF MICHIGAN.


Run by the true Meridian Var $3\frac{1}{4}$ E

Surveyed by A Jackson County Surveyor for the County of Ingham December 8. 1840

COUNTY SURVEYOR'S RECORD,

TOWN *Thos* NORTH, RANGE *2 or West*, MERIDIAN OF MICHIGAN.

SEC. *Thish four*



Page 77 of 1

TOWN *Thos* NORTH, RANGE *2 or West*, MERIDIAN OF MICHIGAN.

- | | |
|----|---|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | 0 Ash 6 - N 51 2 7 1/2 |
| 11 | Bush 9 - N 73 1/2 W 17 1/2
Bush 26 - N 68 6 22 1/2 |
| 12 | Bush 7 S 5 6 27 1/2
B Ash 6 - S 87 6 5 1/2 |
| 13 | B Ash 13 - S 7 6 2 1/2 |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | Bush 10 - N 7 8 72 1/2 |
| 21 | Bush 7 - N 45 1/2 14 1/2
W Ash 24 - S 8 4 3 13 1/2 |
| 22 | Bush 9 - N 12 W 28 1/2
B Ash 6 - N 73 2 12 1/2 |
| 23 | Bush 7 - N 33 W 27 1/2 |

INGHAM COUNTY, MICHIGAN.

77

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian *On 3 1/2 E*
Surveyed and Recorded by A Jackson Co Surveyer July 13th 1844

INGHAM COUNTY, MICHIGAN.

98


TOWN *Two* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

Run by the true Meridian Per 3 1/2° E Surveyed and recorded by A Jackson
Co Surveyor Jan'y 12th 1844

COUNTY SURVEYOR'S RECORD,

TOWN *2nd* NORTH, RANGE *3rd West*, MERIDIAN OF MICHIGAN.

SEC. *9*



Old 9 181

TOWN *2nd* NORTH, RANGE *3rd West*, MERIDIAN OF MICHIGAN.

- | | |
|--------------------------------------|----------------------------------|
| 1 <i>Aspen 6 N 31 1/2 W 16</i> | 24 |
| 2 <i>Buck 12 S 56 E 18 1/2</i> | 25 |
| 3 <i>Buck 12 in N 75 E 31 1/2 No</i> | 26 <i>Buck 8 S 70 E 15 1/2</i> |
| 4 <i>W Ash 18 S 89 W 39 No</i> | 27 <i>Do 16 N 67 3/4 W 54</i> |
| 5 | 28 <i>Buck 16 N 51 1/2 W 78</i> |
| 6 | 29 <i>Buck 9 N 54 E 77</i> |
| 7 | 30 <i>Buck 11 N 15 W 47</i> |
| 8 <i>Jam 8 N 3 1/2 W 5</i> | 31 <i>Do 18 S 66 E 18 1/2</i> |
| 9 <i>Do 10 S 12 E 4</i> | 32 <i>Buck 12 N 46 1/2 W 29</i> |
| 10 <i>Buck 18 corner tree</i> | 33 <i>Do 6 N 10 W 18</i> |
| 11 | 34 <i>Buck 20 N 54 W 32</i> |
| 12 | 35 <i>W Ash 8 S 10 E 8</i> |
| 13 | 36 <i>Maple 14 S 15 E 10 1/2</i> |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |

INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var 3 E


Surveyed & Recorded Dec 11th 1845

By A Jackson Geo Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN *Two* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

SEC. *10*



9 182 Vol 1

TOWN *Two* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
- Beck 10 N 53 E 15 1/2*
Beck 12 N 38 E 9 1/2
Beck 14 N 41 W 51
Beck 12 S 56 E 18 1/2
Beck 15 Corner One
Beck 17 S 22 1/2 W 12 1/4
Beck 9 N 27 W 9 1/2
Beck 6 S 34 W 22
Beck 8 S 5 18 E 24

24
25

INGHAM COUNTY, MICHIGAN.

167


TOWN ~~Two~~ NORTH, RANGE ~~Two~~ West, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var 3° E
Surveyed and Recorded Dec 11 1845
by A Jackson Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. 2



V3-P21

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the north fractional half of the north west quarter of section 2 in Town 2 North of Range 2 West. Beginning at the north west corner "5" of said section (2) which corner is designated by a stone in the ground and seen a little above the surface. And running thence S $89^{\circ}25'E$ on the north line of the section and the township 40.63 chains to the quarter post "3" to the middle point on the north line of the section, from which point a Tamarac 4 inches diameter bears N $90^{\circ}W$, 7 links and a Tamarac 4 inches diameter bears S $45\frac{1}{2}^{\circ}E$, 11 links thence S $0^{\circ}10'E$ 19.47 chains to "8" a post from which a Tamarac 12 in. diam. bears S $59\frac{1}{2}^{\circ}W$, 24 links & Tamarac 6 inches diam. bears N $46^{\circ}W$, 16 links thence S $89^{\circ}27'W$ 40.45 chains to "6" a post in the center of the highway being the west line of said section, from which post a Maple 5 inches diam. bears N $82^{\circ}E$, 103 links & Black Oak 4 inches diam. bears N $27\frac{3}{4}^{\circ}E$, 169 $\frac{3}{4}$ links; thence N $0^{\circ}43'W$ on section line 20.26 chains to "5" the place of beginning. Containing 80.33 acres.

Run by the true Meridian

Magnetic Variation $2^{\circ}28'E$ Surveyed for Joseph P. Smith and Jane 11th A. D. 1866 by

Thomas S. Brewer, Dep. Co. Surveyor for Ing Co, Mich.

Apr 14 1925

Found old stake and set iron at NW. cor Sec. 2


23 $\frac{1}{2}$ ft E. to anchor postRan line $\frac{1}{2}$ mile east for a new fence

A. H. Ballou

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. 3



VOL. 3, P. 21

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1	24
2	25
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	


INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

27. Survey of the south west quarter of section No. 3 of T2N R
 Beginning at "15" the quarter post in the west
 line of said section running thence $N 44^{\circ} 55' E$ 39.95 chains to "13"
 post in the center of the section, from which post a Tamarac
 6 inches diameter bears $N 73^{\circ} \frac{1}{2} E$ 6 links a Tamarac 10 inches diam
 bears $S 11^{\circ} 4' N$ 12 links; thence $S 0^{\circ} 12' E$ 40.34 chains to "23" the quarter
 post on the south line of the section (No bearing trees) thence $S 89^{\circ}$
 $45' W$ on the south line of the section 40.26 chains "25" the
 south west corner of the section (No bearing trees) thence $N 0^{\circ} 10' E$
 40.42 chains along the west line of the section to "15" the place of
 beginning of ~~the~~ containing 161.82 acres. Subdivided as
 follows:— The line "14" "24" as represented in the accompanying
 plat being mid way between "25" & "23" and "13" & "15"
 running north from "24" to "14" 20.38 chains the west part containing
 80.94 acres and the east part containing 80.88 acres. The line
 "18" "17" midway between "13" & "23" and "14" and "24" running $S 89^{\circ} 48'$
 N 20.04 chains the north part containing 40.40 acres and the
 south part containing 40.48 acres. From the post "14" an
 Elm 30 inches diameter bears $S 57^{\circ} \frac{3}{4} W$ 19 $\frac{1}{4}$ links an Beech 11 inches
 diam. bears $N 20^{\circ} \frac{1}{2} W$ 22 $\frac{1}{2}$ links and from the post "17" a Maple
 24 inches diam. bears $S 71^{\circ} \frac{1}{2} W$ 43 $\frac{3}{4}$ links, an Black Ash 6 inches
 diam. bears $S 60^{\circ} \frac{3}{4} E$ 44 $\frac{3}{4}$ links and from the post "18" a
 Tamarac 7 inches diameter bears $S 56^{\circ} W$ 31 $\frac{3}{4}$ links a Tamarac
 8 inches diam bears $N 23^{\circ} E$ 20 $\frac{1}{2}$ links

Run by the true Meridian Magnetic Variation $2^{\circ} 23'$ East
 Surveyed Jan 13th 1866 for C. Wilson, John Vroman & James Webb
 by Thomas J. Brown, Dep. Co. Surveyor, Ingham Co, Mich.

COUNTY SURVEYOR'S RECORD,

TOWN T. 24 N. NORTH, RANGE R. 24 E., MERIDIAN OF MICHIGAN.SEC. 34

V3-P59

TOWN NORTH, RANGE, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

24
25

INGHAM COUNTY, MICHIGAN.

TOWN Three North, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the south west quarter of section No Thirty
Town in Township No Three North of Range No Two West as
represented in the accompanying plat (The scale is thirteen
chains to one inch) in which the names of the owners, the number
of acres owned by each, the bearings and distances of the lines and the position
of roads and are respectively given.

The corners are described as follows.

- (15) Elm 22 inch diam. corner tree now nearly gone
- (14) A post from which a Beech 9 inches diam. bears S 43° E 36 1/2 chs
- " " " " " 9 " " " S 40° N 49 "
- (24) " " " " " Sugar 8 " " " N 57 1/2° W 105 1/2 "
- (25) " " or stone properly identified found by alignment from two corner points
- (13) a post from which an Elm 5 in diam bears S 77 1/2° E 40 1/4 chs
- " " " " " 3 Oak 16 " " " - 16 3/4° W 52 1/2 "
- (23) " " " " " Beech 14 " " " S 31° W 90 "


Run by the true Meridian Magnetic Variation 1° 55' East
Surveyed Dec 16th 1871 for owners

T. J. Brown Dep. Co. Surv., Ingham Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN *Town* NORTH, RANGE *Range*, MERIDIAN OF MICHIGAN.

SEC. *35*



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24
25

INGHAM COUNTY, MICHIGAN.

TOWN ~~Three~~ NORTH, RANGE ~~Two East~~, MERIDIAN OF MICHIGAN.

Survey of the south west quarter Section No. Thirty five in Township 17 N. Three North of Range No. Two West, as represented by the accompanying plat (the scale scale of which is Twelve chains (2) to one inch), in which plat the names of owners, the number of acres owned by each, the bearings and distances of lines, letters of reference to lines and corners, the position of roads &c are respectively given.

The corners are described as follows.

- (15) a post from which a Beech 9 in diam bears N 78 1/2 W 17 1/2 ft. dot
- (13) " " " " " " " " " " " " N 74 E 25 3/4 " "
- " " " " " " " " " " " " N 68 1/2 W 23 " "
- * (18) " " " " " " " " " " " " ~~N 22 3/4 E~~ 19 1/4 " "
- (16) " " " " " " " " " " " " N 87 1/2 W 45 1/2 " "
- " " " " " " " " " " " " S 79 E 36 1/2 " "
- (25) " done
- (23) " " " " " " " " " " " " The corner
- " " " " " " " " " " " " Tanasae 5 in .. " " N 33 E 16 " "
- " " " " " " " " " " " " Tan - 4 " " " " N 74 W 19 " "

Run by the true Meridian Magnetic Var 10 55 E


Surveyed Apr 29th 1875 by T. J. Benson, Dep. Comm. Angls. Mich.

- * (18) a post from which a Beech 18 in diam bears South 7 ft. dot

COUNTY SURVEYOR'S RECORD,

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. --- 10 ---



V3-P232

TOWN Two NORTH, RANGE Two West-----, MERIDIAN OF MICHIGAN.

- | | | | | | |
|----|--------------|-------------------|------------|------------|----------|
| 1 | Stone | Maple 12 | 7 18 E | 9 1/2 | |
| 2 | Square Iron | Walnut 12 | 7 58 1/2 W | 9 1/2 | |
| 3 | Bar 2 1/4 ft | Walnut 13 | 5 1 3/4 W | 2 1 | |
| 4 | Post | Elm 4 | 3 7 3/2 W | 1 73 | |
| 5 | Stone | Trunk | Sugar 12 | 7 6 W | 14 1/2 |
| 6 | Iron Rock | Elm 4 | 5 7 1/2 E | 15 0 | |
| 7 | 2 ft | " 8 | 5 8 3/4 E | 4 9 | |
| 8 | Post | Maple 14 | 7 53 W | 35 73 | |
| 9 | | | | | |
| 10 | | | | | |
| 11 | Iron shaft | Apple 6 | 8 24 1/2 W | 16 6 | |
| 12 | Set | Stake (Roth 1911) | | | |
| 13 | 1 half | Bugay | Apple 12 | 7 34 1/2 E | 9 6 |
| 14 | Apple | Cherry 8 | 5 5 3/4 E | 3 8 | |
| 15 | Hub | Wagon | Buller 4 | 3 3 1/2 E | 2 2 |
| 16 | Post | Elm 8 | Maple 2 | 5 29 W | 110 1/2 |
| 17 | | | | | |
| 18 | | | | | |
| 19 | Sleigh | Shoe | Maple 10 | 2 14 1/2 E | 14 2 |
| 20 | 2 ft | " | " 3 | 3 14 3/4 E | 11 6 1/2 |
| 21 | Post | " | " 10 | 3 6 1/2 W | 3 1/2 |
| 22 | Iron Rock | Cotton | Ward 6 | 3 3 1/4 E | 6 1/2 |
| 23 | 30 in | " | " 6 | 3 3 1/2 W | 9 1/2 |
| 24 | Post | Elm 4 | Maple 2 | 3 3 1/2 W | 16 1/2 |
| 25 | 2 ft | " | " 5 | 7 35 W | 3 6 |

- | 24 | Iron Rod | Poplar | 3 | N 12 1/2 E | 39 | | |
|---------|------------|-----------------|----|------------|---------|--|--|
| | 18 in | " | 3 | S 1 1/4 E | 41 1/2 | | |
| 25 | Iron shaft | Sycamore | 6 | S 12 E | 293 | | |
| | 30 in tile | " | 6 | S 77 1/2 E | 111 1/2 | | |
| (26) | Iron shaft | - 36 in. | | No Witness | | | |
| (27) | Blow shaft | Maple | 4 | S 56 1/2 W | 20 1/2 | | |
| (28) | Gas pipe | Elm | 4 | S 34 3/4 W | 52 1/2 | | |
| | 3 ft | Maple | 4 | N 51 E | 52 | | |
| (29) | Post | Elm | 10 | S 73 1/2 W | 20 | | |
| (30) | Gas pipe | 18 in Butternut | 10 | N 2 W | 72 1/3 | | |
| (31) | Iron Rod | Maple | 6 | N 86 W | 22 1/2 | | |
| | 2 ft | " | 5 | N 22 1/2 W | 59 1/2 | | |
| (a) | Post | Sycamore | 16 | S 15 W | 33 | | |
| (17)(9) | " | No Witness | | | | | |
| (c) | " | " | " | | | | |
| (d) | " | " | " | | | | |
| (e) | " | " | " | | | | |
| (f) | Gas pipe | " | " | | | | |
| (g) | 4 ft | " | " | | | | |
| (g) | post | " | " | | | | |
| (h) | " | " | " | | | | |
| (i) | " | " | " | | | | |
| (j) | " | " | " | | | | |
| (k) | " | " | " | | | | |
| (l) | " | " | " | | | | |
| (m) | Iron Bar | " | " | | | | |
| | 4 ft | " | " | | | | |
| (n) | Iron Bar | " | " | | | | |
| | 6 ft | " | " | | | | |

(See opp. Page)

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of Section No 10 of Township made upon petition of C Smith and thirteen other resident free holders of said section. The old corners and posts were found at the points marked (1), (2), (3), (15) and (5). The point (11) was found from old witnesses made while the original marks could be found and the point (3) was located from Survey No. on the S.W. 1/4 of Sec. No. 3.

The various points are marked and witnessed as follows
(See below Plot)

- (w) Post B. Ash 6 N 57 3/4 W 27
 " " Butternut 6 N 30 E 20 1/2
 (p) " by corner 6 S 5 W 47 1/2
 (s) " B. Ash 6 S 10 E 40
 " " Maple 2 N 45 1/2 E 14 1/2
 (s) " Elm 8 S 13 1/2 W 34
 " " " 6 N 68 1/4 W 29
 (x) " " 15 West 18
 " " " 10 S 25 E 43
 (w) " No. Witnesses
 (u) Iron Bar N. Oak 12 N 2 1/4 W 163 1/2
 (w) Iron Bar No. Witnesses

Surveyed May 1, 2, 3, & 4 1895
 Mag. Var 0°

John Habb & Herman Bollen Sworn Chairman
 Austin Smith Sworn Marker

Recorded June 25 1895

N. A. Rowe Co. Surveyor.