




Page 41 Vol 1

- 9-3
- 1 No Oak 24 in N 17 1/2 W 13 1/2 Acs
 - 2 Elm 14 in S 11 E 47 Acs
 - 3 Birch 12 in N 8 1/2 E 31 1/2 Acs
 - 4 No Ash 16 S 8 1/2 W 39 Acs
 - 5 Sugar 26 N 26 W 8 1/2 Acs
 - 6 Birch 9 S 28 1/2 E 49 Acs
 - 7 Sugar 22 in N 13 W 15
 - 8 Sugar 26 in N 70 W 13
 - 9 Jernvale 6 in North 5 Acs
 - 10 Jernvale 8 in S 11 E 4 Acs
 - 11 Birch 8 in N 53 1/2 E 9 Acs
 - 12 Birch 18 in S 17 1/2 W 16 Acs
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
 - 24
 - 25

INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian $N 3^{\circ} 20' E$
Surveyed and recorded May 7 1840
by A Jackson County Surveyor for the County of Ingham


Vol. 7

COUNTY SURVEYOR'S RECORD

p. 43

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

SEC. Four



Page 42 Vol 1

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

1 Bush 8 in 6 1/4 E 47 1/2 Mo
1 W Ash 8 in S 22 W 10 1/2 Mo

24

2 Bush 16 in N 9 E 20 Mo

25

3 Bush 12 in S 46 1/2 W 24 1/2 Mo

F1

4

5

6

7 Bush 10 in N 10 E 28 Mo

8 Bush 12 S 35 1/2 W 9 Mo

9

Sugar 26 in S 17 1/2 W 14 Mo

10 Bush 16 in S 79 1/2 W 21 1/2 Mo

Bush 16 in S 40 1/2 W 23 Mo

11 Bush 9 in S 74 1/2 E 24 1/2 Mo

12 Bush 14 in N 62 E 31 Mo

13 Sugar 12 in N 10 E 6 Mo

F2

14

15

16

17

18

19

20




INGHAM COUNTY, MICHIGAN.

TOWN *Town* NORTH, RANGE *Range* West, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var $3^{\circ}20'E$
Surveyed and Recorded May 10th 1840
by A Jackson County Surveyor for the County of Ingham

Vol 1

TOWN *Jaw* NORTH, RANGE *Jaw West*, MERIDIAN OF MICHIGAN.SEC. *Three*

Vol Page 99

TOWN *Jaw* NORTH, RANGE *Jaw West*, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
- 1 *Sym 40 m N 26° W 21 1/2 lks*
- 2 *Singer 20 m S 20° W 32 1/2 lks*
- 3 *Beech 8 m S 64° E 47 lks*
- 4 *W Ash 8 m S 22° W 10 1/2 lks*
- 5 *Singer 20 m S 17 1/2° W 14 lks*
- 6 *Beech 10 m S 79 1/2° W 21 1/2 lks*
- 7 *Beech 20 m S 86° W 9 lks*
- 8 *Beech 10 m N 53° E 35 lks*
- 9
- 10
- 11
- 12 *Janner 6 m N 73 1/2° E 6 lks*
- 13 *Janner 6 m S 11 1/4° W 12 lks*
- 14 *Beech 10 m S 70 1/2° W 25 lks*
- 15 *Beech 9 m S 74 1/2° E 24 1/2 lks*
- 16
- 17
- 18
- 19
- 20

Sec 4
X

INGHAM COUNTY, MICHIGAN.


98

TOWN *Two* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

Run by the true Meridian Per 3 1/2 E Surveyed and recorded by A Jackson
Co Surveyor Jan'y 12th 1844

SEC. 9

63



Vol 1 P 181

TOWN 2nd NORTH, RANGE 2nd West, MERIDIAN OF MICHIGAN.

1 Dym 6 N 31 1/2 W 15
1 Birch 12 S 56 E 18 1/2

2 Birch 12 in N 95 E 31 1/2 Hrs
3 W Ash 18 S 49 W 39 Hrs

4
5
6
7
8
9

7 Jam 8 N 5 1/2 W 5
8 Do 10 S 12 E 4

10 Birch 15 corner tree

11
12
13
14
15
16
17
18
19
20

24

25 Birch 9 S 70 E 15 1/2
26 Do 16 N 67 1/2 W 5 1/2
27 Birch 9 N 54 E 77
28 Do 18 S 66 E 18 1/2
29 Do 6 N 10 W 19
30 W Ash 9 S 10 E 8
31 W Oak 16 N 52 1/2 W 16


INGHAM COUNTY, MICHIGAN.

TOWN *Law* NORTH, RANGE *Law West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Nov 3 6
Surveyed & Recorded Dec 11th 1845
By A Jackson Co Surveyor

G3

SEC. 10



P 182 Vol 1

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3 20 14 S 15 1/2 W 26
Buck 12 N 58 E 87 1/2
- 4 14 Oak 14 N 41 W 57
Lyn 6 N 31 1/2 W 15
- 5 Buck 12 S 55 E 19 1/2
- 6 Buck 15 Corner Tree
Blm 18 S 22 1/2 W 12 1/4
- 7 Buck 9 N 27 W 9 1/2
B Ash 6 S 54 W 22
- 8 20 8 S 18 E 24
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

24

25

24
x


INGHAM COUNTY, MICHIGAN.

167

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var $3^{\circ} E$
Surveyed and Recorded Dec 11 1845
by A Jackson Co Surveyor

SEC. 4



P 73 Vol 2

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- Sugar 24 N 25 1/4 E 86
 C 24 Chaser 8 5 2 1/2 E 39 1/2
 Sugar 26 N 26 W 8 1/2
 D 28 Beech 9 5 2 8 1/2 E 49

८३

- .13 Buck 9 North 15°
 B 14 20 15 S 89 E 20
 Buck 9 S 49 E 11
 2-16 20 8 N 58 1/2 W 29

Ε 2


- 16
17
18
19
20
21

INGHAM COUNTY, MICHIGAN.

TOWN *Law* NORTH, RANGE *Law* *West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var $3^{\circ} E$
Surveyed and Recorded Oct 16th 1848
by H Jackson Co Surveyor

SEC. 4



f106

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25

24
25
B Ash 16 N 14 W 3 1/2
a 26 Post 6m 9 S 41 1/2 E 11
B Ash 22 S 38 E 13
d 27 6m 28 N 88 W 30

12 Bush 14 N 62 E 31
13 S 108 W 12 N 108 E 6

f2

22 Bush 12 N 85 E 31 1/2
23 W Ash 567 W 39

f3

INGHAM COUNTY, MICHIGAN.


268

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian *Var 2° 54' E*
Surveyed by *A Jackson* to *Survey* *Feb 20th 1852*

TOWN 2nd NORTH, RANGE 2nd East, MERIDIAN OF MICHIGAN.

SEC. 6



7932 No 2

TOWN 2nd NORTH, RANGE 2nd East, MERIDIAN OF MICHIGAN.

- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
- 10 Bush 9 S 48 E 11
 11 Do 8 N 58 1/2 W 29
 12 Bush 12 S 53 1/4 E 47
 13 Do 9 N 89 E 32 1/2
 18 Bush 22 S 7 E 34 1/3
 19 Do 11 N 57 E 25
 20 Bush 12 S 70 1/2 W 16 1/4
 21 Do 19 N 36 1/3 W 58
 22 5 mper 26 N 26 W 8 1/2
 23 Bush 9 S 28 1/2 E 49
 24 Bush 16 N 2 E 76
 25 Elm 15 S 24 1/2 W 69

E2

E3


INGHAM COUNTY, MICHIGAN.

385

TOWN 3rd NORTH, RANGE 3rd West, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var 2° 30' E
Surveyed and Recorded Dec 22nd 1854
by Anson Jackson County Surveyor for Ingham County Mich

210 225 9



1933. Sub 2

B 1 Sugar 26 N 26 W 8 1/2 *E3*
Rush 9 5 25 1/2 49

24

2 Bush 7 N 25 W 10
A 3 20 12 5 1/2 29 *D3*

25

4

5

6

7

8

9

10 Elm 12 South 5 20

C 11 20 5 North

12 Jamewood 10 N 76 W 20

D 13 Bush 30 N 57 1/2 W 34

14

15

16


17

18

19

20

21



INGHAM COUNTY, MICHIGAN.

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian On 2nd 1864
Surveyed and Recorded Dec 22nd 1864
By H Jackson Geo Surveyor

INGHAM COUNTY, MICHIGAN.


TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

27. Survey of the south west quarter of section No. 3 of T2N R
Beginning at "15" the quarter post in the west
line of said section running thence $N 89^{\circ} 52' E$ 39.95 chains to "13"
post in the center of the section, from which post a Tamarac
6 inches diameter bears $N 73^{\circ} \frac{1}{2}' E$ 6 links a Tamarac 6 inches diam
bears $S 11^{\circ} 4' W$ 12 links; thence $S 0^{\circ} 12' E$ 40.34 chains to "23" the quarter
post in the south line of the section (No bearing trees) thence $S 89^{\circ}$
 $45' W$ on the south line of the section 40.26 chains to "25" the
south west corner of the section (No bearing trees) thence $N 0^{\circ} 10' E$
40.42 chains along the west line of the section to "15" the place of
beginning of ~~the~~ containing 161.82 acres. Subdivided as
follows:— The line "14" "24" as represented in the accompanying
plat being mid way between "25" & "23" and "13" & "15"
running north from "24" to "14" 20.38 chains the west part containing
80.94 acres and the east part containing 80.88 acres. The line
"18" "17" mid way between "13" & "23" and "14" and "24" running $S 89^{\circ} 48'$
 N 20.04 chains the north part containing 40.40 acres and the
south part containing 40.48 acres. From the post "14" an
Elm 30 inches diameter bears $S 57^{\circ} \frac{3}{4}' W$ 19 $\frac{1}{4}$ links an Beech 11 inches
diam. bears $N 20^{\circ} \frac{1}{2}' W$ 22 $\frac{1}{2}$ links and from the post "17" a Maple
24 inches diam. bears $S 71^{\circ} \frac{1}{2}' W$ 63 $\frac{3}{4}$ links, an Black Ash 6 inches
diam. bears $S 60^{\circ} \frac{3}{4}' E$ 44 $\frac{3}{4}$ links and from the post "18" an
Tamarac 7 inches diameter bears $S 56^{\circ} W$ 31 $\frac{3}{4}$ links a Tamarac
8 inches diam bears $N 25^{\circ} E$ 20 $\frac{1}{2}$ links

Run by the true Meridian Magnetic Variation $2^{\circ} 23'$ East
Surveyed Jan 13th 1866 for C. Wilson, John Vroman & James Webb
by Thomas J. Brown, Dep. Co. Surveyor, Ingham Co, Mich.

Sec 4

NORTHERN



TOWN-----NORTH, RANGE-----, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24

25

X

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the north east fractional quarter of section No. 10 in Township No. 12, Range No. 2 West as represented in the accompanying plat, scale thirteen and one half chains to an inch, in which the names of owners, the number of acres owned by each, the bearings and distances of the lines, letter of reference to lines and corners and the positions of roads are respectfully given.

The corners and are described as follows:—

- "3" = a stone set for the corner under causeway. "26" = a stone set for the corner
- "1" = a stone from which a White Oak 10 inches diameter bears $N 20^{\circ} E$ 49 links distant.
- "16" = a Post " " " Sugar 6 " " " $S 71\frac{1}{2}^{\circ} E$ 26 " "
- "11" " " or stone set to identify the corner bearing trees all gone
- "13" " " a Beech 8 inches bears $N 43^{\circ} W$ 26 lks + Beech 20 inches bears $S 33^{\circ} E$ 1 link.
- "8" " " Ironwood 7 " " $S 40\frac{1}{2}^{\circ} E$ 34 $\frac{1}{2}$ " " S.W. Oak 17 " " South $69\frac{1}{2}$ "
- "27" " " Box Hickory 2 inches bears $N 14^{\circ} E$ 26 $\frac{1}{2}$ links
- "28" " " An Elm 20 " " $S 75^{\circ} E$ 78 $\frac{1}{2}$ "
- "29" " " from which a White Oak 40 inches bears — $81^{\circ} E$ 53 links. No other tree.

Run by the true Meridian Magnetic Variation $2\frac{1}{2}^{\circ}$ East.

Surveyed for those named in the plat May 3^d 1870 and Recorded Sept 17th 1870, by T. J. Brown, Dep. Co. Surv., Eng. Co., Mich.

Note: The bearings of the north and south lines, viz: — "3" "8", "26" "27", "28" "29", & "1" "11" are made to harmonize with a former survey made by A. Jackson but the present survey brings them to bear a little to the East of North instead of West of North. See survey No. 979 by A. Jackson in 1856

On Apr. 24, 1912, upon application of R. J. Bullen I returned the above survey and reset corners 28-29-8.

Found stone at No 10 f.w. Maple $S 40^{\circ} W$ 12" 46 feet and Maple 9" $N 50^{\circ} W$ 39 feet.

Chained north and at 1429.2 feet found N.E. cor sec 5 Set Buggy Aisle f.w. S.E. cor sec 1 House $N-W$ 111.75 feet and B. Walnut 14" $N-E$ 81 feet.

Then set 28 and 29 18.51 chs west of East Sec. line to give R. J. Bullen the East 40 acres of the $N \frac{1}{2}$ of the $N E \frac{1}{4}$ of Sec 5


Ers Bullen & Herman Bullen Helpers

R. J. Bullen
A. Surv.

COUNTY SURVEYOR'S RECORD,

Vol 2

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.



TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- 1 Stone Maple 12 71 1/2 E 95 1/2
- 2 Square Iron 7 1/2 75 1/2 W 91 1/2
- 3 Bar 2 1/2 ft Walnut 13 51 3/4 W 222 1/2
- 4 Willow 15 72 1/2 W 191
- 5 Post Elm 4 97 3/4 W 173
- 6 Iron bar Elm 6 56 3/4 E 89 1/2
- 7 Stone Brick Sugar 12 76 1/2 W 144
- 8 P. Cross Elm 6 37 1/4 E 150
- 9 Iron Rod Elm 4 89 3/4 E 147
- 10 2 ft " 8 53 3/4 E 49
- 11 1/2 Buggy Sycamore 16 51 5/8 E 16 1/2
- 12 Ash 6 N. Oak 4 78 1/2 E 84
- 13 Post Maple 14 75 3 W 35 7/3
- 14
- 15
- 16 Iron shaft Apple 6 82 1/4 W 146
- 17 Iron shaft Stone (suppl) 4 59 W 37 1/2
- 18 Set Stake (Roth 1911)
- 19
- 20 1 half Buggy Apple 12 71 3/4 E 96
- 21 Ash Cherry 6 55 1/2 E 38
- 22 Post Wagon Buckeye 4 58 1/2 E 22 1/2
- 23 Half Wagon Maple 2 52 1/2 W 110 1/2
- 24 Post Elm 8 71 5/8 W 75
- 25 " 12 71 1/2 E 127
- 26
- 27
- 28
- 29
- 30 Sleigh shoe Maple 10 71 1/2 E 142
- 31 2 ft " 3 51 3/4 E 116 1/2
- 32 Iron bar " 10 56 1/2 W 38
- 33 Iron bar " 6 52 1/4 E 93
- 34 Iron bar Cottonwood 6 53 1/2 W 67
- 35 30 in Buggy Elm 6 53 1/2 W 67
- 36 4 ft Maple 2 71 3/4 W 36 1/2

- 37 Iron Rod Poplar 3 71 1/2 E 39
 - 38 15 in " 3 81 1/4 E 41 1/2
 - 39 Iron shaft Sycamore 6 51 1/2 E 29 1/2
 - 40 30 in tile " 6 57 1/4 E 111 1/2
 - (26) Iron shaft 36 in. No witnesses
 - (27) Old chair Maple 4 56 1/2 W 20 1/2
 - (28) Iron bar Elm 6 53 1/4 W 15 1/2
 - (29) Gas pipe Elm 6 53 1/2 E 60 1/2
 - (30) 3 ft Maple 4 75 1/2 E 52
 - (31) Post Elm 10 97 3/4 W 20
 - (32) Gas pipe 18 in. Butternut 10 72 W 72 1/3
 - (33) Iron Rod Maple 6 78 1/2 W 22 1/2
 - (34) 5 ft " 5 72 1/4 W 59 1/2
 - (a) Post Sycamore 16 51 5/8 W 33
 - (17)(9) " No witnesses
 - (c) " " "
 - (d) " " "
 - (e) " " "
 - (f) Gas pipe " " "
 - (g) 4 ft " " "
 - (h) post " " "
 - (i) " " " "
 - (j) " " " "
 - (k) " " " "
 - (l) " " " "
 - (m) Iron Bar " " "
 - (n) Iron Bar " " "
 - (o) 6 ft " " "
- (See opp. Page)

sect X

INGHAM COUNTY, MICHIGAN.

245

TOWN *Two* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Survey of Section No 10 of Aurlins made upon petition of C Smith and thirteen other resident free holders of said section. The old corners and posts were found at the points marked (1), (2), (3), (15) and (5). The point (11) was found from old witnesses made while the original marks could be found and the point (3) was located from Survey No. on the S.W. 1/4 of Sec. No. 3.

The various points are marked and witnessed as follows
(See below Plot)

- (W) Post B. Ash 6 N 57 3/4 W 27
- " " Bentenent 6 N 30 E 20 1/2
- (P) " Sycamore 6 S 5 W 47 1/2
- (K) " B. Ash 6 S 10 E 40
- " " Maple 2 N 45 1/2 E 14 1/2
- (S) " Elm 8 S 13 1/2 W 34
- " " " 6 N 68 1/4 W 29
- (T) " " 15 West 18
- " " " 10 S 25 E 43
- (U) " No Witnesses
- (V) Iron Br N. Oak 12 N 2 1/4 W 163 1/2
- (W) Flow-joints No. Witness

Surveyed May 1, 2, 3, & 4 1895
Mag. Var 0°

John Hobb & Hamilton Bollen Sworn Chairman
Austin Smith Sworn Marker

Recorded June 25 1895

N. A. Rowe Co. Surveyor.