

(Eaton County)

Pointed stone with painted
crookery (Well point to
surface)
PK nail N.W. side of 24"
Maple N.E. 46.3
PK nail N.E. side of 20"
Hickory SE 61.6

18

17

Stone
12" Box Elder S.E. 44.9'
12" Cherry S.S.W. 77.6'
Anch. post S.W. 41.0'
Road sign N.E. 39.75'

19

20

Stone & Bolt
15" Maple N.N.E. 80.3'
15" Maple N.N.W. 104.5'
8" Walnut S.S.E. 83.6'

Gas pipe
Cor. of house S.E. 63.6'
N.E. cor., conc. hd wall
S.S.W. 33.2'
24" Maple W.N.W. 83.5'

30

29

Stone
Anch. post 26.6' E.

31

32

TRAVERSE POINT WITNESS REPORT

Traverse Point No. 1048

Tech. Sup'r. L. BRYAN

Township Northus

Company POLARIS

Recorded Corner Code H-9

Field Squad R. Martin
Sq. #1

Date 12-6-77

Sketch and describe roads, monuments found or set, and witness established:

NW 1/4 post Sec. 30

Fd. Monument Box in E. of Waverly Rd



10.71 from W. edge of Waverly Rd to Box

1) Survey tag on S side of Hickory N 60° E 60.48'


2) Survey tag on W side of Fence post S 45° E 43.48'

3) Survey tag on S. side of P.P. N 70° W 49.15'

RLS # 11370



— Toles —



TRAVERSE POINT WITNESS REPORT

Traverse Point No. 1058

Tech. Sup'r. L. BRYAN

Township Aurélius

Company POLARIS

Recorded
Corner
Code, A-10

Field Squad B. Morlin

Date 12-8-77

Sq. #4

Sketch and describe roads, monuments found or set, and witness established.

FD. $\frac{3}{4}$ " iron pipe under Mono. Box.


0.92' E. of E of Waverly Rd.

1) Survey tag on SW side of fence post, dist. 27.69'

2) Survey tag on W side of 8" Hickory N 60° W
45.75'

3) Survey tag on SE side of 30" Tw. Walnut S 45° W
66.22'


Monument Box on fence line - east



#2
○

#3
○

0.92'
18



Waverly

TECH. SUP'R. L. BRYAN TOWNSHIP AURELIUS
COMPANY POLARIS CORNER CODE B-9
FIELD SQUAD # 9 MINSHALL RECORDED CORNER NO SURVEY ^{RECORDED}
DATE 3-31-78 ROAD NAME TOLES RD.

Sketch, witness, and describe monuments found, and location relative to traverse point and centerline of road.




FOUND $\frac{3}{4}$ " IRON ROD.

WITNESSED TO INGHAM COUNTY WITNESS TAGS FOR TP 1192:

1. FD. N & T, NE SIDE 16" CHERRY, S 05 W, 20.27
2. FD. N & T, S. SIDE 14" ELM, N 60 W, 51.42
3. FD. N & T, S. SIDE TWIN 8" CHERRY, N 60 E, 39.95

IRON IS DUE SOUTH OF TP. 1192




FOUND $\frac{3}{4}$ " IRON ROD ON FENCE LINES TO NORTH AND SOUTH, $\frac{1}{2}$ MI. WEST OF REC. COR. L-9
IN $\frac{1}{4}$ OF ROAD. COINCIDES WITH RLS 3276 SURVEY # 13155.

B-10 Aurelius Twp. C. 24
1-6-78

Measure 2640± South
from N¹/₄ corner of sec. 30
to find C.O.S. 30

N



L 5 P 19 T2N - R2W Aurelius

B-10

Steadman

10-18-78

Anchor post

10" Ash N5W 6.9'

30" Oak S85W 24.8'

5" Maple S10W 15.7'

MONUMENTED CORNER REPORT


TECH. SUP'R. L. BRYNN TOWNSHIP AURELIUS
 COMPANY POLARIS CORNER CODE C-9
 FIELD SQUAD #9 MINSHALL RECORDED CORNER YES
 DATE 3-31-78 ROAD NAME GALE - TOLES

Sketch, witness, and describe monuments found, and location relative to traverse point and centerline of road.

- N
- FOUND #5 IRON ROD.
1. NW COR HOUSE FOUNDATION S45E, 57.90
 2. NE COR. HOUSE FOUNDATION S45W, 109.90
 3. & 28" MAPLE, N71°-35'W, 83.52

FOUND #5 ROD AS
 REL BY RLS 3276
 IN & BOTH ROADS.

— & TOLES RD.



— & GALE

PRELIMINARY EXCAVATION REPORT

TECH. SUP'R. L. BRYAN

TOWNSHIP AURELIUS TWP.

COMPANY POLARIS

CORNER CODE C-10

FIELD SQUAD #9 MINSHALL


ROAD NAME GALE RD. / ASPHALT

Sketch, witness, and describe monuments found and proposed excavation site relative to traverse point and centerline of road.



FOUND T-IRON IN RD. - BEGIN THERE &
EXCAVATE TO POINTS 5' N, E, W 8' SOUTH

1. FD. N&T, SW SIDE, 12" BEECH, N 05° E 30.18
2. " " , E. SIDE MULTIPLE MAPLE, S 30° W, 46.87
3. " " , N. SIDE 10" ELM, WEST, 66.08



△ TP 1162

14.45

4-24-78

4" Blacktop

OK LAB

CORNER EXCAVATION REPORT

TECH. SUP'R. LARRY BRYAN TOWNSHIP AURELIUS
 COMPANY Solpreis CORNER CODE C-10
 FIELD SQUAD #7 D.A. KOST PAGE 1 OF 1 DATE 5-11-78

EXCAVATED AREA: 5' x 7' SQ. FT.; AVG. DEPTH 4 SURFACE 4"

Sketch and describe roads, monuments found or set, and witnesses established:



N OPENED A 5' x 7' HOLE AT C-10 AURELIUS TWP. THIS SITE WAS PRE. CUT BY C. MILLS WAS LAID OUT BY MARK MINSHALL ON 4-24-78 FOUND T-IRON BY MARK M. WITNESSES THE IRON IS IN THE CENTER OF ROAD.
 FOUND LARGE BLUE STONE POINTING UP THIS STONE WAS CALLED FOR BY INGHAM COUNTY ROAD COMM. + NOTHSTINE NOTES. FOUND A PILE OF ROCKS ALL THE WAY AROUND THE LARGE BLUE STONE. 10:01 THURSDAY 5-11-78 THE LARGE BLUE STONE WAS 2 1/2' BY 1 1/2' THERE WERE 8 SMALLER STONES RANGING FROM 4" TO 7". FOUND A WOOD STAKE UNDER THE ROCKS THE STAKE WAS 1" x 1 1/2" x 1' IN DIM. THE TOP OF IT WAS ABOUT 3' BELOW THE ROAD SURFACE THE BOTTOM WAS 4' BELOW. WAS TOLD BY LARRY BRYAN TO SET 36" CONC. MON. AT THE POINT WE FOUND THE WOOD STAKE.

EXCELLENT CORNER, WOOD STAKE WAS VERY WELL PRESERVED AS IT WAS IN SAND. THE STAKE LOOK TO BE MADE BY AN SAW AND NOT CARVED FROM A LOG.
 L. BRYAN.

EGALE RD.

FOUND T-IRON
 LARGE PILE OF STONES.

FOUND 1" x 1 1/2" x 1' WOOD STAKE




TECH. SUP'R. ERRY BRYAN TOWNSHIP AURELIA
COMPANY POLARIS CORNER CODE C-10
FIELD SQUAD H 7 KOST D.A. RECORDED CORNER NO
DATE 5-11-78 ROAD NAME GALE

Sketch, witness, and describe monuments found, and location relative to traverse point and centerline of road.

- S.S. N SET 36" CONC. MONUMENT ^{W/LEAD RLS #18998} 1.50 WEST OF E GALE RD
IN LINE WITH FENCE LINE TO WEST.
- 29.85 1) SET RLS N+T SW/S 12" ~~ASH~~ ^{MAPLE} S80°E ~~29.84~~
- 45.54 2) SET RLS N+T NE/S 10" ~~ASH~~ S30°W ~~45.55~~
- 66.22 3) SET RLS N+T NE/S 12" ~~MAPLE~~ DUE WEST ~~66.21~~
^{TWIN WILD CHERRY}
- 18998 136.44 4) SET RLS N+T E/S 24" OAK S15°W ~~136.39~~

WITNESSES CHECKED
8/3/78 C. EVERITT
Sq. # 11



MONUMENTED CORNER REPORT

TECH. SUP'R. LARRY BRYAN TOWNSHIP AURELIUS
 COMPANY POLARIS CORNER CODE C-10
 FIELD SQUAD #7 KOST D.A. RECORDED CORNER NO
 DATE 5-11-78 ROAD NAME GALE


Sketch, witness, and describe monuments found, and location relative to traverse point and centerline of road.

N SET 36" CONC. MONUMENT ^{W/CAP RLS #18998} 1.50 WEST OF E GALE RD
 IN LINE WITH FENCE LINE TO WEST.

- 1) SET RLS N+T SW/5 12" ^{MAPLE} ASH S80°E 29.86
 2) SET RLS N+T NE/5 10" ASH S30°W 45.54
 3) SET RLS N+T NE/5 ~~12" MAPLE~~ DUE WEST 66.20
 TWIN WILD CHERRY

- 4) SET RLS N+T E/5 24" OAK S15°W 136.41

RLS
 NAIL + TAGS #s
 18998



8/1/78 Sq. 11 SET
 MON. BOX
 SET #16 SPIKE 2" WEST
 STRONGEST BEGP Sq. 11
 3-20-78; Fld. Form No. 7/31/78