


CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:


COMMENCING IN THE SECTION LINE AT A POINT 132 FEET SOUTH OF THE N E CORNER OF SECTION 30, TOWN 2 NORTH, RANGE 2 WEST, AURELIUS TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE SOUTH 132 FEET, THENCE N 89 DEG 43 MIN W 330 FEET, THENCE NORTH 132 FEET, THENCE S 89 DEG 43 MIN E 330 FEET TO THE POINT OF BEGINNING.



ERROR OF CLOSURE IS 0

RECORDED

JUL 14 11:55 AM '71
REGISTER OF DEEDS
Mia Bill Humphrey
INGHAM COUNTY, MICH.



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

Laverne J. Hendryx
LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48910
R. L. S. 3276

APRIL 28, 1971


SURVEY # 11539

LINER 1 PG 27

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT 264 FEET SOUTH OF THE N E CORNER OF SECTION 30, TOWN 2 NORTH, RANGE 2 WEST, AURELIUS TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE SOUTH 148.5 FEET, THENCE N 89 DEG 43 MIN W 264 FEET, THENCE NORTH 148.5 FEET, THENCE S 89 DEG 43 MIN E 264 FEET TO THE POINT OF BEGINNING.




N.E. Corner of
SECTION 30
T 2 N, R 2 W,
Aurelius Twp.
Ingham County
Michigan
1 inch gas pipe raised
to surface with
45 Point rod

RECORDED

JUL 14 11 55 AM '71

REGISTER OF DEEDS

Mia Bell Humphrey
INGHAM COUNTY, MICH.



SCALE
1 IN. = 100 FT.



ERROR OF CLOSURE IS 0

THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

APRIL 28, 1971

SURVEY # 11539 "A"

Laverne J. Hendryx
LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48910
R. L. S. 3276


LIBER

1: PG 28

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT 412.5 FEET SOUTH OF THE N.E. CORNER OF SECTION 30, TOWN 2 NORTH, RANGE 2 WEST, AURELIUS TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE SOUTH 148.5 FEET, THENCE N 89 DEG 43 MIN W 264 FEET, THENCE NORTH 148.5 FEET, THENCE S 89 DEG 43 MIN E 264 FEET TO THE POINT OF BEGINNING.



RECORDED

JUL 14 11 55 AM '71
REGISTER OF DEEDS
Mia Belle Humphrey
INGHAM COUNTY, MICH.

SCALE
1 IN. = 100 FT.



ERROR OF CLOSURE IS 0

THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

Lucas J. Hendry

LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48910
R. L. S. 3276

APRIL 28, 1971

SURVEY # 11539 "B"

14 APR 1976

CERTIFICATE OF SURVEY

FOR: Charles VanAken

LEGAL DESCRIPTION: The West 405 ft. of the South 810 ft. of the South $\frac{1}{2}$ of the Northwest fractional $\frac{1}{4}$ of Section 30, T2N, R2W, Auralius Twp., Ingham County, Michigan, containing 7.53 acres or less.


ORDER 2 PG 686

RECORDED

APR 14 10 03 AM '76

REGISTER OF DEEDS

David M. Lewis
INGHAM COUNTY, MICH.



N
1" = 200'

NOTE:

IMPROVEMENTS NOT LOCATED.
O - INDICATES 1/2" IRON PIPE & R.L.S. # 11370 CAP SET.

I CERTIFY THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED ABOVE IN COMPLIANCE WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970. THE RELATIVE ERROR OF CLOSURE BEING NO GREATER THAN 1 PART IN 5000; AND THAT THE ENCROACHMENTS AFFECTING SAID LAND, IF ANY, ARE LOCATED AS SHOWN HEREON.

DATE 23 OCT 74

ORDER NO. 74-677

DRAWN BY L.L.H.

G.A. STEADMAN & SON, INC.
LAND SURVEYING & ENGINEERING
3236 W. ST. JOSEPH ST.
LANSING, MICHIGAN 48917

1236

BY: *Richard W. Steadman*
REGISTERED LAND SURVEYOR #11370



CERTIFICATE OF SURVEY


UBER

2 P1250

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT 330.0 FEET S 89 DEG 43 MIN E OF THE NORTH $\frac{1}{4}$ POST OF SECTION 30, TOWN 2 NORTH, RANGE 2 WEST, AURELIUS TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE S 89 DEG 43 MIN E 132.0 FEET ALONG THE NORTH LINE OF SAID SECTION 30, THENCE S 0 DEG 0 MIN 40 SEC W 136.0 FEET, THENCE S 25 DEG 0 MIN 40 SEC W 40.5 FEET, THENCE S 3 DEG 43 MIN 30 SEC W 97.0 FEET, THENCE N 89 DEG 38 MIN 12 SEC W 108.6 FEET, THENCE N 0 DEG 0 MIN 40 SEC E 269.46 FEET TO THE POINT OF BEGINNING.

THE ERROR OF CLOSURE IS 0



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970 AND THAT THE IMPROVEMENTS ARE ENTIRELY ON THE LAND AS PLATTED WITH NO ENCROACHMENTS ON ADJOINING PROPERTY.

Laverne J. Hendryx

LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48910
R. L. S. 3276

APRIL 11, 1977

SURVEY # 13155

SEP 15 10 20 AM '77

INGHAM COUNTY


CERTIFICATE OF SURVEY

L'BER

4 1278

For: Mrs. Darlene E. Dilbeck 2814 Arch Rd. Eaton Rapids, MI 48827

Legal Description: The South 320 feet of the West 405 feet of the South 810 feet of the South $\frac{1}{2}$ of the Northwest Fractional $\frac{1}{4}$ of Section 30, T2N, R2W, Aurelius Twp., Ingham County, Michigan, containing 2.98 acres more or less.



I hereby certify that I have surveyed the property and that the ratio of closure is within the limits accepted, and that this map of said survey complies with Sec 3 Of Act 132 PA 1970.


Hathaway J. Hanes
Hathaway J. Hanes R.L.S. & P.E. 5260
1712 Wood St., Lansing, MI 48912

July 29, 1986

A parcel of land in the Southwest Fractional $\frac{1}{4}$ of Section 30, T2N-R2W, Aurelius Township, Ingham County, Michigan, described as: Commencing at the South $\frac{1}{4}$ corner of said Section 30; thence West along the section line 352.77 feet to the point of beginning of this description; thence continuing West along the section line 516.90 feet; thence N $00^{\circ} 02' 53''$ W, 1600.32 feet; thence East 516.90 feet; thence S $00^{\circ} 02' 53''$ E, 1600.32 feet to the point of beginning. The lands described above contain 18.99 acres more or less.

South $\frac{1}{4}$ cor. Sec. 30
T2N-R2W
N20E-103.65--Power Pole
N65E-70.14--Walnut 17"
South-11.4--S. edge road
North-8.8--N. edge road

Southwest cor. Sec. 30
T2N-R2W
ESE-97.36--Hickory 20"
NE-56.82--Oak 32"
NNW-102.50--Hickory 18"



- = Iron Set
- = Iron Found
- × = Nail
- ⊗ = Plat Mon.

CLIENT Mr. J. B. Wade, 1571 Waverly Rd., Eaton Rapids, Mich. 48827 Ph: 663-8431

SEAL

GENERAL SURVEYING INC.


4693 NIXON RD.
DIMONDALE, MICHIGAN 48821
AREA CODE (517) 645-7723

REG. DEEDS


SCALE $\frac{1}{2}$ 30 ft. JOB NO. 85-3 DATE: 3/19/85

I Kay Don Fluke, a REGISTERED LAND SURVEYOR in the State of Michigan, HEREBY CERTIFY that I have surveyed the parcel of land described and delineated hereon. I further CERTIFY that I have complied with P.A. 132 of 1970 as amended.

Kay Don Fluke
3045



CERTIFIED BOUNDARY SURVEY




LIBER 7 16 279

FOR:
Michigan State University
Federal Credit Union
600 East Crescent Road
East Lansing, Michigan 48824


CENTER OF SECTION
19, T2N, R2W

BUYER:
Bernard Sheff & Laureen Marinette-Sheff
6250 Toles Road
Eaton Rapids, Michigan 48827

NORTH LINE OF SOUTHEAST
1/4 OF SOUTHWEST 1/4



LOCATION MAP
(NO SCALE)



33' RIGHT-OF-WAY

SOUTHWEST 1/4 CORNER
SECTION 19, T2N, R2W

WEST 2595.50'

SOUTH LINE OF SECTION 19 &
TOLES RD.

EDGE OF GRAVEL

EAST

150.00'

SOUTH 1/4 CORNER
SECTION 19, T2N, R2W

WEST 150.00'

SHED

RECORDED

JUL 5 9 53 AM '94

REGISTER OF DEEDS
TNGHAM COUNTY, MICH.

30.8' x 50.4'
HOUSE

STEPS

WOOD
SIDEWALK

CONCRETE

GRAVEL
DRIVE

21.5' x 21.5'
GARAGE

DECK

36'

101'

NORTH-SOUTH 1/4 LINE SECTION 19

N00°21'39"W
1321.4'

N00°21'39"W 1321.5'

LEGEND

- SET 1/2" BAR WITH CAP
- SURVEY BOUNDARY LINE
- DISTANCE NOT TO SCALE

ALL DIMENSIONS ARE IN FEET AND
DECIMALS THEREOF.

***** FENCE LINE

4491

BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014

DRAWN BY G J W

SECTION 19, T2N, R2W

FIELD WORK BY RS

JOB NUMBER:

SHEET 1 OF 2

86-B-11377

CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

LIBER

7 280

I hereby certify to the parties named hereon that we have surveyed, at the direction of said parties, the following described parcel of land, and that we have found or set, as noted hereon, permanent markers to all corners of said parcel and that all visible encroachments of a permanent nature upon said parcel are as shown on this survey.

~~The East 150 feet of the centerline of the Southwest 1/4 of Section 19, T2N, R2W, Township of Aurelius, Ingham County, Michigan, 10 feet, thence East 150 feet to the place of beginning.~~
The East 150 feet of the Southwest 1/4 of the Southwest 1/4 of Section 19, T2N, R2W, Township of Aurelius, Ingham County, Michigan, 10 feet, thence East 150 feet to the place of beginning.

WITNESSES:

Southwest corner Section 19, T2N, R2W

Found pipe & cap in monument box centerline Waverly & Toles Roads, Liber 2, Page 633

Found nail & tag #11370 Northwest side 22" Hickory, N25°E, 90.25'

Found nail & tag #11370 South side power pole, N75°W, 49.15'

Found nail & tag in fence corner post, S40°E, 43.55'

3/4" pipe & cap in monument box, North, 49.76'

South 1/4 corner Section 19, T2N, R2W

Found 1/2" bar centerline Toles Road, fence, North and South, Liber 4, Page 186

Found nail & tag Northeast side 20" Cherry, S05°W, 20.18'

Set nail & tag South side 20" Elm, N60°W, 51.42'

Set nail & tag South side twin 8" Cherry, N60°E, 39.95'

Center of Section 19, T2N, R2W

Found 12" diameter chisel pointed rock, replaced with bar & cap #25832

Set nail & tag Southwest side 34" Maple, due East, 34.57'

Set nail & tag West side 26" Maple, N5°E, 45.83'

Set nail & tag West side 18" Wild Cherry, S20°E, 31.89'


This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

All bearings are derived from the South line of Section 19 which is assumed to bear due West.

Larry A. Bryan 7-30-86

Larry A. Bryan Date:
Registered Land Surveyor No. 25832

Revised 8-7-86



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014

DRAWN BY G J W

SECTION 19, T2N, R2W

FIELD WORK BY R S

JOB NUMBER:

SHEET 2 OF 2

86-B-11377

4491