

INDEX

1 WITNESSES F-7 BUNKER HILL TWP.
2 WITNESSES F-8 BUNKER HILL TWP.
3 WITNESSES F-9 BUNKER HILL TWP.
4 WITNESSES E-7 BUNKER HILL TWP.
5 WITNESSES E-9 BUNKER HILL TWP.
6 WITNESSES G-8 BUNKER HILL TWP.
7 WITNESSES E-8 BUNKER HILL TWP.
8 WITNESSES G-9 BUNKER HILL TWP.
9 WITNESSES D-7 BUNKER HILL TWP.
10 ED1 CALIBRATION DATA (MASON RANGE)
11 WITNESSES C-7 BUNKER HILL TWP.
12 WITNESSES D-9 BUNKER HILL TWP.
13 WITNESSES D-8 BUNKER HILL TWP.
14-19 TRAVERSE DATA SECTION 20 BUNKER HILL TWP.
20 WITNESSES C-9 BUNKER HILL TWP.
21 WITNESSES G-7 BUNKER HILL TWP.
22 WITNESSES C-8 BUNKER HILL TWP.

Property of: Ingham County Remonumentation Project

Ingham County Courthouse
Mason, MI 48854

This Book is manufactured of a High Grade
50% Rag Ledger Paper having a Water Resist-
ant Surface, and is sewed with Nylon Water-
proof Thread.

NOTE:

SETOUT INDICATES SET GALVANIZED
NAIL WITH 1" DIAMETER
TAG STAMPED "SURVEY POINT"
P.S. #28414 DO NOT DISTURB

TY INDICATES TIMOTHY YOUNG

PF INDICATES PAUL FURTAU

1/2" IRON INDICATES 1/2" x 1/8" SMOOTH
IRON ROD

GM INDICATES GILLOME MCGHEE

1/2" IRON INDICATES 1/2" x 1/8" SMOOTH
IRON ROD

BALONETAG AND TEMPERATURE
CORRECTIONS ENTERED IN EDM

MM INDICATES MAURICE MAHIEUX P.S. #28414


NOTE: CONT

ALL ANGLES MEASURED TO THE
RIGHT WITH WILD TIOIO #366501

PAIRS REFLECTORS ARE WILD

GPR 1

NOTE: CONT



①

TY, PF.

JUNE 16, 1994

WITNESSES F.T. BUCKEHL TRIP

NORTH 1/4 CORNER, SECTION 21, T1N, E1E,
BUCKEHL TOWNSHIP, MICHIGAN CO. MICH

FOUND. 1/2" IRON ROD CONCRETE

MONUMENT IN MONUMENT CORNER,

NO TOP WAS FOUND. CORNER FALLS

AT INTERSECTION OF CENTERLINE

OF WILLIAMS ROAD AND EAST-WEST
TREE LINE.

FOUND 2 OF 4 ROW LESTER'S

WITNESSES:

N 1/4 #18990 S. SIDE 42" OAK, EAST, 27.58'

N 1/4 #18998 E. SIDE 36" OAK, NW, 131.25'

WHICH ARE ON LCRC RECORDED IN

LIBER 5, PAGE 314. FOUND REMAINING

2 WITNESSES:

28" CHERRY, NW, 32.60' ± AND

36" OAK, NE, 68.50' ± BUT NO

N 1/4 ARE PRESENT. FOUND NEWER

TAG IN 36" OAK TO NE AND

MEASURED 68.80', THIS WITNESS

IS REFERRED IN LESTER'S SURVEY

OF JULY 1990.

LEFT 1/2" IRON ROD CONCRETE
MONUMENT IN PLACE. SET NEW
WITNESSES:

SET N 1/4 #28414 S. SIDE 42" OAK, N88°E, 27.53'

SET N 1/4 #28414 E. SIDE 28" CHERRY, N41°W, 32.50'

SET N 1/4 #28414 W. SIDE 36" OAK, N15°E, 67.95'

SET N 1/4 #28414 E. SIDE 36" OAK, N11°W, 130.38'

①

TY, PF JULY 16, 1994
 WITNESSES F-8 BUCKER HILL TRIP

CENTER OF SECTION 21, T1N, R1E,
 BUCKER HILL TOWNSHIP, MAGNAN CO, MINN.
 FOUND 1/2" IRON ROD WITH YELLOW
 CAP #18998 AT SURFACE OF
 ASPHALT, CORNER FALLS 3' ± EAST
 OF CENTERLINE WILLIAMS ROAD AND
 105' ± SOUTH OF CENTERLINE
 BATTEREE CREEK, FOUND ALL 4
 OF RON CESTER'S WITNESSES
 RECORDED IN LIBER 7, PAGE 188
 ON JULY 24, 1990

WITNESSES FOUND:

N4T #18998 N. SIDE 42" WALNUT, 583°W, 29.50'
 N4T #18998 N. SIDE 20" CHERRY N81°E, 21.72'
 N4T #18998 E. SIDE 20" WALNUT, N35°W, 49.93'
 N4T #18998 E. SIDE 20" WALNUT, 516°W, 107.50'

LEFT 1/2" ROD & YELLOW CAP #18998
 IN PLACE SET NEW WITNESSES:

SET N4T #2844 N. SIDE 28" CHERRY, 558°E, 20.22'
 SET N4T #2844 N. SIDE 42" WALNUT, 583°W, 29.44'
 SET N4T #2844 N. SIDE 20" CHERRY, N81°E, 21.66'
 SET N4T #2844 E. SIDE 20" WALNUT, N35°W, 49.92'
 CENTERLINE WILLIAMS ROAD, WEST, 3.0' ±

TY, PE JULY 16, 1994
WITNESSES F-9 BUNKER HILL TRIP

SOUTH 1/4 CORNER, SECTION 21, T1N, E1E,
BUNKER HILL TOWNSHIP, MICHIGAN CO., MICH.

FOUND 5/8" REBAR, NO CAR, IN
EAST-WEST FENCELINE AT A SHALL
ROCK PILE, FOUND ALL 4 OF

RON LESTER'S WITNESSES RECORDED

IN LIBER 7, PAGE 188 ON JULY
24, 1990.

WITNESSES FOUND:

NUT #18998 E. SIDE 15" OAK, N17°W, 19.03'

NUT #18998 S. SIDE 36" BASSWOOD, N27°E, 15.42'

NUT #18998 N. SIDE 36" OAK, S85°W, 15.58'

NUT #18998 E. SIDE 18" OAK, S65°W, 17.58'

CORNER FALLS 138' ± EAST OF

CENTERLINE WILLIAMS ROAD

LEFT 5/8" REBAR IN PLACE AT

EAST-WEST FENCELINE, SURROUNDED

BY SHALL PILE OF ROCKS AND

SET NEW WITNESSES:

SET NUT #28414 E. SIDE 20" OAK, N01°E, 34.58'
SET NUT #28414 E. SIDE 15" OAK, N17°W, 19.05'
SET NUT #28414 N. SIDE 36" OAK, S85°W, 15.54'
SET NUT #28414 E. SIDE 18" OAK, S65°W, 17.56'
CENTERLINE WILLIAMS ROAD, WEST, 138' ±

TV, PF JUNE 17, 1994
WITNESSES E-7 BUKER HILL 1K12

NORTHWEST CORNER, SECTION 21, T4N, R1E
BUKER HILL TWP., INGHAM CO., MICH.

FOUND 1" IRON PIPE, 1.2' ± WEST OF A
NORTH-SOUTH FENCELINE AND 6.5' ±
SOUTH OF EAST-WEST DRAIN. FOUND
ALL 4 OF RON LESTER'S WITNESSES
RECORDED IN LIBER 7, PAGE 187 OF

JULY 13, 1990.

WITNESSES FOUND

NET #18998 N. SIDE 20" POPULAR, N 70° W, 6.46'
NET #18998 N. SIDE 10" PIGNUT, N 87° W, 10.15'
NET #18998 E. SIDE 18" OAK, N 6° W, 17.18'
NET #18998 E. SIDE 18" OAK, N 2° W, 25.62'


REPLACED 1" IRON PIPE WITH 3/4" x 24"
IRON ROD WITH YELLOW CAP STAMPED
"P.A. 345 P.S. #28414" AND SET
NEW WITNESSES:

SET NET #28414 N. SIDE 10" PIGNUT, N 87° W, 10.13'
SET NET #28414 E. SIDE 18" OAK, N 6° W, 17.15'
SET NET #28414 W. SIDE 18" OAK, N 2° W, 25.87'
SET NET #28414 N. SIDE 8" OAK, S 50° E, 12.10'
CENTERLINE DRAIN, NORTH, 6.5' ±

⑤ TY, PE JUNE 21, 1994

WITNESSES	E-9	BUKKEE HILL TWP.
SOUTHWEST CORNER, SECTION 21, T1N, R1E,		
BUKKEE HILL TWP., INGHAM CO., MICH		
FOUND 1" X 24" IRON ROD AT APPARENT		
INTERSECTION OF NORTH, SOUTH, EAST,		
AND WEST FENCE LINES. AREA IS		
LOW AND WET. EVIDENCE OF		
FENCES IN NORTH, SOUTH, EAST, AND		
WEST WAS FOUND. CORNER FALLS		
22'± WEST OF CENTERLINE OF		
NORTH RUNNING DRAIN AND 10'± SOUTH		
OF EAST RUNNING DRAIN. FOUND ALL		
FOR OF FOR LESTER'S WITNESSES		
RECORDED IN LIBER 7, PAGE 186		
ON JULY 24, 1990. ALL 4 OF		
WITNESSES HAVE BLAZE MARK IN		
TREE.		
LEFT 1" X 24" IRON ROD IN PLACE		
AND REWITNESSED WITH FOR LESTER'S		
BLAZE MARKS, NAILS AND TAGS		
DROVE 2" X 8' METAL PIPE AT SE		
SIDE OF CORNER.		

BLAZE WITH ALT #18198 E SIDE 28" MAPLE
N30°W, 25.62'
BLAZE WITH ALT #18198 NE SIDE (E) 1/2"
MAPLES, 570°W, 31.02'
BLAZE WITH ALT #18198 S. SIDE 30" MAPLE
575°E, 45.73'
BLAZE WITH ALT #18198 N. SIDE 28"
MAPLE, 520°W, 43.09'
1/2" TRAVERSE IRON ROD WITH LATHE
(LATHE WRITING #95-07-30) N65°E, 23.57'



©

TY, PF

JUNE 21, 1994

WITNESSES

G-8 BUCKEEL HILL TWP.

E 1/4 CORNER, SECTION 21, T1N, R1E

BUCKER HILL TOWNSHIP, INGHAM CO., MICH

FOUND 1/2" REBAR WITH CAP #18657

ON E SIDE OF LARGE POINTED STONE,

SURROUNDED BY SMALLER STONES.

FOUND ROTTEN WOOD POST LYING

2' ± TO THE NORTH OF CORNER

LOCATIONAL CORNER FALLS IN A

EAST-WEST FENCE LINE. FOUND

4 OF RON LESTER'S #18998 WITNESSES

RECORDED IN LIBER 7, PAGE 187

ON JULY 13, 1990. REPLACED 1/2"

REBAR WITH 3/4" x 24" 180N EOD AND CAP

"P.A. 345 P.S. #28414

WITNESSES:

UAT #18998 N. SIDE (2) 18" CHEELEY, EAST, S. 94

UAT #18998 S. SIDE (2) 12" CHEELEY, N. 65° E, 2739

UAT #18998 S. SIDE 20" CHEELEY, WEST, 10.19

UAT #18998 W. SIDE 12" CRAB APPLE, N. 15° W, 34.03

©

⑥

TY-PF

JUNE 29, 1994

WITNESSES

E-8 BUCKLEY HILL TRIP

EVA CORNEL, SECTION 20, T14, R1E,

BUCKLEHILL TOWNSHIP INGHAM CO., MI

FOUND 5/8" IRON ROD SURROUNDED

BY STONES IN NORTH-SOUTH FENCE LINE

(LAYING DOWN) FOUND 4 OF ROD

LESTER'S WITNESSES. RECORDED IN

LIBER 7, PAGE 186 ON JULY 24, 1990.

REPLACED 5/8" IRON ROD WITH 3/4" x 24"

IRON ROD WITH YELLOW CAP

STAMPED "P.A. 345 P.S. #28414"

WITNESSES:

NLT #18990 NE SIDE 40' OAK, N75°W, 35.65'

NLT #18990 NE SIDE 30' OAK, N65°W, 18.23'

NLT #18998 NW SIDE 18' OAK, N55°E, 22.88'

NLT #18998 NW SIDE (E) 20' OAK, N40°E, 37.43'

⑦

②

TY-GM SEPT 28, 1994
WITNESSES G-9 BUNKERHILL TWP.

FOUND $\frac{1}{2}$ " IRON ROD AND CAP # 18057
AT EAST SIDE OF 6" DIAMETER
STONE, STONE AND IRON FALL IN
DOWNED, EAST-WEST FENCE LINE,
STONE ALSO FALLS 3'± SOUTH
OF SOUTH BANK OF EAST-WEST
DITCH. REPLACED $\frac{1}{2}$ " IRON AND CAP WITH $\frac{3}{4}$ "
x 14" IRON ROD AND CAP P.A. 345 P.S. #2844

WITNESSES:


NLT #28414 S. SIDE $\frac{3}{4}$ " BASSWOOD, N75°W, 10.02'
NLT #28414 W. SIDE 8" CHERRY, SOUTH, 10.15'
NLT #28414 W. SIDE OAK CUMHP, S45°E, 13.10'
NLT #28414 N. SIDE OAK CUMHP S75°E, 24.22'

③

TY - GH SEPT 28, 1914

WITNESSES D-7 BUCKEY HILL TRIP

FOUND $\frac{1}{2}$ " IRON PIPE AT SOUTHEAST
CORNER OF WOOD FENCE CORNER POST.
FENCE POST IS AT A NORTH-SOUTH-
WEST FENCELINE INTERSECTION.
FOUND NLT # 18909 E. SIDE TWIN 32' OAK,
SOUTH, 10.65' TO $\frac{1}{2}$ " PIPE, REMOVED
 $\frac{1}{2}$ " PIPE AND SET STANDARD $\frac{3}{4}$ " x 24"
IRON ROD WITH CAP " P.A. 345 " 28414
AT POSITION OF $\frac{1}{2}$ " PIPE.
WITNESSED BY:
NLT # 28414 E. SIDE 36" OAK, SOUTH, 10.35'
NLT # 28414 N. SIDE 10" OAK, 5.50' W, 5.85'
NLT # 28414 E. SIDE 15' SHAG BARK HICKORY,
N 5° W, 13.50'
NLT # 28414 SE SIDE 15' ASH, N 10° E, 8.75'



⑥

⑥

⑩

TY-64

Oct 28, 1994

FOUND 1" IRON ROD IN MONUMENT
BOX AT THE INTERSECTION OF
CENTERLINE OF LINDSEY ROAD
AND MERIDIAN ROAD. EXCAVATED
2' X 2' HOLE AT NW AVERAGE
DEPTH OF 3 FEET. FOUND NO
OTHER EVIDENCE. REPLACED
1" ROD WITH STANDARD 3/4" X 24"
IRON ROD WITH CAP "PA. 345"
P.S. #28414. REPLACED MONUMENT
BOX AND COVER OVER 3/4" ROD

WITNESSES:

N4T W. SIDE UTILITY POLE, N40°E, 159.21
N4T W. SIDE GUY POLE, N49°W, 159.54
N4T N. SIDE FENCE POST, 50°W, 33.54
NW CORNER HOUSE #4010, S30°E, 85.75

⑪

②

TY-GM	DATE	BY	TWP
WITNESSES D-9	Oct 28, 1994	BULKERINCL	
SET STANDARD 3/4"x124" IRON ROD WITH CAP PA. 345 #28414. AT MIDPOINT BETWEEN C-9 AND E-9. MEASURED EAST 2637.80 TO E-9 AND WEST 2637.80 TO C-9. ALSO, MEASURED NORTH 2634.90 TO D-8. CORNER FALLS 8.5' SOUTH OF STANDING EAST-WEST FENCELINE. CORNER FALLS 14' LOW WET AREA PLACED THREE LARGE STONES ADJACENT TO 3/4" IRON.			

②

WITNESSED BY:

MET #28414 S. SIDE 54" MARK, WEST, 18.46'
 MET #28414 W. SIDE 10' MARK, 520°E, 57.0'
 MET #28414 E. SIDE 20' MARK, 520°W, 30.60'
 MET #28414 E. SIDE 10" ASH, 522°W, 27.38'

③

TV-GM Oct 28, 1994
WITNESSES D-8 BUCKERHILL TWP


SET STANDARD 3/4" 124" IRON ROD
WITH CAP "P.A. 345" *28414 2.00'
WEST OF CORNER LOCATION A 24'
RED OAK STANDS IN TRUE CORNER
LOCATION. CORNER FALLS 6.5'±
SOUTH OF DOWNED EAST-WEST
FENCELINE. CORNER ALSO FALLS
ON SOUTH EDGE OF WOODCHIE.
PLACED TWO LARGE STONES ADJACENT
TO 3/4" IRON. MEASURED SOUTH
2634.90' TO D-9, EAST 2627.38'
TO E-8, WEST 2637.91 TO C-8
AND NORTH 2610.18 TO D-7
FROM TRUE CORNER LOCATION.

③


WITNESSES

NET *28414 N/SIDE 24" OAK, EAST, 2.05'
NET *28414 N/SIDE 32" OAK, S 30° W, 12.80'
NET *28414 S/SIDE 18" HICKORY, N 80° W, 17.67'
NET *28414 S/SIDE 30" OAK, N 40° W, 25.68'

OCT 18, 1944		TY-G4	
TRAVERSE DATA SECTION 20			
X BH1-14-11		X BH1-14-12	
BS BH1-9-10-D7		BS BH1-14-11	
FS BH1-14-12		FS BH1-14-13	
BSD	0°00'00"	0°00'00"	
D	100°13'21"	89°05'29"	
BSL	180°00'03	179°59'57"	
R	280°13'21"	269°05'19"	
BSD	0°00'00"	359°59'59"	
D	100°13'20"	89°05'29"	
BSL	180°00'01"	179°59'54"	
R	280°13'21"	269°05'18"	
	<u>100°13'20"</u>	<u>89°05'26"</u>	
X BH1-14-11		X BH1-14-11	
BS BH1-9-10-D7		FS BH1-14-12	
359.42		1282.99	
359.42		1282.99	
REVERSE		REVERSE	
359.42		1282.98	
359.42		1282.98	
359.42		1282.99	



		OCT 18, 1944	TY-64
⑤			
X BHL - 14-13		X BHL - 11-14-C7	
BS BHL - 14-12		BS BHL - 14-13	
FS BHL - 11-14-C7		FS BHL - 15-15	
BSD 0°00'00"		0°00'00"	
D 113°49'33"		73°21'16"	
BSR 179°59'56"		179°59'51"	
E 293°49'32"		253°21'08"	
BSD 0°00'00"		359°59'59"	
D 113°49'33"		73°21'16"	
BSR 179°59'56"		179°59'50"	
E 293°49'31"		253°21'07"	
113°49'34"		73°21'17"	
X BHL - 14-12		X BHL - 14-13	
FS BHL - 14-13		FS BHL - 11-14-C7	
2444.58'		1405.79	
2444.59		1405.80	
REVERSE		REVERSE	
2444.60		1405.82	
2444.60		1405.82	
2444.59		1405.81	



(10)

OCT 18, 1994 TY-64

X	BH1-15-15	X	BH1-15-16
BS	BH1-11-14-27	BS	BH1-15-15
FS	BH1-15-16	FS	BH1-15-17
BSD	0°00'00"	0°00'00"	
D	258°00'05"	185°05'01"	
BSR	179°59'52"	179°59'59"	
R	78°00'03"	5°04'56"	
BSD	359°59'58"	0°00'01"	
D	258°00'05"	185°05'03"	
BSR	179°59'52"	179°59'57"	
R	78°00'04"	5°04'59"	
	258°00'09"	185°05'01"	
X	BH1-11-14-C7	X	BH1-15-15
FS	BH1-15-15	FS	BH1-15-16
1198.91		868.05	
1198.91		868.05	
REVERSE		REVERSE	
1198.91		868.05	
1198.91		868.05	
1198.91		868.05	

(10)

X	BH1-15-17	X	BH1-15-17
BS	BH1-15-16	BS	BH1-15-16
FS	BH1-15-18	FS	BH1-15-17
BSD	0°00'00"	0°00'00"	
D	179°44'33"	183°41'43"	
BSR	179°59'50"	180°00'01"	
R	359°44'27"	3°41'30"	
BSD	359°59'58"	359°59'59"	
D	179°44'33"	183°41'44"	
BSR	179°59'52"	179°59'59"	
R	359°44'24"	3°41'38"	
	179°44'33"	183°41'41"	
X	BH1-15-16	X	BH1-15-17
FS	BH1-15-17	FS	BH1-15-18
1416.77		1283.98	
1416.77		1283.98	
REVERSE		REVERSE	
1416.75		1283.98	
1416.75		1283.98	
1416.76		1283.98	

⑦

OCT 18, 1994

TY-GM

BH1-15-16

BH1-15-17

BH1-17-19

Found 1/2" iron

rod in &
MEDIAN ROAD
AND FENCELINE
TO EAST

MEDIAN ROAD

BH1-12-20-C9
SEE PAGE 12 FOR
WITNESSES

NINE COIN

BH1-17-18
SET 1/2" IRON ROD
2.5' EAST OF EAST
EDGE ASPHALT AND
86' NORTH OF A. EDGE
GRAVEL DRIVE TO EAST

BH1-17-21
SET 1/2" IRON
ROD IN GRASS
FIELD

π BH1-15-17

FS BH1-17-19

217.23

217.23

217.28

⑦

π BH1-17-18

BS BH1-15-17

FS BH1-12-20-C9

BSD 0°00'00"

D 221°07'49"

BSR 179°59'52"

R 41°07'44"

BSD 359°59'59"

D 221°07'49"

BSR 179°59'54"

R 41°07'44"

221°07'50"

π BH1-17-18

FS BH1-12-20-C9

2048.01

2048.01

2048.01

2048.01

2048.01

π BH1-17-18

BS BH1-15-17

FS BH1-17-21

0°00'00"

81°48'48"

179°59'52"

261°48'48"

359°59'59"

81°48'48"

179°59'54"

261°48'44"

81°48'51"

π BH1-17-18

FS BH1-17-21

1691.74

1691.74


1691.75

1691.75

1691.75

2048.01

1691.75



X BH1-17-21	FS BH1-18-22	X BH1-18-22	FS BH1-18-23
BS BH1-17-18		BS BH1-17-21	
BSD 0°00'00"	0°00'00"		
D 220°43'43"	221°54'22"		
BSR 179°59'52"	179°59'50"		
R 40°43'43"	41°54'16"		
BSD 359°59'59"	359°59'55"		
D 220°43'42"	221°54'20"		
BSR 179°59'52"	179°59'51"		
R 40°43'43"	41°54'14"		
220°43'47"	221°54'24"		
X BH1-17-21	X BH1-18-22		
FS BH1-18-22	FS BH1-18-23		
1736.36	457.06		
1736.35	457.06		
REVERSE	REVERSE		
1736.38	457.06		
1736.30	457.06		
1736.37	457.06		

①

OCT 19, 1994

TY-64

π BH1 - 18-23	π BH1 - 18-24
BS BH1 - 18-22	BS BH1 - 18-23
FS BH1 - 18-24	FS BH1 - 5-25-E9
BSD 0°00'00"	0°00'00"
D 161°39'15"	130°02'28"
BSL 179°59'52"	179°59'53"
R 341°39'13"	310°02'27"
BSD 0°00'01"	0°00'02"
D 161°39'15"	130°02'28"
BSR 179°59'53"	179°59'54"
R 341°39'15"	310°02'29"
161°39'18"	130°02'31"
π BH1 - 18-23	π BH1 - 18-24
FS BH1 - 18-24	FS BH1 - 5-25-E9
544.18	365.70
544.18	365.70
REVERSE	REVERSE
544.16	365.69
544.16	365.70
544.17	365.70

②

π BH1 - 18-22	π BH1 - 18-26
BS BH1 - 18-21	BS BH1 - 18-22
FS BH1 - 18-26	FS BH1 - 7-27-E8
BSD 0°00'00"	0°00'00"
D 45°03'25"	241°28'11"
BSL 179°59'55"	179°59'51"
R 225°03'19"	61°28'03"
BSD 0°00'01"	357°59'56"
D 45°03'23"	241°28'08"
BSR 179°59'54"	179°59'50"
R 225°03'18"	61°28'02"
45°03'23"	241°28'12"
π BH1 - 18-22	π BH1 - 18-26
FS BH1 - 18-26	FS BH1 - 7-27-E8
854.49	1334.73
854.49	1334.73
REVERSE	REVERSE
854.49	1334.72
854.48	1334.73
854.49	1334.73

(29)

HH-6H

OCT 10, 1994

C-9 BUTLER HILL TWP.

FOUND $\frac{1}{2}$ " REBAR IN MONUMENT
BOX IN CENTERLINE OF MERIDIAN
ROAD. CHECKED WITNESSES OF A-6
AND THEY DID NOT MATCH WITH
FOUND REBAR. PULLED DIMENSIONS
FROM UTILITY POLE, HICKORY, AND
BUTTERNUT OF A-6. DUG IN THIS
LOCATION AND FOUND $\frac{1}{2}$ " IRON ROD
ENCASED IN 4" ϕ CONCRETE AS
CALLED FOR IN A-6. MONUMENT
WAS 0.8' BELOW ROAD SURFACE.
ACCEPTED MONUMENT AS POSITION
OF CORNER. THE FOUND $\frac{1}{2}$ " REBAR
IS 0.6' WEST AND 1.2' NORTH OF
MONUMENT. MOVED MONUMENT BOX
TO LOCATION OF MONUMENT.

WITNESSED BY:

NLT #28414 S.SIDE 18" BUTTERNUT, S85°E,

32.45'

NLT #28414 N.SIDE 24" HICKORY, WEST 32.20'

NLT #28414 N.E.SIDE 15" WALKUT, S85°E, 104.14

NLT #28414 E.SIDE UTILITY POLE, S55°E, 209.90'

PULLED FOUND $\frac{1}{2}$ " ROD

(20)

(20)

HH-GM

OCT 10, 1994

G-7 BUYER HILL TRP.

FOUND RAILROAD SPIKE. AS CALLED FOR IN A-3: FOUND WITNESSES. AS NOTED IN A-3: REMOVED RAILROAD SPIKE AND DUG DOWN 13'±. FOUND POINTED STONE WITH BECK SURROUNDING STONE 2.6'± BELOW ROAD SURFACE. STONE IS 2.1' NORTH OF RAILROAD SPIKE LEFT STONE IN POSITION AND PLACED STAKE AND 3/4" x 24" IRON ROD WITH CAP 'PA. 345' #28414 OVER POINTED STONE. SET MONUMENT BOX OVER 3/4" ROD. 3/4" ROD IS 10.2'± WEST OF PAINTED CENTERLINE OF WILLIAMSTON ROAD AND ON PROJECTED CENTERLINE OF WILLIAMSTON ROAD WHICH RUNS NORTH AND SOUTHEAST.

WITNESSED BY:

WIT #28414 N SIDE 36" MAPLE, 58.9'W, 22.80'
 WIT #28414 E SIDE UTILITY POLE, 510.7'W, 200.75'
 WIT #28414 N SIDE FENCE POST, EAST, 30.90'
 WIT #28414 TOP OF 38" OAK STUMP, EAST 55.50'
 WIT #28414 E SIDE 36" OAK, 1120.0'W, 59.00'

(21)

(22)

TY-DM OCT 28, 1994
C-8 BRUEHNIL TWP

SET STANDARD $3/4 \times 24$ " IRON ROD
WITH CAP " PA. 345 #28414 AT
MIDPOINT BETWEEN C-7 AND C-9.
MEASURED NORTH 2629.37' TO
C-7 AND SOUTH 2629.37' TO C-9.
ALSO, MEASURED EAST 2637.91' TO
D-8 CORNER FALLS IN LARGE
OPEN FARM FIELD. SET CORNER
3 FEET BELOW GRADE, NO
LAND FEATURES NEAR FOR WITNESSES.
USED THE SECTION CORNERS AS
WITNESSES

(22)