


COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One East, MERIDIAN OF MICHIGAN.



Index Vol. 2

TOWN One NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

- 22
28
Blm 16 S 61 1/2 E 20
A 20 9 N 42 E 18
Hickory 16 S 50 W 29
B Blm 16 S 70 E 21 1/2
W Oak 12 S 11 1/2 W 38
C D O 11 N 70 1/2 W 66 1/2
D In Marsh no bearing, trees
Blm 24 N 37 1/2 W 197
E W Oak 15 N 8 1/2 W 145
Blm 17 S 67 1/4 W 25
F D O 15 N 77 1/4 W 30 1/2
W Oak 26 N 79 1/2 W 16 1/2
G D O 24 S 5 1/2 W 89
H In Marsh No bearing trees
Dam 4 N 61 W 46
I D O 4 S 69 W 43
K Dam 9 S 38 W 73 No other trees
B Oak 12 N 62 E 65
L D O 10 N 65 W 72
B Oak 5 S 24 3/4 W 36 1/2
M D O 4 S 6 1/2 E 38
R Oak 28 N 84 W 20 1/2
N Blm 16 N 37 1/2 E 35 1/4
W Oak 16 N 53 1/2 E 50 1/4
Q D O 14 N 32 1/2 W 44


8/7/1850

INGHAM COUNTY, MICHIGAN

TOWN One NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Run by the true Meridian Wm 2 7/8 B
Surveyed and Re-run August 7th 1858
J. A. Jackson is Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

24
25

County Surveyor Notes
Feb 12-13, 1877
A. P. Drake
Book 3 page 23

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the west half of the north half of section Thirty Town One North of Range One East as represented by the plat, the scale to which it is drawn is 10 chains to one inch, in which the names of owners, the number of acres owned by each, the bearings and lengths of the lines surveyed, and the relative position in the section lines letters of reference to the corners are respectively given. The highways are shown by the red lines.

A9 The corners are described as follows.

Found one of the bearing trees blown over and what appeared to be the remains of the other and located the corner as near as it could be from the evidence. New bearing Ironwood 5 in diam bears N64W 34 1/2 ch. dist.

B Ash 8 " " " S74 1/2 W 22 1/2 "

C a stone for a Hickory 6 in diam bears N86W 49 1/2 chs dist

D a post " " " B Walnut 6 " " " S34 1/2 W 7 1/2 "

E " " " " " " " S51W 44 1/2 " "

F " " " " " " " N56E 136 3/4 " "

G AIO " " " in marsh No bearings

H " " " " " " " S8 1/2 W 44 1/2 " "

I " " " " " " " N3 1/2 W 13 " "

J B. Wal. State. " " " " " " " S70E 27 1/4 " "

The bearing of the road was not taken but was found by calculation to be N82° 14'E and is probably very near right.

* This corner was extinct and was reestablished according to law.

Run by the true Meridian Mag. Var 1055 East


Surveyed Feb 12th & 13th 1877 for those named in the plat

Recorded Feb. 21st 1877. by A. P. Drake Co. Surveyor.

STATE OF MICHIGAN, }
COUNTY OF INGHAM, }Received for Record this 14th day of Dec., A. D. 1901, at 3 o'clock P. M.
F. A. Lester, Register of Deeds.

COPY OF MINUTES OF SURVEY.

Parcel of Land in Section 30, Town 1 North, Range 1 East Meridian of Michigan.



- C9 B. Old post of resurvey by Drake No. 1500
Stick 60 N. 86° W. 49 1/2 l.
- C10 C. Stump of O.B. Resurvey, good. Set stone and crockery, f. w.
N. Oaks, N. 19 1/2° W. 78 1/2 l. and C. Ash 6, S. 16° W. 89 1/2 l. f. w.
- D. Not set.
- A10 E. Stumps, Resurvey, good. Traces O.P.F.
N. Oak 6 S. 87° E. 12 l. and B. Oak 4, N. 74 1/2° W. 7 l.
- D. a post 89 1/2 links South of "D"
- L. A post 89 1/2 links South of "L"
- a Not set.
- b Not set.
- P. Post Stick 10; N. 58 1/2° W. 52 1/2 l.
Do 10, S. 47 1/2° W. 76 1/2 l.

magnetic variation of 10' West was allowed.

"C" "C" is E. & W. 1/4 line

County Surveyor Notes
Nov. 15-16, 1901
E. A. Calkins

Book 1 Page 156

MINUTES OF SURVEY (Concluded).

STATE OF MICHIGAN,

COUNTY OF INGHAM,

} ss.

Do Hereby Certify that I did, on the application of

I, E. A. Calkins
George A. Vicary


County Surveyor of said County,

Section 20 in the Township of Bunkerhill survey parcel as platted hereon, on
on November 15 and 16 1901 Town 1 North Range 1E
John A. Vicary David Brunnett and the following persons acted as chainmen, first being duly sworn, to-wit:

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

E. A. Calkins

County Surveyor



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- e11 1 Buggy axle in center of ditch 24
 2 25
 D11 3 Elm stake.
 4
 C11 5 Iron bar.
 6
 7
 8
 9
 10
 11
 12
 13 Hill of linden
 14
 15 Red in Maple 18' N-E 22 1165
 16 Tile Gate 24' S-E 87 "
 17
 18
 19
 20
 21

4/20/1911

INGHAM COUNTY, MICHIGAN.

TOWN... / NORTH, RANGE... / East... MERIDIAN OF MICHIGAN.

Survey of the N.W. 1/4 of Sec. 32 T. 17. R. 1. E.
for Ben Wood and Geo Brink.
Ben Wood. } Scribe
Dan Webster } Chairman.

Surveyed Apr. 20, 1911

Dug for N.W. cor. of Sec. 32 and found old slate
hole. Set iron bar for corner. Chained east
on north section line. At 79.94 found N.E. corner
of Sec. 32. This corner was identified by an Elm
tree and Elm Tamarack stumps. Set buggy axle
with stake by side in center of ditch.
Set ^{iron} ~~tile~~ for N.W. 1/4 post Sec. 32. where old slate
was found. L.W.

Maple 18" N.E. 72/ks Oak 24" S-E. 87/ks.
Chained east on 1/4 line and found center of sec as
old post Set well cylinder by side. Set ^{marker}
4 and 1/4 half way and ran line between them.
P. J. Rabb
Co Surveyor.