

7-14-04 T. SINNAEVE
M. KETCHUM

SUNNY 75°

D-12

FOUND 1/2" ROD AND CAP #18994, REPLACED WITH
3/4" X 24" SMOOTH IRON AND 2X4" ALUMINUM
REMON CAP #28417. NO EXCAVATION
DUE TO PREVIOUS WORK BY RON
HELSEL

FOUND NAIL AND TAG #18998 WEST SIDE 15"

WALNUT SSE 45.09

FOUND NAIL AND TAG #28414 NW SIDE 24"

MAPLE S27W 64.48

FOUND NAIL AND TAG #18998 SOUTH SIDE 32"

WALNUT S88W 37.92

FOUND NAIL AND TAG #18998 SOUTH SIDE

27" WALNUT SSE 4.83

SE FOUNDATION CORNER OF HOUSE

#230 S28W 129.64

NORTH EDGE OF ASPHALT SOUTH 11.3

4/

D-11

FOUND 1/2" PIPE IN ROCK PILE IN OLD FALLEN
DOWN EAST WEST FENCE LINE, REPLACED
WITH 3/4" X 2 1/4" SMOOTH IRON AND 2 1/4"
ALUMINUM REMON CAP #28414 NO
EXCAVATION DUE TO PREVIOUS WORK
BY RON HELSEL
FOUND NAIL AND TAG #28414 SOUTH SIDE 18"
CHERRY N80W 47.66
FOUND NAIL AND TAG #18994 WEST SIDE
36" OAK S6W 9.77
FOUND NAIL AND TAG #28414 SOUTH SIDE
DOUBLE 15" OAK N84E 37.93
FOUND NAIL AND TAG #25832 SOUTH SIDE 15"
OAK S74E 55.46
FOUND NAIL AND TAG #28414 NW SIDE
10" MAPLE N69E 20.65

D-13

GLEN FAUSER

FOUND 1/2" ROD AND CAP #18657 1' 0.3' ABOVE
GROUND: FOUND 1/2" ROD 0.18 SOUTH 0.5'
BELOW GROUND. FOUND 1/2" ROD 0.08 SOUTH
AND 0.12 WEST OF CAPPED IRON AND
1.0 BELOW GROUND. EXCAVATED 2' X 2' HOLE
1.5' DEEP. FOUND NO FURTHER EVIDENCE.
REPLACED FOUND IRON THAT WAS 1.0'
BELOW GROUND WITH 3/4" X 2 1/4" SMOOTH
IRON ROD AND 2 1/4" ALUMINUM REMON
CAP #28414
FOUND NAIL AND TAG #18998 NORTH
SIDE 8" DEAD ELM S80E 86.63
SET NAIL AND TAG #28414 EAST SIDE
14" BOX ELDER S40E 198.84
SET NAIL AND TAG #28414 SOUTH SIDE 14"
ELM N85W 175.91
E DITCH NORTH 10.7
E DITCH WEST 21.7
FOUND NAIL AND TAG #18998 NORTH
SIDE 44" DOUBLE MAPLE EAST 316.58

5/

T. SINNAEVE
M. KETCHUM
7-16-04 sunny 75°


E-13

FOUND 1/2" IRON ROD AND CAP #18657 GLEN
IN WEED LINE BETWEEN 2 FARM FIELDS FROSTEN
±630' WEST OF E NIMS ROAD.
EXCAVATED
FOUND NO FURTHER EVIDENCE. REPLACED
FOUND IRON WITH 3/4" X 24" SMOOTH
IRON ROD AND 2 1/4" ALUMINUM
REMON CAP #28414 TERRY
FOUND NAIL AND TAG #3900 SOUTH WILSON
SIDE 12" BOX ELDER WEST 19.22
FOUND NAIL AND TAG #39100 WEST
SIDE 8" WALNUT N5E 5.25
FOUND NAIL AND TAG #39100 SOUTH
SIDE DOUBLE 10" BASSWOOD 37.65 WEST
SET NAIL AND TAG #28414 WEST SIDE
21" OAK N10E 392.18

T. SINNAEVE
M. KETCHUM
sunny 80° 7-19-04

F-12

EXCAVATED 3.0 X 3.0 HOLE 0.75 DEEP
AROUND 4X6 FENCE POST ON SOUTH
EDGE OF E-W CREEK. FOUND 60D
SPIKE ON NORTH SIDE OF POST
FOUND NO OTHER EVIDENCE. SET 3/4" X 24"
SMOOTH IRON ROD AND 2 1/4" ALUMINUM
REMON CAP #28414 ON NORTH SIDE OF
POST.
FOUND NAIL AND TAG #28414 SE SIDE 12"
HAWTHORN CLUMP S30W 123.61
FOUND NAIL AND TAG #28414 SE SIDE 14"
HAWTHORN CLUMP S47W 78.49
FOUND NAIL AND TAG #28414 SOUTH SIDE
FENCE POST WEST 18.97
SET NAIL AND TAG #28414 SE SIDE 54"
POPLAR S75W 115.98
CORNER IS ON NORTH SIDE OF FENCE
POST. OLD FENCE RUNS SOUTH, NEWER
FENCE TO WEST



π BH4-6-201	
BS BH4-6-200-G-11	
FS BH4-6-202	
BSD 0°00'00"	55
FSD 105°50'55"	
BSR 180°00'01"	52
FSR 285°50'53"	
BSD 0°00'02"	55
FSD 105°50'57"	
BSR 180°00'05"	51
FSR 285°50'56"	
<u>105°50'53"</u>	
π BH4-6-201	π BH4-6-201
FS BH4-6-200-G-11	FS BH4-6-202
1353.74	1073.14
1353.75	1073.14
REVERSE	REVERSE
1353.76	1073.14
1353.75	1073.14
<u>1353.75</u>	<u>1073.14</u>

7/

T BH4-6-201
 BS BH4-6-200-611
 FS BH4-6-203

BSD 0°00'00"
 FSD 56°48'56" 48'56"
 BSR 180°00'08"
 FSR 236°48'57" 48'49"
 BSD 0°00'08"
 FSD 56°48'58" 48'50"
 BSR 58
 FSR 236°48'59" 49'01"
56°48'54"

T BH4-6 201
 FS BH4-6 203

1122.75
 1122.76
 REVERSE
 1122.78
 1122.77
1122.77

T BH4-6-202
 BS BH4-6-201
 FS BH4-6-204

BSD 0°00'00"
 FSD 216°32'55" 55
 BSR 180°00'06"
 FSR 36°33'09" 03
 BSD 0°00'06"
 FSD 216°33'05" 59
 BSR 180°00'05"
 FSR 36°33'03" 58
216°32'59"

T BH4-6-202
 FS BH4-6-204

756.44
 756.44
 REVERSE
 756.45
 756.45
756.45

T BH4-6-204
 BS BH4-6-204
 FS BH4-6-205

BSD 0°00'00" 04
 FSD 186°04'04" 04
 BSR 180°00'07"
 FSR 6°04'02" 55
 BSD 0°00'06"
 FSD 186°04'01" 55
 BSR 180°00'11"
 FSR 6°04'05" 54
186°03'57"

T BH4-6-204
 FS BH4-6-205
 514.76
 514.76
 REVERSE
 514.74
 514.74
514.75

T BH4-6-205
 BS BH4-6-204
 FS BH4-6-206

BSD 0°00'00" 27
 FSD 157°49'24" 27
 BSR 180°00'03"
 FSR 337°49'25" 22
 BSD 359°59'57"
 FSD 157°49'29" 32
 BSR 180°00'00"
 FSR 337°49'27" 27
157°49'26"

T BH4-6-205
 FS BH4-6-206
 1183.58
 1183.58
 REVERSE
 1183.59
 1183.59
1183.59

9/

T BH4-6-206
 BS BH4-6-205
 FS BH4-6-207

BSD 0°00'00"
 FSD 157°46'27" 27
 BSR 180°00'02"
 FSR 337°46'30" 28
 BSD 359°59'59"
 FSD 157°46'27" 28
 BSR 180°00'04"
 FSR 337°46'28" 24
157°46'27"

T BH4-6-206
 FS BH4-6-207
 4259.66
 4259.67
 REVERSE
 4259.65
 4259.67
4259.66

T BH4-6-207
 BS BH4-6-206
 FS BH4-6-208

BSD 0°00'00"
 FSD 76°45'43" 43
 BSR 179°59'59"
 FSR 256°45'42" 43
 BSD 359°59'58"
 FSD 76°45'44" 46
 BSR 180°00'01"
 FSR 256°45'44" 43
76°45'44"

T BH4-6-207
 FS BH4-6-208
 1266.90
 1266.90
 REVERSE
 1266.88
 1266.88
1266.89

T BH46-208
 BS BH46-207
 FS BH46-209

BSD 0°00'00"
 FSD 168°35'10" 10
 BSR 180°00'00"
 FSR 348°35'06" 06
 BSD 0°00'07"
 FSD 168°35'18" 11
 BSR 180°00'05"
 FSR 348°35'17" 12
168°35'10"

T BH46-208
 FS BH46-209

1327.01
 1327.01
 REVERSE
 1327.01
 1327.00
1327.01

T BH46-209
 BS BH46-208
 FS BH46-210

BSD 0°00'00"
 FSD 181°17'02" 02
 BSR 180°00'00"
 FSR 1°17'01" 01
 BSD 359°59'57"
 FSD 181°17'02" 05
 BSR 179°59'56"
 FSR 1°16'59" 03
181°17'03"

T BH46-209
 FS BH46-210

402.37
 402.37
 REVERSE
 402.37
402.37

14

T BH4-6-210
BS BH4-6-209
FS BH4-6-211

BSP 0°00'00"
FSD 305°31'05"
BSR 180°00'02"
FSR 125°31'04"
BSD 0°00'01"
FSD 305°31'00"
BSR 180°00'05"
FSR 125°31'03"
305°31'01"

T BH4-6-210
FS BH4-6-211

584.21
584.21
REVERSE
584.19
584.19
584.20

05

02

59

58

T BH4-6-210
BS BH4-6-209
FS BH4-6-212

BSD 0°00'00"
FSD 96°24'16"
BSR 180°00'04"
FSR 276°24'19"
BSD 0°00'06"
FSD 96°24'21"
BSR 180°00'07"
FSR 276°24'18"
96°24'14"

T BH4-6-210
FS BH4-6-212

360.86
360.86
REVERSE
360.86
360.86
360.86

16

15

15

11

T BH4-G-211
 BS BH4-G-210
 FS BH4-G-213

BSD 0°00'00"
 FSD 169°22'55" 55
 BSR 180°00'04"
 FSR 349°22'55" 51
 BSD 0°00'01"
 FSD 169°22'56" 55
 BSR 180°00'03"
 FSR 349°22'47" 44
169°22'51"

T BH4-G
 FS BH4-G
 620.67
 620.67
 REVERSE
 620.65
 620.65
620.66

T BH4-G-213
 BS BH4-G-211
 FS BH4-G-214-D11

BSD 0°00'00"
 FSD 240°35'35" 35
 BSR 179°59'55"
 FSR 60°35'44" 49
 BSD 359°59'55"
 FSD 240°35'45" 50
 BSR 179°59'56"
 FSR 60°35'42" 46
240°35'45"

T BH4-G
 FS BH4-G
 34.32
 34.32
 REVERSE
 34.32
 34.32
34.32

13/

7-23-04

T. SINNAEVE
M. KETCHUM
SUNNY 73°

T BH46-203

BS BH46-201

FS BH46-215

BSD 0°00'00"

FSD 259°11'02"

BSR 179°59'58"

FSR 79°11'03"

BSD 0°00'05"

FSD 259°11'04"

BSR 180°00'00"

FSR 79°11'00"

259°11'02"

T BH46-203

FS BH46-215

251.49

251.49

REVERSE

251.49

251.49

251.49

T BH46-203

BS BH46-201

OLD FALLEN DOWN NORTH-SOUTH

WIRE FENCE

284°38'58"

427.79

187°03'51"

300.90 SOUTH END OF

FENCE. WATER TO SOUTH

③

④

14
T BH46-215
BS BH46-203
FS BH46-216

BSD 0°00'00"
FSD 158°40'33" 33
BSR 179°59'58"
FSR 338°40'31" 33
BSD 359°59'57"
FSD 158°40'24" 27
BSR 180°00'03"
FSR 338°40'22" 19
158°40'28"

T BH46-215
FS BH46-216
116.09
116.09
REVERSE
116.09
116.09
116.09

T BH46-216
BS BH46-215
FS BH46-217

BSD 0°00'00"
FSD 137°01'07" 07
BSR 179°59'56"
FSR 317°01'13" 17
BSD 359°59'54"
FSD 137°01'10" 16
BSR 180°00'04"
FSR 317°01'12" 08
137°01'12"

T BH46-216
FS BH46-217
465.66
465.66
REVERSE
465.66
465.66
465.66

15

T BH4-6-217
 BS BH4-6-216
 FS BH4-6-218

BSD 0°00'00"
 FSD 190°57'50" 30
 BSR 180°00'04"
 FSR 10°57'43" 39
 BSD 0°00'05"
 FSD 190°57'48" 43
 BSR 179°59'59"
 FSR 10°57'41" 42
190°57'44"

T BH4-6-217
 FS BH4-6-218

370.74
 370.74
 REVERSE
 370.74
 370.74
370.74

T BH4-6-218
 BS BH4-6-217
 FS BH4-6-219

BSD 0°00'00"
 FSD 168°16'30" 30
 BSR 180°00'01"
 FSR 348°16'29" 28
 BSD 0°00'03"
 FSD 168°16'40" 37
 BSR 179°59'58"
 FSR 348°16'39" 41
168°16'34"

T BH4-6-218
 FS BH4-6-219

222.43
 222.42
 REVERSE
 222.44
 222.44
222.43

BH4-6-219 15±37' EAST OF OLD FALLEN
 DOWN NORTH SOUTH WIRE FENCE AND ±
 300' NE OF ESTIMATED ^{NW} CORNER SECTION 33

N 14

~~π BH4-6-212~~~~BS BH4-6-210~~~~FS BH4-6-220~~~~BSD 0°00'00"~~~~FSD 148°22'53"~~~~BSR 180°00'02"~~~~FSR 328°22'55"~~~~BSD 0°00'03"~~~~FSD 148°22'51"~~~~BSA 180°00'07"~~~~FSR 328°22'51"~~~~148°22'50"~~

π BH4-6-212

FS BH4-6-220

309.89

309.88

REVERSE

53

53

48

44

π BH4-6-212

BS BH4-6-210

FS BH4-6-220

BSD 0°00'00"

FSD 216°01'30"

BSR 179°59'57"

FSR 36°01'36"

BSD 359°59'59"

FSD 216°01'30"

BSR 180°00'04"

FSR 36°01'35"

216°01'33"

π BH4-6-212

FS BH4-6-220

134.74

134.75

REVERSE

134.74

134.74

134.74

17

T BH4-6-220
BS BH4-6-212
FS BH4-6-221

BSD 0°00'00"
FSD 159°30'32"
BSR 180°00'05"
FSR 339°30'28"
BSD 0°00'03"
FSD 159°30'29"
BSR 180°00'00"
FSR 339°30'33"
159°30'29"

T BH4-6-220
FS BH4-6-221
727.57
727.57
REVERSE
727.58
727.58
727.58

T BH4-6-221
BS BH4-6-220

OLD FALLEN DOWN EAST-WEST
WIRE FENCE, ENDS ± 50 TO EAST
AT SMALL NORTH SOUTH CREEK AND
MEDIUM SIZE CREEK TO EAST
134°41'36" 116.59'

⑧

18

OCTOBER 4, 2004
T. SINNAEVE
T. DECHSELBOER

T BH4-6-221

BS BH4-6-220

FS BH4-6-222-E11

161° 27' 46" 247.88

E-11

Set Nail Tag #28414 in 6" Ash S&SW 10.17

Set Nail Tag #28414 SE side 6" Box Elder S&E 30.39'
Centerline Base 2" pipe West 36.61'

Set Nail Tag #28414 in E side 12" Box Elder North 26.74

SET 3/4" X 24" SMOOTH IRON ROD

AND 2 1/4" ALUMINUM REMON

CAP # 28414 AT E OF EXTENSION
OF E-W DITCH TO EAST

T BH4-6-219

BS BH4-6-218

FS BH4-6-223

BSD 0° 00' 00"

FSD 148° 28' 16"

BSR 179° 59' 57"

FSR 328° 28' 18"

BSD 0° 00' 01"

FSD 148° 28' 18"

BSR 180° 00' 02"

FSR 328° 28' 20"

148° 28' 18"

T BH4-6-219

FS BH4-6-223

170.90

170.90

REVERSED

170.87

170.87

170.89

12

π BH4-6-210

BS BH4-6-209

FS BH4-6-225

BSD 0°00'00"

FSD 178°52'01"

BSR 179°59'50"

FSR 358°52'03"

BSD 359°59'48"

FSD 178°51'57"

BSR 179°59'52"

FSR 358°51'58"

178°52'07"

π BH4-6-210

FS BH4-6-225

3468.12

3468.12

REVERSED

3468.11

3468.11

3468.12~~π BH4-6-223~~~~BS BH4-6-219~~~~FS BH4-6-224~~~~SET IRON ON LINE BETWEEN N¹/₄~~~~CORNER AND NE CORNER~~~~SECTION 35. 5.00' EAST OF~~~~N¹/₄ CORNER~~~~246°21'59" 219.94~~

20/

F11

SET 3/4" X 24" SMOOTH IRON ROD
AND 2 3/4" ALUMINUM REMON CAP
#28414 EAST SIDE OF N-S DITCH
20' NORTH OF EXTENSION OF
DITCH TO WEST

T BH4-6-223

BS BH4-6-219

FS BH4-6-224-F11

SET NAIL TAG #28414

SE SIDE 10"

MAPLE N29E 2336

SET NAIL TAG #28414

W. SIDE 48' POPLAR

SIOE 42.28

FOUND NAIL TAG #18994 NW SIDE

15' DEAD TREE SOUTH 56.67

SET NAIL TAG #28414 NW SIDE 12"

POPULAR S56W 46.02

T BH4-6-210

BS BH4-6-209

FS BH4-19-226

BSD 0°00'00" -

FSD 178°46'33"

BSR 180°00'01"

FSR 358°46'31"

BSD 359°59'59"

FSD 178°46'31"

BSR 180°00'00"

FSR 358°46'31"

178°46'32"

T BH4-6-210

FS BH4-6-226

2741.38

2741.38

REVERSED

2741.38

2741.38

2741.38

π BH4-6-210

BS BH4-6-209

WIMS RD AND NEWER WIRE FENCE
TO EAST (OLD WIRE FENCE IS BALLED
UP IN A PILE) 178°49'03" 1624.57
OLD FENCE TO WEST IS 11' NORTH
OF FENCE TO EAST

WIMS RD AND OLD WIRE FENCES
TO EAST AND WEST 178°49'21" 530.2

(24)

π BH4-19-226

BS BH4-6-210

FS BH4-21-227

BSD 0°00'00"

FSD 294°47'49"

BSR 180°00'03"

FSR 114°47'40"

BSD 0°00'00"

FSD 294°47'37"

BSR 180°00'00"

FSR 114°47'41"

294°47'39"

π BH4-19-226

FS BH4-21-227

1932.75

1932.75

REVERSE

1932.75

1932.75

1932.75

22/

N

△ BH4-6-209

BH4-6-210

BH4-22-228-D12

VICARY RD

△ BH4-19-226 SET PK NAIL

SE CORNER NIMS
VICARY

BH4-21-227
SET PK NAIL
S. SIDE RD.

BH4-22-235 SET 1/2"
IRON IN SE CORNER
CORN FIELD

BH4-22-234 SET 1/2" IRON IN
WHEAT FIELD

BH4-22-233
SET 1/2" IRON IN
WHEAT FIELD

BH4-22-232 SET 1/2"
IRON IN
HAY FIELD

● BH4-22-231-E13

△ BH4-22-230 SET PK NAIL W. SIDE RD

△ BH4-22-229 FOUND 1/2" ROD TRAVEL CAP
#28409 E. SIDE ROAD

△ BH4-19-225 SET PK NAIL E. SIDE NIMS
AT DRIVE #5333

T BH4-21-227
 BS BH4-19-226
 FS BH4-22-228-D12
 BSD 0°00'00"
 FSD 184°03'49" 49
 BSR 180°00'12" 43
 FSR 4°03'55"
 BSD 0°00'15"
 FSD 184°04'03" 48
 BSR 180°00'13"
 FSR 4°04'10" 57
 184°03'49"

T BH4-21-227
 FS BH4-22-228-D12
 413.18
 413.18

23/

T BH4-19-22\$
 BS BH4-6-210
 FS BH4-22-229

BSD 0°00'00"
 FSD 180°47'53" 53
 BSR 180°00'01"
 FSR 0°47'53" 52
 BSD 0°00'03"
 FSD 180°47'53" 50
 BSR 179°59'59"
 FSR 0°47'52" 53
180°47'52"

T BH4-19-22\$
 FS BH4-22-229

620.35
 620.35
 REVERSED
 620.35
 620.35
620.35

T BH4-22-229
 BS BH4-19-22\$
 FS BH4-22-230

BSD 0°00'00"
 FSD 188°41'59" 59
 BSR 179°59'58"
 FSR 8°41'58" 00
 BSD 359°59'59"
 FSD 188°42'00" 01
 BSR 179°59'59"
 FSR 8°42'00" 01
188°42'00"

T BH4-22-229
 FS BH4-22-230

869.60
 869.60
 REVERSED
 869.60
 869.60
869.60

24

T BH4-22-230
 BS BH4-22-229
 FS BH4-22-231-E/B

BSD 0°00'00" 08
 FSD 236°47'08"
 BSR 180°00'02"
 FSR 56°47'07" 05
 BSD 359°59'58"
 FSD 236°47'05" 07
 BSR 180°00'00"
 FSR 56°47'08" 08
236°47'07"

T BH4-22-230
 FS BH4-22-231-E/B
 709.59
 709.59
709.59

T BH4-22-230
 BS BH4-22-229
 FS BH4-22-232

BSD 0°00'00" 06
 FSD 266°45'06"
 BSR 180°00'03"
 FSR 86°45'10" 07
 BSD 359°59'59"
 FSD 266°45'05" 06
 BSR 180°00'03"
 FSR 86°45'07" 04
266°45'06"

T BH4-22-230
 FS BH4-22-232
 1452.77
 1452.77
 REVERSED
 1452.76
 1452.76
1452.77

25/

T BH4-22-232
 BS BH4-22-230
 FS BH4-22-233

BSD 0°00'00"
 FSD 151°10'46" 46
 BSR 180°00'02"
 FSR 331°10'46" 44
 BSD 0°00'03"
 FSD 151°10'46" 43
 BSR 180°00'01"
 FSR 331°10'45" 44
151°10'44"

T BH4-22-232
 FS BH4-22-233

623.18
 623.18
 REVERSED
 623.18
 623.17
623.18

T BH4-22-233
 BS BH4-22-232
 FS BH4-22-234

BSD 0°00'00"
 FSD 248°32'09" 09
 BSR 180°00'08"
 FSR 68°32'11" 03
 BSD 0°00'05"
 FSD 248°32'06" 01
 BSR 180°00'09"
 FSR 68°32'06" 57
248°32'03"

T BH4-22-233
 FS BH4-22-234

748.04
 748.04
 REVERSED
 748.03
 748.03
748.04

26/

T BH4-22-234
 BS BH4-22-233
 FS BH4-22-235

BSD 0°00'00"
 FSD 195°57'55" 56
 BSR 180°00'05"
 FSR 15°57'55" 50
 BSD 0°00'01"
 FSD 195°58'00" 59
 BSR 180°00'06"
 FSR 15°57'59" 53
195°57'55"

T BH4-22-234
 FS BH4-22-235
 229.31
 229.31
 REVERSED
 229.30
 229.30
229.31


T BH4-22-235
 BS BH4-22-234
 FS BH4-22-236-D13

BSD 0°00'00"
 FSD 137°42'45" 45
 BSR 180°00'03"
 FSR 317°42'46" 43
 BSD 0°00'03"
 FSD 137°42'47" 44
 BSR 179°59'56"
 FSR 317°42'48" 52
137°42'46"

T BH4-22-235
 FS BH4-22-236
 420.85
 420.86
420.86

27

N



BH4-27-237
 BH4-27-238-L12
 BH4-21-227
 BH4-27-241
 BH4-6210

28/

T BH4-27-237

BS BH4-21-227

FS BH4-27-238-1/2

BSD 0°00'00"

FSD 178°54'34" 34

BSR 180°00'07"

FSR 358°54'33" 26

BSD 0°00'03"

FSD 178°54'36" 33

BSR 180°00'05"

FSR 358°54'30" 25

178°54'30"

T BH4-27-237

FS BH4-27-238-1/2

1407.16

1407.16

1407.16

T. S. N. N. A. R. V. E.
M. K. E. T. C. H. U. M.
D. R. A. Y. M. O. N. O.

191904

Cloudy 50°

(1)

T BH4-6-200-G11

BS BH4-6-201

FS BH4-6-239

BSD 0°00'00"

FSD 194°39'49"

BSR 180°00'03"

FSR 14°39'52"

BSD 359°59'58"

FSD 194°39'51"

BSR 180°00'04"

FSR 14°39'51"

194°39'50"

T BH4-6-200-G11

FS BH4-6-239

1084.90

1084.90

REVERSED

1084.93

1084.93

1084.92

49

49

53

47

T BH4-6-239

BS BH4-6-200-G11

FS BH4-6-240-G12

BSD 0°00'00"

FSD 178°58'37"

BSR 180°00'05"

FSR 358°58'44"

BSD 359°59'57"

FSD 178°58'37"

BSR 180°00'03"

FSR 358°58'45"

178°58'40"

T BH4-6-239

FS BH4-240-G12

1554.47

1554.48

(1)

(340)

37

39

40

42

3/

T BH4-6-210

BS BH4-19-226

FS BH4-27-241 (341)

BSD 0°00'00"

FSD 357°54'45"

BSR 180°00'03"

FSR 177°54'52"

BSD 359°59'58"

FSD 357°54'44"

BSR 180°00'04"

FSR 177°54'52"

357-54-47

T BH4-6-210

FS BH4-27-241

398.63

398.63

REVERSED

398.62

398.62

398.63

OLD EAST WEST WIRE FENCE

123°13'28" 1128.55 (342)

T BH4-19-226

BS BH4-6-210

OLD 6" IRON FENCE POST

40°59'15" 1066.40 (343)

CORNER, FENCE SOUTH AND WEST

RLS 25837 HAS TRAVERSE POINT

IN E NIMS ± 20' NORTH OF VICARY RD.

RAIN 65°

E-12

10-29-04

T. SUNNABEVE
M. KETCHUM

EXCAVATED 2'X2' HOLE 1.25'
DEEP. FOUND NO EVIDENCE OF
SECTION CORNER. SET 3/4"X24"
SMOOTH IRON ROD AND 2 1/4" ALUMINUM
REMON CAP #28414

SET NAIL AND TAG #28414 EAST

SIDE 42" OAK NORTH 23.18

SET NAIL AND TAG #28414 SOUTH

SIDE 48" OAK N80W 58.38

SET NAIL AND TAG #28414 NORTH

SIDE 18" ASH S70W 41.85

SET NAIL AND TAG #28414 NORTH

SIDE 36" OAK S70E 69.80

EAST WEST WIRE FENCE

SOUTH 14.50

& VICARY ROAD AND NIMS ROAD
WEST 332.0'

F-13

FOUND 3/4" SMOOTH ROD AND 2 1/4" INGHAM
ALUMINUM REMON CAP #25837

FOUND NAIL AND TAG #28414 SW SIDE

40" OAK N66W 242.78

FOUND NAIL AND TAG #28414 SW SIDE

15" CHERRY N60W 227.34

SET NAIL AND TAG #28414 NORTH

SIDE 10" CHERRY S84W 218.22

SET NAIL AND TAG #28414 SOUTH SIDE

21" OAK N86W 253.19

SET NAIL AND TAG #28414 EAST

SIDE 8" MAPLE S13W 288.39