

TRAVERSE POINT WITNESS REPORT

Traverse Point No. 12,021

Tech. Sup'r. L. Bryan

Township Bunkerhill

Company Polaris

Recorded
Corner
Code I-11


Field Squad Whipple #3
Blasen

Date 11-18-'78

N

Sketch and describe roads, monuments found or set, and witness established:

- ① N. 55° W. 80.51 S.E. corner foundation of porch
- ② S. 30° W. 59.37 Fd. #16 nail E. side 20" walnut
- ③ N. 40° E 146.34 S.W. corner foundation of house



White House
#1455
Haynes Rd
①

Haynes Rd.

Grey House
#1503
Fitchburg
③

Fitchburg Rd.

2.6'±

OK
11/4/79

MINCH

5

Fd. 3/4" pipe according to
liber 1 pg. 403, on physical
E of Haynes Rd. S.
2.6'± S. of physical E of
Fitchburg Rd.

TRAVERSE POINT WITNESS REPORT

Traverse Point No. 12,016

Tech. Sup'r. L. BRYAN

Township BUNKER HILL

Company POLARIS

Recorded
Corner
Code I-13

Field Squad M. WHIPPLE #3


Date 4-18-78

Sketch and describe roads, monuments found or set, and witness established:

① N 50° W 96.48' FD. NY TRLS 17640 ON S. SIDE 12" APPLE


② N 60° E 47.12' FD. PK. NAIL ON S. SIDE 16" WALNUT

③ N 10° E 207.24' FD. NY TRLS 17640 ON W. SIDE 24" WILLOW



③

FD 1" ROD ACCORDING TO LIBB
4 PG 44, 5' WEST OF PHYSIC
Q OF HAYNES RD, 10.5' NORTH
OF PHYSICAL Q OF BASE
LINE RD



OK 4/1/79
M. N. A.

CORNER EXCAVATION REPORT


TECH. SUP'R. RON LESTER TOWNSHIP BUNKER HILL
 COMPANY POLARIS CORNER CODE J-11
 FIELD SQUAD DALE PAGE 1 OF 1 DATE 7-18-80

EXCAVATED AREA: 5.0' x 5.0' 25 SQ. FT.; AVG. DEPTH 3.5' SURFACE ASP.

Sketch and describe roads, monuments found or set, and witnesses established:



EXCAVATED A 5.0' x 5.0' 3.5' DEEP 186.3' WEST
 OF TP 12043. NO EVIDENCE FOUND.




9 FITCHBURG RD.

CONCRETE
BRIDGE

186.3'

TP
120



Corner lost
 12C 8/25/80

TRAVERSE POINT WITNESS REPORT

Traverse Point No. 12,034

Tech. Sup'r. L. RYAN

Township DUNDEE HILL

Company POLARIS

Recorded

Corner


Code K-11

Field Squad M. WHIPPLE


Date 4-19-78

Sketch and describe roads, monuments found or set, and witness established:

- ① N 30° E 42.68' Fd. #16 NAIL ON SE. SIDE 18" WALNUT
- ② S 65° E 71.28' Fd. P.K. NAIL ON NE. SIDE PP.
- ③ N 50° W 47.29' Fd. BOLT ON S. SIDE PP.



Fd BOLT SPIKE ACCORDING TO
LIBER 3 PG 261, 1 1/2' NORTH OF
PHYSICAL Q OF FITCHBURG RD,
ON PHYSICAL Q OF FRIERMUTH RD.



OK 1/5/79
MNCB

TRAVERSE POINT WITNESS REPORT

Traverse Point No. 12, 033

Tech. Sup'r. L. BRYAN

Company POLARIS

Field Squad M. WHIPPLE #3



Township BUNKER HILL

Recorded
Corner
Code K-12

Date 4-19-78

Sketch and describe roads, monuments found or set, and witness established:

- ① DUE E. 24.18' Fd. P.K. NAIL ON S. SIDE P.P.
- ② S 30° E 87.34' Fd. P.K. NAIL ON W. SIDE 24" HICKORY
- ③ N 88° W 30.33' Fd. N. 4 TOW N SIDE 10" CORNER FENCE POST



MONUMENTED CORNER REPORT

TECH. SUP'R. L. BRYAN TOWNSHIP BUNKERHILL
 COMPANY POLARIS CORNER CODE K-13
 FIELD SQUAD # 9 MINSHALL RECORDED CORNER YES
 DATE 1-9-79 ROAD NAME BASELINE @ FRIERMUTH


Sketch, witness, and describe monuments found, and location relative to traverse point and centerline of road.


N

FD. T-BAR AT INTER. OF REC. WITNESSES
 LIBER 4, PAGE 282

L 4 P 282

K-13 TLW-RLE Bunker Hill Williams
 3/4" iron bar
 N&T 14" Ash S80E 27.80'
 N&T 14" Box Elder S8W 15.00'
 N&T anchor pole N40W 81.25'





Point Listing made Mon Nov 24 09:57:00 2003

Page 1 of 1

Drawing Name: 69983
 Project Name: 69983
 Project Path: I:\69\69983\
 Username: abumstead

Number	Northing	Easting	Elevation	Raw Desc	Full Desc
1	7637.23	4898.17	0.00	N1/4 CORNER SEC.35	N1/4 CORNER
2	7666.92	4986.09	0.00	TP3	TP3
3	7619.88	4361.05	0.00	TP2	TP2
4	7558.77	2316.34	0.00	TP1	TP1
5	7541.71	2268.19	0.00	NW CORNER SEC.35	NW CORNER SEC
6	7732.17	7528.53	0.00	NE CORNER SEC.35	NE CORNER SEC
7	7747.79	7494.87	0.00	TP5	TP5
8	7686.09	6466.39	0.00	TP4	TP4
9	5092.38	7623.54	0.00	EAST 1/4 SEC.35	EAST 1/4 SEC
10	6479.48	7586.40	0.00	TP6	TP6
11	5000.89	7614.02	0.00	TP7	TP7
12	2454.55	7731.08	0.00	SE CORNER SEC.35	SE CORNER SEC
13	2716.98	7700.71	0.00	TP9	TP9
14	3862.36	7684.07	0.00	TP8	TP8
15	2358.81	5101.98	0.00	SOUTH 1/4 CORNER SEC.35	SOUTH 1/4 COR
16	2347.56	5004.78	0.00	TP12	TP12
17	2402.06	5742.45	0.00	TP11	TP11
18	2430.52	7240.11	0.00	TP10	TP10
19	2262.92	2472.63	0.00	SW CORNER SEC.35	SW CORNER SEC
20	2276.41	2454.31	0.00	TP14	TP14
21	2304.29	3333.07	0.00	TP13	TP13
22	5925.03	2316.34	0.00	TP17	TP17
23	4907.21	2364.82	0.00	WEST 1/4 CORNER SEC.35	WEST 1/4 COR
24	4777.34	2358.93	0.00	TP16	TP16
25	3157.20	2450.36	0.00	TP15	TP15
26	2336.18	4481.36	0.00	FALLING CORNER S1/4 SEC35	FALLING CORN
27	2433.28	7147.90	0.00	FALLING CORNER SE SEC.35	FALLING CORN
28	2392.95	6215.82	0.00	TP18	TP18
29	3769.86	5536.63	0.00	TP19	TP19
30	4998.12	4996.21	0.00	ROCK PILE (POSSIBLE COS)	ROCK PILE (P
31	4951.28	5082.59	0.00	TP23	TP23
32	4745.95	5100.35	0.00	TP22	TP22
33	4519.45	5095.68	0.00	TP21	TP21
34	4215.14	5101.30	0.00	TP20	TP20
35	5335.32	5126.30	0.00	TP24	TP24
36	5813.92	5028.76	0.00	TP25	TP25

(1968)
 1/4 WNW 45.41'
 1/4 SW 34.05'
 1/4 SW NE 83.45'
 1/4 NW 18.54'

28

27

26

25

Title at intersection of road
 SE cor house NW 79.8'
 6" well NW 42.8'
 6" Poplar SSE 34.5'
 Spring leaf, tile
 30" Hickory WNW 106.7'
 6" hw Elm 89.2'

Stone, brick, crockery
 24" Hickory NW 38.3'
 18" Maple SSW 154.0'

Gas pipe, stone
 20" Hickory NW 36.3'
 on E. & W. R.

Gas pipe
 10" Oak SW 47.8'
 20" Maple NW 78.8'

Steel post in conc. SE 46.1'
 Arch post in stone, NW 42.5'

1/2 Iron
 24" Maple SW 77.0'
 30" Oak NE 122.7'
 5" Elm
 18" Walnut NE 40.78'
 Post in RR NW 47.30'
 NW in TR E. S. E. 47.16'

1/2 Iron
 1/2 Elm
 1/2 Walnut in F. Post
 NW 24.54'
 6" Oak SW N. 15.60'
 6" Oak SW SE 22.40'

1/2 Iron
 1/2 Walnut in R. C. Tr.
 W. 30.32'
 Pl. in TR E. 24.30'
 Pl. in 24" West. SSE 87.16'

1/2 Iron
 18" Walnut NW 39.3'
 14" Walnut W 26.0'
 14" Elm NE 65.0'
 24" Oak E 29.7'

Iron, brick, stone
 2" Walnut SW 38.8'
 14" Elm NW 78.1'
 40" Elm SSE 6.5'
 15" Elm NW 40.9'
 42" Elm SSE 74.2'

(Jackson County)

INCHAM COUNTY ROAD COMMISSION

3

Asile, spot 3113