

t REMON. OFFICE

Form 280
(Rev. 3/60)

GOV'T. MONUMENT WITNESSES RECORD

Section 13	

WITNESSES

USGS. BM. S 25 W 40.9
Road sign S 55 W 42.2
13th Tree of Heaven 5705.97.63

DESCRIPTION
Found 1/2" Iron for North East section corner of section 13 Delhi TWP. Ingham County. In center of College & Willoughby road West.

MICHIGAN STATE HIGHWAY DEPARTMENT

SURVEY CHIEF


C. E. Smith

Oct. 1963

TRANSCRIBED from ~~original~~ DUPLICATE on file

SOURCE:

Form 280



L-6

SOURCE: ROAD COMM. MAP #4

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
DUPLICATE

Anch. post at corss fence
3" Oak E 31.1'
4" Oak N 53.3'
3" Oak W.S.W. 7.9'

M-5

SOURCE: ROAD COMM. MAP #4

TRANSCRIBED from ~~ORIGINAL~~ on file at REMON. OFFICE
DUPLICATE

1/2" Iron (MSHD 1963)
U.S.G.S. b.m. S 25 W 40.9'
Road sign S 55 W 42.2' 40.6
13" tree of heaven S 70 E 97.63' ok

SOURCE: NOTHSTONE NOTES P. 7
TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

Township: Delhi
Section: 13

- 4 - stone iron shaft on top M-7 RECORDED
22" Maple NW 63.2'
34.3' S of the SW cor. Sec. 18, Alameda Twp.
- X - pointed stone
20" elm W 24.5'
10" elm NE 172.9'
13" walnut NW 199.5'
- 1 - stone with cross replaced with iron M-5 UNREC
18" Twin walnut SW 39.8'
18" walnut NE 72.1' 5"
24" cherry E 132.5' North
113.0 Alameda Co.
- A - see Sec. 12 L-5 RECORDED
- U - anch. post at cross fences L-6 UNRECORDED
oak 3" E 31.1'
oak 4" N 53.3'
oak 3" WSW 7.9'
- 2 - see Sec. 12 K-5 RECORDED
- B - see Sec. 14 K-6 RECORDED
- 3 - Iron
9" Elm N 14°W 143 1/2 links K-7 RECORDED
30" Elm S 27 1/2°W 35 links
East rail WCHN 140 links
- 4 - 3/4" pipe M-7 RECORDED
T.P. S 60°W 46.95
R.P. N 15°E 81.45
T.P. S 60°E 105.07

DELHI
township

T 3 N, R 2 W

L-6
corner code attachment no.

3

P. 1 of 1

SOURCE: NOTHSTONE NOTES P. 7

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

Township: Delhi
Section: 13

4 - stone iron shaft on top M-7 RECORDED
22" Maple NW 63.7'
34.3' S of the SW cor. Sec. 18, Alaledon Twp.

X - pointed stone
20" elm W 24.5'
10" elm NE 172.9'
13" walnut NW 199.5'

1 - stone with cross replaced with iron M-5 UNREC
18" Twin walnut SW 39.8'
18" walnut NE 72.1' 5
24" cherry E 132.5' North Alaledon Cor.

A - see Sec. 12 L-5 RECORDED

U - anch. post at cross fences L-6 UNRECORDED
oak 3" E 31.1'
oak 4" N 53.3'
oak 3" WSW 7.9'

2 - see Sec. 12 K-5 RECORDED

B - see Sec. 14 K-6 RECORDED

3 - Iron K-7 RECORDED
9" Elm N 14°W 143 1/2 links
30 1/2 Elm S 27 1/2°W 35 links
East rail NCRR 140 links

4 - 3/4 pipe MSMD 1963 M-7 RECORDED
T.P. S60W 66.95
P.P. N15E 81.45
T.P. S60E 109.07

N R2W DELHI

T.P. N.N.E. 66.86'
T.P. E.N.E. 71.09'
Guy Pole S.S.E. 45.80'

1388.40'

3694.02'

Mon. Box
Guy Pole N. 77° E 90.27'
W. Cor. fa. post. N. 15° W
52.38'
E. Edge Conc. Pavt. E
60.7'
NE. Cor. House no. 3322
1' Pin mon. box W.
19.80'

1" IRON MON. BOX 1976

N

Sp. (1977)
71° 51' E 14.35'
72° 51' E 14.35'
36° 51' W 27.10'

3/4" Pipe (M.S.H.D. 1963)
44" Elm N. 50° E 46.54'
P.P. S. 20° W 45.46'
12" Maple N. 30° W 60.04'
26" Map N 72° 55' W 57.13'
W.H. Pole N. 61° 40' E 62.60'
W.H. Pole S. 21° 40' W 45.14'

3/4" Iron (M.S.H.D. 1963)
Iron in conc. S. 50.00'
10" Maple N. 33° W 61.48'
10" Maple S. 55° W 46.18'
Cl. Maple N. 29.13'

1/2" Pipe (M.S.H.D. 1963)
Road sign S. 40° W 43.95'
P.P. N. 85° E 34.55'
4" Plum S. 40° E 59.15'

P.P. S. 38.66'
T.P. N. 30.06'
SW cor. porch slab N.N.E. 97.30'

2638.15'

12

1299.86'

1309.92'

Sp. (1977)
21° 4' 40.40'
24° 31' 29.10'

Iron 9/8"
22" Walnut N.N.E. 70.0'
6" Walnut S.W. 78.10'
SE. cor. house NW. 86.12'
(as recorded in Lib. of Land Gr. Pg. 33)

Iron
24" Maple W.N.W. 42.7'
23" Elm S.W. 53.0'
3" Ash N.E. 34.6'
Anch. post S. 24.9'
Anch. post W. 25.7'

Large roll (M.S.H.D. 1963)
29" Elm N. 75° E 81.87'
15" Walnut S. 75° E 81.28'
P.P. N. 80° E 42.08'

Sp. (1977)
N. 76° 00' 115.23'
N. 76° 00' 115.23'
N. 76° 00' 115.23'
N. 76° 00' 115.23'
N. 76° 00' 115.23'

3/4" Iron (M.S.H.D.)
P.P. S. 30° 30' W 63.22'
12" Hickory N. 63° 30' W 45.49'
P.P. N. 18° 30' W 76.55'
(as recorded in Lib. of Land Gr. Pg. 29)

Iron, stone
10" Walnut S. 30.2'
16" Walnut S.W. 35.8'
Anch. post N. 25.2'
18" Elm S.E. 52.0'

1/2" Iron (M.S.H.D. 1963)
U.S.G.S. b.m. S. 25° W 40.9'
Road sign S. 55° W 42.2'
13 Tree of heaven S. 70° E 97.63'

Stone
30" Pine N.E. 40.2'
4" Elm S.W. 32.5'
NW. cor. house wall S. 53.0'

13
Anch. post at cross fence
3" Oak E 31.1'
4" Oak N. 53.3'
3" Oak W.S.W. 7.9'

Pointed stone (1949)
30" Elm W. 23.5'
1-1/2" Iron E. 33.0'
10" Elm S.E. 74.8'
10" Elm E.S.E. 29.9'

3/4" Iron
Anch. post S.S.W. 37.5'
Anch. post N.N.E. 33.6'
NW. cor. P.P. tower E.S.E. 65.6'

3/4" Iron (M.S.H.D. 1963)
T.P. S. 60° W 66.95'
P.P. N. 15° E 81.45'
T.P. S. 60° E 109.07'

County

Ingham

Delhi Township

Comm.

Delhi Twp. Rd.