

*Delhi*  
TOWN *Two* NORTH, RANGE *Two East*

|                   |                |                   |                |                |                       |
|-------------------|----------------|-------------------|----------------|----------------|-----------------------|
| 774,<br>6         | 109, 143,<br>5 | 4                 | 3              | 169, 226,<br>2 | 26, 89, 89, 124,<br>1 |
| 118, 783,<br>7    | 8              | 9                 | 64,<br>10      | 32, 76,<br>11  | 100,<br>12            |
| 142,<br>243<br>18 | 17             | 176,<br>16        | 260,<br>15     | 127,<br>14     | 13                    |
| 13,<br>19         | 185,<br>20     | 194,<br>244<br>21 | 255,<br>22     | 216,<br>23     | 58, 133,<br>24        |
| 203,<br>30        | 20             | 28                | 186,<br>27     | 2              | 42, 76,<br>25         |
| 157,<br>31        | 129,<br>32     | 33                | 84, 114,<br>34 | 47, 123,<br>35 | 49, 76, 145,<br>36    |

*Loughane*  
TOWN *Two* NORTH, RANGE *One East*


|           |           |    |    |            |    |
|-----------|-----------|----|----|------------|----|
| 136,<br>6 | 134,<br>5 | 4  | 3  | 2          | 1  |
| 7         | 8         | 9  | 10 | 11         | 12 |
| 18        | 17        | 10 | 15 | 137,<br>14 | 13 |
| 19        | 20        | 21 | 22 | 23         | 24 |
| 30        | 29        | 28 | 27 | 26         | 25 |
| 31        | 33,<br>32 | 35 | 34 | 36         | 30 |

## COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. 19

NORTH



SOUTH

TOWN ----- NORTH, RANGE -----, MERIDIAN OF MICHIGAN.

- |    |    |
|----|----|
| 1  | 24 |
| 2  | 25 |
| 3  |    |
| 4  |    |
| 5  |    |
| 6  |    |
| 7  |    |
| 8  |    |
| 9  |    |
| 10 |    |
| 11 |    |
| 12 |    |
| 13 |    |
| 14 |    |
| 15 |    |
| 16 |    |
| 17 |    |
| 18 |    |
| 19 |    |

## INGHAM COUNTY, MICHIGAN.

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the south west fractional quarter and the east half of the north west fractional quarter Section No. Thirteen in Township No Three North of Range No. Ten West.

Beginning at "25" the south west corner of said section and see the following mines notes referenced to the accompanying plat

|                                                 |                                          |
|-------------------------------------------------|------------------------------------------|
| "14" N Oak 33 inches diam S 11° W 143 1/2 ft    | "8" Tamarac 8 in diam S 24 1/2° E 151 ft |
| "13" Elm 12 " " N 42 1/2° E 164 "               | "14" Elm 18 " " N 57° W 44 1/2 "         |
| "15" N Oak 34 " " S 48° E 93 "                  | "24" N Oak 24 " " N 15 1/2° E 69 1/2 "   |
| "27" N Oak 76 " " S 16° W 58 "                  | "24" N Oak 24 " " N 30° W 106 3/4 "      |
| "25" The highest point of north line of section | "25" Apple 3 " " N 51 1/4° W 182 3/4 "   |


and running thence north one fourth of a degree east on the west line of the section thirty nine chains and sixty three links to "13" to the middle point on said west line. Thence south eighty nine degrees and fifty eight minutes east on the east west quarter line forty three chains and twenty one links to "13" the middle of the section. Thence south twenty four minutes west on the north-south quarter line thirty nine chains and sixty nine links to "25" the quarter post in the south line of the section. Thence north eighty nine degrees and fifty three minutes west on said south line forty three chains and ten links to "25" the place of beginning containing 176.15 acres. The west fractional part containing 91.84 acres. This was divided by the line "26" "27" north of which are 51.80 acres & 40 acres south. Thence from the quarter post "3" in the north line of the section south twenty four minutes west on the north-south quarter line forty chains and two links to "13" the east west quarter line. Thence north eighty nine degrees and fifty eight minutes west on said east-west quarter line twenty chains to "14" the line of lots. Thence north twenty four minutes east on said line of lots forty chains to "4" the north line of the section. Thence south eighty nine degrees and fifty minutes east on the north line of the section twenty chains to the closing point of the east half of the north west quarter of the section. Containing 70.02 acres.

Run by the true Meridian Var 2° 23' East  
 Surveyed for Anson Abbey, John Burick & B. M. Frink Dec. 3<sup>d</sup>  
 1868 recorded Nov 2<sup>d</sup> 1868 by N. J. Brown, Dep. Co. Surv, Ing. Co., Mich.

## COUNTY SURVEYOR'S RECORD,

TOWN *Three* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

SEC. 20



TOWN \_\_\_\_\_ NORTH, RANGE \_\_\_\_\_, MERIDIAN OF MICHIGAN.

- |    |    |
|----|----|
| 1  | 24 |
| 2  | 25 |
| 3  |    |
| 4  |    |
| 5  |    |
| 6  |    |
| 7  |    |
| 8  |    |
| 9  |    |
| 10 |    |
| 11 |    |
| 12 |    |
| 13 |    |
| 14 |    |
| 15 |    |
| 16 |    |
| 17 |    |
| 18 |    |
| 19 |    |
| 20 |    |

# INGHAM COUNTY, MICHIGAN.

105

TOWN Third NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

Survey of the north half of section No Twenty in Township No One North of Range No Two East as represented by the accompanying plat the scale of which is thirteen chains to one inch in which plat the names of owners, the bearings and distances of lines between reference to lines and corners, the position of roads etc are respectively given.

The corners are described as follows:—


- |                         |                                             |                      |          |        |
|-------------------------|---------------------------------------------|----------------------|----------|--------|
| (5)                     | a post from which an elm 12 in. diam. bears | S 33½° W             | 50¾ ch   | ← C 7  |
| (4)                     | " " " " a Buck 10 " " "                     | S 56½° W             | 90 "     |        |
| "                       | " " " " " Buck 5 " " "                      | N 66½° E             | 94 "     |        |
| "                       | " " " " " Sugar 7 " " "                     | N 16½° W             | 34 "     |        |
| (2)                     | " stone " " the S.E. cor of School House    | " N 51° W            | 235 "    |        |
| (1)                     | " " " " a W. Oak 12 inches                  | " S 19° E            | 56½ "    |        |
| "                       | " " " " apple 4 " " "                       | " N 12½° E           | 87½ "    |        |
| (3)                     | " " 25 in. long marked "                    | " a B Walnut 2 " " " | S 64¾° E | 107 "  |
| (12)                    | " " and creek "                             | " " cherry 10 " " "  | S 85° W  | 64½ "  |
| (1-), (13), (17) & (26) | lost                                        | No bearing trees     |          |        |
| (8)                     | a post from which                           | a Sugar 5 " " "      | N 67½° W | 72½ "  |
| (12)                    | " " " "                                     | a S. Oak 18 " " "    | S 53¾° W | 34¾ "  |
| (27)                    | " " " "                                     | a S Oak 36 " " "     | N 67½° W | 116¾ " |

Run by the true Meridian Magnetic Var. 1° 55' East  
 Surveyed Mar 18th 1874 by  
 T. J. Brown, C. S. Suro, Ing. Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE Two East; MERIDIAN OF MICHIGAN.

SEC. 18



TOWN \_\_\_\_\_ NORTH, RANGE \_\_\_\_\_, MERIDIAN OF MICHIGAN.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20

24  
25

## INGHAM COUNTY, MICHIGAN.

TOWN Three North, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of part of section No. Eighteen in Township No. Three North of Range No. Two West, as represented by the accompanying plat (the scale of which is 12 chains to one inch), in which the names of the owners, the number of acres owned by each, the bearings and distances of the lines, letters of reference to lines and corners, and the relative position of the land surveyed, are respectively given.

The corners are described as follows.

|      |                                            |            |                |
|------|--------------------------------------------|------------|----------------|
| (15) | a post from which a Birch 11 in diam bears | S 38 1/2 E | 27 1/2 ch. do. |
| (14) | " " " " an Elm 13 " " "                    | S 35 E     | 46 1/2 " "     |
| (13) | " " " " a Birch 16 " " "                   | N 42 W     | 103 " "        |
| "    | " " " " a Birch 10 " " "                   | S 66 E     | 21 " "         |
| (26) | " " " " No trees.                          |            |                |
| (11) | " " " " a Spruce 3 " " "                   | N 40 W     | 20 1/2 " "     |
| "    | " " " " a Spruce 5 " " "                   | S 37 E     | 53 3/4 " "     |
| (21) | " " " " an Elm 12 " " "                    | S 38 1/2 W | 58 3/4 " "     |
| (27) | " " " " a Spruce 10 " " "                  | N 30 W     | 35 1/2 " "     |
| "    | " " " " a Spruce " " "                     | N 22 1/2 E | 30 1/2 " "     |
| (23) | " stone " " a Spruce 8 " " "               | S 24 1/2 E | 131 " "        |
| (24) | " post " " a Birch 8 " " "                 | S 87 3/4 W | 177 " "        |
| "    | " " " " an Aspen 3 " " "                   | S 24 E     | 47 " "         |
| (26) | " " " " Iron stake                         |            |                |
| (16) | " " " " a Spruce 4 " " "                   | S 57 1/2 W | 2 1/2 " "      |
| (17) | " " " " a Spruce 1 " " "                   | N 82 1/2 W | 2 1/2 " "      |


Run by the true Meridian. Mag. Var. 135° E  
Surveyed and Recorded June 13<sup>th</sup> 1876 by

T. J. Brown, Deft. R. Surv., Ing. Co., Mich.

Permissions of Sup. placed.

|      |                                            |            |            |
|------|--------------------------------------------|------------|------------|
| (8)  | a post from which a Oak 18 in. diam. bears | N 40 1/2 W | 79 ch. do. |
| (10) | " " " " No Set                             |            |            |
| (1)  | " " " " " " "                              |            |            |
| (3)  | " " " " an Elm 18 " " "                    | S 47 W     | 53 1/2 " " |
| (4)  | " " " " a Spruce 8 " " "                   | N 1 E      | 2 1/2 " "  |
| "    | " " " " a Birch 10 " " "                   | N 65 1/2 W | 15 1/4 " " |

## COUNTY SURVEYOR'S RECORD,

TOWN 9 NORTH, RANGE 24, MERIDIAN OF MICHIGAN.SEC. 18

TOWN ----- NORTH, RANGE -----, MERIDIAN OF MICHIGAN.

- |                                          |                   |
|------------------------------------------|-------------------|
| 1 Iron stake within old wood stake       | 24 Stone          |
| 2                                        | 25 Stone          |
| 3 Iron rod & tile                        | 26 Stake No trees |
| 4 Iron rod in wagon skin                 | 27 " " "          |
| 5 Iron stake about 24 in SE 46 1/2 ft    | 28 " " "          |
| 6                                        | 29 " " "          |
| 7                                        | 30 " " "          |
| 8 Iron & stone No trees                  | 31 " " "          |
| 9                                        | 32 " " "          |
| 10 Iron stake                            | 33 " " "          |
| 11 Iron No trees                         | 34 " " "          |
| 12 Stake No trees                        | 35 " " "          |
| 13 Stake No trees                        | 36 " " "          |
| 14 Stake o.f.f.                          | 37 " " "          |
| 15 Maple stake maple 121 ESW 56 ft 11 in |                   |
| 16                                       |                   |
| 17                                       |                   |
| 18 Stake No trees                        |                   |
| 19 " " "                                 |                   |
| 20                                       |                   |
| 21 Stone                                 |                   |
| 22 Stake No trees                        |                   |
| 23 Stone on south side of highway        |                   |

1022

SINGHAM COUNTY, MICHIGAN.

253

TOWNSHIP NORTH, RANGE, MERIDIAN OF MICHIGAN.

Survey of Sec. 18 T37N R2W was made on petition of freeholders.  
No deviation allowed.

A. H. Loun

Geo. Dungan

C. Thomas

C. Metzger


} Survey Chairman

Surveyed Sept 16, 17, 18 1903

So many old marks were found that it was not necessary  
to use the needle to determine lines or direction

C. P. Meach Co Survey

## COUNTY SURVEYOR'S RECORD.

TOWN *Iron* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.SEC. *Nineteen*

Page 750/1

TOWN *Iron* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11 34 1/2 10 W N 79 E 24
- 12 34 1/2 12 W N 26 W 53
- 13 34 1/2 14 W N 54 W 16 1/2
- 14 34 1/2 16 W S 57 3/4 E 52
- 15
- 16 34 1/2 18 W N 52 E 49 1/2
- 17 34 1/2 20 W N 15 W 41 1/2
- 18 34 1/2 22 W N 55 E 21 1/2
- 19 34 1/2 24 W N 27 E 19
- 20