


SOURCE: RECORD COUNTY SURVEYOR

V. 1 P. 73

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE  
DUPLICATE



Vol 1 P 973  
1842

DELHI  
township

T 3 N, R 2 W

I-9  
corner code attachment no.

4  
p. 1 of 2

|                                     |                                          |
|-------------------------------------|------------------------------------------|
| Scop. W. Oak 32 in N 68 W 16 1/2 Mo | Sugar 14 in S 20 E 11 Mo                 |
| Maple 10 in N 19 E 24 Mo            | Brownwood 5 in S 70 W 30 Mo              |
| Buck 10 in S 72 W 16 Mo             | Elm 24 in N 57 W 4 1/2 Mo                |
| Brownwood 7 in N 46 E 8 Mo          | Elm 16 in S 57 W 4 1/2 Mo                |
| Buck 14 in S 18 1/2 E 15 Mo         | B. Ash 10 in S 30 W 1 3/4 Mo             |
| Buck 24 in N 19 E 16 Mo             | Elm 14 in N 83 E 2 1/2 Mo                |
| Buck 22 in S 82 W 13 Mo             | Ham 12 in S 59 E 2 9/16 Mo               |
| Sugar 20 S 16 E 38 Mo               | Ham 11 in N 1 W 18 Mo                    |
| Ham 10 in N 70 W 16 Mo              | Scop. Buck 3 in N 68 E 8 Mo              |
| Scop. W. Oak 10 in N 13 1/2 E 31 Mo | B. Ash 12 in S 61 W 18 Mo                |
| Sugar 24 in S 24 W 17 Mo            | Maple 18 in N 6 1/2 E 3 1/4 Mo           |
| Buck 5 in S 83 W 18 1/2 Mo          | B. Ash 14 in S 29 E 3 2/5 Mo             |
| Buck 10 S 55 W 3 Mo                 | Run by the line in direction Van 3 1/2 E |
| Buck 20 in N 57 E 27                | Surveyed & Recorded Jan 1. 1842          |
|                                     | by A. Jackson Surveyor                   |


I-9  
73

1842

SOURCE: RECORD COUNTY SURVEYOR V. C. P. 3

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE  
 DUPLICATE

Section 26 T. 3 N. R. 2 W. (Delhi)



B to F south 88°00' ch. var. W 57 L.  
 D to H N. 89°10' E. 80.73 ch. var. W 85 L.  
 E to F East 89°78' ch. var. N 45 L.  
 Intersection of D. H. 8 Lk.  
 N. of middle tally stake in B D  
 Intersection of B D 88 Lk. W. of  
 middle tally stake in D H.  
 Presumed to mean corner line  
 also that the measuring of the  
 line D H, commenced at H, so  
 that D H was intersected by  
 B D 40.98 ch. W. of H and ap-  
 plying the variation which

at this point (C) will be 28 Links further east leaves C H 40.71 ch. &  
 C D 40.02 ch.

C to H 18 in. N. 87° 8' E. 5 Lk. &

D Hickory 10 in. S. 76° E 38 Lk. & Sugar 2 1/2 in. S. 40° W. 38 Lk.

E Elm 10 in. S. 83° W 21 Lk. & Elm 20 in. N. 2° E. 15 Lk.

F Lym 18 in. S. 42° E. 1 1/2 Lk. & Birch 14 in. S. 18° W. 16 1/2 Lk.


Run by the true meridian var 3° 5' E

Surveyed for Alonso Douglas Jan. 14/46 By Thos. J. Brown Dep. Co. S.

1846 VC pg 3

T. J. Brown  
 Dep Co. Surv.

TRANSCRIBED from ~~REMOVED~~ DUPLICATE on file at REMON. OFFICE



corner code I-9 attachment no. 5 p. 1 of 2

*A* Elm 34 in. N. 34° W. 18 lbs.  
 Beech 15 in. N. 66° E. 14 1/2 lbs.

*B* Maple 13 in. N. 8 1/2° E. 31 lbs.  
 B. Ash 14 in. S. 29° E. 32 lbs.

*C* Beech 13 in. S. 55° E. 1 1/2 lbs.  
 Do. 14 in. N. 40° W. 16 lbs.

*D* Jam. 7 in. N. 11° W. 16 lbs.  
 Do. 6 in. S. 3° E. 31 lbs.

*E* Jam. 11 in. S. 39° W. 3 lbs.  
 Doub. Do. 10 in. N. 4 1/2° E. 8 1/4 lbs.

*F* B. Ash 6 in. S. 15° W. 8 1/2 lbs.  
 Do. 14 in. S. 4° E. 91 lbs.

*G* Beech 11 in. S. 86° E. 13 1/2 lbs.  
 W. Ash 10 in. N. 5° E. 26 1/2 lbs.

*H* Elm 24 in. N. 57° W. 47 lbs. Do. 16 in. S. 57° W. 40 lbs.

a stone 5/8 by 5 inches - length N. 88°. Top even with surface of ground.

*I-9* Soft Beech 13 in. N. 88° E. 8 lbs.

*J* B. Ash 12 in. S. 61° W. 18 lbs.

Run by the true Meridian Var. 2 1/4° E.

Surveyed & Recorded Oct. 22<sup>d</sup> 1859 by

*J. J. Brown* (C. Surveyor)


361

SOURCE: RECORD COUNTY SURVEYOR

V. C. P. 7

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE  
DUPLICATE

40 Section 23 T. 3 N. R. 2 W. Del.



A to H West 40.87 ch. Var. at 3 Phs.  
 H to G S. 0° 35' W 40.68 ch. Var. 8 20 P.  
 G to E East 41.53 ch. Var. S. 92 Phs.  
 E to A South 1° 39' 87 ch. Var. 8 58 Phs.  
 J to D. N. 1° 0. 40.36 ch. Var. E 36 Phs.

Note the discrepancies of the chaining and the uncertainty of the corner at E (being in the mouth) under this survey somewhat in accuracy. But Jackson's notes on the line E & G (also 21/50) and mine on A & B (Bot. 25/51), have in some degree corrected the error of Nov. 1/46.

A Beach 10 in. S. 87° 0. 24 Lks. B. Boxwood 4 in. N. 85° W. 30 Lks.

B Beach 3 in. S. 2° E. 15 Lks. C Beach 3 in. N. 51° E. 5 Lks.

C Beach 14 in. S. 49° 0. 28 Lks. &amp; Sugar 30 in. N. 64° W. 78 Phs.


D Beach 10 in. S. 15° W. 14 Lks. &amp; Beach 12 in. N. 83° W. 24 Lks.

Vol C P 7  
Oct. 1851

SOURCE:

RECORD COUNTY SURVEYORV. C. 7TRANSCRIBED from ~~ORIGINAL~~  
DUPLICATE on file atREMON. OFFICE

Section 23 T3 N. R. 2 W. Delhi

H. 5 S. 1° W. Var. W. 2 3/4 Chs.Corrected back in the line H.S.H. 5 D. East 20.43 ch. Var. N. 18 Chs.Corrected back to d, 10 ch.H. 5 S. 53° 45' E. 17 3/4 Chs.H. 5 S. 89 3/4° W. 12 3/4 Chs.

"After Jackson's notes for this corner  
 copied by himself are as follows:  
 Bush 12 in. S. 53° E. 17 3/4 Chs. & Bush 26 in. S. 89° W. 12 3/4 Chs.  
 And by his notes the line S. 89° W. 12 3/4 Chs.  
 N. 1/4° E."


Run by true Mer. Var. 3° E.Surveyed Apr. 4th 1855 forWilliam Cook byT. J. BrownVol CP9 7  
1855

7

Survey beginning S 89° E. 116.1 chains from  
 the intersection of the center of the old road leading  
 from Longing to Moore) and the W 2 S quarter  
 line of Sec 25 T 3 N of R. 2 W as a point in the  
 center of said State Road. Running thence S 59° W  
 564 to a stake; thence S 39° E. 604 to a stake;  
 thence N 51° E. 564 to a stake in the center of the  
 State Road; thence N 39° W along the center of the  
 said State Road bearing S the block of begin-  
 ning containing 3 acres of land includ-  
 ing the highway

Run by the true meridian in 3°

Surveyed May 30th 1855 for Lee & Gory  
 by Thomas J. Brown




The point A in N 49° E is the intersection of the old road and the north line of Sec 25 T 3 N of R. 2 W as a point in the center of the quarter.

T. J. Brown  
 May 1855  
 Scale 1 ch. to 1/2 inch

16 N.E. 51-53

Section 23 T.3 N. R. 2 W. (Dutch)

Survey beginning at (B) the Quarter Section at north line of said 23 T.3 N. R. 2 W. running thence S 88° 44' W on the said north line of said 23 T.3 N. R. 2 W. bearing from Lansing to (A) thence S 31° 10' W said Road by the North Smith platline of section (23), thence S 31° 10' on said 1/4 Sec. 23 10.25 ch. to (C) the place of beginning. The line runs in the plat 1, 2, 3 &c. lot 10 & contains 28.6 square rods, and the other 24 sq. rods including Roads.



See also  
one section 23 1/2 acre


Surveyed by the late Mr. William H. Brown  
Survey of Oct. 29th 1855  
by  
T. J. Brown

T. J. Brown  
Oct 1855

SOURCE: FOLDER # 1 P. 52

TRANSCRIBED from ORIGINAL DUPLICATE on file at REMAN. OFFICE

Town 3 N. Range 2 W. Section No. 27



| Section | Timber                     | Diam. | Bearing | Links | Section | Timber    | Diam. | Bearing | Links |
|---------|----------------------------|-------|---------|-------|---------|-----------|-------|---------|-------|
| A       | Post down                  | 2.0   | N 73° E | 7     | B       | Post down | 2.0   | N 73° E | 7     |
| B       | stone and timber extending |       |         |       | C       | Post down | 2.0   | N 73° E | 7     |
| C       | D. surface                 |       |         |       | D       | Post down | 2.0   | N 73° E | 7     |
| D       | 1000 ft. in 1/4 sec. from  |       |         |       | E       | Post down | 2.0   | N 73° E | 7     |
| E       | 24 in. for                 |       |         |       | F       | Post down | 2.0   | N 73° E | 7     |
| F       | Post down                  |       |         |       | G       | Post down | 2.0   | N 73° E | 7     |
| G       | Post down                  |       |         |       | H       | Post down | 2.0   | N 73° E | 7     |
| H       | Post down                  |       |         |       | I       | Post down | 2.0   | N 73° E | 7     |
| I       | Post down                  |       |         |       | J       | Post down | 2.0   | N 73° E | 7     |
| J       | Post down                  |       |         |       | K       | Post down | 2.0   | N 73° E | 7     |
| K       | Post down                  |       |         |       | L       | Post down | 2.0   | N 73° E | 7     |
| L       | Post down                  |       |         |       | M       | Post down | 2.0   | N 73° E | 7     |
| M       | Post down                  |       |         |       | N       | Post down | 2.0   | N 73° E | 7     |
| N       | Post down                  |       |         |       | O       | Post down | 2.0   | N 73° E | 7     |
| O       | Post down                  |       |         |       | P       | Post down | 2.0   | N 73° E | 7     |
| P       | Post down                  |       |         |       | Q       | Post down | 2.0   | N 73° E | 7     |
| Q       | Post down                  |       |         |       | R       | Post down | 2.0   | N 73° E | 7     |
| R       | Post down                  |       |         |       | S       | Post down | 2.0   | N 73° E | 7     |
| S       | Post down                  |       |         |       | T       | Post down | 2.0   | N 73° E | 7     |
| T       | Post down                  |       |         |       | U       | Post down | 2.0   | N 73° E | 7     |
| U       | Post down                  |       |         |       | V       | Post down | 2.0   | N 73° E | 7     |
| V       | Post down                  |       |         |       | W       | Post down | 2.0   | N 73° E | 7     |
| W       | Post down                  |       |         |       | X       | Post down | 2.0   | N 73° E | 7     |
| X       | Post down                  |       |         |       | Y       | Post down | 2.0   | N 73° E | 7     |
| Y       | Post down                  |       |         |       | Z       | Post down | 2.0   | N 73° E | 7     |

Run by the true meridian. Magnetic variation 2 degrees 23 minutes N.

Surveyed the 19 day of May 1867 by

W. J. Smith  
County Surveyor of Ingham County, Michigan.

Sec. 27

DELHI  
township

T 3 N., R 2 W

L-8  
corner code attachment no.

p. 1 of 1

Survey of the North west quarter of the Northwest quarter of Section 12 Township 15  
in Township 15 North of Range 2 and West, beginning at of the North west cor-  
ner of said Section 36 the same being filed by the following witnesses.

A. H. Jones, a Post driver, down street with the surveyor; B. a stone set deep extending to the surface  
C. a stake in the North west side of an Elm Street & diameter (corner); D. a Post in the street on bearing

and running thence South eighty nine degrees fifty six minutes East on the North line of  
the Section 36 to a chain and ninety one links to B. a Post in the line of Lot 15 thence  
South seven minutes East on said line of Lot 15 twenty one links to C, thence West on  
the division line, ninety one links and ninety three links to D. a Post in the West  
line of the Section 36 and thence North three minutes East on said West line twenty  
chains and three links to A the place of beginning. Containing thirty nine  
acres and eighty seven hundredths, including the said Road which runs through it  
Bears by the line of Section 36 in 212513. Surveyed December 1868  
for Grant. Filed and Recorded - Dec. 24 1868 by J. J. Brown, Del. (C. Smith & Co.)

T. J. Brown  
Dec. 1868

198  
 survey of the Shaw Mill site on Section No 23 in Town the  
 North Range for West it being Township of Delhi in the  
 County of Ingham. as shown by the accompanying plat  
 with letters of reference to each corner described. The north line  
 not lost and reestablished from corner A which was recorded 1875  
 1875 by J. F. Brown Deft Co. Surveyor

Corner Witness Die Bearing Sinks

A Iron Pin NE cor Stone S 14° 40' W 75

" " SW cor Stone N 26° 40' E 62

B Iron Pin SE cor S. A. Howe N 44° W 140

" " SW cor Dwelling N 4° 30' E 95


C " " Red Elm 12 S 0° 50' W 52

D Stake Black Walnut 1 S 33° W 48

" " Cherry 6 S 27° W 52

May 1884 G. Edwin STATES Co. Surveyor

180° 0' 0" Meridian



38

from the sameWillow 9 - 21108 - 1161.Elev 4 - 88900 - 181

J-9

Chained back on true  
line at 19.67 1/2 set post  
lot post p.u.

Lyons and Co. Bl

22 North - 5 lks.

Elev 8 - 54412 E. 411.

39.35 km 1/4 post

This survey is now  
suspended until after  
weather or spring  
roads are too much frozen.  
No change now made nor  
no record will be made  
until survey is complete

E.A. Calkins  
1900

BK. 16 P9  
35-38  
84-85



one pole & corner.

15 lbs to North.  
 (11) N 89 1/2 W on random  
 pole stake each 1000 ch.  
 at 41.01 mts. N + S 4 lbs  
 16 1/2 lbs North & East of  
 last

Ran back 20.50 1/2 on  
 the line set by post. Oak  
 post 100.

Elm 11. S 1/2 W - 46 l.

Elm 6 - S 57 1/2 E 3 1/2 l.

Commenced then at  
 S 1/4 East & Section.

and stone found. Trace

O.B. S. P.W. Stone bears

Elm 7 - S 72 W. 180 1/2 l.

W. Oak 4 S 1/2 E 79 l.

it off 10 lbs to East, ran

N 1/2 W on random, bear  
 line stakes each 1000 ch.  
 at 12.25 point 14. (10)  
 East of post. reported former  
 corner.

(1-10) at 37.91 point 16 lbs East  
 of center of section. Stone  
 f.w. bears S 1/2 Marble Mon. "C.P."

Run 15 N 15 E 20 1/2 lbs  
 on Sugar 1/2 N 72 E 115 1/2 lbs  
 located then trace line  
 and ran trace N 0 30 W  
 along 1/2 line at 59.68 lbs  
 place to west.

at 79.26 point 17 lbs East

of the corner as corner.

Trace located & post

was found. Subsequent file

which is believed to be  
 unquestionably the corner

BK 16 P. 35-37  
 E.A. CALKINS  
 1900

五

2007-08-01

1

100

五、

176

COPY OF MINUTES OF SURVEY

SECTION 24

2

2

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

North, Range 2 West - Township of Michigan

Map of L-8 and L-9

Dimensions and Bearings:

- Top: 10.00 ft.
- Left: 19.89 1/2 ch.
- Right: 19.93 1/2 ch.
- Bottom: 19.87 3/4 ch.
- Top (L-8): 13.89 1/4 ch.
- Bottom (L-8): 13.89 1/4 ch.
- Left (L-8): 13.89 1/4 ch.
- Right (L-8): 13.89 1/4 ch.

Bearings:

- Top: S 89 3/4 W
- Bottom: S 89 3/4 W
- Left: S 89 3/4 W
- Right: S 89 3/4 W

Area Labels: L-8, L-9

8-7

Stone surrounded by small  
12 N 140 E 30 3/4 500

*Rev. Messrs. Lusk & Co.*



DELHI  
township

T3 N, R Z EW

L-8                  2  
corner code      attachment no.

p. 1 of 4

April 1900

(21)  
913

Set iron

17.142 6. 193 1/2 am and 11 am. 30 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000.

8 Set iron wagon skin for corner with piece of tile around f.w. bears S 7 1/2 W. 2 1/2  
and Elm 18 S. 100 E. 20 links.  
9 Iron wagon skin found at corner which U. Brown says were set  
by J. Brown. f.w. bears S 7 1/2 W. 1.16 chs.

Set iron wagon skin for corner. S 7 1/2 W. 2 1/2

DELHI township

T3 N, R2 EW


L-8  
corner code attachment no.

P. 2 of 4

V.5P.2

SOURCE: FOLDER # 1 P. 34

TRANSCRIBED from ORIGINAL on file at REMAN OFFICE  
DUPLICATE



L-8

| Section | Timber | Diam | Bearing  | Links  | Section | Timber                       | Diam | Bearing  | Links |
|---------|--------|------|----------|--------|---------|------------------------------|------|----------|-------|
| 1       | Stone  | 18   | 84°35'E  | 30 1/2 | 2       | Stone with points at surface | 10   | 87°10' E | 9     |
| 2       | Stone  | 12   | N 14° E  | 30 3/4 | 3       | Stone                        | 20   | N 45° W  | 21    |
| 3       | Stone  | 9    | N 14° W  | 11 1/2 | 4       | Stone                        | 10   | N 45° W  | 21    |
| 4       | Stone  | 20   | 83°32' N | 0.5    | 5       | Stone                        | 10   | N 45° W  | 21    |
| 5       | Stone  | 10   | 81°0' E  | 20     | 6       | Stone                        | 10   | N 45° W  | 21    |
| 6       | Stone  | 10   | 81°0' E  | 20     | 7       | Stone                        | 10   | N 45° W  | 21    |
| 7       | Stone  | 10   | 81°0' E  | 20     | 8       | Stone                        | 10   | N 45° W  | 21    |
| 8       | Stone  | 10   | 81°0' E  | 20     | 9       | Stone                        | 10   | N 45° W  | 21    |
| 9       | Stone  | 10   | 81°0' E  | 20     | 10      | Stone                        | 10   | N 45° W  | 21    |
| 10      | Stone  | 10   | 81°0' E  | 20     | 11      | Stone                        | 10   | N 45° W  | 21    |
| 11      | Stone  | 10   | 81°0' E  | 20     | 12      | Stone                        | 10   | N 45° W  | 21    |
| 12      | Stone  | 10   | 81°0' E  | 20     | 13      | Stone                        | 10   | N 45° W  | 21    |
| 13      | Stone  | 10   | 81°0' E  | 20     | 14      | Stone                        | 10   | N 45° W  | 21    |
| 14      | Stone  | 10   | 81°0' E  | 20     | 15      | Stone                        | 10   | N 45° W  | 21    |
| 15      | Stone  | 10   | 81°0' E  | 20     | 16      | Stone                        | 10   | N 45° W  | 21    |
| 16      | Stone  | 10   | 81°0' E  | 20     | 17      | Stone                        | 10   | N 45° W  | 21    |
| 17      | Stone  | 10   | 81°0' E  | 20     | 18      | Stone                        | 10   | N 45° W  | 21    |

April 1900

Run by the true meridian. Magnetic variation 2 degrees 10 minutes E.  
Surveyed the 26th day of April - 1900 by  
E. A. Perkins  
County Surveyor of Ingham County, Michigan.

Sec. 24

84

Edw. J. J. J.

Continuation of survey  
from page 38

Oct 7th 1901

E. H. Miller } Survey  
R. R. Brown } Champion

Variation 10° W. on old 48.  
at 26. T 3 N. R. 2 W.

at 26. T 3 N. R. 2 W.  
at 26. T 3 N. R. 2 W.

at 26. T 3 N. R. 2 W.  
at 26. T 3 N. R. 2 W.

at 26. T 3 N. R. 2 W.  
at 26. T 3 N. R. 2 W.

at 26. T 3 N. R. 2 W.  
at 26. T 3 N. R. 2 W.

at 26. T 3 N. R. 2 W.  
at 26. T 3 N. R. 2 W.

81.29 61.4 41.485  
18.704 11.4 31.29  
61.39 71.4 51.435  
81.36 51.435 21.29  
21.29 11.4 31.29  
31.29 11.4 31.29  
41.485 11.4 31.29  
51.435 11.4 31.29  
61.39 11.4 31.29  
71.4 11.4 31.29  
81.36 11.4 31.29

at 41.485 14 feet from old 9.95  
Derrick on former line of  
Survey from South 14 feet

at 61.00 31.29 feet  
61.4 11.4 31.29  
103 lbs South of foot

at 81.30 31.29 feet  
I 9 at 11.29 31.29 feet

at 191.1 lbs South of Section  
corner. Old Stone found

beneath which was found  
line of foot. S. 14 feet

beneath stone replaced  
Stone with fragments  
of broken stone pipes

W. Ash 6. N 86° 12' 27.0  
Elev 8 S 21° 12' 10.7  
Rail fence S 15° 6' 10.7  
right on line Section line

Oct  
1901

EA Col Kins  
B16 P9 84-85

TRANSCRIBED from REMON. OFFICE on file at REMON. OFFICE

| Section 26 - Delhi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Section 26 - Delhi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Survey of N 1/2 of Section 26.<br/>W. B. 2 N. 1/2 of Sec 26. Elevation of<br/>C. L. 100 ft. B. 100 ft. B. 100 ft. B. 100 ft.</p> <p>Charmon in Second<br/>F. C. Lott<br/>J. B. Thorburn<br/>Greenwood 21 - a. d. 1900.</p> <p>Base at E 1/4 part of Sec 26. Old post 100<br/>Old post 11 - 5386 - 5542.<br/>Maple 3 - 7315 - 8542.</p> <p>Base N 89003' W. at 20.50 S. Old post<br/>f. w. Elev 11 - 5317 - 4642.<br/>at 11.00. Slope 1/2 - 5573 - 3442.<br/>W. B. 1/2 part of Section 26.<br/>Slope 15 - 11155 - 2012.<br/>Slope 4/12 - 14494 - 11542.</p> <p>Base there at 8 1/2 part of Sec 26.<br/>Elev 7 - 5742 W. 0 130 1/2 L.<br/>W. B. 1/2 - 5742 E - 79 L. S. 1/2<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.</p> <p>Base there at 8 1/2 part of Sec 26.<br/>Elev 7 - 5742 W. 0 130 1/2 L.<br/>W. B. 1/2 - 5742 E - 79 L. S. 1/2<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.</p> <p>Base there at 8 1/2 part of Sec 26.<br/>Elev 7 - 5742 W. 0 130 1/2 L.<br/>W. B. 1/2 - 5742 E - 79 L. S. 1/2<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.</p> | <p>Section 26 - Delhi<br/>Oct 7th a. d. 1901.<br/>Revised Survey.<br/>E. A. Colkins<br/>S. Pearson</p> <p>Variation 10' W. allowed.<br/>Base at N 1/2 corner of Sec 26.<br/>Old post. S. A. Marble post "C. P."<br/>Maple 4 - 7170 1/2 W - 3552.<br/>" 3 - 3446 W - 4642 L.</p> <p>Base 58840' W at 20.74 Old post<br/>f. w. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.</p> <p>Base there at 8 1/2 part of Sec 26.<br/>Elev 7 - 5742 W. 0 130 1/2 L.<br/>W. B. 1/2 - 5742 E - 79 L. S. 1/2<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.</p> <p>Base there at 8 1/2 part of Sec 26.<br/>Elev 7 - 5742 W. 0 130 1/2 L.<br/>W. B. 1/2 - 5742 E - 79 L. S. 1/2<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.<br/>at 11.00. Slope 1/2. W. B. 1/2. W. B. 1/2.</p> |

DELHI  
township

T 3 N, R 2 W

J-2  
corner code attachment no.

E. A. Colkins

p. 1 of 1

BK 15 pg 158-159  
Oct 1901

5 P. 22

2247  
(85)


STATE OF MICHIGAN,  
COUNTY OF INGHAM,

COPY OF MINUTES OF SURVEY.

*F. A. Beaton*

Register of Deeds.

SECTION 26, Town 9 North, Range 2 West Meridian of Michigan.



DELHI  
T 3 N R 2 W  
2-2

TRANSCRIBED from RECORD on file at REMON. OFFICE  
DUPLICATE2218  
(86)  
I-9

Section Corners.

X Posts.

1/4 Posts on Section Lines.

- 1 Tracee O.C. Old stone found. Set post marked stone, stone and frag-  
ments of broken tile f.m. N. 86° 0' 122.2' and Elm 8 S 21 1/2° N. - 107 1/2' L.  
2 O.C. Set marked Mon. marked "O.C." f.m. Maple 4, N. 70 1/2° N. - 35' L.  
3 Tracee O.C. and tile found f.m. Willow 9 - N. 10° E. - 110' L.  
4 Elm 4 - S. 89° N. - 186' L.  
5  
6 Tracee O.C. and tile found Set tile and stake and stone f.m.  
7 O.C. 11 S. 38 E. - 53 1/2' L. and Maple 3 N. 31° E. - 85' L.  
8 Old stone, Tracee O.C. f.m. Elm 7 - S. 72° 0' - 130 1/2' L.  
9 Old stone. f.m. Cherry 18 - S - E - 53' L.  
10 O.C. 4 - S 11 1/2° E - 79' L.  
11 Old post and tile found. Set Maple Mon. marked "O.C." f.m.  
12 O.C. 13 - S. 24 1/2° N. - 193 1/4' L. and Elm 10 N. 53 E. - 22 1/2' L.  
13 O.C. Set iron stake 17 3/4 in. long in roots of Elm 5 North - 3' L.  
14  
15  
16 Set pointed stone. f.m. 13.2 Maple 16 - S. 3-9° E. - 32 1/2' L.

22 RT  
 (87)

Centers of  
 18.  
 1/2 Posts on 1/2 Lines.

Set marble iron marked "C.O." No trees near.  
 Old post.  
 Set marble iron marked "C.O." No trees near.  
 Old post.  
 Set marble iron marked "C.O." No trees near.  
 Old post.

During this survey I set "x" marked stone 15" x  
 and at intersection of fence lines of  
 Bittell & Dickson 14, 18.550 E - 92.5 E.  
 Elms 2 N 79° 01' - 72.

Magnetic variation of 10. West was allowed.

T 3 N R 2 W

SOURCE: RECORD COUNTY SURVEYOR

V.5 P. 22

TRANSCRIBED from DUPLICATE on file at REMON. OFFICE

(88)

22 R B

STATE OF MICHIGAN,

COUNTY OF INGHAM,

SS.

Do Hereby Certify that I did, on the application of

Edmund A. Calhoun and J. C. Scott County Surveyor of said County.

CI

Section 26

in the Township of Delhi

Survey

the N. 2 1/2

Town 3

North, Range

201

on Dec. 21 A.D. 1904 and October 14. A.D. 1904

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it

is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

V.5 P.22

Edmund A. Calhoun

County Surveyor.


DELHI  
township

T 3 N. R 2 NW

I-9  
corner code attachment no.

p. 4 of 4





SOURCE: RECORD COUNTY SURVEYOR

V. 5 P. 46

TRANSCRIBED from ~~RECORD~~  
DUPLICATE on file at REMON. OFFICE

46 RT.

Stone

Stone in tile

(165)

Sections  
Center  
X Posts on K Lines  
12 18 14 1 6 19 17

DELHI  
township

T 3 N, R 2 EW

I-9  
corner code attachment no.

p. 3 of 4

V. 5 P. 46

46 LB  
Old corners were found at 2-5-1-8-3 and  
The other corners witnessed in the notes below the  
flat were reset below the  
to same.

Surveyed Dec 12, 13, 14, 15, 18 & 19 1906.  
Rec. Jan 26, 1907.

STATE OF MICHIGAN, }  
COUNTY OF INGHAM, } SS.

I, A. J. Probst Dep., County Surveyor of said County,  
Do Hereby Certify that I did, on the application of  
Chas. Gunn - Chairman - Ray O. King or, Chris Mautz  
Frederick - J. M. Jay


the foregoing copy with the original minutes made by me at the time of the survey, and that it  
gives the magnetic variation at the initial point of the survey.  
Township of Delhi, Town B, North, Range 2 W  
M. A. Krumholz, Chas. Gunn,  
and the following persons acted as chainmen, first being duly sworn, to-wit:  
A. J. Probst Dep.  
County Surveyor.

13NR2W

# COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. 22



DELHI  
township

T 3 N, R 2 W

I-9  
corner code

8  
attachment no.

P. 1 of 3

Vol 2  
Pg 255  
R.J. Robb  
1906, 1907

T3N R2W

I-9

|    |          |                                                |      |  |
|----|----------|------------------------------------------------|------|--|
| 1  | Steel    |                                                |      |  |
| 2  | Old Well |                                                |      |  |
| 3  | Stone    | H. Maple 10" S 68 3/4 W 116 3/4 W              |      |  |
| 4  | Stone    | H. C. Oak, H. Oak S 22 1/2 W 105 "             |      |  |
| 5  | Stone    | Apple 14" S 42 1/4 W 113 1/4 "                 |      |  |
| 6  |          |                                                |      |  |
| 7  |          |                                                |      |  |
| 8  |          |                                                |      |  |
| 9  |          |                                                |      |  |
| 10 | Stone    | H. Maple 14" S 19 1/2 W 118 1/2 W              | 78.9 |  |
| 11 | Stone    | Pine 14" S 83 1/2 W 65 3/4 "                   | 39.7 |  |
| 12 | Stone    | Trunked Stone S. Maple 30" N 69 3/4 E 38 1/2 W |      |  |
| 13 | Stone    | Trunked Stone S. Oak 18" S 17 1/2 E 33 "       |      |  |
| 14 | Stone    | Trunked Stone S. Oak 18" S 17 1/2 E 33 "       |      |  |
| 15 | Stone    | Trunked Stone S. Oak 18" S 17 1/2 E 33 "       |      |  |
| 16 | Stone    | Trunked Stone S. Oak 18" S 17 1/2 E 33 "       |      |  |
| 17 |          |                                                |      |  |
| 18 |          |                                                |      |  |
| 19 |          |                                                |      |  |
| 20 |          |                                                |      |  |
| 21 |          |                                                |      |  |
| 22 |          |                                                |      |  |
| 23 |          |                                                |      |  |
| 24 |          |                                                |      |  |
| 25 |          |                                                |      |  |
| 26 |          |                                                |      |  |
| 27 |          |                                                |      |  |
| 28 |          |                                                |      |  |
| 29 |          |                                                |      |  |
| 30 |          |                                                |      |  |



SOURCE: CO. DRAIN. COMMISSION

File # 63

TRANSCRIBED from ~~RECORD~~ on file at REMON. OFFICE

**COOK & THORBURN DRAIN**

Thence upon the E  $\frac{1}{4}$  of the N  $\frac{1}{4}$  of section 26, James B. Thorburn, owner, S  $67\frac{1}{2}^{\circ}$  W 12.29 chs., thence S  $77^{\circ}$  W 11.10 chs., thence N  $80\frac{1}{2}^{\circ}$  W 18.61 chs., thence N  $88^{\circ}$  W 2.65 chs. to the W line of said lands at a point 4.75 chs. S of the N W corner thereof. Total length of said drain upon said lands is 44.65 chs.

I-9

Thence upon the N W  $\frac{1}{4}$  of the N W  $\frac{1}{4}$  of section 26, Frank C. Lott, owner, N  $88^{\circ}$  W .35 ch., thence N  $72^{\circ}$  W 5.60 chs., thence N  $88^{\circ}$  W 14.30 chs. to the W line of said lands at a point 3.27 chs. S of the N W corner thereof. Total length of said drain upon said lands is 20.25 chs.

Thence upon the E  $\frac{1}{4}$  of the N E  $\frac{1}{4}$  of section 27, Emma M. Lott, owner, N  $86\frac{1}{2}^{\circ}$  W 9.78 chs., thence N 3.10 chs. to the N line of said lands at a point 10.32 chs. E of the N W corner thereof. Total length of said drain upon said lands is 12.88 chs.

Thence on the line between the last above described lands, Emma M. Lott, owner and the S E  $\frac{1}{4}$  of the S E  $\frac{1}{4}$  of section 22, Oliver W. Halstead, Est., owners, N  $88^{\circ}$  W 10.32 chs. to the N  $\frac{1}{3}$  post of the N E  $\frac{1}{4}$  of said section 27. Total length of said drain on said line of lots is 10.32 chs.,

Thence upon the line between the S W  $\frac{1}{4}$  of the S E  $\frac{1}{4}$  of section 22 and the N W  $\frac{1}{4}$  of the N E  $\frac{1}{4}$  of section 27, Oliver W. Halstead, Est., owner, N  $88^{\circ}$  W 9.90 chs. to the upper terminus of said Cook and Thorburn Drain at a point 10.04 chs. E of the N  $\frac{1}{3}$ -post of said section 27. Total length of said drain on said line of lots is 9.90 chs.

The total length of said Cook and Thorburn Drain as above described is 363.00 chs. or 4 miles and 172 rods.

TRANSCRIBED from ~~XXXXXXXX~~ on file at Remonumentation Office  
DUPLICATE

I-9

4 - stone - tile - iron  
W. Ash 12" N. 86° W. 80.5'  
Anchor Post E. 29.5'

Delhi  
township

T 3 N, R 2 EW

I-9  
corner code attachment no. 14 p. 1 of 1

SOURCE: Road Commission Map Sh. 4  
TRANSCRIBED from ~~ORIGINAL~~  
DUPLICATE on file at Remonumentation Office

**T-9**

Boat spike (I.C.R.C. 1964)  
3/4" Iron E. 82.05'  
36" Elm W. 79.63'

Written distance I-9 to I-8 - 2632.21'  
Written distance I-9 to I-10 - 2647.09'

Delhi  
township

T 3 N, R 2 EW

I-9  
corner code attachment no.

2  
P. 1 of 1