


RON LSEL P.S.
 Land Surveying & Related Services
 P.O. Box 141, DeWitt, MI 48820
 Phone 517-669-3640 Fax 517-669-6521

Client: Inq Co. Remon Sec. 25 Delhi
 Description: SEC 35 Delhi
 Field Crew: _____ Date: _____
 Computed: _____
 Disk: 56-7 Job: _____



14 NNW. 61.41' W. 35.70' Maple SW. 52.55' E. 24.29'	Stone 30" Pine N.E. 40.2' 4" Elm S.W. 32.5' NW.cor. house wall S. 53.0'	13 Anch. post at cross fence 3" Oak E. 31.1' 4" Oak N. 53.3' 3" Oak W.S.W. 7.9'	Pointed stone (1949) 30" Elm W. 23.5' 1 1/2" Iron E. 33.0' 10" Elm S.E. 74.8' 10" Elm E.S.E. 29.9'
Iron (I.C.R.C. 1964) P. N.E. 56.28' P. E.N.E. 59.06' P. S.E. 55.84'	34" Iron Anch. post S.S.W. 37.5' Anch. post N.N.E. 33.6' NW.cor. P.P. tower E.S.E. 65.6'		3/4" Iron (M.S.H.D. 1963) T.P. S60°W 66.95' P.P. N.15°E. 81.45' T.P. S60°E. 109.07'
23 Iron (I.C.R.C. 1964) S.G.S. bn. E. 34.18' S.S.W. 63.42' pole N.W. 43.73'		24	(T.3N. R.1W. Alaledon Twp, Ingham
Post spike (I.C.R.C. 1964) 4" Iron E. 82.05' 5" Elm W. 79.63'	1" Pipe, marble mon., brick 16" Maple W.N.W. 23.0' 16" Maple S.W. 30.7' NW.cor. gas sta. N.E. 71.7'		1" Iron pipe (M.S.H.D. 1963) 15" Poplar S.60°E. 64.40' P.P. S.15°E. 149.56'
26 Post spike (I.C.R.C. 1964) 10" Elm E. 37.08' 2" Elm W.N.W. 37.80' P. W. 62.82'	Iron, stone Iron bar E. 33.0' Tri. Elm S.E. 37.4' Fence post W. 31.0' 8" Elm W.N.W. 45.6' 12" Maple N.N.E. 56.0'	25 Iron pin Gas pipe S. 33.0'	
Post spike (I.C.R.C. 1964) 1" Elm E.N.E. 92.04' 10" Elm E.S.E. 75.80' 10" Hickory W.N.W. 68.66'	1" Pipe, stone Road sign NW. 30.7' 9" Elm W.N.W. 100.5' 16" Elm N.N.W. 68.0'	30" Drive shaft Anch. post S. 29.0' 36" Oak S.S.E. 31.0' 16" Elm S. 29.0'	Iron, stone 14" Maple E.S.E. 61.7' 24" Elm S.W. 43.0' U.S.G.S. bn. NW. 34.8' 16" stump N.N.W. 69.0'
35 Post spike (I.C.R.C. 1964) 10" Oak E.N.E. 39.40' P. E. 79.57' P. W. 42.05'	R.R. spike, stone 1-1/4" Iron W. 33.0' in line with E. fence S of W. fence	36	Buggy axle, brick 24" Oak S.S.E. 120.0' T.P. E.S.E. 24.9' Anch. post W. 24.6'
Post spike (I.C.R.C. 1964) 4" Elm E.S.E. 34.83' P.P. W.S.W. 68.19' 2" Poplar W.N.W. 73.30'	Flow pt., stone, brick 11" Elm W. 30.0' S.E. cor. house N.W. 92.9' 8" Oak N.N.W. 95.6'		

POINT #	NORTH	EAST
1	5000.0000	5000.0000
2	4943.3662	5647.3273
3	4954.6717	7641.8179
4	4930.9136	3104.2378
5	4897.1691	2329.6862
6	4954.6237	2322.8392
7	2396.1382	7712.3117
8	5050.0033	7655.2977
9	7697.1892	7606.1154
10	7647.6231	5799.9353
11	7642.8178	4939.3294
12	3782.5930	7693.1420
13	2381.3728	7687.9112
14	2396.4673	7697.1164
15	2395.9084	7700.3940
16	2429.0085	8609.6811
17	2449.2992	10572.6763
18	2447.1804	10359.2868
19	2515.1892	12066.8441
20	2522.9819	13018.4922
21	7754.8908	10239.5533
22	5093.3540	10305.5132
23	5163.6897	12972.3985
80	5050.9637	7640.5895
99	5106.6553	10305.2288