

[illegible]

Page 73 col 1

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- 1 Beech 14 m S 15 1/2 E 18 lbs
- 2 Beech 24 m N 19 E 16 lbs
Beech 10 m S 72 W 16 lbs
- 3 Ironwood 3 m N 46 E 8 lbs
Sug. W Oak 32 m N 63 1/2 W 16 1/2 lbs
- 4 Maple 10 m N 19 1/2 E 24 lbs
- 5
- 6 Sugar 24 m S 24 W 17 lbs
- 7 Beech 8 m S 85 W 15 1/2 lbs
Saw 10 m N 70 W 18 lbs
- 8 Sug. W Oak 10 m N 13 1/2 E 31
Beech 22 m S 92 1/2 W 13 1/2 lbs
- 9 Sugar 22 m E 16 E 33
- 10 Sugar 14 m S 20 E 11 lbs
- 11 Ironwood 5 m S 70 W 30 lbs
Beech 10 m S 54 W 3 lbs
- 12 Beech 20 m N 57 E 27 lbs
Maple 18 m N 54 E 34 1/2 lbs
- 13 Birch 14 m S 29 E 32 1/2 lbs
- 14
- 15
- 16
- 17
- 18 Birch 10 m S 30 W 13 lbs
- 19 Elm 14 m N 83 E 20 lbs
Elm 24 m N 57 W 47 lbs
- 20 Elm 16 m S 57 W 40 1/2 lbs
- 21 Jamrock 12 S 59 E 29 lbs
- 22 Jamrock 4 m N 1 W 18 lbs
- 23 Sug. Beech 5 m N 88 E 8 lbs
- 24 Birch 12 m S 61 W 18 lbs {Exam in Pressing}


INGHAM COUNTY, MICHIGAN.

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Bar 5/4 E

Surveyed and Recorded Jan 1st 1842 by H. Jackson Co. Surveyor


3



COUNTY SURVEYOR'S RECORD,

TOWN 2 low NORTH, RANGE 2 low West, MERIDIAN OF MICHIGAN.

Section 22



J 361 7d 2

TOWN 2 low NORTH, RANGE 2 low West, MERIDIAN OF MICHIGAN.

- | | |
|----|--|
| 1 | 24 |
| 2 | 25 |
| 3 | A Elm 34 m N 34 W 48 1/2 1/2 Bush 15 N 66 E 40 1/2 1/2 |
| 4 | B Maple 15 N 7 1/2 E 31 " Bark 14 m S 29 E 32 " |
| 5 | C Bush 15 S 55 S 5 17 1/2 " DO 14 N 40 W 12 " |
| 6 | D Oak 7 N 11 W 16 1/2 " DO 6 S 52 E 31 " |
| 7 | E Oak 11 S 59 W 3 " Doub DO 13 N 4 1/2 E 34 " |
| 8 | F Bark 6 S 10 W 87 1/2 " D 3 14 S 4 E 91 " |
| 9 | G Bush 11 S 76 E 15 1/2 " W Ash 10 N 5 E 26 1/2 " |
| 10 | H Elm 24 N 57 W 47 " D 3 16 S 57 W 40 |
| 11 | K Sap. Bush 3 m N 83 E 8 1/2 Bark 12 S 61 W 18 1/2 |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |


TOWN. ~~Two~~ NORTH, RANGE. ~~Two~~ West, MERIDIAN OF MICHIGAN.

Run by the true Meridian $2\frac{3}{4}$ E
 Survey and Recorded Oct-22nd 1859 by J of Brown Co Surveyor
 Linc B.H. I think it must be 30.065th instead of 20.065th d
 Mason April 12th 1867 W H Rayner Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN Shaw NORTH, RANGE Three West, MERIDIAN OF MICHIGAN.

Section 27



P 371 vol 2

TOWN Shaw NORTH, RANGE Three West, MERIDIAN OF MICHIGAN.

1	24
2	25
3	A Jan 9 - S 75° E 11 1/2 DO 10 - N 67° W 14 1/2
4	B Jan 11 S 39° W 5 " Double DO 10 N 4 1/2° E 8 1/4 "
5	C Jan 8 N 11° E 41 " North 16 - N 77° W 22 "
6	D Sep 10 Oct 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	

INGHAM COUNTY, MICHIGAN.

TOWN *Shum* NORTH, RANGE *2* ~~West~~ *West*, MERIDIAN OF MICHIGAN.

Survey of the dry land on the NW 1/4 of the NW 1/4 of Sec 27 T 3 N R 2 W beginning on the south line C.D. fifty links East of D thence N 23 1/2° E 1.88 ch; thence N 45 1/4° E 2.00 ch; thence N 73 1/2° E 0.85 ch; thence S 55 1/4° E 1.50 ch; thence S 10 1/4° W 2.09 ch to the line C.D. thence on the line C.D. N 89° 57' W 3.50 ch; to the place of Beginning containing eighty six hundredths of An acre ($\frac{86}{100}$)

Also beginning at another station on the line C.D. 13.35 chains West of C thence N 19 1/4° E 2.56 ch; thence N 6 3/4° E 3.24 ch; thence N 73 1/4° E 3.04 ch; thence N 79 1/2° E 2.78 ch; thence East 2.18 ch thence N 85° E 3.64 ch; thence S 72 1/2° E 0.70 ch. to the line B.C. 13.10 ch. South of B thence on B.C. S 0° 8' E 7.12 ch; to the corner C thence on C.D. N 89° 57' W 13.35 ch. to the place of Beginning containing eight acres and forty nine hundredths (8.49)

Calculations of the dry land on the NW 1/4 of the NW 1/4 of Sec 27, T 3 N. R 2 W

STA	Bearings	Chains	N	S	E	W	Doubled	N Areas	S Areas
1	N 23 1/2° E	1.86	1.72		0.76		0.76	00.13072	
2	N 45 1/4° E	2.00	1.40		1.44		2.96	.41440	
3	N 73 1/2° E	0.93	0.24		0.80		5.20	.12480	
4	S 33 1/4° E	1.50		1.27	0.93		6.88		.86741
5	S 10 1/4° W	2.09		2.07		0.36	7.50		1.51110
6	N 89° 57' W	3.50		0.02		3.47	3.47		0.00694
			3.36	3.36	3.88	3.88		.66992	2.38540
									<u>.66992</u>
									2/1.71553
									<u>.807765</u>


STA	Bearings	Chains	N	S	E	W	Doubled	N Areas	S Areas
1	N 19 1/4° E	2.56	2.42		0.84		0.84	00.20328	
2	N 6 3/4° E	3.24	3.22		0.38		2.06	.66332	
3	N 73 1/4° E	3.04	0.87		2.91		5.35	.46548	
4	N 79 1/2° E	2.78	0.50		2.74		11.00	.55000	
5	East	2.18	0.00		2.18		15.92	.00000	
6	N 85° E	3.64	0.52		3.63		21.78	.69536	
7	S 72 1/2° E	0.70		0.21	0.67		26.03		00.54663
8	S 0° 8' E	7.12		7.12	0.00		26.70		19.01040
9	N 89° 57' W	13.35		1.00		13.35	13.35		1.00000
			7.33	7.33	13.35	13.35		2.57741	19.55703

Run by the true Meridian On 2 1/4 E Channing Reed } sworn
Surveyed and Recorded Nov 1 at 1860 Burrit Riggs }
By J J Brown Co Surveyor of Ingham Co Mack }
Chambers

$$\begin{array}{r} 2.57741 \\ 2/16.99962 \\ \hline 8.48981 \\ .85776 \\ \hline 9.34757 \end{array}$$

Note. There must be a mistake in the bearings around survey N 11 1/4 both in the N & S lines and E & W lines W H Raynor 1867

COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE Five East, MERIDIAN OF MICHIGAN.SEC. 27

VOL. 3, PAGE 31

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6 S Oak 8 in S 83 1/2 E 34 1/2 chs
B Oak 3 in S 28 1/2 E 34 "
- 7
- 8 Pannas 4 in S 77 3/4 W 22 chs
Do 10 in N 51 3/4 E 14 chs
- 9
- 10
- 11
- 12
- 13 Pannas Double 11 in N 69 3/4 E 27 chs
Pannas 13 in S 34 1/2 W 34 1/2 chs
- 14 " 14 in S 23 1/4 E 35 "
- 15 Post No true market, old ones gone
- 16
- 17
- 18
- 19
- 20
- 21

- 24 Bush 8 in S 89 1/2 E 26 1/2 chs
- 25 " 12 in N 44 1/2 W 20 "
- 26 Bush 8 in N 59 W 10 chs
- 27 " 20 in N 54 E 28 "

INGHAM COUNTY, MICHIGAN.

TOWN Three North, RANGE Two West, MERIDIAN OF MICHIGAN.


Survey of the south west quarter and the south half of the north west quarter of section No. Twenty seven in township No. Three North of Range No. Two West. Beginning at "15" the quarter point in the west line of said section which first and other corners of said survey are witnessed as below plat. and running thence north one fifth of a degree west twenty chains and seven links to "6" thence south eighty nine degrees and fifty seven minutes east forty chains and twenty links to "8" thence south four minutes east twenty chains and twenty six links to "13" the center of the section. Thence south four minutes east as before on the North-South quarter line forty chains and seventeen links to "23" the quarter point in the south line of the section. Thence north eighty nine degrees and nine minutes west on the said south line forty chains and eighteen links to "25" the south west corner of the section. Thence north one minute west on the west line of the section thirty nine chains and eighty one links to "13" the place of beginning. Thence on the quarter line from "13" to "13" north eighty nine and two thirds degrees west forty chains and fifteen links also from "14" south two minutes east on the line of lots thirty nine chains and twenty nine links to "24" where it intersects "23" "23". The whole containing 241.64 Acres are noted in the accompanying plat Variation 2° 23' East Surveyed for Buntin & Spear, John Day. Mar 19th, 1867, recorded Oct 28th, 1868, by T. J. Brown, Dep. Co. Surd, Ing. Co., Mich.

Center section 27 Elm 4 S 49 E 41' 3" & Elm 4 S 21 W 44.
B.P. 7 and old witness trees felled stump also 1895 (B.A. Rowe).

COUNTY SURVEYOR'S RECORD,

TOWN Thos NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

SEC. 34



VOL. 3, PAGE 88


TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

COUNTY SURVEYOR'S RECORD,

TOWN *Three* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

Section 28



510 & 11 and 4

TOWN *Three* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25

TOWN ~~Three~~ NORTH, RANGE ~~Two~~ West....., MERIDIAN OF MICHIGAN.

Survey of Section 28 of Delhi made upon A Petition signed by A majority of the adjacent owners. Surveyed Oct 7th to 12th 1896 & Recorded Nov 6th 1896
 Thor Long. A Bird. Eli Mire. & John Swagler. S. W. Chamberlain
 Variation Allowed 0°


At the corner A. D. E. F. G. H. K & L old post's were found the corner C was established by lining and measurement over the Posts E & D set & perpetuated by J. J. Brown after locating the Post C. the remainder of one of the old Tamarack Witness was and deep under the Road bed to the N-W. Posts were set and witnessed as follows
 Oak Post & Brick. Nearly in the center of the Road Bed each way from Willow & N 73° W 98' 1/2" the Tamarack Post in center of Ditch from End Post of shot & wire fence S 12° E 15' 1/2" the Oak Post & Iron at N side of Bridge from Elm S 58° 1/2" W 96' 1/2" the Oak Post. Iron & Crook. from Elm S 15° 1/4" E 143' 1/4" the & Apple 12 N 81° 1/4" E 195' 3/4" the Stone for corner Maple 10 West 48' the & B Walnut 10 S 10° 1/2" W 198' the Oak Post & Stone. from Ash 14 N 19° 1/2" W 187' 1/2" the & Ash 4 N 75° 1/4" W 198' the Pointed Blue Stone. from Sugar 6 N 26° 1/4" E 64' the & S Oak 14 N 24° 1/2" W 106' the & Sycamore 170' 1/2" the Long brass set. from S Oak 6 N 54° 1/2" W 81' the & Hickory 4 N 19° 1/4" W 98' 1/2" the Bitternut 8 N 8° 5' W 40' the Oak Post driven & Blue Stone set above it
 Stone & Crook. from B Cherry 14 S 22° 1/2" E 113' the Maple 2 S 82° E 42' the Tamarack Post 4 inch square driven with stone at East side of it from Tamarack 6 N 46° 1/2" E 54' 1/2" the Oak Post. 2 1/4' the South of E & W wire fence & 18' the E from center of N & S rail fence
 Oak Post at intersection of S road fence with N & S rail fence S 61° 1/4" W 231' the Ironwood Post & Crook. from W Oak 24 N 1° 1/2" W 175' 1/2" the & N E corner of Swagler's House 11' the Iron shaft & tile. from Sugar 24 S 19° 1/2" W 214' the Birch 9 S 70° 1/2" E 29' the Beech 16 N 11° W 57' the Iron for with casting on top also tin & Crook.

W A Rowe Co Survey

STATE OF MICHIGAN, } ss.
COUNTY OF INGHAM, }Received for Record this 6th day of November, A. D. 1901, at 2³⁰ o'clock P. M.
F. A. Lester, Register of Deeds.

COPY OF MINUTES OF SURVEY.

SECTION 26, Town 9 North, Range 2 West, Meridian of Michigan.



- Old stone found. Set Marble Monument marked "C.O." f. r. Sugar 15 - N 15° E. 20 1/2 lks. and dbl Sugar 11 1/2 - N 49 3/4 E. 115 1/2 lks.
- 1 Traces C.O.F. Old stone found. Set post under stone. Stone and fragments of broken tile f. r. N. Ash 6 N. 86° N. 122 l. and Elm 8 S 82 1/2 N. - 107 1/2 l.
- 2 C.O.F. Set marble Mon. marked "C.O." f. r. Maple 4, N. 70 1/2 N. - 35 l.
- 3 Dr. 3 S 46 N - 46 1/2 l.
- 4 Traces C.O. and tile found f. r. Willow 9 - N. 10° E. - 110 l.
- Elm 4 - S. 89° N. - 186 l.
- 5 Traces C.O. and tile found Set tile and stake and stone f. r. N. Ash. 11 S. 38 E. - 55 1/2 l. and Maple 8 N. 81° E. - 85 l.
- 6 Old stone. Trace C.O. f. r. Elm 7 - S. 72° N. - 73 1/2 l.
- 7 N. Ash 4 - S. 112° E. - 79 l.
- 8 Old stone. f. r. Cherry 18 - S - E - 53 l.
- 9 Old post and tile found. Set Marble Mon. marked "C.O." f. r. B. Ash 15 - S. 24 1/2 N. - 19 3/4 l. and Elm 10 N 53 E. - 22 1/2 l.
- 10 C.O. F. Set iron stake 17 3/4 in. long in roots of Elm 5 North - 3 l.
- 11
- 12
- 13
- 14
- 15
- 16 Set pointed stone. f. r. D B l Maple 16 - S 59° E. - 39 1/2 l.

MINUTES OF SURVEY (Concluded).

- a Set iron stake 1 1/4" diam. f. r. Lynn 22 North - 5 lks.
 b Set Marble Mon. marked "C.O." f. r. Elm 8 S. 54 9 1/2 E. - 4 1/2 l.
 c Old post. Elm 11 S. 72° N. - 4 1/2 l.
 d Elm 6, S. 57 1/2 E - 3 1/4 l.

e Set marble Mon. marked "C.O." No trees near.

During this Survey I set "+" marked stone 15" x
 6" x 6" (blue tint) for corner from Old Beech Stump
 and at intersection of fence lines f. w.
 Bittern Hickory 14, S. 85° E. - 9 1/2 l.
 Elm 2 N 79° N. - 7 l.

Magnetic variation of 10° West was allowed.

STATE OF MICHIGAN,

COUNTY OF INGHAM,

Do Hereby Certify that I did, on the application of

Edmund A. Calkins, County Surveyor of said County,
 J. C. Thorburn and F. C. Lott


Section 26, in the Township of Delhi, Town 3 North, Range 2 N.
 on Dec. 21 A.D. 1901 and October 7th A.D. 1911 and the following persons acted as chainmen, first being duly sworn, to-wit:

F. C. Lott, J. C. Thorburn, C. A. Miller and L. Reasoner.

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

Edmund A. Calkins, County Surveyor.

COUNTY SURVEYOR'S RECORD,

TOWN 3 NORTH, RANGE 24, MERIDIAN OF MICHIGAN.

TOWN NORTH, RANGE, MERIDIAN OF MICHIGAN.

1 Stone Apple 14 S 42 1/2 W 69 ft

2 5 ft 3 in. N. of marker bridge

3 Stone oak P S 49 1/2 E 42 1/2 ft

4 Iron Ash 5 N 63 1/2 W 37 ft 9 in

5 Stone Elm N 67 W 69 ft 8 in

6 Iron on W side of road bed on N bank of ditch

7 Iron on east side of road bed

8 Iron

9 Iron P. 6 S 88 W 85

10

11 Stone

12 Stake - no trees

13 Iron no trees

14 Iron & chains

15 Iron in ditch

16

17 Iron Oak 8 N 74 W 22 1/2 ft

18 Iron glass & trees

19 Iron - no trees

20

21 Stake in ditch under bridge

22 Iron Oak 10 S 80 E 140 3/4

23 Iron Willows 4 S 75 W 24 1/2

24

25 Iron 4 N 36 ft

26 Willows 5 N 73 W 98 1/2 lbs

K P. 6 N W 16 ft 8 in

J. stone & orchard no trees

A Iron

B Iron fin B covered 12 N 85 E 82 lbs

C Iron & tile 8 ft SW of corner post fence

INGHAM COUNTY, MICHIGAN.


254

TOWN..... NORTH, RANGE....., MERIDIAN OF MICHIGAN.

Surveyed on petition of freeholders. John Draper and George Meyer sworn chammers. R. J. Post was employed as deputy and ran E and W lines also E boundary line. As exterior corners were known the needle was not used except in taking witnesses. Therefore no variation allowed. As the law relative to record of surveys changed I have taken the liberty to record this survey and the foregoing herein that the records may be together in the office of surveys.

O. P. Meach Esq. Surveyor Sept-1904
survey was made. Record completed from field notes 1906.

COUNTY SURVEYOR'S RECORD,

TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.SEC. *22*TOWN *Three* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

- 1 Stone Old Well
- 2 Point
- 3 Stone H. Maple 10" S 68° 34' W 116 3/4 ch.
- 4 Stone H.C. Con. House S 22° 1/2' W 105 "
- 5 Stone Apple 14" S 42° 4' W 113 1/4 "
- 6
- 7
- 8
- 9
- 10
- 11 Stone H. Maple 14" S 19° W 118 1/2 ch.
- 12 Stone Pointers Pole S 53° E 65 1/2 "
- 13 Stone
- 14 Stone S. Maple 30" N 89° 3/4' E 38 1/2 ch.
- 15 2 ft long with X S Oak 18" S 17° E 33 "
- 16 Stone
- 17 Stone Basswood 10" S 45° E 49 ch.
- 18 Stone Apple 12" N 30° W 109 1/2 "
- 19 Stone S. Maple 6" N 86° W 122 "
- 20 Stone S. Maple 8" S 21° 1/2' W 117 "
- 21
- 22
- 23
- 24 Stone in Tile
- 25 Stone S. Maple 5" N 40° E 38 ch.
- 26 Stone S. Maple 5" N 40° E 38 ch.
- 27 Stone S. Maple 5" N 40° E 38 ch.
- 28 Stone S. Maple 5" N 40° E 38 ch.
- 29 Stone S. Maple 5" N 40° E 38 ch.
- 30 Stone S. Maple 5" N 40° E 38 ch.
- 31 Stone S. Maple 5" N 40° E 38 ch.
- 32 Stone S. Maple 5" N 40° E 38 ch.
- 33 Stone S. Maple 5" N 40° E 38 ch.
- 34 Stone S. Maple 5" N 40° E 38 ch.
- 35 Stone S. Maple 5" N 40° E 38 ch.
- 36 Stone S. Maple 5" N 40° E 38 ch.
- 37 Stone S. Maple 5" N 40° E 38 ch.
- 38 Stone S. Maple 5" N 40° E 38 ch.
- 39 Stone S. Maple 5" N 40° E 38 ch.
- 40 Stone S. Maple 5" N 40° E 38 ch.
- 41 Stone S. Maple 5" N 40° E 38 ch.
- 42 Stone S. Maple 5" N 40° E 38 ch.
- 43 Stone S. Maple 5" N 40° E 38 ch.
- 44 Stone S. Maple 5" N 40° E 38 ch.
- 45 Stone S. Maple 5" N 40° E 38 ch.
- 46 Stone S. Maple 5" N 40° E 38 ch.
- 47 Stone S. Maple 5" N 40° E 38 ch.
- 48 Stone S. Maple 5" N 40° E 38 ch.
- 49 Stone S. Maple 5" N 40° E 38 ch.
- 50 Stone S. Maple 5" N 40° E 38 ch.
- 51 Stone S. Maple 5" N 40° E 38 ch.
- 52 Stone S. Maple 5" N 40° E 38 ch.
- 53 Stone S. Maple 5" N 40° E 38 ch.
- 54 Stone S. Maple 5" N 40° E 38 ch.
- 55 Stone S. Maple 5" N 40° E 38 ch.
- 56 Stone S. Maple 5" N 40° E 38 ch.
- 57 Stone S. Maple 5" N 40° E 38 ch.
- 58 Stone S. Maple 5" N 40° E 38 ch.
- 59 Stone S. Maple 5" N 40° E 38 ch.
- 60 Stone S. Maple 5" N 40° E 38 ch.
- 61 Stone S. Maple 5" N 40° E 38 ch.
- 62 Stone S. Maple 5" N 40° E 38 ch.
- 63 Stone S. Maple 5" N 40° E 38 ch.
- 64 Stone S. Maple 5" N 40° E 38 ch.
- 65 Stone S. Maple 5" N 40° E 38 ch.
- 66 Stone S. Maple 5" N 40° E 38 ch.
- 67 Stone S. Maple 5" N 40° E 38 ch.
- 68 Stone S. Maple 5" N 40° E 38 ch.
- 69 Stone S. Maple 5" N 40° E 38 ch.
- 70 Stone S. Maple 5" N 40° E 38 ch.
- 71 Stone S. Maple 5" N 40° E 38 ch.
- 72 Stone S. Maple 5" N 40° E 38 ch.
- 73 Stone S. Maple 5" N 40° E 38 ch.
- 74 Stone S. Maple 5" N 40° E 38 ch.
- 75 Stone S. Maple 5" N 40° E 38 ch.
- 76 Stone S. Maple 5" N 40° E 38 ch.
- 77 Stone S. Maple 5" N 40° E 38 ch.
- 78 Stone S. Maple 5" N 40° E 38 ch.
- 79 Stone S. Maple 5" N 40° E 38 ch.
- 80 Stone S. Maple 5" N 40° E 38 ch.
- 81 Stone S. Maple 5" N 40° E 38 ch.
- 82 Stone S. Maple 5" N 40° E 38 ch.
- 83 Stone S. Maple 5" N 40° E 38 ch.
- 84 Stone S. Maple 5" N 40° E 38 ch.
- 85 Stone S. Maple 5" N 40° E 38 ch.
- 86 Stone S. Maple 5" N 40° E 38 ch.
- 87 Stone S. Maple 5" N 40° E 38 ch.
- 88 Stone S. Maple 5" N 40° E 38 ch.
- 89 Stone S. Maple 5" N 40° E 38 ch.
- 90 Stone S. Maple 5" N 40° E 38 ch.
- 91 Stone S. Maple 5" N 40° E 38 ch.
- 92 Stone S. Maple 5" N 40° E 38 ch.
- 93 Stone S. Maple 5" N 40° E 38 ch.
- 94 Stone S. Maple 5" N 40° E 38 ch.
- 95 Stone S. Maple 5" N 40° E 38 ch.
- 96 Stone S. Maple 5" N 40° E 38 ch.
- 97 Stone S. Maple 5" N 40° E 38 ch.
- 98 Stone S. Maple 5" N 40° E 38 ch.
- 99 Stone S. Maple 5" N 40° E 38 ch.
- 100 Stone S. Maple 5" N 40° E 38 ch.

INGHAM COUNTY, MICHIGAN.

TOWN ~~Three~~ NORTH, RANGE ~~Two~~ West, MERIDIAN OF MICHIGAN.

Survey of Section Twenty-two (22) Town 3 North
 & West (Detroit Township) for H. E. Cunn, Chas. Cunn,
 Benj. Oklinger, Chris Maritz, Geo. Luedert and J. M. Fay.

Old corners were found at numbers 1-3-5-15-12-
 21 and 25. The other corners witnessed in the notes from
 the plat were established according to the statute govern-
 ing the same.

J. M. Fay
 J. M. Hymanacher } Sroon Chain men.
 H. E. Cunn

Magnetic Var. $0^{\circ}30'$ West.

Surveyed Dec 12, 13, 14, 15, 18 and 19, 1906
 Recorded Jan 26, 1907

R. J. Robb
 Dep. Co. Sur.