CERTIFIED BOUNDARY SURVEY

FOR:

J. 3.W.


Mr. Don Drushell 845 North Onondaga Holt, Michigan

LEGEND

LOCATION PLAN

(NO-SCALE)

- 1- All dimensions are in feet and decimals thereof.
- 2- All curve dimensions are arc lengths. 3- Tee bars with identification caps have been placed at all points marked "a" unless otherwise noted.
- --- described boundary line.
- --- = fence line.
- 6- All bearings are relative and are referenced to the West Line of Section 33, T3N, R2W which is assumed to bear \$ 00°01'23" W.



RECORDED

76'11 Aug 3 1 56 PH '71 REGISTER OF DEEDS Mia Bullian S 0018 13 W 1409 68 MIGHAM COUNTY, MICH. NW CON, Sinc. 35, TON, REW Found In Bar 27.460 /" = 200° P.O.B. "A 5 89.26 OFE, 1527 07 KO PARCEL 3 (include & to O.I. & occups of ofw) P.O.B. 18 89° 26 01' W, 1524 58' West Line Sec 53, Tay, R2W ONOND. PARCEL - 8 23 (including & 0.125 weres of rin)

N 69-26-01-W, 1522.09

W 14 Car, Hed. 85, TBN, RZW Found Mulroad Spike



POLARIS SURVEYS inc.

DINC. engineers phone tensing (517) 292-8980 2208 s. cedar, suite 1 tansing, michigen 48916

DRAWN	5.G.	7/13/71	SEC 33 .1 3N	n ZW
COMPUTED	R.L.	7/8/7/	100 549051 98:028	drawing
FLD. SURVEY	J.N.	7/6/71	sheet / of Z	A-19

CERTIFIED BOUNDARY SURVEY

LEGAL DESCRIPTIONS:

PARCEL "A"

A purcel of land in Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the NW corner of said Section 33, thence S 00°01'23" W along the West Lire of said Section 33, 1324.68' to the point of beginning; thence S 89°26'01" E, 1327.07'; thence S 00°53'15" W, 165.00'; thence N 89°26'01" W, 1324.58' to the West Line of said Section 33; thence N 00°01'23" E, along the West Line of said Section 33, 165.00' to the point of beginning; said parcel containing more-or-less 5.022 acres including more-or-less 0.125 acres presently in use as public right-of-way.

PARCEL "B"

A parcel of land in Section 33, T3N, R2W, Delni Township, Ingham County. Michigan; the boundary of said parcel being described as commencing at the NW corner of said Section 33, thence S 00°01'23" W along the West Line of said Section 33, 1489.68' to the point of beginning; thence S 89°26'01" E, 1324.58'; thence S 00°53'15" W, 165.00'; thence N 89"26'01" W. 1322.09' to the West Line of said Section 33; thence % 00°01'23" E along the West Line of said Section 33, 165.00' to the point of beginning; said parcel containing more-or-less 5.012 acres including more-or-less 0.125 acres presently in use as public right-of-way.

WITNESSES TO U.S. PUBLIC LAND SURVEY CORNERS

NW Corner, Section 33, T3N, R2W

Hail & Tag in power pole SE, 19,07

Nail & Tag in corner post East, 26.70'

Nail & Tag in power pole NM. 83.92

W 1/4 Corner, Section 33, T3M, R2W

Hail & Tag in corner post East, 28.23'

Nail & Tag in power pole ESE, 28.42"

Nail & Tag in corner post West, 28.64

CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed a parcel of land within:

The Northwest 1/4 of Section 33, T3N, R2N, Delhi Township, Ingham County, Michigan;

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon as %1 is apparently, peacefully occupied at present; and that the particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of clasure po greater than a ratio of 1 in 5000, 6-66 7/14/21

Gary D. Lester Registered Land Surveyor Registration No. 17624

POLARIS SURVEYS inc.

olenna/s

DINC. engineers
phone (shaing (\$17) 292-8880
2398 s. deder, suite 1
lansing, michigen 48910

	£6.	7/13/71	SEC 33 T BN	R ZW
	EL.	7/8/71	10t 98:028	drawing
FLD SURVEY	J.H.		sheet Z of Z	A-20

FOR: Mike Lowery

Page I of 2

LEGAL DESCRIPTION: See Page 2.

May 11 8 38 M 773

LIBER

REGISTER OF DEEDS 2 m. Leur NGHAM COUNTY, MICH.

RECORDED

1 % 716

W. % COR. -SEC. 28, T3N, R2W FOUND-STEEL, WOOD, BRICK, CROCKERY, RAISED W/ 3/4" IRON PIPE & CENTER-SEC, 28, T3N, R2W FOUND-IRON INSIDE CLAY TILE W/ DISHES CAP IN MON, BOX

2" Elm-East 32,8 ft,

4" Elm-S.E. 60,9 ft,

6" Ash-West 43,59 ft, AROUND, Wood Anchor Post-North 0,69 ft. 18" Maple-S.E. 43.95 Pt. 18" Maple-S.S.W. 50,39 Pt. W & LN. - SEC. 28 660.02 660.02 165.02 230 BEARINGS 100 164.70 HARPER S-LN.-E. - N.W. -- S.W. - SEC. 28 S. LINE-SEC. 20 COR.—SEC. 28, TON, RZW

BESTONES, BROKEN DISHES, GLASS,
WALKED V/ S/AV PIRE & CAP IN
HOW. BOX.
T. Role S.L. 39.75 St.
#4003 Ancher Post-Edet 27.7% Tt.
#2 Role Now BS 66 St. 5. % COR.—SEC. 28, T3M, R2V FOUND—LDING IMARON STONE 42° Gittennut-N 85° V 26,59 ft. T. Pola-4 3º V 14,27 ft. 5º Sitteraut-4 50º V 53,23 ft. PAIGENES SUST THEN PIPE & R. L.S. 11970 CAP SET. CERTIFY THAT THIS MAY COMMET IN THE MEMBERS A STRIVET MADE UNDER MY STREAMING OF THE AND THE CHIEF ACCURATE COMMETTER AND THE REAL PROBLEM FOR FRANCE ACT IN OF 1970, HE REALTHURSHOP OF ELECTRIC OF 1970, HE REALTHURSHOP OF ELECTRIC OF THE ENTROPISHED AFFORM FOR THE ENTROP AFFORM FOR THE G.A. STEADMAN & SON INC. LAND SUBJECTION & ENGINEERING SERVICT JOSEPH ST. LANSING MICHIGAN SHIT STEADEAN 10:WY 73 LAND SURVEYIN

FOR: Mike Lowery

Page 2 of 2

LEGAL DESCRIPTION: PARCEL A: The East 165 ft, of the E. % of the N.W. % of the S.W. % of Section 28, T3N, R2W, Deihi Township, Ingham County, Michigan.

PARCEL B: The West 165 Pt. of the East

330 ft. of the E. ½ of the N.W. ½ of the S.W. ½ of Section 28, T3N, R2W,
Delhi Township, Ingham County, Michigan.

of the N.W. % of the S.W. % of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan,


PARCEL D: The E. % of the N.W. % of the S.W. % of Section 25, T3N, R2W, Delhi Township, Ingham County, Michigan; except the East 495 ft. thereof.

I CERTIES THAT THE MAP CORRECTLY REPRESENTS A SURVEY WADE UNDER MY REPERMISION OF THE LAND, DESCRIBED SHOVE IN COMPLIANCE WITH THE RECORDINATE OF FRALE ACT 132 OF 1970. THE REACTIVE BROKE BE CODERE SENG NO GREATER THAN A PART IN SPORE AND THAT THE ENCUROCHMENTS ARRESTING SAID CARD, IF ANY, ARE LOCATED AS SIGNIC HERON.

10 2017 72

Q A STEADBAN & SON, INC.

CANO SINVENING & ENGINEERING SESSIVET: JOSEPH, ST CANSING BICHIGAN 48617



CERTIFIED BOUNDARY SURVEY FOR: LOCATION PLAN Richard Kuzma and Lloyd Eastman 252 Meade 4788 Nichols Road Lansing, Michigan Mason, Michigan LEGEND: Sec 1- All dimensions are in feet and decimals thereof. 2- All curve dimensions are arc lengths. 3- 1/2" bars with identification caps have been placed at all points marked "•" unless other-Nichols = described boundary line. = fence line. 6- All bearings are relative and referenced to the South line of Section 34, T3N, R2W, which is assumed to bear due West. E-W 1/4 line N89°51'07"E 2246.24 N89°51'07"F 404.72 Center Sec. 34, T3N, R2W. Car Ser. 34, T3N, R2W-Parcel A \$22.553 Acres (including = 0.144 acres R/W) Richard Kuzma West 214.50 *// > RECORDED Parcel 5 12.031 Acres (including #0.162 acres (R/W) 9 42 AM '73 Lloyd Eastman SECOT SEC 34, TAN, RZW NE COT SER 3, TZN, RZW えかべ NW Cor. Sec. 3, T2N, R2W Fd. 12" bor HIGHAM COUNTY, MICH Fd. I" watspike \$ 33, POB B P.O.B. A 214.50 190.23 East South line Sec. 34 S/4 Cor. Sec. 34, T3N, RZW Set 1/2"bar -21.12 ENICHOIS Rd. ne (517) 393-8880 **POLARIS** ASSOCIATES . INC. SURVEYOR M.M. 4-4-73 DRAWN SEC. 34 T3N ,R ZW P.L. 110. COMPUTED 4-3-73 No. 5369-1.1 18038 FLD. SURVEY 415

LIND

BOUNDARY SURVEY CERTIFIED LOCATION PLAN FOR: Richard Kuzma and Lloyd Eastman 252 Meade 4788 Nichols Road Lansing, Michigan Mason, Michigan LEGEND: Sec 34 1- All dimensions are in feet and decimals thereof. 2- All curve dimensions are arc lengths. 3- 1/2" bars with identification caps have been placed at all points marked "•" unless otherwise noted. = described boundary line. 5-= fence line. 6- All bearings are relative and referenced to the South line of Section 34, T3N, R2W, which is assumed to bear due West. E-W 1/4 line N89°51'07"E 2246.24 N89"51'07"E 404.72 Center Sec. 34, T.3N, R.2W COT SEC. 34, T3N, R2W Fd. 3/6" bot — Porcel A ±22.553 Acres (including = 0.144 acres R/W) Richard Kuzma West 214.50 *₹*/2 RECOPOED Parcel B 12.031 Acres (including #0.162 acres 9 42 AM '73 R/W) Lloyd Eastman REGISTER OF DEEDS SF COT SEC 34, T3N, RZW NE COT SEE 3, TZN, RZW 2 M ~ NW CO. SEC 3, TZN, RZW Fd. 112" bar HEHAH COUNTY, MICH Fd. I" watspike 2 33, POB B P.O.B. A 214.50 214.50 East 198 2657.47 21.12'-South line Sec 34 S/4 Cor. Sec. 34, T3N, RZW Set 1/2"bor-ENICHOIS Rd. **POLARIS** one (517) 393-8880 ASSOCIATES - INC. SURVEYOR DRAWN T3N A ZW M.M. 4-4-73 SEC. 34 110. 🖟 COMPUTED P.L. 4-3-73 100 5369-1.1 drawing no. A- 4/5 18038 FLD. SURVEY PED LAND

497

CERTIFIED BOUNDARY SURVEY

LEGAL DESCRIPTIONS:

Parcel A

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as beginning at the S 1/4 Corner of said Section 34, thence West along the South line of said Section 34, 190.23'; thence N00°38'45"W parallel with the N-S 1/4 line of said Section 34, 412.50'; thence West parallel with the South line of said Section 34, 214.50'; thence N00°38'45"W parallel with the N-S 1/4 line of said Section 34, 2233.05' to a point on the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 404.72' to the center of said Section 34; thence S00°38'45"E along the N-S 1/4 line, 2646.59' to the point of beginning; said parcel containing more-or-less 22.553 acres including more-or-less 0.144 acres presently in use as public right of way; said parcel also subject to all easements and restrictions of record. and restrictions of record.

Parcel B

A parcel of land in Section 34, T3N, RZW, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the Michigan; the boundary of said parcel being described as commencing at the S 1/4 corner of said Section 34; thence West along the South line of said Section 34, 190.23' to the point of beginning; thence NOO°38'45"W, parallel with the N-S 1/4 line of said Section 34, 412.50'; thence West parallel with the South line of said Section 34, 214.50'; thence SOO°38'45"E parallel with the N-S 1/4 line of said Section 34, 412.50' to a point on the South line of said Section 34; thence East along the South line of said Section 34, 214.50' to the point of beginning; said parcel containing more-or-less 2.031 acres including more-or-less 0.162 acres presently in use as public right of way; said parcel also subject to all easements and restrictions of record. of way; said parcel also subject to all easements and restrictions of record.

WITNESSES TO U.S. PUBLIC LAND SURVEY CORNERS

Center of Section 34, T3N, R2W

Nail & Tag North side 10" maple, West, 16.90'

Nail & Tag West side 50" sycamore, North, 17.40' Nail & Tag North side 10" maple, East, 50.16'

SW Corner Section 34, T3N, R2W
Nail & Tag South side 30" oak, WNW,86.98'
Nail & Tag East side 12" Cherry, NW, 101.85'
Nail & Tag East side 15" apple, SW, 131.03'

S 1/4 Corner Section 34, T3N, R2W

NW Corner fence post, SW, 32.18'
Nail & Tag South side 30" oak, WNW, 79.23'
Nail & Tag East side 10" apple, NNW, 65.48'

SE Corner Section 34, T3N, R2W

N ail & Tag North side corner fence post, East, 11.67'
Nail & Tag SW side 15" pine, ESE, 127.30'
Nail & Tag West side 15" pine, SE, 172.18'

W 1/4 Corner Section 34, T3N, R2W
Nail & Tag North side 12" twin maple, West, 61.46'
Nail & Tag East side 30" maple, North, 130.70'
Nail & Tag West side 10" pine, SE, 55.09'

G12





ne (517) 393-8860 i09 n. jolly - suito 2 onsing michigan 48910

	DRAWN	MM.	4-4-73	SEC. 34 T 7N	.R 2W
į	COMPUTED			5369-1.1	drawing
				sheet 2 of 3	A-4/6

CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed a parcel of land within:

SW 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon as it is apparently peacefully occupied at present and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.


Ronnie M. Lester Registered Land Surveyor Registration No. 18998





surveyors planners architects angineers phone (517) 393-8800 609 e. jolly - suite 2 lansing, michigan 48910

DRAWN	M.14.	4-4-73	SEC. 34 ,T 3N	R 2W
COMPUTED	R.L.	4-3-73	10b 5369-1.1	drawing
			Control of the contro	A-4/7



BOUNDARY SURVEY CERTIFIED

LEGAL DESCRIPTION:

A parcel of land in Section 33, T3N, R2W, Delhi Township, Ingham County, A parcel of land in Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the W 1/4 corner of said Section 33; thence N00°01'23"E along the West line of said Section 33, 664.37' to the point of beginning; thence N00°01'23"E, along the West line of said Section 33, 330.00'; thence S89°26'01"E, 1720.00'; thence S00°01'23"W, parallel with the West line of said Section 33, 330.00'; thence N89°26'01"W, 1720.00' to the point of beginning; said parcel containing more-or-less 33.00 acres including more-or-less 0.250 acres presently in use as public right of way; said parcel also subject to all easements and restrictions of record.

WITNESSES TO U.S. PUBLIC LAND SURVEY CORNERS

NW Corner, Section 33, T3N, R2W
Nail & Tag in power pole SE, 39.07'
Nail & Tag in corner post East, 26.70
Nail & Tag in power pole NW, 83.92'

W 1/4 Corner, Section 33, T3N, R2W Nail & Tag in corner post East, 28.23' Nail & Tag in power pole ESE, 28.40'

Nail & Tag in corner post West, 28.64'



CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed a parcel of land within:

The Northwest 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan;

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon as it is apparently, peacefully occupied at present; and that the particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

mo M. Lester

Ronnie M. Lester Registered Land Surveyor Registration No. 18998





DRAWN		SEC. 33 ,T 3N	R ZW
COMPUTED	R.L. 2-26-73	5371-1.1	drawing
FLD. SURVEY		sheet 2 of 2	A-398

1 %1020 UBER RECORDED CERTIFICATE OF SURVEY Nev 9 10 12 AH '73 Robert Burger 655 N. Onondaga Road Mason, Michigan REGISTER OF DEEDS For: and The Levis INGHAM COUNTY. HICH. Legal Description: (Sec sheet #2) ONONDAGA NORTH 310.88 NORTH 1728.51' NORTH 609.56' NE corner Sec. 32, RW 3/4 (13N-RZW (L.1, Ag. 135) 3,62,14,685 E-W. + N-5 % Line 500°02'47"E 611.51" We hereby certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000. • Found Property Corn OF MICE o Set Property RON

We hereby certify that

677

FRED WHITE ENGINEERING C 2300 North Grand River AVAR Lansing, Michigan 48906 Phone: 517 AC 371-1111 ty herein described.

Rom Helsel, R.L.S. No. 189 Survey No. 732506 Date: October 22, 1973 Sheet 1 of 2

For: Robert Burger 655 N. Onondaga Road

655 N. Onondaga Road Mason, Michigan

Legal Description: Parcel A - Part of the SE 1/4 of the NE 1/4 of Saction 32, T3N, RZW, Delhi Township, Ingham County, Michigan, described as: Beginning at a point on the East line of Section 32, 310.88 feet North of the East 1/4 corner of Section 32; thence continuing North, 609.56 feet; thence N89°50'12"W, 1331.29 feet to the East N-S 1/8 line; thence along said East 1/8 line S00°02'47"E, 611.51 feet; thence S89°55'15"E, 1330.79 feet to the point of beginning. Containing 18.66 acres more or less.

Parcel B - Part of the SE 1/4 of the NE 1/4 of Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning at the E% corner of Section 32; thence along the East line of Section 32, North 310.88 feet; thence N89°55'15"W, 1330.79 feet to the East N-S 1/8 line of said Section 32; thence along said East 1/8 line S00°02'47"E, 307.84 feet to the E-W 1/4 line of Section 32; thence along said 1/4 line S89°47'23"E, 1330.55 feet to the point of beginning. Containing 9.45 acres more or less.

NE Corner, Section 32, T3N, R2W (Liber 1, page 135)
Fnd. Pipe in Mon. Box

6-11

Witnesses: SE 39.07 ft. Nail & Tag in Power Pole East 26.70 ft. Nail & Tag in Corner Post NW 83.92 ft. Nail & Tag in Power Pole

East 1/4 Corner, Section 32, T3N, R2W (Liber 1, page 133)
Fnd. R.R. Spike

Witnesses: East 28.23 ft. Nail & Tag in Corner Post ESE 28.42 ft. Nail & Tag in Power Pole West 28.64 ft. Nail & Tag in Corner Post

West 1/4 Corner, Section 32, T3N, R2W Libe :, page 69) Fnd. R.R. Spike

Witherses: N41°10'W, 42.54 ft. Nail in 40" Maple N75°14'W, 33.9 ft. Nail in 40" Maple S32°42'W, 39.48 ft. Nail in 18" Maple



We hereby certify that we have fully complied with the requirements of Section 3. Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

e Found Property Corner o Set Property Corner

We hereby certify that we have surveyed the property herein described.

FRED WHITE ENGINEERING COMPANY 2300 North Grand River Avenue Lansing, Michigan 48906 Fhone: 517 AC 371-1111 Ron Helsel, E.L.S. No. 18994 Survey Mc. 732506 Date: October 22, 1973

Sheet 2 of 2

RECORDED

MAR 7 3 25 PH '74

REGISTER OF BEEDS Emily TA. Leuris HOHAN COUNTY, MICH.

CERTIFICATE OF SURVEY

Fraternal Order of Police FOR: Fred Roush

LEGAL DESCRIPTION: Beginning on the E-W % line 660 ft.
East of the West % corner of Section 34, T3N, R2W,
Delhi Township, Ingham County, Michigar; thence
East along the E-W % line 660 ft.; thence North
parallel with the West section line 330 ft.; thence
West 660 ft.; thence South 330 ft. to the point of
beginning. Also an easement for ingress and egress
over the South 66 ft. of the West 660 ft. of the N.W.
% of said Section 34.

N.W. COR. SEC. 34

FOUND & ROD OVER STONE;
REPLACED ROD WITH & IRON & CAP;
SET MON. BOX SET MON. BOX 20" HICKORY - H.E. : 59.39 18" CAK - N.W : 34.09' 40" CAK - S.E. : 89.60' ALCESS ROAD LINE - SEC.

REMOVED BAR; RAISED AXEL; SET MON. BOX

POWER POLE - N.E. : 80.79'
POWER POLE - W.S.W : 43.65' N.W. COR. HOUSE - S.E. : 85.45

CENTER- SEC. 34, T3N, R2W |
FOUND STEEL ANCHOR POST
WITH 1/2" ROD AT 5. SIDE
10" MAPLE - WEST - 16.90'
50" SYCAMORE - NORTH 17.40'
10" MAPLE - EAST - 50.16'

NOTES:

IMPROVEMENTS NOT LOCATED.

O- INDICATES 1/4" IRON PIPE & R.L.S. # 11370 CAP SET.

1 CERTIFY THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED ABOVE IN COMPLIANCE WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, THE RELATIVE ERROR OF CLOSURE BEING NO GREATER THAN 1 PART IN 5000; AND THAT THE EN-CROACHMENTS AFFECTING SAID LAND, IF ANY, ARE LOCATED AS SHOWN HEREON.

745


DATE G SEP 73

G. A. STEADMAN & SON, INC.

LAND SURVEYING & ENGINEERING 3236 W. ST. JOSEPH ST.

LANSING, MICHIGAN 48917

REGISTERED LAND SURVEYOR # 11375 8Y: _



FOR: James Goulding


LEGAL DESCRIPTION: Beginning on the section line 212 Pt.
North of the S.E. corner of Section 28, T3N, R2W,
Delhi Township, Ingham County, Mishigan; thence
N 89°45'30" V parallel with the South section line
500 ft.; thence South parallel with the East section
line 212 ft. to the South section line; thence N 89°

500 ft.; thence South parallel with the East section

line 212 ft. to the South section line; thence N 89°45'30" W along the
South section line 175 ft.; thence North 372 ft.; thence S 89°45'30" E
675 ft. to the East section line; thence South 160 ft. to the point of
beginning.

Har IS & STAN THE RESISTENCE OF STEEDS THERE COURT MER

RECORDED



I CORRIEN THAN THIS NAME CONNECTED REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED AROUS IN-CONFETANCE BITTE THE REQUIREMENTS OF PUBLIC ACT 132 (2: 5270) THE RECATIVE SERIOR OF CLOSURE SERIOR INC. GREATER THAN 1 PART IN 1800G. AND THAT THE SECOND CHORUNGS APPECTING SAID TAND. IF ANY, ARE LOCATED AS SHOWN HERBON.

ORDER NO. 25-366-4


Openia N. Z. A. H.

G.A. STEADWAN A SON INC.

O- MOJCATES Mª IRON PIPE & R.LS. W. METO CAP SET.

LANGUE WICHIGAN ABOUT

MACHINERIO LANCO POLICIO EL SERVI



BOUNDARY CERTIFIED SURVEY

FOR:

Mr. Kenneth Walton 6020 Coulson Ct. Lansing, Michigan 48910

LEGEND:

- → = fence line.
- 6- All bearings are relative and referenced to the South Line of Section 34, T3N, R2W which is assumed to bear due West.

LOCATION M (no scale) MAP Sec.


Rd.

Nichols

#FOORDED

Hoy 21 9 56 M '74

REGISTER OF DEED& is m. of INCHAM COUNTY, MICH.





6-13 SW Cor Sec. 34.T3N, EZW Fd. 1/2"bar 998.74 East Point of Beginning £ Nichols Rd. South line Sec. 34

S/B of SW 14 Cor. Sec. 34. T3H, R2W Set 1/2" bar

Set le bai S/4 Cor. Sec. 34, T3N, R2W

55.,12.,67 1.0.

928



phone (517)393-8880 609 e. jolly - suite 2 lansing, michigan 48910

DRAWN	MM	8/1/14	SEC. 34 ,T 3.	N,RZW
COMPUTED	RL.	8/7/74	10b 5609-1	• 720
FLD. SURVEY	<i>L.B.</i>	8/1/14	sheet / of 2	A- 728

SURVEY BOUNDARY CERTIFIED

LEGAL DESCRIPTION:

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the SW Corner of said Section 34; thence East along the South line of said Section 34, 998.74 to the Point of Beginning; thence North perpendicular to the South line of said Section 34, 660.00'; thence East parallel with said South line, 99.00'; thence South perpendicular to the South line of said Section 34, 660.00' to a point on the said South line; thence West along the South line of said Section 34, 99.00' to the Point of Beginning; said parcel containing more or less 1.500 acres including more or less 0.075 acre presently in use as public right of way; said parcel also subject to all easements and restrictions of record.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

6-13 SW Corner Section 34, T3N, R2W
Nail & tag South side 30" oak, WNW, 86.98'
Nail & tag East side 12" cherry, NW, 101.85'
Nail & tag East side 15" apple, SW, 131.03'

S 1/4 Corner Section 34, T3N, R2W NW corner fence post, SW, 32.18' Nail & tag South side 30" oak, WNW, 79.23' Nail & tag East side 10" apple, NNW, 65.48'

S 1/8 Corner of the SW 1/4 Section 34, T3N, R2W Nail & tag South side 18" maple, NW, 42.67' Nail & tag West side 15" wild cherry, North, 33.02' Nail & tag West side 12" maple, NE, 79.82'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed at the direction of said parties, a tract of land previously described as:

> Commencing 20 rods West of the SE corner of the W 1/2 of the SW 1/4 of Section 34, T3N, R2W, Delhi Township, and running thence North 40 rods, thence East 6 rods, thence South 40 rods, thence West 6 rods to beginning.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said tract as it is apparently peacefully occupied at present; and that the more particular legal description of said tract is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

> Romaio in Lestes Ronnie M. Lester

Registered Land Surveyor Registration No. 18998

ar of the . Uncless 1,5110 SUNGARCA

928



BULLANOLE

phone (517)393-8880 609 e. jolly - suite 2 lansing, michigan 48910

11M 8/7/74 SEC. 34 33N 32W DRAWN 8/7/24 job COMPUTED 5609 A-727 74 sheet 2 FLD. SURVEY

SURVEY **BOUNDARY** CERTIFIED LOCATION M (no scale) FOR: Mr. Richard Kuzma 252 Meade Drive Lansing, Michigan LEGEND: 48917 Sec. 34 1- All dimensions are in feet and decimals thereof. 2- All curve dimensions are arc lengths.3- 1/2" bars with identification caps have been placed at all points marked "•" unless otherwise noted. - = described boundary line. ← = fence line. Nichols 6- All bearings are relative and referenced to the South line of Section 34, which is recorded to bear due due West. RECORDED Feb 18 1 25 PH '75 REGISTER OF DEEDS INGHAN COUNTY, MICH. W 14 Cor. to Cen. of Sec N89°51'07'E 2650.96' Cennt Sec 34, T3N, RZW W/4 Car. Sec. 34, T3N, R2W E-W/4 line Fd. /2 bart cap N895/07E 835.96 N8951'07"E 1410.28 404.72 170.284 Acres (including 50.250 acof 4/W) Fd. 1/2 bor & cop 825.00 West S895908"W 12 1/2" bar 800p South line Sec. 34 ENICHOIS Ed. SW Cor Sec. 34. T3N, RZW 330.00 West SIBCOROF SW14 ដូរី Ser. 34, T3N, R2W 3/4 Cor. Sec. 34, T.5.4, R.2.W Ronnie M. 1207.77 442 1015 SURVEYOR

3422 Hügedorn R8868 - DRAWN Mason Michigan 48854 COMPUTED

phone (517) 35)-7410, 117 FLD. SURVEY

surveyors planners

POLARIS

ASSOCIATES - INC.

 $\mathcal{C}_{\mathcal{O}}$

T 3N ,A 2W

A-301

5369-1

M.E. 12/13/74 SEC. 34

SURVEY BOUNDARY CERTIFIED

LEGAL DESCRIPTION:

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan: the boundary of said parcel being described as commencing at the South 1/4 Corner of said Section 34; thence West along the South line of Section 34, 404.74' to the Point of Beginning; thence West along the South line of Section 34, 330.00'; thence North perpendicular to said South line, 330.00'; thence West parallel with said South line 99.00'; thence North perpendicular with said South line, 330.00'; thence West parallel with said South line, 330.00'; thence West parallel with said South line, 825.00'; thence S89°59'08"W, 180.04'; thence N00°10'30"W, 1981.79' to the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 1410.28'; thence S00°38'45"E parallel with the N-S 1/4 line of said Section 34, 2645.55' to the Point of Beginning; said parcel containing more or less 70.284 acres including more or less 0.250 acre presently in use as public right of way; said parcel also subject to all easements and restrictions of record to all easements and restrictions of record.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

G-13 CW Corner Section 34, T3N, R2W
Nail & tag South side 30" oak, WNW, 86.98'
Nail & tag East side 12" cherry, NW, 101.85'
Nail & tag East side 15" apple, SW, 131.03'

S 1/8 Corner of SW 1/4 Section 34, T3N, R2W Nail & tag South side 18" maple, NW, 42.67' Nail & tag West side 15" wild cherry, North, 33.02' Nail & tag West side 12" maple, NE, 79.82

S 1/4 Corner Section 34, T3N, R2W NW corner fence post, SW, 32.18' Nail & tag South side 30" oak, WNW, 79.23' Nail & tag East side 10" apple, NNW, 65.48'

Center of Section 34, T3N, R2W
Nail & tag North side 10" maple, West, 16.90'
Nail & tag West side 50" sycamore, North, 17.40'
Nail & tag North side 10" maple, East, 50.16'

W 1/4 Corner Section 34, T3N, R2W Nail & tag North side 12" twin maple, West, 61.46" Nail & tag East side 30" maple, North, 130.70'
Nail & tag West side 10" pine, SE, 55.09'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed a parcel of land within:

Beginning 36 rods east of the south-west corner of the east half of the south-west quarter of section 34, Town 3 north, Range 2 west, Delhi Township. Ingham County, Michigan, thence North 20 rods, thence west 6 rods, thence north 20 rods, thence west 60 rods, thence north 120 rods, thence east 111 rods, thence south 160 rods, thence west 12 rods, thence north 25 rods, thence west 13 rods, thence south 25 rods, thence west 20 rods to place of beginning.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon as it is apparently peacefully occupied at present and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Ronnie M. Lester

12/19/14 Remme H.

Registered Land Surveyor #18998

Surveyor's Note:

Description provided apparently in error by one rod east and west. Description as written would put strip of property 1 rod wide in SE 1/4 of Section 34 and records show this apparently does not occur.

1015 POLARIS ASSOCIATES - INC. engineers

surveyors planners

3422 Hagadorn Road Mason Michigan 48854 phone (517) 351-7410

SAED 34 T. 3N . R ZW DRAWN COMPUTED A-802 FLO. SURVEY

1/4 of the SW 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning on the K-W 1/8 line of the SW 1/4 of Section 28 at a point 1318.65 feet North, and 1319.40 feet, S89°14'55"E of the SW corner of Section 28, T3N, R2W; thence S00°01'45"W, 329.73 feet on the West N-S 1/8 line of the SW 1/4 of Section 28; thence N89°14'55"W, 160.00 feet on the South line of said North 10 acres; thence N00°01'45"E, 329.73 feet; thence S89°14'55"E, 160.00 feet on said K-W 1/8 line to the point of beginning. Containing 1.21 acres +. Subject to the North 33 feet thereof for use as Harper Road, and other easements of record, if any.

L2-P.3600

RECORDED

Jun 2 2 14 PH '75
REGISTER OF DEEDS
AND THE HIGHAN COUNTY, MICH.


We haveby certify that we have surveyed the property herein described, and that there are no visible encreachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

RON HELSEL R.L.S. No. 18994

l		FOR		
°	LEGENO Set Iron Found Iron —Fonce Line	Wendell L. Feier 5433 Harper Road Hoit, Michigan		RON HELSEL
R M	Recorded Distance Measured Distance	FRED WHITE ENGINEERING COMP 2300 NORTH GRAND RIVER AVI LANSING, MICHIGAN-45906 PH:	ANY, INC.	LAND SURVEYOR NO.
D Deeded Distance		FIELD R. H. DATE 4- GRAWN DA SURVEY NO.	2-75	18994
	4040			

LEGAL DESCRIPTION:



SHEET 2

OF 2

We further certify that we have fully compiled with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

CHECKED

RH

Kon Helsel ON HELSEL R.L.S. No. 18994

#OP し四日間内で Wendell L. Feier 5433 Harper Road Set Iron Holt, Michigan Found iron Fence Line FRED WHITE ENGINEERING COMPANY, INC.
2300 NORTH GRAND RIVER AVENUE
LANSING, MICHIGAN - 46806 PM: 371-1111 Recorded Distance Measured Distance Deeded Distance FIELD DATE 4-2-75 DRAWN BURVEY NO. 765589

OF RON HELSEL LAND SURVEYOR LAND LAND

1046

um 2 % 480 ·

UMR 2 1 125

CERTIFICATE OF SURVEY

For: Fred Smith 1560 Eiffert Road Holt, Michigan

Harper Road Holt, Michigan

Legal Description: That part of the East 5 acres of the North 10 acres of the SW 1/4 of the SW 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning on the E-W 1/8 line of the SW 1/4 of said Section 28 at a point 1318.65 feet North of the West line of said Section 28, and 999.40 feet, S89°14'55"E on said E-W 1/8 line from the SW corner of Section 28, T3N, R2W; thence S89°14'55"E, 160.00 feet on said E-W 1/8 line of the SW 1/4 of Section 28; thence S00°01'45"W, 329.73 feet; thence N80°14'55"W, 160.00 feet; thence N00°01'45"E, 329.73 feet to the point of beginning Containing 1.211 acres.

N89°14'55"W 160.00 1.211 Acres RE-RECORDED Jun 15 11 28 AM 76 REGISTER OF DEEDS The Zent Tree & Brush line E-W 18 Line of SW 1/4 & HARPER BOAD

We hereby certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970 and that the ratio of error of closure of this survey is no greater than 1/5000.

e Found Property Corner o Set Property Corner

We hereby certify that we have FRED WHITE ENGINEERING CONFID 2300 North Grand River Aven

Lansing, Michigan 19906 Phone: S17 AC 371-1111

AND SURPLOR Fred M. White, P.E. & R.U.S.
Survey No. 755179


te: August 7, 1975


L. 2 P8- 595 L2 P8

1122

FOR: HDI Builders, Inc.

- All dimensions are in feet and decimals thereof.
 I/2" Bars with identification caps have been placed at all points marked "•" unless otherwise noted.
- -= described boundary line. - fence line.
- All bearings are relative and referenced to the East line of Section 28, T3N, R2W, Delhi Township, Ingham County, which is assumed to bear due North.





1370

2.	
	POLARIS ASSOCIATES - INC.
	PCH ARIC
W. B.	. A
AND DE	ASSOCIATED . DA
	· · · · · · · · · · · · · · · · · · ·

pienners survayors englapers

3422 Hegadom Res Mason Michigan 486 phone (\$17) 351-7410

			9.29.76			Ţ,	5N	,RZW
			9-27-76					
	PLD. SURVEY	G.Y.	9:24.76	Chect	/ 6	Ź	7	A 1060
٠,		-	أحضينها مخبونا	-				

LEGAL DESCRIPTION:

A twenty foot in width access easement providing access to a parcel of land described as the South 212' of the East 500' of the SE 1/4 of the SE 1/4 of Section 28, T3N, RZW, Township of Delhi, County of Ingham, Michigan; said access ease int being N18°05'05"E, 98.13'; thence S89°14'00"E, 334.94' to the East Line of said Section 28, thence South along the East Line of said Section 28, 20.00' to the Point of Beginning.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

E 1/4 Corner of Section 28, T3N, R2W

P.K. Nail & washer in SE side 20" Walnut, NE, 41.40' P.K. Nail & washer in NW side 24" oak, SE, 45.22'

P.K. Nail in South side Power Pole, NW, 22.13'

SE Corner of Section 28, T3N, R2W

Nail & R. Steadman tag in West side 60" Oak, SE, 89.58'

Nail & R. Steadman tag in NE side 24" Oak, NW, 34.08' Nail & R. Steadman tag in West side of 18" Shag Hickory, NE, 59.39'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed a parcel of land

The S 1/2 of the SE 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of I in 5000.

Ronnie M. Lester, Registered Land Surveyor, #18998





engineers

3422 No. phone (517) 351-7410

DRAWN COMPUTED

S.I 9-24-76 Mec. 28 T 3N R 2W RL. 9-27-76 119: PLO. SURVEY A1060 G.V. 9-24-76 shoot 2 of 2

3 16 UBER 50 CERTIFICATE OF SURVEY FOR: Wesley W. Bara 3723 Stillwell Lansing, Michigan 48910 LEGEND: All dimensions are in feet and decimals thereof. 1/2" bars with identification caps have been placed at all points marked "o" unless otherwise noted. 2. at all points marked "o" unless otherwise noted edescribed boundary line.

fence line.

All bearings are relative and referenced to the East line of the NE 1/4 of Section 32 which is shown to bear due North on a survey as recorded in Liber 1, page 1020.

indicates line not to scale. 3. LOCATION MAP 5. RECORDED 6. SEP 26 8 59 AH '77 REGISTER OF DEEDS N 1/4 Con - NE Con., S89°50'27"E, 2664.28' Danla Johnson N/4 Cor., Sec. 32, T3N, R2W
Railroad spike, Rec. L3p93
- 666.07' \$89.50'27"E North Line Sec. 32, T3N, R2W INCHAM COUNTY, MICH. -EHARPER ROAD ROB-500°01'46°E 200.00' exception 33' R/W NE Cor. Sec. 32, T3N, R2W Found V2" pipe & cop in mon. box, Rec. LI pi35 58950 Sec. West line of EY2 of WY2 of NE 14, ŧ AREA East line of Whof NE 14 \$38.702 Acres 500°01'46"E, 2451.57 #0.202 Ac. R/W Found 12 bar & cap at SW corner of parcel B as recorded in Lipi020 Survey records. 6,65.39 589*59'46"W, 665.39' -Center of Sec.32, T3N, R2W Fd. 1/2" pipe as called for by R'Steadman in a survey as rec in L1p.610# 611 1330.78 E-W 1/4 Line E14 Con, Sec. 32, T3N, R2W Fd. Railroad spike, Rec Lipi33 Center-E14 Cor, N89°59'46"E, 2661.56" 1595 POLARIS planters
ASSOCIATES INC. engineers PP 7-15-77 SEC 32 RL 7-15-77 WP: GV 7-7-77 Sheet 1 3432 Hagedom Road DRAWN
Medon Michigan 44854 COMPUTED
phose (517) 351:7410 TBN B 2 W A1104

LEGAL DESCRIPTION:

A parcel of land in Section 32, T3N, R2W, Delhi Township, Ingham County. Michigan; the surveyed boundary of said parcel being described by Mich. R.L.S. #18998 as commencing at the North 1/4 corner of said Section 32; to the point of beginning of this description; thence S89°50'27"E along the North line of said Section 32, 666.07 feet said North line, 166.07 feet; thence S00°01'46"E, 200.00 fcet; thence S89°50'27"E parallel to the North line of said Section, 300.00 feet; Section 32; thence S89°50'27"E along said North line, 100.00 feet; Section 32; thence S89°50'27"E along said North line, 100.00 feet; Section 32; thence S89°50'27"E parallel to the North line of said S00°01'46"E, 200.00 feet; thence S89"50'27"E parallel to the North line l/2 of the Northeast 1/4 of said Section 32; thence S00°01'46"E along the Northeast 1/4 of said Section 32; thence S00°01'46"E along the Northeast 1/4 of Section 32; thence S00°01'46"E along the Northeast 1/4 of Section 32; thence S89°59'46"W along the E-W 1/4 line of the East 1/2 of the West 1/2 of the Northeast 1/4 of Section 32; thence No0°02'38"W along the West 32, 2653.47 feet to the point of beginning; said parcel containing restrictions of record.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

Center of Section 32, T3N, R 30" maple, N.N.W., 24.73' 6" cherry, S.S.W., 8.46' 12" poplar, S.S.E., 12,67'

North 1/4 Corner Section 32, T3N Twin 16" walnut, S.E., 50.25' 20" Walnut, S.W., 22.35' 24" maple, N.W., 23.95'

Northeast Corner Section 32, T3N, R2W Nail & tag in power pole, S.E., 39.07' Nail & tag in corner post, East, 26.70' Nail & tag in power pole, N.W. 83.92'

East 1/4 Corner Section 32, T3N, R2W
Nail & tag in corner post, East, 28.23'
Nail & tag in power pole, E.S.E., 28.42
Nail & tag in corner post, West, 28.64' 28.42



CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed at the direction of said parties, a tract of land previously described as:

E 1/2 of W 1/2 of NEI/4 except beginning at the northeast corner of the E 1/2 of the W 1/2 of the NE 1/4, thence west 100 feet, thence south 200 feet, thence east 100 feet, thence north 200 feet to point beginning; also except beginning at the northeast corner of the E 1/2 of the W 1/2 of the NE 1/4; thence west 200 feet to point of beginning; thence south 200 feet, thence west 300 feet, thence north 200 feet, thence ast 300 feet to point of beginning. All in Section 32 T3N, R2W. Subject to rights of the public and any governmental unit in any part thereof taken, used or deeded for street, road or highway purposes.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said tract and that the more particular legal description of said tract is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

That survey was performed with an error of closure no greater than a ratio of 1 in 8400. Ctonnie M. Lester,

1595

POLARIS SURVEYORS PRINTERS PRI

3422 Hegedorn Road
Meson Michigan 48864 COMPUTED
phone (SI7) 351-7410 FLD. SURVE

Kesta 7/15/77 Registered Land Surveyor PD 7-15-77 SEC. 32 RL 7-15-77 FLD. SURVEY GV 7.7.77 sheet 7A//04


CERTIFIED BOUNDARY SURVEY

FOR Ronald & Patricia Peters

LOCATION MAP (NO SCALE)

LEGEND: All dimensions are in feet and decimals thereof. ½" bars with identification caps have been placed at all points marked "o" unless otherwise noted. • described boundary. * fence line. All bearings are relative and re referenced to the South line of Section 3h, T3N, R2W, which is recorded to bear East-West in a previously recorded survey.

LEGAL DESCRIPTION: A parcel of land in Section 3h, T3N, R2W, Delhi Township, Ingham County, Eichigan; the boundary being described as commencing at the SW corner of said Section 3h; thence East along the South line of said Section 3h, 26h' (16R) to the point of beginning of this description; thence NOO°30'22WW parallel with the West line of said Section 3h, 660' (hOR); thence East parallel with the South line of said Section 3h, 125'; thence SOO°30'22WE parallel with the West line of said Section 3h, 660' (hOR) to the South line of said Section 3h; thence West along the South line of said Section 3h, 125' to the point of beginning. Contains 1.89h acres, more or less, and subject to the rights of the public over existing Nichels Read.



I hereby certify to the parties named hereon that we have surveyed a parcel of land within the SW 1 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; as it is apparently, peacefully occupied at present, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcel shown hereon, and the more particular description of said parcel is as designated hereon. This survey was performed with an error of closure no greater than a ratio of 1 in 5,000. This survey complies with the requirements of P.A. 132 of 1970.

Abstin C. Williams

Registered Land Surveyor

Mich. Registration No. 21275

WILLIAMS


Surveying

1148 Okemos Rd. Mason, Michigan 48854 PH. (517) 676-5153 DRAWN 4\(\omega^2/2/78\) SEC.34, \(T3N-182\omega\)

COMPUTED 4\(\omega\) 308
NO. 16.57

FLD. SURVEY 4\(\omega^2/8/78\) sheet 1 of 1

1696



√

LEGAL DESCRIPTION:

A parcel of land in Section 32, T3N, R2W, Delhi Township, Ingham County, R.L.S. #18998 as commencing at the North 1/4 corner of said Section 32, to the point of beginning of this description; thence S89°50'27"E along the North line of said Section 32, 652.07 feet said North line, 180.07 feet; thence S00°01'46"E, 200.00 feet; thence s89°50'27"E parallel to the North line of said Section, 300.00 feet; thence N00°01'46"W, 200.00 feet to a point on the North line of said Soction 32; thence S89°50'27"E along said North line, 100.00 feet; Section 32; thence S89°50'27"E along said North line, 100.00 feet; thence of said Section 32, 100.00 feet to a point on the North line of said Socion 32, 100.00 feet to a point on the East line of the West said East line, 2451.57 feet to the Southeast corner of the West 1/2 of line of said Section 32; thence S89°59'46"W along the E-W 1/4 line of the East 1/2 of the Northeast 1/4 of Section 32; thence S89°59'46"W along the E-W 1/4 line of the East 1/2 of the West 1/2 of the Northeast 1/4 of said Section 32; thence N00°02'38"W along the West 32, 2653.51 feet to the point of beginning; said parcel containing 39.555 of record.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

Center of Section 32, T3N, R2W 30" maple, N.N.W., 24.73' 6" cherry S.S.W., 8.46' 12" poplar, S.S.E., 12.67'

North 1/4 Corner Section 32, T3N, R2W Twin 16" walnut, S.E., 50.25' 20" walnut, S.W., 22.35' 24" maple, N.W., 23.95'

Northeast Corner Section 32, T3N, R2W Nail & tag in power pole, S.E., 39.07' Nail & tag in corner post, East, 26.70' Nail & tag in power pole, N.W., 83.92'

East 1/4 Corner Section 32, T3N, R2W Nail & tag in corner post, East, 28.23' Nail & tag in power pole, E.S.E., 28.42 Nail & tag in corner post, West, 28.64'

DE MIC M. LESTER LAND No. 18998 LAND

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed at the direction of said parties, a tract of land previously described as:

E 1/2 of W 1/2 of NE 1/4 except beginning at the Northeast corner of the E 1/2 of the W 1/2 of the NE 1/4, thence West 100 feet, thence South 200 feet, thence East 100 feet, thence North 200 feet to point corner of the E 1/2 of the W 1/2 of the Northeast West 200 feet to point of beginning; thence South 200 feet, thence West 300 feet, thence North 200 feet; thence T3N, R2W. Subject to rights of the public and any governstreet, road or highway purposes, also the Easterly 14 feet of the W 1/2 of the W 1/2 of said NE 1/4.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said tract and that the more particular legal description of said tract is as designated hereon.


This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio

1750

Ronnie M. Lester, Registered Land Surveyor POLARIS Tradestred MAZ Housebon Base DECEMBER COMMUTED ASSOCIATES AND Serveryors Phone (SUT) 351:748

FLD BURNEY POLARIS RB APR 78 SEC 32 CT3N R2W RL APR 78 Growing no. GV APR 78 sheet 2 of 2



/


LEGAL DESCRIPTION: PARCEL A

A parcel of land in Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan R.L.S. 889°50'27"E along the North line of said Section 32, 492.07 feet to the point of beginning of this description; thence S89°50'27"E along the North line of said Section 32; 160.00 feet; thence S00°02'38"E 2653.51 feet to the E-W 1/4 Section 32; 160.00 feet; thence S00°02'38"E 2653.51 feet to the E-W 1/4 Section 32, 320.00 feet; thence S89°59'46"W along the E-W 1/4 line of said parallel with North line of Section 32, 160.00 feet; thence S89°50'27"E 1361.25 feet to the point of beginning; said parcel containing 14.497 acres in use as public right of way; said parcel subject to an easement described as commencing at the North 1/4 corner of said Section 32; thence S89°50'27"E along the North line of Section 32, 492.07 feet

NU4 CORNER SEC32


NECORNER SEC32

NECORNER SEC32




LEGAL DESCRIPTION: PARCEL B

A parcel of land in Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan R.L.S. # 18998 as commencing at the North 1/4 corner of said section 32; to the point of beginning of this description; thence \$89°50'27"E, along the North line of said Section 32, 332.07 feet the North line of said Section 32; 160.00 feet; thence \$89°50'27"E along feet; thence \$89°50'27"W parallel with the North line of said Section 32; 160.00 feet; thence \$80°02'38"E, 1361.25 160.00 feet; thence \$89°50'27"W parallel with the North line of said Section 32; said parcel containing 5.000 acres more or less; with 0.121 acres in use property is subject to an easement for purposes of ingress and egress by and restrictions of record.




LEGAL DESCRIPTION: CERTIFICATE OF SURVEY

A parcel of land in Section 32, T3N, R2W, Delhi Township. Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan thence S89°50'27"E along the North line of said Section 32; to the point of beginning of this description; thence S89°50'27"E along the North line of said Section 32, 160.00 feet North line of said Section 32, 160.00 feet; thence S00°03'32"E, parallel to the N-S 1/4 line of said Section 32, 1361.25 feet; thence N89°50'27"W, N00°03'31"W, parallel to the N-S 1/4 line of said Section 32, 160.00 feet; thence to the point of beginning; said parcel containing 5.000 acres more or less; of the above described property is subject to an easement for purposes of all other easements and restrictions of record.



LEGAL DESCRIPTION: PARCEL D

A parcel of land in Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan R.L.S. # 18998 as beginning at the North 1/4 corner of said Section 32; thence S89°50'27"E, along the North line of said Section 32, 160.00 feet; thence S89°50'27"E parallel to the N-S 1/4 line of said Section 32, 1361.25 feet; thence S89°50'27"E parallel to the North line of said Section 32, 1361.25 feet; thence N00°03'31"W parallel to the N-S 1/4 line of said Section 32, Section 32, 1361.25 feet to the North line of said Section 32; thence S89°50'27"E along the North line of said Section 32, 12.07 feet; thence S89°50'27"E along the North line of said Section 32, 12.07 feet; thence S89°59'46"W along the E-W 1/4 line of said Section 32; thence center of Section 32; thence N00°03'31"W along the N-S 1/4 line of said Section 32, 331.39' to the Section 32, 2655.3b feet to the point of beginning; said parcel containing said parcel subject to all easements and restrictions of record.



<u>™ 3 № 356</u>

CERTIFICATE OF SURVEY

WITNESSES TO U.S. PUBLIC LAND CORNERS:

Center of Section 32, T3N, R2W 30" maple, N.N.W., 24.73' 6" cherry S.S.W., 8.46' 12" poplar, S.S.E., 12.67'

North 1/4 Corner Section 32, T3N, R2W Twin 16" walnut, S.E., 50.25' 20" walnut, S.W., 22.35' 24" maple, N.W., 23.95'

Northeast Corner Section 32, T3N, R2W Nail & tag in power pole, S.E., 39.07' Nail & tag in corner post, East, 26.70' Nail & tag in power pole, N.W., 83.92'

East 1/4 Corner Section 32. T3N, R2W
Nail & tag in corner post, East, 28.23'
Nail & tag in power pole, E.S.E., 28.42'
Nail & tag in corner post, West, 28.64

9-12

CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a tract of land previously described as:

The West 1/2 of the West 1/2 of the NE 1/4 of Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan except the Easterly 14.0 feet in Width thereof.

and that we have found or set, as noted hereon permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio

Ronnie M. Lester Registered Land Surveyor #18998






POLARIS Republic Land

SCOTING TO SERVICE OF THE PROPERTY OF THE PROP

MAPUTED RL APR 78 drawing #

ня на В 3 613 : А∙1164




3 h 442 Libri SERTIFICATE OF SURVEY.

LEGAL DESCRIPTION: PARCEL A

ASSOCIATES - INC.

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described by Michigan R.L.S. #18998 as commencing at the South 1/4 corner of said Section 34; thence West along the South line of said Section 34, 569.74 feet to the point of beginning; thence West continuing along the South line of said Section 34, 165.00 feet; there west continuing along the South line of said Section 34, 330.00 feet; there west parallel to the South line of said Section 34. i65.00 feet; there North perpendicular to the South line of said Section 34, 330.00 feet; thence West parallel to the South line of said Section 34, 99.00 feet; thence North perpendicular to the South line of said Section 34, 330.00 feet thence West parallel to the South line of said Section 34, 325.00 feet; thence S89°59'08"W, 180.04 feet; thence N00°10'30"W, 924.95 feet; thence E.st parallel to the South line of said Section 34, 1089.00 feet; thence SJ0°38'45"E, 79.00 feet; thence East parallel to the South line of said Section 34, 165.00 feet; thence S00°38'45"E, 1506.00 feet to the point of beginning; said parcel containing 29.601 acres more or less including 0.125 acres more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.



COMPUTED

FLD. SURVEY

w (517) 351-7410

GV JUNE 78 drawing no.

JUNE 78 sheet 2A of 3

GV

R 2W


A-1169

Unici: 3 % 443

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION: PARCEL B

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described by Michigan R.L.S. #18998 as commencing at the South 1/4 corner of said Section 34; thence West along the South line of Section 34, 404.74 feet to the point of beginning; thence West continuing along the South line of said Section 34, 165.00 feet; thence Noo°38'45"W, 1506.00 feet; thence West parallel to the South line of said Section 34, 165.00 feet; thence Noo°38'45"W, 79.00 feet; thence West parallel to the South line of said Section 34, 1089.00 feet; thence Noo°10'30"W, 1056.84 feet to a point on the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 1410.28 feet; thence Soo°38'45"E, 2645.55 feet to the point of beginning; said parcel containing 40.684 acres more or less, including 0.125 acres more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.



3 6 444 Line

CERTIFICATE OF SURVEY

CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a tract of land previously described as:

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the South 1/4 Corner of said Section 34; thence West alont the South line of Section 34, 404.74' to the Point of Beginning; thence West along the South line of Section 34, 330.00'; thence North perpendicular to said South line, 330.00'; thence West parallel with said South line 99.00'; thence West parallel with said South line, 330.00'; thence West parallel with said South line, 330.00'; thence West parallel with said South line, 825.00'; thence S89°59'08"W, 180.04'; thence N00°10'30"W, 1981.79' to the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 1410.28'; thence S00°38'45"E parallel with the N-S 1/4 line of said Section 34, 2645.55' to the point of Beginning; said parcel containing more or less 70.284 acres including more or less 0.250 acre presently in use as public right of way; or less 0.250 acre presently in use as public right of way; said parcel also subject to all easements and restrictions of record.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

SW Corner Section 34, T3N, R2W
Nail & tag South side 30" oak, WNW, 86.98'
Nail & tag East side 12" cherry, NW, 101.85'
Nail & tag East side 15" apple, SW, 131.03'

S 1/4 Corner Section 34, T3N, R2W NW corner Tence post, SW, 32.18'
Nail & tag South side 30' oak, WNW, 79.23' Nail & tag East side 10" apple, NNW, 65.48'

Center of Section 34, T3N, R2w Nail & tag North side 10" maple, West, 16.90' Nail & tag West side 50" sycamore, North, 17.40' Nail & tag North side 10" maple, East, 50.16'

W 1/4 Corner Section 34, T3N, R2W
Nail & tag North side 12" twin maple, West, 61.46' G-12
Nail & tag East side 30" maple, North, 130.70'
Nail & tag West side 10" pine 55.55.00'

Waynard h 146 6-16-78 Registered Land Surveyor #21565



POLARIS ASSOCIATES . INC. Surveyors

Registered" Land

Meson Michigen 48854 phone (517), 351-7410

DRAWN	R8	JUN 78	SEC. 34 ,T 3	N ,R2W
COMPUTED	GN	JUN 78	drawing no.	
FLD. SURVEY	GV	JUN 78	sheet 3 of 3	A-1169

RECURUED

CERTIFIED BOUNDARY SURVEY

Nov 17 8 19 AH '78

FOR Ron Harrison 131 Katheryn Street Mason, Michigan

LOCATION MAZECISTER OF DEEDS (NO SCALE) Que Ca Johnson INCHAM COUNTY, MICH.

LEGENO 1. All dimensions are in feet and decimals thereof. 2. ½" bars with identification caps have been placed at all points marked "o" unless otherwise noted. 3. described boundary. 4. fence line.

5. All bearings are relative and are referenced to the E/W ½ line which is recorded to bear S89°14'55"E in a previously recroded survey.

LEGAL DESCRIPTION: A parcel of land in Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; described as the S½ of the E½ of the E 20 rods of the W 40 rods of the NW ½ of the SW ½ of said Section 28; or more particularly described as commencing at the West ½ corner of said Section 28; thence South along the West line of said Section 28, 1318.72' to the E/W 1/8 line of said Section 28; thence S89°14'55"E along the E/W 1/8 line of said Section 28, 495.0' to the point of beginning of this description; thence North parallel with the West line of said Section 28, 659.36'; thence S89°14'55"E parallel with the E/W 1/8 line of said Section 165.0'; thence South parallel with the West line of said Section 28, 659.36' to the E/W 1/8 line of said Section 28, 165.0' to the point of beginning. Contains 2.497 acres, more or less, and subject to the rights of the public over existing Harper Road.

SW corner Section 28, T3N, R2W

SW corner Section 28, T3N, R2W Nail & tag p.p. SE 39.07' Nail & tag corner post E 26.7' 2637.43' Nail & tag p.p. NW 83.92'

Sec.line West & corner Section 28, T3N, R2W

2' Elm East 32.80'

T3N-R2W 4" Elm SE 60.90' North-South SSWCOLSOC. SPhysical & of Harper Rd. 6" Ash West 43.59" 890/4 North 659.36 *33* ' N89014 ± 2,497 Acres ś 65 55 South 659.36

I hereby certify to the parties named hereon that we have surveyed a parcel of land within the SW+ of Section 28, T3N, R2W; as it is apparently peacefully occupied at present, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcel shown hereon, and the more particular description of said parcel is as designated hereon. This survey was performed with an error of closure no greater than a ratio of 1' in 5,000'. This survey complies with the requirements of P.A. 132 of 1970.

cestin C. It illiams Austin C. Williams Registered Land Surveyor

Mich. hegistration No. 21275

WILLIAMS

1148 Okemos Rd

DRAWN	hu	10/12/18	SEC. 28, T3	N-RZW
COMPUTED			JOB NO. /77/	
FLD. SURVEY	an	10/11	sheet /of/	٨
			كتنب كالمستحداد	


1899

RECORDED

CERTIFICATE OF SURVEY

Nov 29 9 49 M 178 REGISTER OF DEEDS Paula Johnson INCHAM COUNTY, MICH.

RECORDING SPACE



TAX DESCRIPTION

Beg. 932 ft. E of N 1/4 corner of Sec. 32, - S 200 ft., E 100 ft., N 200 ft., W 100 ft. to

SURVEY DESCRIPTION

A part of the E 1/2 of the W 1/2 of the NE 1/4 of Sec. 32, T3N, R2W, Delhi Township, Ingham County, Michigan and described as: Beg. at a point on the North line of said section, S 89° 50' 27" E 932.04 ft. from the N 1/4 corner, thence S 89° 50' 27" E 100.08 ft. along said section line, S 00° 00' 21" W 199.89 ft., N 89° 48' 42" W 100.13 ft., N 00° 01' 09" E 199.84 ft. to the p.o.b. Contains 0.459 acres.

I cartify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is 1/13,789, and that all of the requirements of P.A. 132 of 1970 have been complied with.

All bearings are referenced to the North line of Sec. 32, which is shown to bear S 89° 50'

C OF MICH

GEORGE M. YOUNG LAND

Wolverine Engineering Company George M. Young, R.L. # 17640

LEGEND


911

DESCRIPED BOURDARY IRON BET & CAPPED ORDER AND TOUR SCTION ON U4 CORNER WOLVERINE ENGINEERING COMPANY ENGINEERS SURVEYORS MASON, MICHIGAN

SURVEY FOR HERBERT KERN

TIO SURVEY CLK-MAIL SCALE I'S 60 DRAWN BY CLK DATE SERT 8, 1978

2-11



CERTIFIED SURVEY MAP

Luke Freund POR:

Sheet 2 of 4

DESCRIPTION:

PARCEL 29A: Commencing at the S.E. corner of Section 29, T3N, R2W.

Delhi Township, Ingham County, Michigen; thence N 89°55'32"W

1332.14 ft. along the South line of said section to the South 1/8

corner of the S.E. 1/4 of said section and the true point of beginning; thence N 00°07'12"W

654.92 ft. along the N-5 1/8 line of said S.E. 1/4; thence N 89°58'03"E 180.00 ft.; thence S 00°07'12"E 655.26 ft.; thence N 89°55'32"W 180.00 ft. along the South line of said section to the point of beginning. Containing 2.707 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29B: Commencing at the S.E. corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N 89°55'32"W 932.14 ft. along the South line of said section to the true point of beginning; thence N 89°55'32"W 220.00 ft. along said South line; thence N 00°07'12"W 655.26 ft.; thence N 89°58'03"E 220.00 ft.; thence S 00°07'12"E 655.67 ft. to the point of beginning. Containing 3.310 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29C: Commencing at the S.E. corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N 89°55'32"W 390.00 ft. along the South line of said section to the true point of beginning; thence N 89°55'32"W 270.00 ft. along said South line; thence N 00°04'28"E 309.00 ft.; thence S 89°55'32"E 270.00 ft.; thence S 00°04'28"W 309.00 ft. to the point of beginning. Containing 1.915 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29D: Commencing at the S.E. corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N 89°55'32"W 180.00 ft. along the South line of said section to the true point of beginning; thence N 89°55'32"W 210.00 ft. along said South line; thence N 00°04'28"E 309.00 ft.; thence S 89°55'32"E 210.00 ft.; thence S 00°04'28"W 309.00 ft. to the point of beginning. Containing 1.490 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29E: Beginning at the S.E. corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N 89°55'32"W 180.00 ft. along the South line of said section; thence N 00°04'28"E 309.00 ft.; thence N 89°55'32"W 480.00 ft.; thence S 00°74'28"W 309.00 ft.; thence N 89°55'32"W 272.14 ft. along said South line; thence N 00°07'1 4655.67 ft.; thence N 89°58'03"E 933.50 ft.; thence South 657.41 ft. along the East line of said section to the point of beginning. Containing 10.654 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29F: Commencing at the East 1/4 corner of Section 29, T3M, R2W, Delhi Township, Ingham County, Michigan; thence South 1650.00 ft. along the East line of said section to the true point of beginning; thence South 330.00 ft. along said East line; thence 8 89°58'03"W 1333.50 ft.; thence N 00°07'12"W 330.00 ft. along the N-S 1/8 line of the S.E. 1/4 of said section; thence N 89°58'03"E 1334.19 ft. to the point of beginning. Containing 10.105 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 296: Commencing at the East 1/4 corner of Section 29, T3N, K2W, Delhi Township, Ingham County, Michigan; thence South 1320.00 ft. along the East line of said section to the true point of beginning; thence South 330.00 ft. along said East line; thence S 89°58'03"W 1334.19 ft.; thence N 00°07'12"W 330.00 ft. along the N-S 1/8 line of the S.E. 1/4 of said section; thence N 89°58'03"E 1334.88 ft. to the point of beginning. Containing 10.110 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

DATE ____4-17-80

ORDER NO. 80-194

DRAWN BY ASD

STEADMAN & PIERSON, INC. LAND SURVEYING & ENGINEERING 3236 W. ST. JOSEPH ST. LANSING, MICHIGAN 48917

Weden S. Presin

DE MICH ARDEN S 130. PIERSON

CERTIFIED SURVEY MAP

FOR:

Sheet 3 of 4

DESCRIPTION

PARCEL 29H: Commencing at the East 1/4 corner of Section 29, T3N. PARCEL 29H: Commencing at the East 1/4 corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence South 990.00 ft. along the East line of said section to the true point of beginning; thence South 330.00 ft. along said East line; thence S 89°58'03"W 1334.88 ft.; thence N 00°07'12"W 330.00 ft. along the N-S 1/8 line of the S.E. 1/4 of said section; thence N 89°58'03"E 1335.58 ft. to the point of beginning. Containing 10.115 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 291: Commencing at the East 1/4 corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence South 660.00 ft. along the East line of said section to the true point of beginning; thence South 330.00 ft. along said East line; thence S 89°58'03"W 1335.58 ft.; thence N 00°07'12"W 330.00 ft. along the N-S 1/8 line of the S.E. I/4 of said section; thence N 89°58'03"E 1336.27 ft. to the point of beginning. Containing 10.121 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29J: Commencing at the East 1/4 corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence South 330.00 ft. along the East line of said section to the true point of beginning; thence South 330.00 ft. along said East line; thence S 89°58'03"W 1336.27 ft.; thence N 00°07'12"W 330.00 ft. along the N-S 1/8 line of the S.E. 1/4 of said section; thence N 89°58'03"E 1336.96 ft. to the true point of beginning. Containing 10.126 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29K: Beginning at the East 1/4 corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence South 330.00 ft. along the East line of said section; thence S $89^{\circ}58'03^{\circ}W$ 1336.96 ft.; thence N $00^{\circ}07'12^{\circ}W$ 330.00 ft. along the N-S 1/8 line of the S.E. 1/4 of said section; thence N $89^{\circ}58'03^{\circ}E$ 1337.65 ft. along the E-N 1/4 line of said section to the point of beginning. Containing 10.131 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

Witnesses to Government Survey Corners:

Center of Section 29, T3N, R2W - 1/2" bar and cap at base of fence post (Survey by Ronnie Lester, January 8, 1980)

Witnesses: Nail and Tag in West Side of 10" Ash - North - 44.32 ft.
Nail and Tag in South Side of 8" Poplar - E.S.E. - 36.50 ft.
Nail and Tag in South Side of 12" Cherry - N.W. - 1.70 ft.

East 1/4 Corner of Section 29, T3N, R2W - 1/2" pipe in monument box

Witnesses: Twin 4" Elm - N82°E - 34.95 ft.

8" Elm - S30°E - 60.86 ft. 6" Elm - S50°W - 48.40 ft. 1/2" Pipe - West - 33.00 ft.

S.E. Corner of Section 29, T3N, R2W - 1/2" pipe in monument box

Witnesses: Power Pole - N46°W - 83.66 ft.

Telephone Pole - S37°E - 38.76 ft.
Telephone Pole - S81°W - 114.50 ft.
6" Apple - S83°E - 33.80 ft.

Croachments affecting said land, if any, are located as shown hereon.

DATE 4-11-80 ORDER NO. 80-194

STEADMAN & PIERSON, INC. LAND SURVEYING & ENGINEERING 3236 W. ST. JOSEPH ST. LANSING, MICHIGAN 48817

DRAWN BY 35P

adm & Prem BY: .



CERTIFIED

4 PG 78 LIBER

- JUNIVEY MAP

FOR: Luke Freund

Sheet 4 of 4

DESCRIPTION:

South 1/4 Corner of Section 29, T3M, R2W - RR Spike in centerline of road

Witnesses: 16" Walnut - S18°W - 22.46 ft. 18" Hickory - N81°E - 80.22 ft. 24" Maple - N16°W - 24.41 ft. 16" Maple - N64°W - 57.87 ft.

I CERTIFY THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED ABOVE IN COMPLIANCE WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970. THE RELATIVE ERROR OF CLOSURE BEING 1 PART IN _______; AND THAT THE ENCROACHMENTS AFFECTING SARD LAND, IF ANY, ARE LOCATED AS SHOWN HEREON.

DATE ____4-11-80

STEADMAN & PIERSON, INC. LAND SURVEYING & ENGINEERING 3236 W. ST. JOSEPH ST. LANSING, MICHIGAN 48917

ORDER NO. 80-194

DRAWN BY dsp

adea S. Preun

OF MICH ARDEN S. PIERSON 13039 250 1480

CERTIFIED SURVEY MAP

Luke Freund

RECORDED


FEB 2 2 23 PH '81

REGISTER OF DEEDS Faria Johnson INGHAM COUNTY, MICH.

PARCEL 29D: Commencing at the SE corner of Section 29, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N 89°55'32"N 180.00 feet along the South line of said section to the true point of beginning; thence N 89°55'32"N 210.00 feet along said South line; thence N 00°04'28"E 309.00 feet; thence N 89°55'32"N 75.00 feet; thence N 00°04'28"E 75.00 feet; thence S 89°55'32"E 285.00 feet; thence S00°04'28"N 384.00 feet to the point of beginning. Containing 1.980 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

PARCEL 29E: Beginning at the SE corner of Section 29, T3N,R2W, Delhi Township, Ingham County, Michigan; thence N 89°55'32"W 180.00 feet along the South line could section; thence N 00°04'28"E 384.00 feet; thence N 89°55'32"W 285.00 feet; thence S 00°04'28"W 75.00 feet; thence N 89°55'32"W 195.00 feet; thence S 00°04'28"W 309.00 feet; thence N 89°55'32"W 272.14 feet along said South 167.41 feet along the East line of said section to the point of beginning. Containing 10.163 acres according to the Certified Survey Map thereof, and subject to all easements and restrictions of record.

Note: This survey is being recorded to correct the property descriptions for PARCELS 29E, and 29D as recorded in Liber 4, Page 75 of recorded surveys.



SE CORNER SECTION 29; T.BN, R.ZW., DELHI TWR, INGHAM CO., MICH

• Indicates iron set in survey recorded in Liber 4, Page 75

2367 • Indicates 1/2" iron pipe and cap set this survey

DATE . 10-01-80


80-785 ORDER NO. _

DEAWN BY

STEADMAN & PIERSON, INC.

ada S. Lieun

OF MILH ARDEN S. PIERSON 13039



LIBER 4 PC 593

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION

The East 1/2 of the West 1/2 of the Southeast 1/4 of Section 29, T.3N.-R.2W., Delhi Township, Ingham County, Michigan.

RECORDING SPACE

SURVEY DESCRIPTION

Parcel No. 1 - Beginning at a point in the centerline of Harper Road N. 89°55'32" W. 1332.14' from the S.E. corner of Section 29, T.3N. - R.2W., Delhi Twp., Ingham County, Michigan, Thence N.00°07'12" W. 250.00', N.89°55'32"W. 165.00', S.00°07'12"E. 250.00'to the centerline of Harper Road, thence along said road centerline S.89°55'32"E. 165.00' and containing 0.95 acres more or less.

Parcel No. 2 - Beginning at a point in the centerline of Harper Road N.89°55'32"W. 1497.14' from the S.E. corner of Section 29, T.3N.-R.2W., Dalhi Twp., Ingham County, Michigan, Thence N.89°55'32"W. 501.07', N.90°10'48" W. 2633.68' to a point on the East/West 1/4 line of said section 29, thence N.89°58'03"B. 668.83', S.00°07'12"E. 2384.91', N.89°55'32"W. 165.00, S.00°07'12"E. 250.00' to the P.O.B. and containing 39.42 acres more or less.

I certify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is not greater than 1/5000, and that all of the requirements of P.A. 132 of 1970 have been complied with.

Bearings are referenced to the Bast Line of Section 29 T.3N.-R.2W., Delhi Twp. as recorded on Survey Liber 4 Page 75.

WOLVERINE ENGINEERS AND SURVEYORS, INC.


George M. Young, L. # 17640



ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF DESCRIBED SOURGARY IRON SET & CAPPED 2599 CEX. FENCE LINE

WOLVERINE ENGINEERS & SURVEYORS, INC. ENGINEERS-BURVEYORS MASON, MICHIGAN

SURVEY FOR KAREN LUMBERT FEE'S BURYEY S.L.A. SCALE MONE BRAWN BY S.L.A. DATE AUGUST



√

4 pg 715 LIBER

CERTIFICATE OF SURVEY

COMBINED DESCRIPTION

Beginning at a point in the centerline of Harper Road, N 89° 55' 32" W 1,497.14 feet from the SE Corner of Section 29, T3N-R2W, Delhi Township, Lugham County, Michigan, thence N 89° 55' 32" W 501.07 feet, N 00° 10' 48" W 2,633.68 feet to a point on the East-West 1/4 line of taid Section 29, thence N 89° 58' 03" E 668.83 feet, S 00° 07' 12" E 2,384.92 feet, N 89° 55' 32" W 165.00 feet, S 00° 07' 12" E 250.00 feet to the P.O.B. and containing 38.42 acres more or less. and containing 38.42 acres more or less.

RECORDING SPACE

PARCEL 2A

Beginning at a point in the centerline of Harper Road, N 89° 55' 32" W 1,497.14 feet from the SE Corner of Section 29, T3N-R2W, Delhi Township, Ingham County, Michigan, thence N 89° 55' 32" W 501.05 feet, N 00° 10' 48" W 1,128.31 feet, S 89° 55' 32" E 667.25 feet, S 00° 07' 12" E 874.24 feet, N 89° 55' 32" W 165.00 feet, S 00° 07' 12" E 250.00 feet to the P.O.B. and containing 16.26 acres of land more or less.

Beginning at a point distant N 89° 55' 32" W 1,998.21 feet and N 00° 10' 48" W 1,128.31 feet from the SE Corner of Section 29, T3N-R2W, Delhi Township, Ingham County, Michigan; thence N 00° 10' 48" W 1,505.37 feet to a point on the East-West 1/4 line of said Section 29, thence N 89° 58' 03" E 668.83 feet, S 00° 07' 12" E 1,510.68 feet, N 89° 55' 32" W 667.25 feet to the P.O.B. and containing 23.16 acres of land more or less.

I certify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is not greater than 1/5000, and that all of the requirements of P.A. 132 of 1970 have been complied with.

Bearings are referenced to the East line of Section 29, T3N-R2W, Delhi Township as recorded on Survey Liber 4, Page 75.

WOLVERINE ENGINEERS AND SURVEYORS, INC.

Seorge M. Young, L.S. \$17640




LEGEND

ALL DRACHSIONS ARE IN FEET AND DECIMALS THEMEOF DESCRIBED BOUNDARY INCH SET & CAPPED RON FORD CK. FENCE LINE

WOLVERINE ENGINEERS & SURVEYORS, INC. ENGINEERS-SURVEYORS

MASON,

KAREN LUMBERT
SA-MS
SCALE
SA-MS
DAYE APRIL 14. PELD SURVEY DRAWN BY



CERTIFIED SURVEY MAP

LIBER

5 m 265

FOR: Bill Peters

LEGAL DESCRIPTIONS:

Parcel A That part of the West 1/2 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the West 1/4 corner of said Section 28; thence South 1318.52 feet along the West line of said Section; thence S89°19'55"E 1319.79 feet along the South 1/8 line of said Section; tion to the POINT OF BEGINNING of this description; thence NO0°01'18"E 1319.65 feet along the West 1/8 line of said Section to the NW corner of the NE 1/4 of the SW 1/4 of said Section; thence N00°09'41"W 661.33 feet along said West 1/8 line to the NW corner of the S 1/2 of the SE 1/4 of the NW 1/4 of said Section; thence S89°25'09"E 220.81 feet along the North line of said S 1/2; thence S00°02'22"E 1981.31 feet to a point on said South 1/8 line being the centerlite of Harber Road; thence N89°19'55"W 220.81 feet along said South 1/8 line to the point of beginning; containing 10.010 acres more or less and subject to the rights of the public in Harper Road.

Farcel B That part of the West 1/2 of Section 28, T3N, R2W, Delhi Township Ingham County, Michigan described as: Commencing at the West 1/4 corner of said Section 28; thence South 1318.52 feet along the West line of said Section; thence S89°19'55"E 1540.60 feet along the South 1/8 line of said Section; That part of the West 1/2 of Section 28, T3N, R2W, Delhi Township, tion (being the centerline of Harper Road) to the POINT OF BEGINNING of this description; thence N00°02'22"W 1981.31 feet to a point on the North line of the South 1/2 of the SE 1/4 of the NW 1/4 of said Section; thence S89°25'09"E 220.00 feet along said North line; thence S00°02'22"E 1981.65 feet to a point on said South 1/8 line; thence N89°19'55"W 220.00 feet along said South 1/8 line to the point of beginning; containing 10.007 acres more or less and subject to the rights of the public in Harper Road.

That part of the West 1/2 of Section 28, T3N, R2W, Delhi Township, Parcel C Ingham County, Michigan described as: Commencing at the West 1/4 corner of said Section 28; thence South 1318.52 feet along the West line of said Section; thence S89°19'55"E 1760.60 feet along the South 1/8 line of said Section; tion (being the centerline of Harper Road) to the POINT OF BEGINNING of this description; thence N00°02'22"W 1981.65 feet to a point on the North line of the South 1/2 of the SE 1/4 of the NW 1/4 of said Section; thence S89°25'09"E 220.00 feet along said North line; thence S00°02'22"E 1981.98 feet to a point on said South 1/8 line; thence N89°19'55"W 220.00 feet along said South 1/8 line to the point of beginning; containing 10.009 acres more or less and subject to the rights of the public in Harper Road.

Parcel D That part of the West 1/2 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the West 1/4 corner of said Section 28; thence South 1318.52 feet along the West line of said Section; thence S89°19'55"E 1980.60 feet along the South 1/8 line of said Section; tion (being the centerline of Harper Road) to the POINT OF BEGINNING of this description; thence N00°02'22"W 1981.98 feet to a point on the North line of the South 1/2 of the SE 1/4 of the NW 1/4 of said Section; thence S89°25'09"E 220.00 feet along said North line; thence S00°02'22"E 1982.18 feet to a point on said South 1/8 line; thence N89°19'55"W 220.00 feet along said South 1/8 line to the point of beginning; containing 10.010 acres more or less and subject to the rights of the public in Harper Road.

Parcel E That part of the West 1/2 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the West 1/4 corner of said Section 28; thence South 1318.52 feet along the West line of said Section; thence S89°19'55"E 2200.60 feet along the South 1/8 line of said Section (being the centerline of Harper Road) to the POINT OF BEGINNING of this description; thence N00°02'22"W 1982.18 feet to a point on the North line of description; thence N00°02'22"W 1982.18 feet to a point on the North line of the South 1/2 of the SE 1/4 of the NW 1/4 of said Section; thence S89°25'09"E 441.26 feet along said North line to the NE corner of said South 1/2; thence 500°00'18"E 662.18 feet along the N-S 1/4 line of said Section to the Center of said Section 28; thence S00°02'35"W 1320.78 feet along said N-S 1/4 line to a point on said South 1/8 line; thence N89°19'55"W 438.98 feet along said South 1/8 line to the point of beginning; containing 20.039 acres more or less and subject to the rights of the public in Harper Road. OF COLUMN less and subject to the rights of the public in Harper Road.

MARVIN F. FOUTY, P.C. LAND SURVEYING & MAPPING 717 beech street east lansing, michigan 48823 phone: 332-5354

3194

DATE 2-10-1987

SHEET 2 OF 3

JOB NO. <u>555</u>

REGISTERED LAND SURVEYOR NO. 48989

REGISTED SURVEYOR No. 18989

MARVIN

CERTIFIED SURVEY MAP

LIBER 5 PG 266

FOR: Bill Peters

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels a tract of land previously described as: "The South 1/2 of the SE 1/4 of the NW 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan and the NE 1/4 of the SW 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan" and that we have set 1/2" bars with identification caps at all corners of said parcels and that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

Witnesses to US Public Land Corners

West 1/4 corner Sec. 28, T3N, R2W 2" elm, East 32.80' 4" elm, SE, 60.90' 6" ash, West, 43.59' Center Section 28, T3N, R2W 13" maple, SE, 43.95' 18" maple, SSW, 50.39' Wood anchor post, East 1.79'

Northwest corner Section 28, T3N, R2W
Nail & tag in N.E. side 12" poplar, S.W., 109.50'
N.E. corner concrete headwall, S.E., 23.28'
S.W. corner concrete headwall, N.W., 46.05'

Southwest corner Section 28, T3N, R2W Nail & tag in power pole SE, 39.07' Nail & tag in corner post East, 26.70' Nail & tag in power pole NW, 83.92'

North 1/4 corner Section 28, T3N, R2W Survey tag in the East side of a utility pole, NC°28'W 79.96 feet. Survey tag in the West side of a utility pole, S2°23'W 64.38 feet. Survey tag in the NW side of a utility pole, S49°07'W 97.38 feet.

South 1/4 corner Section 28, T3N, R2W
42" butternut N85°W, 26.59'
6" butternut N50°W, 53.23'
West 14.17 NE corner 12" square iron anchor post

MARVIN F. FOUTY, P.C. LAND SURVEYING & MAPPING 717 beech street east lansing, michigan 48823 phone: 332-5354

3194

DATE 2-10-1987

JOB NO. 555

SHEET 3 OF 3

REGISTERED LAND SUR

MARVIN
FOUTY
LAND
SURVEYOR
No.
18989

WO.

REGISTERED LAND SURVEYOR NO. 18989

CERTIFICATE OF SURVEY


5 m 305 LIBER

- 44.

LEGAL DESCRIPTION

PARCEL A: That part of the North 1/2 of the NE 1/4 of the SE 1/4 of Section 32, T3N, R2W, Delki Township, Ingham County, Michigan, described as: Beginning at the East 1/4 corner of Section 32, T3N, R2W, thence S00°03'40°E, 330.02 feet along the East line of Section 32. Thence N89°47'08°W, 1330.15 feet; thence N00°07'47°W, 329.93 feet to the East-West 1/4 line of Section 32; thence S89°47'23°E, 1330.55 feet along the E-W 1/4 line of Section 32 to the point of beginning. Contains 10.078 acres. Subject to the right of way for Onondaga Road and any other easements or restrictions of record.

PARCEL B: That part of the North 1/2 of the NE 1/4 of the SE 1/4 of Section 32, T3N, R2W, Jelhi Township, Ingham County, Michigan, described as: Beginning on the East line of Section 32, T3N, R2W, at a point SOO 03'40"E, 330.02 feet from the East 1/4 corner of Section 32, thence SOO 03'40"E, 330.02 feet along the East line of Section 32, T3N, R2W; thence N89'46'52"W, 1329.76 feet; thence N00'07'47"W, 329.92 feet; thence S89'47'08"E, 1330.15 feet to the point of beginning. Contains 10.074 acres. Subject to the right of way for Onondaga Road and any other easements or restrictions of record. way for Onondaga Road and any other easements or restrictions of record.



CENTIFICATE OF SURVEY

LISER 5 m 323

PARCEL I: That part of the SE 1/4 of the NE 1/4 of Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning on the East line of Section 32, T3N, R2W, at a point 310.88 feet, North from the East 1/4 corner of Section 32; thence N89°55'15"W, 1330.79 feet to the N-S 1/8 line of the NE 1/4 of Section 32; thence N00°02'47"W, 305.75 feet along the 1/8 line; thence S89°52'44"E, 938.04 feet; thence S89°52'44"E, 838.00 feet; thence S89°52'44"E, 283.00 feet to the East line of Section 32; thence South, 304.78 feet along the East line of Section 32 to the point of beginning. Contains 9.112 acres. Subject to the right of way for Onondaga Road and any other easements or restrictions of record.


PARCEL II: That part of the SE 1/4 of the NE 1/4 of Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning on the East line of Section 32, T3N, R2W, at a point 615.66 feet, North from the East 1/4 corner of Section 32; thence N89°52'44"W, 283.00 feet; thence South 85.00 feet; thence N89°52'44"W, 110.00 feet; thence North, 85.00 feet; thence N89°52'44"W, 938.04 feet to the N+S 1/8 line of the NE 1/4 of Section 32; thence N00°02'47"W, 305.76 feet along the 1/8 line; thence S99°50'12"E, 1331.29 feet to the East line of Section 32; thence South, 304.78 feet along the East line of Section 32 to the point of beginning. Contains 9.544 acres. Subject to the right of way for Onondaga Road and any other easements or restrictions of record.

RECORDED


Oct 6 12 45 PM 187

REGISTER OF DEEDS Danta Johnson INGHAM COUNTY, MICH.

Gafoutes



V



CERTIFIED BOUNDARY SURVEY

LIBER 6 pg 234

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a parcel of land previously described as:

The South 2 acres of the North 9.5 acres of the West 50 acres of the Southwest 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as follow:

PARCET, A

A parcel of land in the Southwest 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the West 1/4 corner of said Section 34; thence S00°30'22"E along the West line of said Section 34, a distance of 396.34 feet to the point of beginning; thence N89°51'58"E 829.72 feet; thence S00°33'03"E 105.77 feet; thence S89°52'18"W 579.80 feet; thence N00°30'22"W parallel with said West line, 50.00 feet; thence S89°52'18"W 250.00 feet to said West line; thence N00°30'22"W along said West line 55.69 feet to the point of beginning; said parcel containing 1.72 acres more or less including 0.04 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.

PARCEL B

A parcel of land in the Southwest 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the West 1/4 corner of said Section 34; thence S00°30'22"E along the West line of said Section 34, a distance of 452.03 feet to the point of beginning; thence N89°52'18"E 250.00 feet; thence S00°30'22"E parallel with said West line, 50.00 feet; thence S89°52'18"W 250.00 feet to said West line; thence N00°30'22"W along said West line 50.00 feet to the point of beginning; said parcel containing 0.28 acre more or less including 0.03 acre more or less presently in use as public right of way; said parcel subject to all easements and right of ways of record



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY G J W	SECTION 34, T3N, R2W
HELD WORK BY R S	JOB NUMBER:
SHEET 2 OF 3	88-B-19034

3851

CERTIFIED BOUNDARY SURVEY

6 : 235 LIPER

WITNESSES:

G-13

Southwest corner Section 34, T3N, R2W. Found "pk" nail 12' East of centerline Eifert rd in centerline Nichols rd. Found nail & tag in South side 30" Oak, N60°W, 86.95' Set nail & tag in East side 24" Apple, S30°W, 131.03' Found nail & tag in Northeast side power pole, S30°E, 31.3'

South 1/4 corner Section 34, T3N, R2W. Found 1/2" bar 3' South of centerline Nichols rd on tree line North. Found 1/2" bar & cap, West, 20.5' Found nail & tag in Southeast side power pole, N05°W, 43.28' Steel fence post, S30°W, 32.3' Found nail & tag in South side 40" Oak, N75°W, 79.23'

West 1/4 corner Section 34, T3N, R2W.
Found 1" bar in centerline Eifert rd on East-West fence.
Found nail & tag in North side 20" twin Maple, West, 61.33'
Found nail & tag in south side power pole, S85°W, 43.56'
Found nail & tag in West side 18" Pine, S45°W, 55.05'
Found nail & tag in Southeast side power pole, N45°E, 80.86'
Found bar & cap, West, 32.0'

Center of Section 34, T3N, R2W.
Found 1/2" bar at intersection North, South, East and West fences.
Found nail & tag in North side 16" Maple, S80°W, 17.08'
Found nail & tag in West side 60" Sycamore, North, 17.45'
Set nail & tag in North side 18" Maple, East, 50.0'

This survey was performed with an error of closure no greater than a ratio of 1 in 126,582.

All bearings are derived from the West line of Section 34 wich is recorded to bear N00°30'22"W in Liber 3 of Surveys, Page 441, Ingham County records.

Ja. Bon Larry A. Bryan Date: Licensed Land Surveyor No.25832




BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY SECTION 34, T3N, R2W G J W JOB NUMBER: FIELD WORK BY RS 88-B-19034 SHEET 3 3



6 - 303 CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon that we have surveyed several parcels of land within:

West 5 acres of North 10 acres of Southwest quarter (SW 1/4) of the Southwest quarter (SW 1/4) of Sec. 28, T3N, R2W.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcels shown hereon and that the more particular legal descriptions of said parcels are as follows:

PARCEL "A"

A parcel of land in the Southwest 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Southwest corner of Section 28; thence North along the West line of said Section 28 a distance of 988.68 feet to the point of beginning of this description; thence North continuing along said West line 329.86 feet to the North line of the Southwest 1/4 of the Southwest 1/4 of said Section 28; thence S89°15'17"E along said North line 179.84 feet; thence S00°00'43"W parallel with the East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 of said Section 28 a distance of 329.86 feet; thence N89°15'17"W parallel with said North line 179.77 feet to the point of beginning; said parcel containing 1.36 acres more or less, including 0.24 acres more or less presently in use an public right of way for Onondaga road; said parcel also subject to a right of way for Harper road and all other easements and restrictions of any.

PARCEL "B"

A parcel of land in the Southwest 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Southwest corner of Section 28; thence North along the West line of said Section 28 a distance of 1318.54 feet to the North line of the Southwest 1/4 of the Southwest 1/4 of said Section 28; thence S89°15'17"E along said North line 179.84 feet to the point of beginning of this description; thence S89°15'17"E continuing along said North line 160.00 feet; thence S00°00'43"W parallel with the East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 of said Section 28 a distance of 329.86 feet; thence N89°15'17"W parallel with said North line 160.00 feet; thence N00°00'43"E parallel with said East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 a distance of 329.86 feet to the point of beginning; said parcel containing 1.21 acres more or less; said parcel subject to a right of way for Harper road and all other easements and restrictions if any.

PARCEL "C"

A parcel of land in the Southwest 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Southwest corner of Section 28; thence North along the West line of said Section 28 a distance of 1318.54 feet to the North line of the Southwest 1/4 of the Southwest 1/4 of said Section 28; thence S89°15'17"E along said North line 339.84 feet to the point of beginning of this description; thence S89°15'17"E continuing along said North line 160.00 feec; thence S00°00'43"W parallel with the East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 of said Section 28 a distance of 329.86 feet; thence N89°15'17"W parallel with said North line 160.00 feet; thence N00°00'43"E parallel with said East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 a distance of 329.86 feet to the point of beginning; said parcel containing 1.21 acres more or less; said parcel subject to a right of way for Harper road and all other easements and restrictions if any.



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY GJW	SECTION 28, T3N, R2W
FIELD WORK BY R S	JOB NUMBER:
SHEET 2 OF 3	88-B-22C;5

6 - 304 CERTIFIED BOUNDARY SURVEY

PARCEL "D"

A parcel of land in the Southwest 1/4 of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the Southwest corner of Section 28; thence North along the West line of said Section 28 a distance of 1318.54 feet to the North line of the Southwest 1/4 of the Southwest 1/4 of said Section 28; thence S89°15'17"E along said North line 499.84 feet to the point of beginning of this description; thence S89°15'17"E continuing along said North line 160.00 feet to the East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 of said Section 28; thence S00°00'43"W along said East line 329.86 feet; thence N89°15'17"W parallel with said North line 160.00 feet; thence N00°00'43"E parallel with said East line of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 a distance of 329.86 feet to the point of beginning; said parcel containing 1.21 acres more or less; said parcel subject to a right of way for Harper road and all other easements and restrictions if any.

WITNESSES TO SECTION CORNERS:

Center of Section 28, T3N, R2W, Liber 4, Page 196. Found iron shaft an intersection of North, South & East Fence. Set nail & tag in East side power pole, North, 10.18' Set nail & tag in Southwest side 30" Maple, S40°E, 43.97' Set nail & tag in East side 26" Maple, S30°W, 50.60'

West 1/4 corner Section 28, T3N, R2W, Liber 5, Page 112. Found bar & cap in Monument box 1' East of centerline of Onondaga rd. Set nail & tag in North side 14" Elm, East, 32.8' Set nail & tag in Northeast side 18" Elm, S35°E, 60.9' Set nail & tag in South side 14" Elm, West, 43.37'

Southwest corner Section 28, T3N, R2W, Liber 6, Page 67. Found bar & cap at the intersection of Harper and Onondaga roads. Set nail & tag in West side of 14" Apple, East, 33.5' Found nail & tag in Northeast side utility pole, S35°E, 38.8' 5 Set nail & tag in Southwest side power pole, S20°E, 156.12' Set nail & tag in North side 20" Maple, S75°W, 85.20'

South 1/4 corner Section 28, T3N, R2W, Liber 5, Page 115. Found pointed rock with angle iron along North side, fence North & West. Found nail & tag in West side power pole, North, 14.27' Set nail & tag in North side 60" Butternut, N85°W, 26.59' Set nail & tag in West side 10" Butternut, N50°W, 53.23'

This survey was performed with an error of closure no greater than a ratio of 1 in 37,432.

All bearings are derived from the West line of Section 28, which is recorded to bear North in Liber 2 of surveys, Page 361 of the Ingham County records.

Januard. Byon 9.30-88
Larry A. Bryan Date:
Licensed Land Surveyor No.25832



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road


HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY G J W SECTION 28, T3N, R2W

FIELD WORK BY R S JOB NUMBER:

SHEET 3 OF 3 88-B-22015

3884



CERTIFICATE OF PROPERTY SURVEY

TO: DALE AND JUDY CALLAGHAN

LIPER

 6×612

LEGAL DESCRIPTION AS PROVIDED: The West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan.

OTHERWISE DESCRIBED AS:

PARCEL A: That part of the West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33; thence N 89° 52' 48" W, along the South Section line, 825.16 feet, to the Point of Beginning; thence Continuing along said Section line, N 89° 52' 48" W, 165.00 feet; thence N 00° 30' 22" W, 528.00 feet; thence S 89° 52' 48" E, parallel with said south Section line, 165.00 feet; thence S 00° 30' 22" E, 528.00 feet to the P.O.B. Containing 2.0000 acres, more or less. Subject to an easement over the South 33 feet for Nichols Road. Subject to any easements or restrictions of record.

PARCEL B: That part of the West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33; thence N 89° 52' 48" W, along the South Section line, 990.16 feet, to the Point of Beginning; thence Continuing along said Section line, N 89° 52' 48" W, 168.93 feet; thence N 80° 37' 31" W, 528.01 feet; thence S 89° 52' 48" E, parallel with said south Section line, 170.02 feet; thence \$ 00° 30' 22" E, 528.00 feet to the P.O.B. Containing 2.0867 acres , more or less. Subject to an easement over the South 33 feet for Nichols Road. Subject to any easements or restrictions of record.

PARCEL C: That part of the West 3D Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33; thence N 89° 52' 48" W, along the South Section line, 1159.09 feet, to the Point of Beginning; thence Continuing along said Section line, N 89° 52' 48" W, 165.00 feet; thence N 00° 37' 31" W, 528.01 feet; thence S 89° 52' 48" E, parallel with said south Section line, 165.00 feet; thence S 00° 37' 31" E, 528.01 feet to the P.O.B. Containing 2.00 acres , more or less. Subject to an easement over the South 33 feet for Nichols Road. Subject to any naccuents of rustrictions of record.

PARCEL D: That part of the West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33: thence N 89° 52' 48" W, along the South Section line, 825.16 feet; thence N 00° 30' 22" W, 528.00 feet to the Point of Beginning; thence N 89° 52' 48" W, 500.02 feet; thence N 00° 37' 31" W, 2111.79 feet; thence \$ 89° 53' 51" E, 504.41 feet; thence \$ 00° 30' 22" E, 2111.89 feet to the P.O.B. Containing 24.3464 acres , more or less. Subject to any easements or restrictions of record.

WITNESSES TO SECTION CORNERS- SECTION 33, T3N, R2W, DELHI TOWNSHIP, INGHAM CO. SOUTHEAST CORNER (L2-PG.413) FOUND P-K NAIL AS PER WITNESSES 613 N&T SO. SIDE 30" OAK WNW 86.98' N&T 15" APPLE(CHERRY) SW 131.03' SE CORNER FOUND. N 65°E

EAST 1/4 CORNER (L5-PG. 129) FD. IRON IN MON. BOX AS WITNESSED 85.79 NW COR. HOUSE SE 6-12 80.79 N&T P.POLE NE N&T P.POLE พรพ 43.65

SOUTH 1/4 CORNER (L5-PG.312) FOUND MON. IN BOX AS PER WITNESSES N&T IN P. POLE SW 39.24 SE COR. SHED NNE 60.42 MON. IN BOX N&T FENCE POST 26.34° 26.82° WEST NNW

CENTER OF SECTION--SET 5/8"X40" REBAR AT INTERSECTION OF 1/4 LINES, 6'NO.OF ANCHOR POST REMAINS, ON DITCH BANK SET N&T 6" MAPLE 43.60' WEST SW COR. 12" CONC.POST N30°W 28.20 SET N&T 8" WH. OAK \$80°E 7.56 7.56 SET N&T 8" ELM \$25°E 27.70'

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. his drawing is the property of Beery & Associates. Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates. Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any ourpose after six months from the date indicated herein. All rights reserved. Copyright 1988 Beery & Associates. Inc. I hereby centify that I have surveyed the property herein described.

4021LEGEND - FOUND IRON - SET IRON - MONUMENT

X-FENCE LINE
R-RECORDED DIMENSION
D-DEEDED DIMENSION
M-MEASURED DIMENSION

RATIO OF CLOSURE:



and that except as shown; there are no visible engreechments unon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970 and that the ratio of error of closure of this survey is no speaker that 1/5002.

avid

Licensed Land Surveyo




849 N. AURELIUS ROAD MASON, MICHIGAN 48854

DATE:	OCTOBER 26, 1990 S	CALE:
SHEET:	2:0f.32	CKED: DL
DRAWN:		VISED:
FIELD:		E NO.: 5390

Estates of

AND THE PROPERTY OF THE PROPER



SECTION DETAIL

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1988 Beery & Associates, Inc.

4021

LEGEND - FOUND IRON - SET IRON - MONUMENT X-FENCE LINE
R-RECORDED DIMENSION
D-DEEDED DIMENSION
M-MEASURED DIMENSION



I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.


I further certify that I have fully complied with the requirements of Section 3. Public act 132 of 1970 and that the ratio of error of closure of this survey is no greater that 1/5000.

David R. Lohr Licensed Land Surveyor

RATIO OF CLOSURE:



849 N. AURELIUS ROAD MASON, MICHIGAN 48854 DATE: OCTOBER 30,1990 SHEET: 3 of 3 DRAWN: d.m.g. 1"= 800" SCALE: DL CHECKED: REVISED: FIELD: DL, JJ 5390 FILE NO. :



RON

HELSEL LAND

SURVEYOR

TERED LAND

3144

Found Iron

R Recorded Distance

M. Measured Distance

D Deeded Distance

RON HELSEL, R.L.S.

Kelol

No. 18994

Land Surveying and Planning Specialists

807 Kerns Rd., Suite 101, Mason, Mich. 48854 Phone 517-676-1580

48842

SHEET

8-22-91

SURVEY NO. 91-2336

CHUCK HASKINS

HOLT, MICHIGAN

MP GK RH

DP

820 N. ONONDAGA ROAD

FOR:

DRAWN

CHECKED RH

CERTIFICATE OF PROPERTY SURVEY

T0: RUSSELL BENTLY 2112 COOLRIDGE HOLT, MI 48842


6 m1103 LIPEP

95

LEGAL DESCRIPTION:

That part of the South 1/2 of the Southeast 1/4 of Section 28, TCN, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the South 1/4 corner of said Section 28; thence N 00° 00" 16" E, along the North-South 1/4 line, 576.22 feet to the Point of Beginning; thence N 00° 00' 16" E, along said 1/4 line, 747.00 feet to the North line of the South 1/2 of the Southeast 1/4; thence S 89° 40' 12" E, 175.00 feet; thence S 00° 00' 16" W, 747.00 feet; thence N 89° 40' 12" W, 175.00 feet to the P.O.B. Containing 3.0010 Acres, more or less. Subject to an easement over the Northerly edge for Harper Road. Subject to any easements or restrictions of record.

NOTE: Harper Road does not parallel the Northerly property line of this The centerline of Harper Road lies 19.63 feet parcel as snown. North of the Northwest property corner, and 18.25 feet North of the Northeast property corner, as shown.



NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1902, Berry & Associates: Inc.

4257

LEGEND

• - FOUND IRON
• - SET IRON
• - MONUMENT

X-FENCE LINE
R-RECORDED DIMENSION
D-DEEDED DIMENSION

M- MEASURED DIMENSION

DAYID R. LOHR SURVEYOR NO. 30090

I hereby certify that I have surveyed the property herein described and that except as shown, there are no visible encroachments upon the above described property.

further centify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970 and that the ratio of error of closure of this survey is no greater that 1/5000.

Taved It ۷)_

Licensed Land Surveyor

RATIO OF CLOSURE:

849 N AURELIUS ROAD MASON, MICHIGAN 48854

DATE: 6-25-92 SCALE: /"= 60 SHEET: 1 OF 1 CHECKED: D.L DRAWN: D.L.G.K FIELD: D.L.G.K REVISED : FILE NO.: 70 78



LIBER

6 po 1117

CERTIFIED SURVEY MAP

FOR: JAMES GOULDING

SHEET I OF 2


RECORDED

MAR 25 2 03 PM '93

REGISTER OF DEEDS Parale Or brown INGHAM COUNTY MICH.

E. 1/4 COR. - SEC. 28, T3N, R2W 1/2" Iron pipe in monument pox 36" Maple Stump West 24" Walnut N55°F N55°E 41.41' Telephone Pole N70°W 22.10' S19°E 45.27'

- INDICATES A 3/4" IRON PIPE WAS SET FOR THIS SURVEY.
- INDICATES A 1/2" IRON PIPE WAS FOUND.



S. 1/4 COR. - SEC. 28, T3N, R2W. Stone with angle iron at NW side

42" Bitternut 42" Bitternut N85°W 26.59' Telephone Pole N03°W 14.27' N50°W 53.23' 6" Bitternut

S. E. COR. - SEC. 28, T3N, R2W. 3/4" Iron pipe in monument box

20" Hickory N.E. N.W. 34.091

18" Oak 40" Oak S.E. 89.60'

4265

I CERTIFY THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED ABOVE IN COMPLIANCE WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970.

THE RELATIVE ERROR OF CLOSURE BEING 1 PART IN 12, 000 AND THAT THE EN-... AND THAT THE EN-CROACHMENTS AFFECTING SAID LAND, IF ANY, ARE LOCATED AS SHOWN HEREON.

R.W. STEADMAN & ASSOCIATES, INC.

DATE Morch 19, 1992


LAND SURVEYING & ENGINEERING

ORDER NO. 92038

DRAWN BY ____

D. G. B.

& W. Stea



LIBER

6 m1118

CERTIFIED SURVEY MAP

FOR: JAMES GOULDING

SHEET 2 OF 2

DESCRIPTION:

PARCEL A:

Beginning on the east section line 212.00 feet North of the SE Corner of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N89°45'30"W parallel with the south section line 500.00 feet; thence South parallel with the east section line 212.00 feet to the south section line; thence N89°45'30"W along the south section line 325.00 feet; thence S89°45'30"E 825.00 feet to the east section line; thence South 80.00 feet to the point of beginning; containing 3.097 acres more or less, according to the recorded Certified Survey Map thereof.

PARCEL B:

Beginning on the east section line 292.00 feet North of the SE Corner of Section 28, T3N, R2W, Delhi Township, Ingham County, Michigan; thence N89°45'30"W parallel with the south section line 825.00 feet; thence North parallel with the east section line 292.00 feet; thence S89°45'30"E 325.00 feet; thence South 212.00 feet; thence S89°45'30"E 500.00 feet to the east section line; thence South 80.00 feet to the point of beginning; containing 3.097 acres more or less, according to the recorded Certified Survey Map thereof.

4265

I CERTIFY THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED ABOVE IN COMPLIANCE WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970. THE RELATIVE ERROR OF CLOSURE BEING 1 PART IN 12,000 AND THAT THE ENCROACHMENTS AFFECTING SAID LAND, IF ANY, ARE LOCATED AS SHOWN HEREON.

R.W. STEADMAN & ASSOCIATES, INC.

DATE March 19, 1991

LAND SURVEYING & ENGINEERING

ORDER NO. 92038

LANSING, MICHIGAN

DRAWN BY D. G. B.

REGISTERED LAND SURVEYOR #11370



CERTIFICATE OF SURVEY

LIBER

6 -1134

LEGAL DESCRIPTION:

THAT PART OF THE NET OF THE NET OF SECTION 33, TRY ROW, DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIPTION AS:

BEGINNIN; AT A POINT ON THE EAST LINE OF SECTION 33, 990 FEET, S00°33°05" IROM THE NE CORNER OF SAID SECTION; THENCE S00°39'05"E ON SAID EAST LINE, 335.25 FEET TO THE SE CORNER OF THE NE_4^1 OF THE NE_4^1 OF SECTION 33; THENCE S89°57'56"W ON THE SOUTH LINE OF SAID NE_4^1 OF THE NE_4^1 , 1331.90 FEET; THENCE $N00^0$ 46'32"W ON THE WEST LINE OF THE NE_4^1 OF THE NE_4^1 , 332.11 FEET; THENCE S89°49'49"E ALONG A LINE PARALLEL WITH AND 990 FEET DISTANT FROM THE NORTH LINE OF SAID SECTION, 1332.59 FEET TO THE POINT OF BEGINNING. CONTAINING 10.20 ACRES AND SUBJECT TO THE EASTERLY 33 FEET THEREOF FOR USE AS PUBLIC RIGHT-OF-WAY, AND OTHER EASEMENTS OF RECORD, IF ANY.

NE CORNER, SECTION 33, T3N,R2W NE Corner FD. P & C IN MON BOX Section 33 FD. P & C, 33.00 FEET WEST RECORDED T3N, RZW L.S, P. ZZI SET N & T 18" WALNUT, S70°W, 25.97' 995 , O SET N & T 14" ELM, S85°E, 67.05' deeded to SET N & T POWER POLE, N60°E, 71.25' APR 17 8 23 AH 33 REGISTER OF DEEDS W Princip Ordinan Properties 5000 391/25 THOMAM COUNTY, MICH. ± 1.0' N89°49'49"E 1332.59' Frame ± 12' Shed ROAD 32°W ± 6.2' over line 500°39'05' NO0°46' 3 33' ROW 10.20 ACRES FERT S 89.57.56.W 1331.90 E $\frac{1}{4}$ CORNER, SECTION 33, T3N,R2W FD. N & T UTILITY POLE, NE, 80.79' ķ FD. N & T UTILITY POLE, WSW, 43.65 FD. N & T NW CORNER OF HOUSE, SE, 85.45' East line SET N & T N. SIDE 12" ELM, FAST, 38.20' 53 1325. Scale: lin. = 2000 ft. Bearings relative to a survey Rec. L. 6, P. 611 as \$89°53'51"E E1/4 Corner Section 33 T3N, R 2W L.S. P. 129

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

LEGEND

- O Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Deeded Distance

BON HELSEL, R.L.S. No. 18994

1276


RON
HELSEL
LAND
SURVEYOR
NO.
18994

ACCOLADE, INC.

Land Surveying and Planning Specialists 807 Kerns Rd., Suite 101, Mason, Mich. 48854 Phone 517-676-1580

FOR: DAVE FRY REALTY BATH, MICHIGAN

FIELD M.P./GK.	DATE April 10 1992
DRAWN M.L.M.	SURVEY NO. 923103
CHECKED R.H.	SHEET OF:



THE PROPERTY OF THE PROPERTY O


TO: JIM MARQUARDT:

CERTIFICATE OF PROPERTY SURVEY

LEGAL DESCRIPTION: Parcel "A":
That part of the South 1/2 of the Southeast 1/4 of Section 28, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan described as:
Commencing at the South 1/4 corner of said Section 28; thence N 00 00" 16" E, along the North-South 1/4 line, 1323.22 feet to the North line of the South 1/2 of the Southcast 1/4 of said Section 28; thence South 89 40' 12" East, along said North line, 1080.40 feet, to the Point of Beginning; thence continuing, South 89 40' 12" East, along said North line, 240.00 feet; thence South 00 19' 48" West, 225.00 feet; thence North 89 40' 12" West, 240.00 feet; thence North 00 19' 48" East, 225.00 feet, to the P.O.B. Containing 1.2397 Acres, more or less. (54,000.6 Sq. ft.) Subject to an easement over the Northerly edge for Harper Road. Subject to any easements or restrictions of record.

NOTE: Harper Road does not parallel the Northerly property line of this parcel as shown. The centerline of Harper Road lies 12.48 feet North of the Northwest property corner, and 10.72 feet North of the Northeast property corner, as shown.

NOTE: Refer to FNW survey job #1075-M for technical data relating to Southeast 1/4 of Section 28.



NOTE: This instrument is for the exclusive use to the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Berry & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1996 Beery & Associates, Inc.

- LEGEND • - FOUND IRON
- O SET IRON
- O MONUMENT
- X FENCE LINE
- R RECORDED DIMENSION
- M MEASURED DIMENSION
- SET LINE STAKED DEEDED DIMENSION
- RATIO OF CLOSURE:

BEERY

& ASSOCIATES, INC. 849 NORTH AURELIUS ROAD MASON, MI 48854 (517) 678-4688 I hereby certify that I have surveyed the property herein described and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970 and the the ratio of error of closure of this survey is no greater than 1/5000.

DAVID R. LOHR

LICENSED LAND SURVEYOR

DATE: <u>Aug. 20,1996</u> SHEET: 1 of 2


SHEET: 162 DRAWN: <u>D.L.</u> FIELD: DL-DB SCALE: 1"= 50 CHECKED: DL REVISED: FILE NO: 11236 - A.

CERTIFICATE OF PROPERTY SURVEY

LEGAL DESCRIPTION: Parcel "B"; That part of the South 1/2 of the Southeast 1/4 of Section 28, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan described as: Commencing at the South 1/4 corner of said Section 28; thence N 00 Commencing at the South 1/4 corner of said Section 28; thence N 00 00" 16" E along the North-South 1/4 line, 1323.22 feet to the North line of the South 1/2 of the Southeast 1/4 of said Section 28; thence South 89 40' 12" East, along said North line, 1320.42 feet, to the Point of Beginning; thence continuing, South 89 40' 12" East, along said North line, 178.00 feet; thence South 00 19' 48" West, 225.00 feet; thence North 89 40' 12" West, 178.00 feet; thence North 00 19' 48" East, 225.00 feet, to the P.O.B. Containing 0.9194 Acres, more or less. (40,000.4 Sq. ft.) Subject to an easement over the Northerly edge for Harper Road. Subject to any easements or restrictions of record. 00" 16" E,

NOTE: Harper Road does not parallel the Northerly property line of this parcel as shown. The centerline of Harper Road lies 10.72 feet North of the Northwest property corner, and 9.41 feet North of the Northeast property corner, as shown.

NOTE: Refer to FNW survey job #1075-M for technical data relating to Southeast 1/4 of Section 28.



NOTE: This instrument is for the exclusive use fo the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Berry & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1996 Beery & Associates, Inc.

- LEGEND - FOUND IRON
- SET IRON
- O MONUMENT
- FENCE LINE
- RECORDED DIMENSION
- M MEASURED DIMENSION
- SET LINE STAKE
- DEEDED DIMENSION

RATIO OF CLOSURE:

BEERY

& ASSOCIATES, INC. 849 NORTH AURELIUS ROAD MASON, MI 48854 (517) 876-4686

I hereby certify that I have surveyed the property herein described and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully compiled with the requirements of Section 3, Public Act 132 of 1970 and the the ratio of error of closure of this surve grater than 1/5000.

soul DAVID R. LOHR

FIELD:_

LICENSED LAND SURVEYOR

Aug. 20, 1996 1: 2 of 2 DATE: SHEET: DL DRAWN:

OL-DB

SCALE: 1" 50 CHECKED: DL REVISED: FILE NO: JIZ36 - B




FOR: Charles Sedgman 571 Eifert Road Mason, MI 48854

970030221 09/12/197 09:33:22 REGISTER OF DEEDS Paula Johnson INGHAM COUNTY, MI

LEGEND:

- 1. All dimensions are in feet and decimals thereof.
 2. 1/2" bar and I.D. cap have been placed at all points marked "o".
 3. Existing survey marker was found at all points marked "o".
 4. indicates government corner.

- indicates government corner.
 indicates not to scale. 5.



SURVEYING CO.

Mason, Michigan 48354 517/676-3630

-	fld. survey	RL	Jun 97	Sec. 33 , T 3N , R 2W
i	drawn	RL	Jun 97	Co. Ingham
	sheet 1 of	2	Drawing	number A-4335

6-13

SURVEYED DESCRIPTION OF PROPERTY:

A parcel of land located in the Southeast 1/4 of Section 33, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan; the surveyed boundary being described as commencing at the Southeast corner of said Section 33; thence North 00°30′22" West along the East line of said Section 33 a distance of 527.79 feet to the point of beginning of this description; thence North 89°55′35" West a distance of 825.48 feet; thence North 00°26′10" West a distance of 262.68 feet; thence North 89°59′20" East a distance of 825.14 feet to a point on the East line of said Section 33; thence South 00°30′25" East a distance of 263.90 feet to the point of beginning; said parcel containing more or less 4.988 acres, Said parcel subject to the rights of the public across Eifert Road; said parcel subject to all other easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

Southeast Corner Section 33, T3N, R2W. 3/4" bar in monument box. G-13
Liber 9, Page 65
Southwest corner house foundation mag. az. 306°, 129.23'
G-1, Aurelius, West 19.71'
Southeast corner house foundation mag. az. 73°, 88.25'
Southwest corner house foundation mag. az. 50°, 51.92'

East 1/4 Corner Section 33, T3N, R2W. 3/4" bar in monument box. Liber 9, Page 63.
Nail and tag #11370 in South side u. pole N46°E, 80.87'
Nail and tag #11370 in S. side 14" boxelder, S74E°, 38.78'
Northeast corner house foundation S76°W, 94.55'
Nail and tag #11370 S. side u. pole S87°W, 43.58'

CERTIFICATE OF SURVEY:

I hereby state to the parties named hereon that I have surveyed a parcel of land previously described as:

The North 5 acres of the South 15 acres of the East 50 acres of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan.

and that I have found or set, as noted hereon, permanent markers to all corners of said parcel and that the more particular surveyed description of said parcel is as indicated hereon.

This survey complies with the requirements of P.A. 132 of 1970 as amended.

This survey was performed with an error of closure no greater than a ratio of 1 in 25,000 based upon unadjusted field datum.


Donnie W. Leit 6/30/97

Ronnie M. Lester, Professional Surveyor #18998



POLARIS SURVEYING CO. 3081 Holt Road Mason, Michigan 48854 517/676-3630

fld. survey	RL	Jun 97	Sec. 33 , T	
drawn	RL	Jun 97	Co. Ingham	
sheet 2 of	2	Drawing	number	A- 4335



field observation of such survey was 1/15,000, and that all the requirements of P.A. 132, 1970 have been complied with. * MAURICE H. *


* MAHIEU *
PHOFESSIONAL TO SURVEYOR
No. 28414 \$6

alli Maurice H. Mahieu P.S. #28414

LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF D= DEEDED FI= FOUND IRON P= PLATTED SI= SET IRON

DE DEEDED
PROPERTY CORNER IRON
CONCRETE MONUMENT 0 FENCE LINE



WOLVERINE ENGINEERS & SURVEYORS, INC 312 NORTH ST. MASON, MICHIGAN 48854 PHONE (517) 676-9200

SURVEY FOR: RICK VANHOUTEN FIELD SURVEY: T. YOUNG DATE: 11-04-98 DRAWN BY: J. SCHINEMAN SHEET: 1 OF 2 JOB NO.: 980676 SCALE: 1" = 500'

RECORDING SPACE

LEGAL DESCRIPTION:

PARCEL 'A'
A parcel of land on part of the Northwest 1/4 of section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, beginning at a point on the West line of Section 33 NO0°01'23"E 330.00 feet from the West corner of sold Section 33; thence continuing along said West line NO0°01'23"E 499.37 feet; thence S89°26'01"E 1272.22 feet; thence N42°29'11"E 221.74 feet to the West line of the East 1/2 of the Northwest 1/4 of Section 33; thence along said West line NO0°04'43"W 300.00 feet; thence N90°00'00"E 1221.27 feet to the North-South 1/4 of Section 33; thence along said North-South 1/4 line S00°10'50"E 1314.90 feet to the East-West 1/4 line; thence along said East-West 1/4 line N89°15'06"W 1323.75 feet to the West line of the East 1/2 of the Northwest 1/4 of Section 33; thence along said West line N00°04'43"W 330.00 feet; thence N89°15'06"W 1323.16 feet to the point of beginning, containing 54.1002 acres of land, more or less, and subject to any easements or rights of way of record, together with a 20 foot wide easement for ingress/egress, the centerline described as beginning at a point on the West line of Section 33, N00°01'23"E 962.21 feet from the West 1/4 corner of said Section 33; thence along the centerline the following two courses, S88°31'37"E 1302.22 feet; thence Southeasterly 57.31 feet along the arc of a 55.30 foot radius curve to the right whose central angle is 59°22'32" and whose chord bears S58°50'21"E 54.78 feet to the point of ending.

the point of ending. PARCEL 'B'

PARCEL 'B'
A parcel of land on part of the Northwest 1/4 of Section 33, T3N, R2W, Demi Townsing, Angliam County, More beginning at a point on the West line of Section 33 N00°01'23"E 829.37 feet from the West 1/4 corner of said Section 33; thence continuing along said West line N00°01'23"E 165.00 feet; thence S89°26'01"E 1321.93 feet to the West line of the East 1/2 of the Northwest 1/4 of Section 33; thence along said West line N00°04'43"W 1644.50 feet to the North line of Section 33; thence along said North line S89°02'35"E 1319.13 feet to the North—South 1/4 line; thence along said North—South 1/4 line S00°10'50"E 1323.46 feet; thence S90°00'00"W 1221.27 feet; thence S00°04'43"E 300.00 feet; thence S42°29'11"W 221.74 feet; thence N89°26'01"W 1272.22 feet to the point of beginning, containing 46.2310 acres of land, more or less, and subject to any easements or rights of way of record, and subject to a 20 foot easement for ingress/egress, the centerline described as beginning at a point on the West line of Section 33, N00°01'23"E 962.21 feet from the West 1/4 corner of said Section 33; thence along said centerline the following two courses, S88°31'37"E 1302.22 feet; thence Southeasterly 57.31 feet along the arc of a 55.30 foot radius curve to the right whose central angle is 59°22'32" and whose chard bears S58°50'21"E 54.78 feet to the point of ending.

8-11

NORTHWEST CORNER, SECTION 33 FOUND PIPE #11370 IN MONUMENT BOX

WITNESSES: N&T #11370 E. SIDE UTIL. POLE, N50°W 80.23'

N&T #18994 N. SIDE 14" APPLE, EAST 33.75'

N&T #17624 NE. SIDE TELE. POLE, S45°E 38.95'

N&T #28414 E. SIDE 16" MAPLE, S40°W 71.89'

2-12 WEST 1/4 CORNER, SECTION 33 FOUND RAILROAD SPIKE WITNESSES: N&T #28414 N. SIDE (5) 10" QAKS, N70°E 30.67'
N&T #17624 N. SIDE TELE. POLE, EAST 28.41'
N&T #28414 W. SIDE QUAD. OAK, N35°E 47.96'
PF NAIL N. SIDE 32" OAK, WEST 29.05'

E-11 NORTH 1/4 CORNER, SECTION 33 FOUND POINTED STONE

WITNESSES: 3/4" ROD 0.30' N. OF STONE


N&T #18994 W. SIDE WOOD FENCE POST, N32'E 5.42'

N&T #11370 S. SIDE WOOD FENCE POST, S68*E 5.74'

N&T #11370 N. SIDE 48" BITTERNUT, N80*W 25.32'

CENTER 1.2'x1.2' CONC. FENCE POST, N82*W 14.75'

CENTER OF SECTION 33
FOUND 3/4" REROD • SE CORNER DITCH
WITNESSES: MINESSES:
N&T #18994 W. SIDE 40" WILLOW, N25°E 13.75"
N&T #28414 N. SIDE 8" OAK, EAST 9.37"
N&T #28414 E. SIDE 8" OAK, S10°W 2.75'
SE. CORNER 1.2'x1.2' CONC. FENCE POST, N20°W 27.68'



LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF
D= DEEDED FI= FOUND IRON
P= PLATTED SI= SET IRON D= DEEDED

M= MEASURED

PROPERTY CORNER IRON CONCRETE MONUMENT

FENCE LINE



WOLVERINE ENGINEERS & SURVETORS, INC 312 NORTH ST. MASON, MICHIGAN 48854 PHONE (517) 676-9200

SURVEY FOR: RICK VANHOUTE	N
FIELD SURVEY: T. YOUNG	DATE: 11-04-98
DRAWN BY: J. SCHINEMAN	SHEET: 2 OF 2
SCALE: 1" = 500"	JOB NO - 980676

RE: 98676TRV.DWC

DRAWING: 986765V1.DWG





BECORDING SPACE	

LEGAL DESCRIPTION:

PARCEL A:

A part of the East 1/2 of the Southwest 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as beginning on the South Section Line at a point NB9°16′20″W 982.81 feet from the South 1/4 Corner; thence N89°16′20″W 344.66 feet along the South Section Line to the west line of said East 1/2; thence N00°05′22″W 2639.64 feet along said west line to the East—West 1/4 line; thence S89°15′06″E 1323.75 feet to the Center of Section 33; thence S00°10′13″E 1289.91 feet along the North—South 1/4 line; thence N89°16′20″W 650.00 feet; thence S00°10′13″E 685.80 feet; thence N89°16′20″W 332.81 feet; thence S00°10′13″E 654.51 feet to the point of beginning containing 55.316 acres of land more or less and subject to any easements or rights of way of record.

PARCEL B:

A part of the East 1/2 of the Southwest 1/4 of Section 33, T3N, R2W, Deihi Township, Ingham County, Michigan, described as beginning on the South Section Line at a point N89°16′20″W 650.00 feet from the South 1/4 Corner of Section 33; thence N89°16′20″W 332.81 feet along the South Section Line; thence N00°10′13″W 654.51 feet; thence S89°16′20″E 332.81 feet; thence S00°10′13″E 654.51 feet to the point of beginning containing 5.00 acres of land more or less and subject to any easements or rights of way of record.

WEST 1/4 CORNER, SECTION 33 FOUND RAILROAD SPIKE
WITNESSES:
N&T #28414 N. SIDE (5) 10" OAKS, N70°E 30.67'
N&T #17624 N. SIDE TELE. POLE, EAST 28.41'
N&T #28414 W. SIDE QUAD. OAK, N35°E 47.96'
PK NAIL N. SIDE 32" OAK, WEST 29.05'

CENTER OF SECTION 33
FOUND 3/4" REROD ● SE CORNER DITCH
WITNESSES:
N&T #18994 W. SIDE 40" WILLOW, N25°E 13.75'
N&T #28414 N. SIDE 8" OAK, EAST 9.37'
N&T #28414 E. SIDE 8" OAK, S10°W 2.75'
SE. CORNER 1.2'x1.2' CONC. FENCE POST,
N82°W 14.75'

S1/4 CORNER, SEC. 33, DELHI TWP.
FOUND 1/2" IRON ROD CONC. MONUMENT
IN MONUMENT BOX, 2'± SOUTH OF
€ NICHOLS ROAD
WITNESSES:
N&T #18998 W. SIDE UTILITY POLE, S 33°E,
N&T #18998 E. SIDE WOOD FENCE CORNER POST, N3°W,
N&T #18998 W. SIDE WOOD FENCE POST, N28°E,
N&T #28414 W. SIDE 10" THORN APPLE TREE, S3°W

FOUND BOAT SPIKE IN MONUMENT BOX WITNESSES: PK NAIL W. SIDE 32" WALNUT, N32°E, 58.10' PK NAIL SE SIDE UTILITY POLE, N39°W, 55.65' N&T #28414 S. SIDE 18" WALNUT, N 70°E, 68.90' N&T #28414 E. SIDE UTILITY POLE, S39°W, 105.15'

SW CORNER, SEC. 33, DELHI TWP.



LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF D= DEEDED FI= FOUND IRON SI= SET IRON SI= SET IRON CONCRETE MONUMENT O


	궀	=	
V	6		C

WOLVERINE ENGINEERS & SURVEYORS, INC 312 NORTH ST. MASON, MICHIGAN 48854 PHOME (517) 676-9200

SURVEY FOR: RICHARD CLARK					
FIELD SURVEY:	TY & KL	DATE:	12-29-99		
DRAWN BY:	SWH	SHEET:	2 OF 2		
SCALE:	1" = 500' "	JOB NO.:	990708		
	DE LANDI DESO		95 AURIA 61 151 6545 5146		







The basis of bearing for this survey is based on an Act 132 Survey recorded in Liber 8, page 407 Ingham County records.

I hereby certify that I have surveyed and mapped the land above platted and/or described on December 9, 1999, and that the ratio of closure on the unadjusted field observation of such survey was 1/15,000, and that all the requirements of P.A. 132, 1970 have been complied with.

OF MICH.

MAHIEU

**
MAHIEU

LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF D= DEEDED
P= PLATTED
M= MEASURED FI= FOUND IRON SI= SET IRON

PROPERTY CORNER IRON CONCRETE MONUMENT FENCE LINE



MAURIL MAHIEU

MAHIEU

PROFESSIONAL S
SURVEYOR

NO.
28414

28414

GOFESSION

AGINEER WOLVERINE ENGINEERS & SURVEYORS, INC 312 NORTH ST. MASON, MICHIGAN 48854

	PHONE (517) 676-9200				
SURVEY FOR:	RICHARD CL	VRK			
FIELD SURVEY:	12-29-99				
DRAWN BY:	SWH	A DATE:	1 OF 2		
SCALE:	1" = 500"	JOB NO.:	990708		
	RE-YOOK OWO	1000 140	990706		



Paula Johnson INGHAM COUNTY REGISTER OF DEEDS RECORDED

L-8 P-765

2000-042443



2000-042443 Page: 1 2.7 5 10/04/2000 08:01R

CERTIFICATE OF SURVEY

CLIENT: Mr. James Morquardt 15041 Daggatt Rd. Lansing, Michigan 489C6

CAST-WEST 1/4 LINE, SECTION IN HORTH 1/2 OF SOUTHEAST 1/4 1323.22 1319.84 Eifert NOT INCLUDED 54000.0 SO. FT. NOT INCLUDED Harper Road N 000016" E 2646.44" 57<u>7.00' 737.00'</u> 5 85.4015, C 1319 36 9 000016 C H 000016 C PARCEL 102401,7 SO, FT, Z NOT INCLUDED S 0019'46 W 1371.04 H 0019'46 C 1046 66 PARCEL 4A 263209.4 SO. FT. 6.04 ACRES 1323.22 W 1095.3C 5 85 4072 175.00 284 00. PARCEL 48 449036.9 SO. FT. 10.31 ACRES 5 00 00 00 S NOT INCLUDED

SURVEYOR'S CERTIFICATE

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, public act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000

9-28-00 DATE: _

David R. Lohr

LEGEND -FOUND PROPERTY AS NOTED -SET 1/2" X 24" IRON W/RLS CAP -RECORDED -MICASURED

DRAWN BY. G.L.C. JOB No. 99-223 SCALE: 1"=400 FILE No. 99223b.dwg SHEET_1 OF 5 09/19/00

OF MICHIGA DAVID R. LOHR PROFESSIONAL SURVEYOR




Sundberg, Carlson And

Engineering Architecture - Surveying Planning Environmental Services - Computer Services

15851 S. US-27 BUILDING 80 LANSING, MICHIGAN 48906

PH 517/485-2603 FAX 517/485-2685 SCALANSING@ACD.NET

G-11



CLIENT: Mr. James Marquardt 15041 Daggott Rd. Lonsing, Michigan 48906

LEGAL DESCRIPTION OF PARENT PARCEL: (TAX DESCRIPTION — AS PROVIDED)

(PARCEL #05-28-400-030) THE S 1/2 OF THE SE 1/4 OF SEC. 28, EXCEPT BEG. AT THE SE CORNER. SEC. 28 — N. ON E. SEC. LN. 1319.89 FT. TO THE N. LN. OF S 1/2 OF SE 1/4 — N 89' 40' 12" W. ON SAID N. LN. 433 FT. — S. 736.56 FT. — W. 392 FT.— S. 584 FT. TO S. SEC. LN.— E. 825 FT. ON S. SEC. LN. TO THE P.O.B. ALSO EXC. COM. AT THE S 1/4 COR. SEC. 28.— N 0' 00' 16" E. ON N—S 1/4 LN. 576.22 FT. TO THE P.O.B.— N 0' 00'16" E. ON 1/4 LN. 747 FT.— S 89' 40'12"E. ON N. LN. OF S 1/2 OF SE 1/4, 175 FT. — N 0' 00'16" W, 747 FT.— N 89' 40'12" W, 175 FT. TO THE P.O.B.

ALSO EXC. COM. AT THE S 1/4 COR. SEC. 28.— N 0' 00'16" E. ON N—S 1/4 LN. 1323.22 FT. — S 89' 40' 12" E. ON N. LN. OF S 1/2 OF SE 1/4, 1080.40 FT. TO THE P.O.B.— CON'T. S 89' 40' 12" E. ON N. LN. OF S 1/2 OF SE 1/4, 1080.40 FT. TO THE P.O.B.— CON'T. S 89' 40' 12" E. 418 FT.— S 0' 19' 48" W, 225 FT.— N 89' 40' 12" W, 418 FT.— N 0' 19' 48" E. 225 FT. TO THE P.O.B. SEC.28, T3N. R2W. (DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN) 56.47 AC.. M/L.

OTHERWISE DESCRIBED AS:

OTHERWISE DESCRIBED AS:
PARCEL 1:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N, R2W.
DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS COMMENCING
AT THE SOUTH 1/4 CORNER OF SAID SECTION 28; THENCE NOO'00'16"E,
1323.22 FEET, ALONG THE NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE
SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S89'40'12"E, 2040.04 FEET,
ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, TO THE
POINT OF BEGINNING; THENCE CONTINUING S89'40'12"E, 195.00 FEET,
ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE
SOO'00'00"W, 736.42 FEET, THENCE N89'44'30"W, 196.00 FEET; THENCE
NOO'00'00"E, 736.67 FEET, TO THE POINT OF BEGINNING. CONTAINING 3.31
ACRES, MORE OR LESS. SUBJECT TO AN EASEMENT OVER THE NORTHERLY
EDGE FOR HARPER ROAD. SUBJECT TO ANY EASEMENTS OR RESTRICTIONS
OF RECORD. T3N, R2W.

PARCEL 2:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N, R2W, DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS COMMENCING AT THE SOUTH 1/4 CORNER OF SAID SECTION 28; THENCE NOO'00'16"E, 1323.22 FEET, ALONG THE NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S89'40'12"E, 1844.04 FEET, ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, TO THE POINT OF BEGINNING; THENCE CONTINUING S89'40'12"E, 196.00 FEET, ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S0C'0C'0C'0C', 736.67 FEET; THENCE N89'44'30"W, 196.00 FEET; THENCE N0O'0O'0O"E, 736.91 FEET, TO THE POINT OF BEGINNING. CONTAINING 3.31 ACRES, MORE OR LESS. SUBJECT TO AN EASEMENT OVER THE NORTHERLY EDGE FOR HARPER ROAD. SUBJECT TO ANY EASEMENTS OR RESTRICTIONS OF RECORD.

PARCEL 3:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N, R2W.
DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS COMMENCING
AT THE SOUTH 1/4 CORNER OF SAID SECTION 28; THENCE NOO'00'16"E,
1323.22 FEET, ALONG THE NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE
SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE \$99'40'12"E, 1498.40 FEET,
ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, TO THE
POINT OF BEGINNING; THENCE CONTINUING \$89'40'12"E, 345.64 FEET,
ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE
\$00'00'00"W, 1312.91 TEET, TO THE SOUTH SECTION LINE; THENCE
N89'44'30"W, 531.25 FEET, ALONG THE SOUTH SECTION LINE; THENCE
N89'44'30"W, 531.25 FEET, THENCE \$89'40'12"E, 178.00 FEET; THENCE
N00'19'48"E, 1096.56 FEET, THENCE \$89'40'12"E, 178.00 FEET; THENCE
N00'19'48"E, 225.00 FEET, TO THE POINT OF BEGINNING. CONTAINING 15.08
ACRES, MORE OR LESS. SUBJECT TO AN EASEMENT OVER THE NORTHERLY
EDGE FOR HARPER ROAD. SUBJECT TO ANY EASEMENTS OR RESTRICTIONS
OF RECORD.

SURVEYOR'S CERTIFICATE

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the described property, except as shown hereon.


We further certify that we have fully complied with the requirements of Section 3, public act 132 of 1970, and that the rotio of error of closure of this survey is no ageoter than 1/5000.

avio JOHN DATE 9-22-00

David R. Lohr

LEGENO -FOUND PROPERTY AS NOTED -SET 1/2" X 24" IRON W/RLS CAP -RECORDED -MEASURED

DRAWN BY: G.L.C.	JOB No. 99-223
SCALE: N.T.S.	FILE No. 99223b.dwg
DATE	SHEET 3 OF 5
09/19/00	RCVISIONS





Sundberg, Carlson And Associates,

Engineering Architecture Surveying Planning Environmental Services Computer Services

15851 S. US-27 BUILDING 80 LANSING, MICHIGAN 48906

-942443 12000 08:

CLIENT: Mr. Jomes Marquardt 15041 Daggott Rd. Lansing, Michigan 48906

PARCEL 4A:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N, R2W,
DELHI TOWNSHIP, INGHAM COUNTY, MICH!GAN, DESCRIBED AS COMMENCING
AT THE SOUTH 1/4 CORNER OF SAID SECTION 28; THENCE NOO'00'16"E,
1323.22 FEET, ALONG THE NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE
SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S89'40'12"E, 1080.40 FEET,
ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE
S89'40'12"E, 240.00 FEET, TO THE POINT OF BEGINNING; THENCE
S89'40'12"E, 240.00 FEET, PARALLEL WITH THE NORTH LINE OF THE
SOUTH 1/2: OF THE SOUTHEAST 1/4; THENCE S00'19'48"W, 1096.56 FEET
TO THE SOUTH SECTION LINE; THENCE N89'44'30"W, 240.00 FEET, ALONG
THE SOUTH SECTION LINE; THENCE N89'44'30"W, 240.00 FEET, ALONG
THE SOUTH SECTION LINE; THENCE N00'19'48"E, 1096.86 FEET, TO THE
POINT OF BEGINNING. CONTAINING 6.04 ACRES, MORE OR LESS. SUBJECT
TO ANY EASEMENTS OR RESTRICTIONS OF RECORD.

PARCEL 4B:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N, R2W, DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS COMMENCING AT THE SOUTH 1/4 CORNER OF SAID SECTION 2B; THENCE NOO'00'16"E, 1323.22 FEET, ALONG THE NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S89'40'12"E, 737.00 FEET, ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, TO THE POINT OF BEGINNING; THENCE CONTINUING S89'40'12"E, 343.40 FEET, ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S00'19'48"W, 1321.86 FEET, TO THE SOUTH SECTION LINE; THENCE N89'44'30"W, 335.89 FEET, ALONG THE SOUTH SECTION LINE; THENCE N00'00'16"E, 1322.55 FEET, TO THE POINT OF BEGINNING. CONTAINING 10.31 ACRES, MORE OR LESS. SUBJECT TO AN EASEMENT OVER THE NORTHERLY EDGE FOR HARPER ROAD. SUBJECT TO ANY EASEMENTS OR RESTRICTIONS OF RECORD.

PARCEL 5:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N, R2W, DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS COMMENCING AT THE SOUTH 1/4 CORNER OF SAID SECTION 28; THENCE NOO'00'16"E, 1323.22 FEET, ALONG THE NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S89'40'12"E, 577.00 FEET, ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, TO THE POINT OF BEGINNING; THENCE CONTINUING S89'40'12"E, 160.00 FEET, ALONG THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4; THENCE S00'00'16"W, 640.00 FEET; THENCE N89'40'12"W, 160.00 FEET; THENCE N00'00'16"E, 640.00 FEET, PARALLEL WITH THE NORTH—SOUTH 1/4 LINE, TO THE POINT OF BEGINNING. CONTAINING 2.35 ACRES, MORE OR LESS. SUBJECT TO AN EASEMENT OVER THE NORTHERLY EDGE FOR HARPER ROAD. SUBJECT TO ANY EASEMENTS OR RESTRICTIONS OF RECORD.

PARCEL 6:
THAT PART OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4, SECTION 28, T3N. R2W,
DELHI TOWNSHIP, INCHAM COUNTY, MICHIGAN, DESCRIPED AS SECTION 27,
IHE SOUTH 1/4 CURNER OF SAID SECTION 28, THENCE NOO'00':6'E,
576.22 FFET, ALONG THE NORTH—SOUTH 1/4 LINE; THENCE SAID 54:12"C
175.00 FEET, PARALLEL WITH THE NORTH LINE OF THE SOUTH: 1/2 OF THE
SOUTHEAST 1/4; THENCE NOO'00'16"E, 747.00 FEET, PARALLEL WITH THE
NORTH—SOUTH 1/4 LINE, TO THE NORTH LINE OF THE SOUTH 1/2 OF THE SOUTH
1/4; THENCE S89'40'12"E, 402.00 FEET, ALONG THE NORTH—LINE OF THE SOUTH
1/2 OF THE SOUTHEAST 1/4; THENCE S00'00'16"W, PARALLEL WITH THE
NORTH—SOUTH 1/4 LINE, 640.00 FEET; THENCE S89'40'12"E, 160.00 FEET;
THENCE S00'00'16"W, PARALLEL WITH THE NORTH—SOUTH 1/4 LINE, 682.30
FEET, TO THE SOUTH SECTION LINE; THENCE N89'44'30"W, 737.00 FEET,
ALONG THE SOUTH SECTION LINE, TO THE POINT OF BEGINNING. CONTAINING
17.03 ACRES, MORE OR LESS. SUBJECT TO ANY EASEMENT OVER THE NORTHERLY
EDGE FOR HARPER ROAD. SUBJECT TO ANY EASEMENTS OR RESTRICTIONS
OF RECORD.


SURVEYOR'S CERTIFICATE

We hereby certify that we have surveyed the property herein described, and that there are no laible encroachments upon the described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, public act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000

BY: Lavel US John DATE: 9-28.00

ı	DONO II. LOIII		
i	LEGEND.	DRAWN EY: G.L.C.	JOB No. 99-223
	-FOUND PROPERTY AS NOTED -SET 1/2" X 24" IRON W/RLS CAP	SCALE: N.T.S.	FILE No. 99223b.dwg
ļ	R -RECORDED	DATE	SHEET 4 OF 5
ı	- ··· - · · · · ·	00/10/00	





Sundberg, Carlson And Associates, Inc.

Engineering Architecture - Surveying Planning Environmental Services - Computer Services

Environmental Sarvices - Committee 15851 S. US 27 BUILDING 80 LANSING, MICHIGAN 48906

PH 51:7487 2003 FAX 517/485-2685 SCALANSING@ACD.NET

942443 12000 08:



CLIENT: Mr. James Marquardt 15041 Daggott Rd. Lansing, Michigan 48906

NOTE: THIS LAND DIVISION IS SUBJECT TO MUNICIPAL APPROVAL AS REQUIRED BY P.A. 591 OF 1996.

NOTE: THE CENTERLINE OF HARPER ROAD DOES NOT PARALLEL THE NORTHERLY PROPERTY LINE OF THE PARCELS AS SHOWN. THE WESTERLY CENTERLINE OF HARPER ROAD LIES 19.63 FEET NORTH OF THE WEST :/8 CORNER ALONG THE NORTH—SOUTH 1/4 LINE. AND CONVERGES TO THE EAST 1/8 CORNER ALONG THE EAST SECTION LINE.

WITNESSES TO SECTION CORNERS SECTION 28, T3N, R2W, DELHI TOWNSHIP INGHAM COUNTY, MICHIGAN

SOUTH 1/4 CORNER, F-11, LIBER 8, PAGE 5.8.

FD. 6" X 24" GRANITE STONE WITH 3/4" STIFEL FURM PIN ON NORTH SIDE

FD. N/T #11370 NE/S 48" BITTERNUT, N &J' W, 25.43'

FD. N/T #11370 E/S 10" BITTERNUT, N 50' W, 53.02'

CENTE

FD. N/T #11370 W/S FENCE POST, N 03' E, 14.27'

FD. N/T #18994 W/S FENCE POST, N 32' E, 5.45'

FD. N/T #1370 SW/S FENCE POST, S 68' E, 6.64'

CENTER SO. CONC. POST, N 22' W, 14.75'

FD. N, FD. N, FD. N, FD. N, FD. N, FD. N, FD. N

CENTER OF SECTION, F-10. LIBER 8, PAGE 520.
FOUND 3/4" STEEL FORM PIN IN 3" CLAY TILE
FD. N/T #18998 S/S 10" OAK, N 77" E, 9.96'
FD. N/T #18998 W/S 24" MAPLE, S 36" E, 43.70'
FD. N/T #18998 E/S 24" MAPLE, S 22" W, 50.72'
FD. N/T #18998 SE/S 12" MAPLE, N 27" W, 42.46'

SOUTHEAST CORNER, G-11, LIBER 8, PAGE 634.
Fd. 3/4" STEEL FORM PIN IN IN MON. BOX.
FD. N/T #18994 S/S TELE. POLE, N 62' E, 71.24'
FD. N/T #25832 N/S 9C' OAK, S 87' E, 92.35'
FD. N/T #25832 NE/S P. POLE, S 15' E, 90.88'
FD. N/T #11370 E/S P. POLE, S 26' W, 90.73'
FD. N/T #11370 N/S 14" OAK, S 88' W, 21.97'

EAST 1/4 CORNER, G-10, LIBER 8, PAGE 639.

Fd. 1 1/2" PIPE IN IN MON. BOX.

FD. «" IRON IN FENCE LINE, N 87'W, 33.00"

FD. N/T #16053 S/S TELE. POLE, N 69' W, 29.54'

FD. N/T #18991 S/S 30" OAK, N 85' E, 104.94'

FD. N/T #18991 N/S 12" OAK, S 64' E, 78.26'

NE CORNER HOUSE FND., N 50' W, 100.89'

EAST 1/8 CORNER, SOUTHEAST 1/4, MISC. #14
FD. P.K. NAIL 2 FT. WEST CENTERLINE OF HARPER
AND 2 FT. SOUTH C/L EIFERT ROADS
MEASURED SOUTH 1319.88 TO SE CORNER OF SECTION
SET N&T #30090, E/S P.POLE, S 42 W, 96.05'
SET N&T #30090, N/S 24" WH. ASH, S 80 W, 92.50'
NORTH LEG, SIGN POST, EAST, 22.70'

WEST 1/8 CORNER, SOUTHEAST 1/4, MISC. #12
SET 1/2" REBAR, CAP #30090, 19.63 FT. SOUTH C/L HARPER ROAD
FD. 1/2" REBAR, CAP #30090, S 02 W, 13.37'
SET N&T #30090, E/S P.POLE, S 15 E, 36.36'
SET N&T #30090, N/S 14" PINE, S 88 W, 38.80'
SET N&T #30090, W/S P.POLE, N 07 E, 70.00'

SURVEYOR'S CERTIFICATE

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, public act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000

dom aus

David R. Lohr

__LEGEND_ -FOUND PROPERTY AS NOTED
-SET 1/2" X 24" IRON W/RLS CAP
-RECORDED
-MEASURED DRAWN BY: G.L.C. JOB No. 99-223 SCALE: N.T.S. FILE No. 99223b.dwg DATE SHEET 5 _ OF _5 09/19/00

DAVID R.
LOHR
PROFESSIONAL
SURVEYOR
No.30090 No.3u.
No




Sundberg, Carlson And Associates,

o. ngineering Architecture - Surveying Planni Environmental Services - Computer Services Engineering Planning

15851 S. US-27 BUILDING 80 LANSING, MICHIGAN 48906

. PH 517/485-2603 FAX 517/485-2685 SCALANSING@ACD.NET



Logal Description (As Furnished):

- Commencing 20 rods South of the Northeast Corner of Section 33, T3N, R2W, thence West 80 rods, South 10 rods, East 80 rods, North 10 rods to beginning. Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan.
- Commencing 30 rods South of the Northeast Corner of Section 33, T3N, R2W, thence West 80 rods, South 10 rods, East 80 rods, North 10 rods to beginning. Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan.

Description As Surveyed:

That part of the Northeast 1/4 of the Northeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as:

Parcel B: Beginning on the East line of Section 33 at a point 331.31 feet S00°00'00"W of the Northeast Corner of Section 33, T3N, R2W; thence continuing S00°00'00"W, 165.00 feet on the East line of Section 33; thence N89°28'16"W, 265.00 feet; thence N00°00'00"E, 165.00 feet; thence S89°28'16"E, 265.00 feet to the point of beginning. Contains 1.000 acre.

ParcelA: Beginning on the East line of Section 33 at a point 496.31 feet S00°00'00"W of the Northeast Corner of Section 33, T3N, R2W; thence continuing S00°00'00"W, 166.31 feet on the East line of Section 33; thence N89°26'20"W, 1334.09 feet to the West line of the Northeast 1/4 of the Northeast 1/4 of Section 33; thence N00°03'30"W, 330.56 feet on the West line of the Northeast 1/4 of the Northeast 1/4 of Section 33; thence S89°28'16"E, 1069.42 feet; thence S00°00'00"W, 165.00 feet; thence S89°28'16"E, 265.00 feet to the point of beginning. Contains 9.136 acres.

Surveyor's Note: The Northeast 1/4 of Section 33 has an excess in the measured dimensions of the boundary thereof. The deed dimensions were prorated accordingly resulting in a North-South dimension of 331.31 feet of frontage versus the deeding 20 rods (330.0 feet).



We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the described property, except as shown hereon.

We further certify that we have fully compiled with the requirements of Section 3, public act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

Fredn. White

He Henry and Distance	KEITH GOEBEL 973 EIFERT ROAD HOLT, MI 48842 FRED WHITE ENGINEERING COMPANY, INC. 2300 NORTH GRAND RIVER AVENUE LANSING, MICHIGAN 4800 PHONE B17-321-711) FAX B17-321-9788 FRELD SPPC DATE JULY 6, 2000 DRAWN CJM SURVEY NO. 003381 CHECKED FNW SHEET L OF 2	PRO NO. 18084
-----------------------	---	---------------

FOR: Roger E. Arnold 5050 Nichols Road Mason, MI 48854

L-8 P-914

2001-046955

LEGEND:

1. All dimensions are in feet and decimals thereof.
2. 1/2" bar and I.D. cap have been placed at all points marked "o".


• indicates government corner.

indicates not to scale.

indicates described property line.

6. All bearings are noted in degrees (°) minutes (') and seconds (") and are referenced to a Survey as recorded in Liber 7, Page 1208, Ingham County Survey Records.

> East 1/4 Corner Section 33, T3N, R2W 3/4" bar in monument box. Liber 9, Page 63 East Line Section 33, T3N, R2W



POLARIS SURVEYING CO.

Liber 5, Page 312

1/2" bar in concrete monument

3081 Holt Road Mason, Michigan 48854 517/676-3630


South Line Section 33, T3N, R2W

> fld. survey Jul 01 Sec. 33 , T 3N, FL 2W drawn RL Jul 01 Co. Ingham sheet 1 of 2 **Drawing number** A-4463A

Liber 9, Page 65.

T3N, R2W. 3/4" bar in monument box.

6.12



SURVEYED DESCRIPTION OF PROPERTY:

A parcel of land located in the Southeast 1/4 of Section 33, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan; the surveyed boundary being described as commencing at the Southeast corner of said Section 33; thence North 89°53'50" West along the South line of said Section 33 a distance of 186.00 feet to the point of beginning of this description; thence continuing North 89°53'50" West along the South line of said Section 33 a distance of 195.00 feet; thence North 00°30'22" West parallel to the East line of said Section 33 a distance of 264.00 feet; thence South 89°53'50" East parallel to the South line of said Section 33 a distance of 195.00 feet; thence South 00°30'22" East a distance of 264.00 feet to the point of beginning; said parcel containing more or less 1.182 acres; said parcel subject to the rights of the public across Nichols Road; said parcel subject to all other easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

G-13

Southeast Corner Section 33, T3N, R2W. 3/4" bar in monument box. Liber 9, Page 65

Southwest corner house foundation mag. az. 306°, 129.23'

G-1, Aurelius, West 19.71'

Southeast corner house foundation mag. az. 73°, 88.25' Southwest corner house foundation mag. az. 50°, 51.92'

East 1/4 Corner Section 33, T3N, R2W. 3/4" bar in monument box. Liber 9, Page 63.

Nail and tag #11370 in South side u. pole N46°E, 80.87' Nail and tag #11370 in S. side 14" boxelder, S74E°, 38.78'

Northeast corner house foundation \$76°W, 94.55' Nail and tag #11370 S. side u. pole S87°W, 43.58'

South 1/4 Corner Section 33, T3N, R2W. 1/2" bar in concrete monument. Liber 5, Page 312.

Nail and tag #18998 West side u. pole mag. az. 151°, 31.66'

Nail and tag #18998 East side u. pole mag. az. 03°, 33.72' Northwest corner house #5245 mag. az. 164°, 116.63'

Concrete monument at F-1, Aurelius, West, 26.40'

CERTIFICATE OF SURVEY:

I hereby state to the parties named hereon that I have surveyed a parcel of land out of a tract of land previously described as:

The South 5 acres of the East 50 acres of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, except: beginning at Southeast corner of Section 33; thence West 186 feet; thence North 264 feet; thence East 186 feet to East Section line; thence South along East Section line to point of beginning.

and that I have found or set, as noted hereon, permanent markers to all corners of said parcel and that the more particular surveyed description of said parcel is as indicated hereon.

This survey complies with the requirements of P.A. 132 of 1970 as amended.

This survey was performed with an error of closure no greater than a ratio of 1 in 25,000 based upon unadjusted field datum State Of MICHIO

7/03/2001

POLARIS SURVEYING CO.

3081 Holt Road Mason, Michigan 48854 517/676-3630

fld. survey RL Jul 01 | Sec. 33 3N . R 2W drawn RL Jul 01 Co. Ingham sheet 2 of 2 Drawing number A-44634

BONNIE M LESTER **OPESSIONAL** SURVEYOR No. 18998 PESSION


FOR: Roger E. Arnold 5050 Nichols Road Mason, MI 48854

L-8 P-915 2001-046956 09/06/2001 09:54A

LEGEND:

- All dimensions are in feet and decimals thereof.
 1/2" bar and I.D. cap have been placed at all points marked "o".
- indicates government corner.
- indicates not to scale.

5. _____ indicates described property line.
6. All bearings are noted in degrees (°) minutes (') and seconds (") and are referenced to a Survey as recorded in Liber 7, Page 1208, Ingham County Survey Records.



POLARIS SURVEYING CO. 3081 Holt Road Mason, Michigan 48854 517/676-3630

fld. survey RL Jul 01 3N , R 2W Sec. 33 , T RL drawn Jul 01 Co. Ingham sheet] Drawing number of 2 A-4463 E

SURVEYED DESCRIPTION OF PROPERTY:

A parcel of land located in the Southeast 1/4 of Section 33, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan; the surveyed boundary being described as commencing at the Southeast corner of said Section 33; thence North 89°53'50" West along the South line of said Section 33 a distance of 624.70 feet to the point of beginning of this description; thence continuing North 89°53'50" West along the South line of said Section 33 a distance of 200.00 feet; thence North 00°35'30" West a distance of 264.00 feet; thence South 89°53'50" East parallel to the South line of said Section 33 a distance of 200.00 feet; thence South 00°35'30" East a distance of 264.00 feet to the point of beginning; said parcel containing more or less 1.212 acres; said parcel subject to the rights of the public across Nichols Road; said parcel subject to all other easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

6-13

Southeast Corner Section 33, T3N, R2W. 3/4" bar in monument box. Liber 9, Page 65

Southwest corner house foundation mag. az. 306°, 129.23' G-1, Aurelius, West 19.71'

Southeast corner house foundation mag. az. 73°, 88.25'

Southwest corner house foundation mag. az. 50°, 51.92'

South 1/4 Corner Section 33, T3N, R2W. 1/2" bar in concrete monument. Liber 5, Page 312.

Nail and tag #18998 West side u. pole mag. az. 151°, 31.66' Nail and tag #18998 East side u. pole mag. az. 03°, 33.72' Northwest corner house #5245 mag. az. 164°, 116.63'

Concrete monument at F-1, Aurelius, West, 26.40'

CERTIFICATE OF SURVEY:

I hereby state to the parties named hereon that I have surveyed a parcel of land out of a tract of land previously described as:

The South 5 acres of the East 50 acres of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, except: beginning at Southeast corner of Section 33; thence West 186 feet; thence North 264 feet; thence East 186 feet to East Section line; thence South along East Section line to point of beginning.

and that I have found or set, as noted hereon, permanent markers to all corners of said parcel and that the more particular surveyed description of said parcel is as indicated hereon. The West line of this parcel is defined by survey markers located on the Easterly boundary of a parcel of land designated as Parcel "A" as surveyed and recorded in Liber 6, Page 611 of Ingham County Survey Records.

This survey complies with the requirements of P.A. 132 of 1970 as amended.

This survey was performed with an error of closure no greater than a ratio of 1 in 25,000 based upon unadjusted field datum.

in the Rest 7/03/2001 Ronnie M. Lester, Professional Surveyor #18998





POLARIS SURVEYING CO.

3081 Holt Road Mason, Michigan 48854 517/676-3630

fld. survey RL		Jul 01	Sec. 33 , T	3N , FR 2W
	RL	Jul 01	Co. Ingham	
sheet 2 of	2	Drawing	number A	-4363B

FOR: Roger E. Arnold 5050 Nichols Road Mason, MI 48854

L-8 P-916 2001-046957 09/06/2001 09:54A

LEGEND:


1. All dimensions are in feet and decimals thereof.

2. 1/2" bar and I.D. cap have been placed at all points marked "o".

4 indicates government corner.

indicates not to scale.

5. ____ indicates described property line.
6. All bearings are noted in degrees (°) minutes (') and seconds (") and are referenced to a Survey as recorded in Liber 7, Page 1208, Ingham County Survey Records.



sheet Drawing number A-4463 (

SURVEYED DESCRIPTION OF PROPERTY:

A parcel of land located in the Southeast 1/4 of Section 33, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan; the surveyed boundary being described as commencing at the Southeast corner of said Section 33; thence North 89°53'50" West along the South line of said Section 33 a distance of 381.00 feet to the point of beginning of this description; thence continuing North 89°53'50" West along the South line of said Section 33 a distance of 243.70 feet; thence North 00°35'30" West a distance of 264.00 feet; thence South 89°53'50" East parallel to the South line of said Section 33 a distance of 244.09 feet; thence South 00°30'22" East parallel to the East line of said Section 33 a distance of 264.00 feet to the point of beginning; said parcel containing more or less 1.478 acres; said parcel subject to the rights of the public across Nichols Road; said parcel subject to all other easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

Southeast Corner Section 33, T3N, R2W. 3/4" bar in monument box. Liber 9. Page 65

Southwest corner house foundation mag. az. 306°, 129.23' G-1, Aurelius, West 19.71'

Southeast corner house foundation mag. az. 73°, 88.25' Southwest corner house foundation mag. az. 50°, 51.92'

East 1/4 Corner Section 33, T3N, R2W. 3/4" bar in monument box.

Liber 9, Page 63. Nail and tag #11370 in South side u. pole N46°E, 80.87'

Nail and tag #11370 in S. side 14" boxelder, S74E°, 38.78' Northeast corner house foundation S76°W, 94.55'

Nail and tag #11370 S. side u. pole S87°W, 43.58'

South 1/4 Corner Section 33, T3N, R2W. 1/2" bar in concrete monument. Liber 5, Page 312.

Nail and tag #18998 West side u. pole mag. az. 151°, 31.66' Nail and tag #18998 East side u. pole mag. az. 03°, 33.72' Northwest corner house #5245 mag. az. 164°, 116.63'

Concrete monument at F-1, Aurelius, West, 26.40'

G-13

CERTIFICATE OF SURVEY:

I hereby state to the parties named hereon that I have surveyed a parcel of land out of a tract of land previously described as:

The South 5 acres of the East 50 acres of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, except: beginning at Southeast corner of Section 33; thence West 186 feet; thence North 264 feet; thence East 186 feet to East Section line; thence South along East Section line to point of beginning.

and that I have found or set, as noted hereon, permanent markers to all corners of said parcel and that the more particular surveyed description of said parcel is as indicated hereon.

This survey complies with the requirements of P.A. 132 of 1970 as amended.

This survey was performed with an error of closure no greater ratio of 1 in 25,000 based upon unadjusted field datum. IT OF MICH

7/03/2001 Professional Surveyor #18998

POLARIS SURVEYING CO.


3081 Holt Road Mason, Michigan 48854 517/676-3630

fld. survey	RL	Jul 01	Sec. 33 , T	3N , FR 2W
drawn	RL	Jul 01	Co.Ingham	
sheet 2 of	2	Drawing	number /	-4363C

RONNIE M.

LESTER OPESSIONAL SURVEYOR

No. 18908 OFE 38101





RECORDING SPACE

The above parcels are a split of Parcel B of a survey recorded in L-8, P-712 lngham County Records.

Legal Descriptions:

PARCEL B1— A part of the East 1/2 of the Southwest 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as beginning at a point on the South Section line N89°16'20"W 650.00 feet from the South 1/4 corner; thence N89°16'20"W 166.41 feet along the South Section line; thence N00°10'13"W 438.00 feet; thence N89°16'20"W 166.40 feet; thence N00°10'13"W 216.51 feet; thence S89°16'20"E 332.81 feet; thence S00°10'13"E 654.51 feet to the point of beginning, containing 3.33 acres of land more or less and subject to any easements or rights of way of record.

PARCEL B2— A part of the East 1/2 of the Southwest 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as beginning at a point on the South Section line N89°16'20"W 816.41 feet from the South 1/4 corner; thence N89°16'20"W 166.40 feet along the South Section line; thence N00°10'13"W 438.00 feet; thence S89°16'20"E 166.40 feet; thence S00°10'13"E 438.00 feet to the point of beginning, containing 1.67 acres of land more or less and subject to any easements or rights of way of record.

The basis of bearing for this survey is based on an Act 132 Survey recorded in Liber 8, Page 407, Ingham County Records.

I hereby certify that I have surveyed and mapped the land above platted and/or described on December 21, 2001, and that the ratio of closure on the unadjusted field observation of such survey was 1/15,000, and that all the requirements of P.A. 132, 1970, as amended have been complied with.

Mourice H. Mahieu P.S. #28414





LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF
D= DEEDED
P= PLATTED
SI= SET IRON

P= PLATTED
M= MEASURED
PROPERTY CORNER IRON
CONCRETE MONUMENT
O



WOLVERINE ENGINEERS & SURVEYORS, INC 312 NORTH ST. MASON, MICHIGAN 48854 PHONE (517) 676-9200

SURVEY FOR: GERALD SCHWAB
FIELD SURVEY: LW & BL DATE:

 FIELD SURVEY:
 LW & BL
 DATE:
 01-04-02


 DRAWN BY:
 MJM
 SHEET:
 2 OF 2


 SCALE:
 JOB NO.:
 01-0609


RE: 990708.DWG

RAWING: DIDEOSS.DWG









Legal Description PARCEL A

Part of the Northeast 1/4 of the Northeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Commencing at the Northeast corner of said Section 33; thence S00°39'05"E, 330.00 feet along the East line of said Section 33 to the point of beginning of this description; thence continuing S00°39'05"E, 165.00 feet along said East line; thence S89°50'43"W, 265.00 feet parallel with the North line of said Section 33; thence N00°39'05"W, 165.00 feet parallel with said East line; thence N89°50'43"E, 265.00 feet parallel with said North line to the point of beginning. Contains 1.003 acres.

PARCEL B

Part of the Northeast 1/4 of the Northeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Commencing at the Northeast corner of said Section 33; thence S00°39'05"E, 495.00 feet along the East line of said Section 33 to the point of beginning of this description; thence continuing S00°39'05"E, 165.00 feet along said East line; thence S89°50'43"W, 589.40 feet parallel with the North line of said Section 33; thence S00°39'05"E, 330.00 feet parallel with said East line; thence S89°50'43"W, 744.34 feet parallel with said North line to the West line of the Northeast 1/4 of the Northeast 14 of said Section 33; thence N00°42'35"W, 660.01 feet along said West line; thence N89°50'43"E, 1069.41 feet parallel with said North line; thence S00°39'05"E, 165.00 feet parallel with said East line; thence N89°50°43"E, 265.00 feet parallel with said North line to the point of beginning. Contains 14,743 acres.

PARCEL C

Part of the Northeast 1/4 of the Northeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Commencing at the Northeast corner of said Section 33; thence S00°39'05"E, 825.00 feet along the East line of said Section 33 to the point of beginning of this description; thence continuing S00°39'05"E, 165.00 feet along said East line; thence 589°50'43"W, 589.40 feet parallel with the North line of said Section 33; thence N00°39'05"W, 330.00 feet parallel with said East line; thence N89°50'43"E, 333.40 feet parallel with said North line; thence S01°20'45"E, 150.03 feet; thence N89°50'43"E, 155.00 feet parallel with said North line; thence S01°20'45"E, 15.00 feet; thence N89°50'43"E, 99.00 feet parallel with said North line to the point of beginning. Contains

We hereby certify that we have surveyed the property herein described, and that there are no visible ancroachments upon the described property, except as shown hereon.

SURVEY NO. 030532

SHEET 4 OF 4

We further certify that we have fully complied with the requirements of Section 3, public act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

EK8


FNW

CHECKED

Fred N. White, P.S. No. 12034

FOR: LEGEND KEITH GOEBEL Set Iron 973 EIFERT ROAD Found Iron HOLT, MI 48842 Fence Line FRED WHITE ENGINEERING COMPANY, INC. 2300 NORTH GRAND RIVER AVENUE LANSING, MICHIGAN 48906 PHONE 517-321-7111 FAX 517-321-0799 Recorded Distance Measured Distance FIELD SP DATE 10 JUNE 2003 Deeded Distance DRAWN





CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:


I hereby certify only to the parties named hereon that we have surveyed at the direction of said parties, a parcel of land previously described as:


That part of the Southeast 1/4 of the Northeast 1/4 of Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning on the East line of Section 32, T3N, R2W, at a point 310.88 feet, North from the East 1/4 corner of Section 32; thence North 89 degrees 55 minutes 15 seconds West, 1330.79 feet to the North-South 1/8 line of the Northeast 1/4 of Section 32; thence North 00 degrees 02 minutes 47 seconds West, 305.75 feet along the 1/8 line; thence South 89 degrees 52 minutes 44 seconds East, 110.00 feet; thence North 85.00 feet; thence South 89 degrees 52 minutes 44 seconds East, 110.00 feet; thence North 85.00 feet; thence South 89 degrees 52 minutes 44 seconds East, 283.00 feet to the East line of Section 32; thence South 304.78 feet along the East line of Section 32 to the point of beginning. ALSO South 304.78 feet along the East line of Section 32 to the point of beginning ALSO T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning at the East East, 330.02 feet along the East line of Section 32; thence North 89 degrees 47 West, 329.93 feet to the East line of Section 32; thence North 89 degrees 47 West, 329.93 feet to the East line of Section 32; thence South 89 degrees 47 the point of beginning; ALSO a part of the Southeast 1/4 of the Northeast 1/4 of Section 32 to Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Beginning 310.88 feet; thence North 89 degrees 55 minutes 15 seconds West; 1330.79 feet to the East North—South 1/8 line of said Section 32; thence along said East 1/4 line of Section 32; hence along said East 1/4 line of Section 32; thence along said East 1/4 line of Section 32; thence along said East 1/4 line of Section 32; thence along said East 1/4 line of Section 32; thence along said East 1/8 line South 00 degrees 02 minutes 47 seconds East, 307.84 feet to the East—West 1/4 line of Section 32; thence along said East, 1330.55

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said parcel and that the more particular legal description of said parcel is as follows:

A parcel of land in the Northeast 1/4 and the Southeast 1/4 of Section 32, T3N, R2W, Delhi Township, Ingham County, Michigan, the surveyed boundary of said parcel being described as: Beginning at the East 1/4 corner of said Section 32; thence S00'01'22"E along the East line of said Section 32 a distance of 330.02 feet; thence N89'47'09"W 1330.64 feet to the West line of the East 1/2 of said Southeast 1/4; thence N00'06'23"W along said West line 325.06 of the East 1/2 of said Northeast 1/4 a distance of 618.45 feet; thence S89'52'44"E 938.37 feet; thence South parallel with said East line 85.00 feet; thence S89'52'44"E 110.00 feet; thence North parallel with said East line 85.00 feet; thence S89'52'44"E 110.00 feet; East line; thence South along said East line 615.65 feet to the point of beginning; said parcel containing 28.65 acres more or less, including 0.71 acre more or less presently in use as public right of way, said parcel subject to all easements and restrictions if any.







CERTIFIED BOUNDARY SURVEY

WITNESSES TO SECTION CORNERS:

Found Railroad Spike in Monument box in c/l of Road Found nail & tag #28414 in Northwest side of 10" twin Oak, N85'E, 30.60' Found nail & tag #28414 in North side of power pole, East, 28.29' Found pk nail South side of 20" Oak, West, 29.16'

Found nail & tag in Sest side Oak cluster, N40'E, 47.85'

Southeast corner Section 32, T3N, R2W Found 1/2" bar in manument box

Found 1/2 but in monument box
Found nail & tag #28414 in Southeast side of powerpole, S20W, 105.16'
Southeast corner of House #5506, N45W, 116.90'
Found pk nail Southeast side of light pole, N40W, 55.60'
Set nail & tag in South side of 20" Walnut, N80E, 92.14'

South 1/4 corner Section 32, T3N, R2W
Found 1/2" bar in monument box in c/l of Road
Set nail & tag in East side of 12" Box Elder, North, 75.19'
Set nail & tag in East side of 8" Elm, N40"W, 44.24'
Set nail & tag in East side of 4" Aspen, S10"W, 31.25'
Southwest from of start force part N30"E 38.50'

Southwest face of steel fence post, N30°E, 38.59°

Center of Section 32, T3N, R2W
Found 1/2" pipe in Anchor Post Hole (no fence in any direction)

Set nail & tag in East side of 12" Cherry, S2W, 8.46'
Set nail & tag in East side of 12" Oak, N30W, 32.40'
Set nail & tag in Northwest side of 8" Aspen, N45E, 26.25'
Set nail & tag in 6" Ash, S40W, 22.52'

North 1/4 corner Section 32, T3N, R2W

North 1/4 corner Section 32, 13N, KZW
Found railroad spike in c/l of Road w/ fence North & South
Found nail & tag #13039 in South side of 20" Maple, N64"W, 57.82'
Found bar & cap #18989, South, 32.72'
Found nail & tag #24414 in East side of 30" Maple, N16"W, 24.0'
Found nail & tag #24414 in East side of 20" Hickory, N81°E, 79.55'

Northeast corner Section 32, T3N, R2W Found 1/2" pipe in monument box in c/l of Roads


Found nail & tag in Northeast side of cut off Telephone pole #11370, S37E, 38.76' Found nail & tag #24414 in East side of 16" Oak, S45W, 71.90' Found nail & tag Southwest side of Telephone pole, S30E, 156.15' Set nail & tag in Northeast side of powerpole, N45W, 80.42'

This survey complies with the requirements of Public Act 132 of 1970, as amended, and is subject to Public Act 591 of 1996, as amended, and was performed with an error of closure no greater than a ratio of 1 in 5000.

All bearings are derived from the East line of Section 32 which is recorded to bear N00'00'00'E in Liber 5 of Surveys, Page 324, Ingham County Records.

Feel Buy

11/18/04 Anthony Burnstead



KEBS, INC. BRYAN LAND SURVEYS

2116 HASLETT ROAD, HASLETT, MI 48840 PH. 517-339-1014 FAX 517-339-8047

Charlette Office Ph. 517-543-7078

Marsholi Office Ph. 269-781-9800

DRAWN BY SLH

SECTION 32, T3N, R2W

FIELD WORK BY

JOB NUMBER:

SHEET

OF : 3

04-8-75251