

West On the South Boundary of Sec. 35

18.67 Be. 12 in di.

25.00 Encumbrd May 12, 1825

34.74 Aug. 12 in di.

40.00 Set $\frac{1}{4}$ Sec post for a.

Same. 5 in W 33 S 6 14 N

Do. 4 in W 34 W 17

58.80 Be. 18 in di.

80.00 Set post-Cor to Sec. 34 & 35 for a

I-13

Be. 10 in W 38 S 12 N

A stone set for corner between these sec.

Do. 7 in W 45 W 14 in

Found and found same as last mile

West On South Boundary of Sec. 34

25.56 White Wood 24 in diam

40.00 Set $\frac{1}{4}$ Sec post for a.

H-13 Be. 6 in W 33 S 12 N

Do 7 in W 33 W 27 in

47.00 Be. 14 in diam

77.32 Hickory 18 in di.

80.00 Set post-Cor to Sec. 33 & 34 for a

G-13 Be. 7 in W 40 S 28 N

Do. 6 in W 32 W 20 in

Found & found same as last mile

North Between sections 34 & 35.

29.15 Be. 10 in. etc.

35.00 Cont. sh. p.

40.00 Shale & s.s. part from

I-12 B. sh. 6 in 15187 ft

Beck 9 in. N 73 3/4 W 11 1/2

46.00 Left the sh. p.

67.09 Be. 12 in. di.

80.00 Set post E. to steel 26.273425

I-11 Be. 6 in of 536 11 ft

Aug. 24 in. of 79 1/2 W 5 in

(rough out 20 in S. 11° E. 135 ft. to 150 ft. corner)
found pretty good Indian Rock

Sh. p. 1/2 in. or sh. 10.

* Trise Apr 23 1885 by J. J. Brown
+ May 24/72

East On Random Between steel 26 & 35.

40.00 Set a lamp? 1/4 in. sh. part

46.10 Set the N. 88 ft. line. 2 1/2 in. N. of the post

found very good & dry. Timber, Sh. p.

Beck, 1/2 in. N. 88 ft. line.

West Correlated Between steel 26 & 35

40.05 Set 1/4 in. post at road. on the line from

Sh. p. 6 in. of 65 1/2 to 10 ft. from

(rough out 20 in S. 11° E. 135 ft. to 150 ft. corner)

Beck. 1/4 in. of 16 1/2 W 10 in. from

(rough out 20 in S. 11° E. 135 ft. to 150 ft. corner)

* Trise Apr 24 1885 by J. J. Brown. Sep. 6. 1885.

Spec. Belmire sections 243

16.13 Be. 16 in. di.

35.00 A Creek 14 ft. wide Course East

40.00 2 1/2 ft. Steep, no. a

Be. 20 in. 2 1/2 to 3 ft.

Do. 3 in. 2 1/2 to 4 in.

56.40 Be. 8 in. di.

57.00 A Creek 1 1/2 in. Course W.

74.45 East North Boundary 37 ft. W. of post

and set a post for the E. of Sect 243

Clim. Fin. 255 to 75 ft.

Be. 16 in. 27 ft. 3 in.

Land very fine Timber Elm.

43 ft. Sugar, Spruce & G. Birch.

Thursday Dec. 28th 1890.

North Belmire sections 33 & 34.

21.72 A Creek 10 in. diam.

41.00 Mashed 1/2 ft. Steep. on an Elm 27 in. diam.

76.25 Elm 9 ft. di.

G-12

80.00 Set post on E. Sec. 27 & 28. 33 & 34 ft.

G-11 Be 20 in. 250 to 28 ft.

Do. 8 in. 25 ft. 15 in.

Land fine. Timber Sugar, Birch.

Clim. Mashed 2 ft. 6 in. W.

48

48

T. 3 N. R. 2 W.

East On a Random Between Sec. 1 & 2 T. 3 N. R. 2 W.

35.00 East Sub.

40.00 Set a trap? for the first in sub.

60.00 Left the Sub.

80.00 Out at the NW 1/4 Sec. 20 N. R. 2 W.

Land freely from a Swampy.

West Corried Between Sec. 1 & 2 T. 3 N. R. 2 W.

40.05 Set 1/4 Sec. first at an old one true line

H-11 Jan 10 in W 52° 16' N

Do. 12 in S 43° 6' E

40.58 Jan. 6 in di

80.10 To the Power

49

T. 3 N. R. 2 W.

North Between Sections 2 & 3 T. 3 N. R. 2 W.

8.00 End Sub.

28.00 Left Sub & enter Ridge

40.00 Set a 1/4 Sec. first for an

Clear in S 43° 6' 40' N

Sub Road 12 S 63° 35' W

46.50 East Sub.

44.00 Left "

68.00 East Sub again

69.00 Jan. 6 in di

80.00 Set post on Sec. 1 & 2. 21. 22. 27 & 28 for

Jan 9 in S 73° 8' 11' N

Do. 10 in W 67° 2' 14' N

Land very free & Swampy.

104

Farline

64.00

Leane dwarf

80.89

Set 18 S line 10 d d. of post

West Cor Bln 2 & 11

22.94

Sugar 10

40.19

Set 1/4 post - at road in time line fw

Beech 14 N. 38. W. 11 & Sugar 24 S. 30. E. 27

80.39

To see cor

North Bln 2 & 3

18.26

Elm 28

40.00

Set 1/4 post - fw

I-2

W. Oak 5 S. 55. E. 34 & Maple 7 N. 55 W 13 1/2

79.95

Beech 14

80.25

Set - N. Bdy 32 ihs W. post set post cor 28

Beech 20 S. 25. W 25 & Beech 14 S. 76 1/2 E 68

I-1

North Bln 23 & 27

21.06

Double Maple 20

31.50

Enter Tom dwarf

40.00

Set 1/4 post - fw

Tom 28 S. 82. W. 5 & Tom 16 N. 75. E. 18

62.23

Tom 10

80.00

Set post cor to 27, 28, 33 & 34 fw

Tom 8 N. 41 1/2 W 198 & B. Oak 12 N. 1 1/2 E 299

East - in Horn Bln 27 & 34

5.00

50.00

Leane dwarf

21.50

Enter Tom dwarf

26.50

Leane "

40.00

Enter "

108

-fureline

21.19

40.16

(H-3)

80.32

West 2nd Blm 3 & 10

Whitewood 24

Set 1/4 post at end of culvert line for

Beach 10 N. 53 E. 13 1/2 & Beach 14 S. 10 1/2 W 26

To Sec Cor

22.09

40.00

(G-2)

62.64

80.63

(G-1)

North Blm 8 & 4

Elm 22

Set 1/4 post for

Beach 16 S. 70 1/2 W 28 & Beach 9 S. 74 1/2 E 24 1/2

Beach 20

Set N. Bk 30. Also W. of post & set post cord 28 1/2 in

Beach 8 S. 64 E. 47 & W. Ck 5 S. 22 1/2 W 10 1/2

25.62

40.00

60.72

80.00

North Blm 32 & 33

W. Ck 10

Set 1/4 post for

Beach 10 S. 72 E. 24 & Lyman S. 64 W 12

Beach 12

Set post cor. D 28, 29, 30 & 31 in

Lyman 24 N. 85 1/2 E 22 & Beach 16 S. 64 W 25

30.00

40.00

52.00

57.00

58.50

74.50

80.41

E on Ram Blm 28 & 33

Enter from swf

bet line 1/4 post

A pond

Left pond

Left swf

Enter again

Set N & S line 31 E. 1/4 post