

28

STONE
20" DIA 31.7 W
12" MAP 130.5

27

STONE
24" DIA 31.0 E
12" CHERRY 91.2 55 W

26

14" FINE STONE
Iron 70.5 100
Iron 33.0 E
7" DIA 37.4 SE
Fence 31.0 W
8" DIA 45.6 WNW
12" Maple 58.0 NNE

25

Iron
33.0 3

POINTED STONE
12" DIA 34.0 SE
CHERRY 34.6 E
Iron 50.0 50.0
18" DIA 34.0 NNE
10" DIA 34.0 SE
12" DIA 34.0 SE

STONE CROSS
10" DIA 43.5 NNE
12" MAP 76.0 NNE

STONE 1" DIA
Fod 5.0 100
9" DIA 100.5 WNW
18" DIA 68.0 NNE

STONE Iron
14" DIA 34.0 SE
12" DIA 34.0 SE
10" DIA 34.0 SE
18" DIA 34.0 SE

33

POINTED STONE
ON 20
15" DIA 30.7 W
12" DIA 30.6 E

34

LARGE STONE
12" DIA 33.4 SE
12" DIA 33.4 SE

35

SP. 1" DIA
Fod 5.0 100
14" DIA 100.5 WNW
18" DIA 68.0 NNE

36

STONE 1" DIA
Fod 5.0 100
14" DIA 100.5 WNW
18" DIA 68.0 NNE

POINTED STONE (Dr. 24)
14" DIA 30.7 W
12" DIA 30.6 E
15" DIA 30.5 NNE

Iron 20.5 100
14" DIA 30.7 W
12" DIA 30.6 E
15" DIA 30.5 NNE

11" DIA 30.0 W
SE 30.0 50.0
8" DIA 30.0 NNE

INGHAM COUNTY ROAD COMMISSION

4

DELHI

1" Iron pipe (M.S.H.D. 1963)
15" Poplar S. 60° E. 64.40'
P.P. S. 15° E. 149.56'

Iron, stone
14" Maple E.S.E. 61.7'
24" Oak S.W. 43.0'
U.S.G.S. dam N.W. 34.8'
16" stump N.W. 59.0'

Brick, oak, brick
24" Oak S.S.E. 120.0'
T.P. E.S.E. 24.9'
Anch post W. 24.5'

1" Poplar, brick
16" Maple W.N.W. 23.0'
16" Maple S.W. 30.7'
NW cor gas sto. N.E. 71.7'

Iron, stone
Iron bar E. 33.0'
11" Elm S.E. 37.4'
Fence post W. 31.0'
8" Elm W.N.W. 45.6'
12" Maple N.E. 56.0'

Iron pin
Gas pipe S. 33.0'

30" Drive shaft
Anch post S. 29.0'
36" Oak S.S.E. 31.0'
16" Elm S. 29.0'

1" Pipe, stone
Road sign NW. 30.7'
9" Elm W.N.W. 100.5'
16" Elm N.W. 68.0'

R.R. spike, stone
1-1/4" Iron W. 33.0' in line
with E. fence S. of W. fence

Boat spike (I.C.R.C. 1964)
34" Iron E. 82.05'
36" Elm W. 79.63'

Boat spike (I.C.R.C. 1964)
20" Elm E. 37.08'
12" Elm W.N.W. 37.80'
P.P. W. 62.82'

Boat spike (I.C.R.C. 1964)
8" Elm E.N.E. 92.04'
20" Elm E.S.E. 75.80'
20" Victory W.N.W. 68.66'

Boat spike (I.C.R.C. 1964)
30" Oak E.N.E. 39.40'
T.P. E. 79.57'
P.P. W. 42.09'

Boat spike (I.C.R.C. 1964)
24" Elm E.S.E. 34.83'
P.P. W.S.W. 68.19'
12" Poplar W.N.W. 73.30'

1" Bolt (I.C.R.C. 1964)
34" Iron E. 70.04'
P.P. W.S.W. 55.62'
P.P. N.N.W. 115.58'

Flow p. stone, ditch
11" Elm W. 30.0'
S.E. cor house NW. 92.9'
8" Oak N.W. 95.6'

2647.09'

2642.60'

2641.65'

1325.56'

1322.00'

27

26

25

Stone
20" Maple W. 31.7'
12" Walnut S. 130.7'

Iron, stone
20" Victory N.E. 59.39'
18" Oak N.W. 34.08'
40" Oak S.E. 89.60'
Fence post E. 27.98'

Stone on p
Anch post W. 30.7'
Anch post E. 30.6'

Stone, brick
Anch post N.E. 42.5'
Anch post S.W. 56.7'
15" Elm N.W. 55.5'

(T2N R2W. Auelius Twp, Ingham County)

REVISED - JANUARY 1, 1968

INGHAM COUNTY ROAD COMMISSION

4

DELHI

T2N R2W AUREL

Stone & Brick 30" Elm SW. 79.0' 24" Elm SW. 34.5' 6" Maple NE. 34.0'	Stone & Brick 30" Elm NE. 46.7' 16" Maple NW. 45.3' 14" Maple SW. 66.2'	Stone & Brick 14" Oak NNW. 58.2' Anch. post S. 25.5' Anch. post N. 28.2'	Stone & Brick 8" Maple WNW. 76.0' 14" Maple ENE. 99.7' Anch. post NE. 37.0'	1" Bolt (I.C.R.C. 1964) P.P. "NNW" 115.58' 3/4" Iron E. 70.04' P.P. WSW. 55.62'
Stone & Tile 18" Maple NW. 44.6' 15" Maple SW. 39.4' 18" Elm NE. 50.0'	Row post Anch. post E. 27.5' 12" Walnut NW. 42.3' 12" Maple SW. 51.2'	2662.84'	2642.02'	2646.03'
Stone 10" Maple NW. 96.5' 10" Cherry N. 33.3'	9	3	2	1
8325'	12	11	10	5