

SURVEY CERTIFIED BOUNDARY

LEGAL DESCRIPTIONS:

Parcel A

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as beginning at the S 1/4 Corner of said Section 34, thence West along the South line of said Section 34, 190.23'; thence N00°38'45"W parallel with the N-S 1/4 line of said Section 34, 412.50'; thence West parallel with the South line of said Section 34, 214.50'; thence N00°38'45"W parallel with the N-S 1/4 line of said Section 34, 2233.05' to a point on the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 404.72' to the center of said Section 34; thence S00°38'45"E along the N-S 1/4 line, 2646.59' to the point of beginning; said parcel containing more-or-less 22.553 acres including more-or-less 0.144 acres presently in use as public right of way: said parcel also subject to all easements and restrictions of record. and restrictions of record.

Parcel B

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Mich gan; the boundary of said parcel being described as commencing at the S 1/4 corner of said Section 34; thence West along the South line of said Section 34, 190.23' to the point of beginning; thence N00°38'45"W, parallel with the N-S 1/4 line of said Section 34, 412.50'; thence West parallel with the South line of said Section 34, 214.50'; thence S00°38'45"E parallel with the N-S 1/4 line of said Section 34, 412.50' to a point on the South line of said Section 34; thence East along the South line of said Section 34, 214.50' to the point of beginning; said parcel containing more-or-less 2.031 acres including more-or-less 0.162 acres presently in use as public right of way; said parcel also subject to all easements and restrictions of record. of way; said parcel also subject to all easements and restrictions of record.

WITNESSES TO U.S. PUBLIC LAND SURVEY CORNERS

Center of Section 34, T3N, R2W
Nail & Tag North side 10" maple, West, 16.90'
Nail & Tag West side 50" sycamore, North, 17.40'
Nail & Tag North side 10" maple, East, 50.16'

SW Corner Section 34, T3N, R2W
Nail & Tag South side 30" oak, WNW,86.98'
Nail & Tag East side 12" Cherry, NW, 101.85'
Nail & Tag East side 15" apple, SW, 131.03'

S 1/4 Corner Section 34, T3N, R2W
NW Corner fence post, SW, 32.18'
Nail & Tag South side 30" oak, WNW, 79.23'
Nail & Tag East side 10" apple, NNW, 65.48'

SE Corner Section 34, T3N, R2W
N ail & Tag North side corner fence post, East, 11.67'
Nail & Tag SW side 15" pine, ESE, 127.30'
Nail & Tag West side 15" pine, SE, 172.18'

W 1/4 Corner Section 34, T3N, R2W
Nail & Tag North side 12" twin maple, West, 61.46'
Nail & Tag East side 30" maple, North, 130.70'
Nail & Tag West side 10" pine, SE, 55.09'





phone (517) 393-8860 609 e. jolly suite 2 lansing michigan 48910

	DRAWN	MM.	4-4-73	SEC. 34 T 3N	RZW.
ı	COMPUTED	R.L.	4-3-73	5369-1.1	drawing
			4-2-73		A-416

CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed a parcel of land within:

SW 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon as it is apparently peacefully occupied at present and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Ronnie M. Lester Registered Land Surveyor Registration No. 18998





surveyors planners architects engineers phone (517) 323-8880 609 • jully suite 2 lossing michigan 4990

	DRAWN	M.M.	4-4-73	SEC. 34 ,T 3N	R 2W
1	COMPUTED	R.L.	4-3-73	5369-1.1	drawing
	FLD. SURVEY			sheet 3 of 3	A. 4/7

RECORDED

LIER

CERTIFICATE OF SURVEY

Fraternal Order of Police Fred Roush


LEGAL DESCRIPTION: Beginning on the E-W ¼ line 660 ft.

East of the West ¼ corner of Section 34, T3N, R2W,

Delhi Township, Ingham County, Michigan; thence

East along the E-W ¼ line 660 ft.; thence North parallel with the West section line 330 ft.; thence West 660 ft.; thence South 330 ft. to the point of beginning. Also an easement for ingress and egress over the South 66 ft. of the West 660 ft. of the N.W. % of said Section 34.

MAR 7 3 25 PM '74 REGISTER OF DEEDS Canil M. Lewis INGHAM COUNTY, MICH.



POWER POLE - N.E. : 80.79'
POWER POLE - W.S.W : 43.65' N.W. COR. HOUSE - S.E. : 85,45

NOTES: IMPROVEMENTS NOT LOCATED. 0- INDICATES 34" IRON PIPE & R.L.S. # 11370 CAP SET.

I CERTIFY THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION OF THE LAND DESCRIBED ABOVE IN COMPLIANCE WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, THE RELATIVE ERROR OF CLOSURE BEING NO GREATER THAN 1 PART IN 5000; AND THAT THE EN-CROACHMENTS AFFECTING SAID LAND, IF ANY, ARE LOCATED AS SHOWN HEREON.

745

DATE 6 SEP 73


ORDER NO. 23-840

G. A. STEADMAN & SON, INC.

LAND SURVEYING & ENGINEERING 3236 W. ST. JOSEPH ST. LANSING, MICHIGAN 48917

of W. Stea

REGISTERED LAND SURVEYOR #11370



10" MAPLE - WEST - 16.90' 50" SYCAMORE - NORTH 17.40' 10" MAPLE - EAST - 50.16'

RECORDED

CERTIFICATE OF SURVEY

For: Willis J. Rockwood 651 N. Aurelius Road Holt, Michigan

Nov 9 10 12 44 73

REGISTER OF DEEDS

1540

Part of the SE 1/4 of Section 34, T3N, R2W, Delhi Township, Legal Description: Ingham County, Michigan, described as: Beginning at a point on the East line of Section 34, 1223.16 feet South of the East 1/4 corner of Section 34; thence continuing along said East line South 100.00 feet; thence S89°31'44"W, 227.00 feet; thence North 100.00 feet; thence N89°31'44"E, 227.00 feet to the point of beginning. Containing 0.52 acres more or less.

SE Corner Section 34, T3N, R2W (Rec: Liber 2, Page 413) Fnd. 1/2" Bar


Witnesses: East 11.67 ft. Nail & Tag in Fence Post ESE 127.30 ft. Nail & Tag in 15" Pine SE 172.18 ft. Nail & Tag in 15" Pine

East 1/4 Corner, Section 34, T3N, R2W Fnd. Boat Spk. centerline of Pvmt.

Witnesses: West 42.62 ft. Nail & Tug S. Side P. P N20°E, 38.70 ft. Nail & Tag NW Side East 1/4 Corner Sec. 40" Oak

East 34.16 ft. Nail & Tag

S. Side Anchor Post



RON

HELSEL

LAND

EURLYEVON

No. 18994

We hereby certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of closure of this survey is no greater than Co. 900.

We hereby certify that w

FRED WHITE ENGINEERING COMPANY 2300 North Grand River Avenue to LAND Lansing, Michigan 48906 Phone: 517 AC 371-1111

73N-R2W • Found Property Corner

SE Corne

1522.

34, T3N-R2W

o Set Property Corner the property herein described.

Gon Nevsex

Ron Helsel, R.L.S. No. 18994

Survey No. 732345

Contember 17, 1973

2 PL 173 LIBER


SURVEY CERTIFIED BOUNDARY

FOR:

Mr. Kenneth Walton 6020 Coulson Ct. Lansing, Michigan 48910


LEGEND:

- due West.



RECORDED

Nov 21 9 56 1K '74 REGISTER OF DEEDS INGHAM COUNTY, MICH.





SW Cor. Sec. 34,73N, RZW Fd. 1/2"bor 998.74 East

Point of Baginning

£ Nichols Rd. — South line Sec. 34 —

S18 of SW 14 Cor. Sec. 34. T3N, R2W Set 1/2" bar

Satte"bar S'ACor Sec. 34, T3N, R2W

928

POLARIS PLANTANTS ASSOCIATES INC. engineers

SULLEY ST

phone (517) 393-8880 609 e. jolly - sulte 2 Isnsing, michigan 48910

MM 8/7/74 SEC. 34 X 3 8 PW RL 8/7/14 100 5609-1 A- 728 DRAWN COMPUTED A- 728 L.B. 8/7/74 sheet FLD. SURVEY

2 % 174 LIBER

SURVEY BOUNDARY CERTIFIED

LEGAL DESCRIPTION:

parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the SW Corner of said Section 34; thence East along the South line of said Section 34, 998.74 to the Point of Beginning; thence North perpendicular to the South line of said Section 34, 660.00'; thence East parallel with said South line, 99.00'; thence South perpendicular to the South line of said Section 34, 660.00' to a point on the said South line; thence West along the South line of said Section 34, 99.00' to the Point of Beginning; said parcel containing more or less 1.500 acres including more or less 0.075 acre presently in use as public right of way; said parcel also subject to all easements and restrictions

WITNESSES TO U.S. PUBLIC LAND CORNERS:

SW Corner Section 34, T3N, R2W Nail & tag South side 30" oak, WNW, 86.98' Nail & tag East side 12" cherry, NW, 101.85' Nail & tag East side 15" apple, SW, 131.03'

1/4 Corner Section 34, T3N, NW corner fence post, SW, 32.18'
Nail & tag South side 30" oak, WNW, 79.23' Nail & tag East side 10" apple, NNW, 65.48'

S 1/8 Corner of the SW 1/4 Section 34, T3N, R2W Nail & tag South side 18" maple, NW, 42.67' Nail & tag West side 15" wild cherry, North, 33.02' Nail & tag West side 12" maple, NE, 79.82'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed at the direction of said parties, a tract of land previously described as:

> Commencing 20 rods West of the SE corner of the W 1/2 of the SW 1/4 of Section 34, T3N, R2W, Delhi Township, and running thence North 40 rods, thence East 6 rods, thence South 40 rods, thence West 6 rods to beginning.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said tract as it is apparently peacefully occupied at present; and that the more particular legal description of said tract is as designated hereon.

This survey complies with the requirements of F.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Corsno m-Leite Ronnie M. Lester Registered Land Surveyor Registration No. 18998

3. 重要数 eciina il LEELER 1 13.0

928



phone (517) J3-9880 600 e. jolly - suite 2 lansing, michigan 48910

min 8/7/24 SEC. 34 1 PL 8/7/24 100 5609-1 DRAWN 151V.A 2W COMPUTED A- 767 FLD. SURVEY 70 sheet 2 of 2

2 1 299 LIBER

CERTIFIED BOUNDARY SURVEY

FOR:


Mr. Richard Kuzma 252 Meade Drive

Lansing, Michigan 48917 LEGEND:

1- All dimensions are in feet and decimals thereof.

6- All bearings are relative and referenced to the South line of Section 34, which is recorded to bear due due West.

LOCATION MAP



RECORDED

FEB 18 | 25 PH '75

REGISTER OF DEEDS

W 14 Cor. to Cen. of Sec N89°51'07'E 2650.96' and M. Kusi INGHAM COUNTY, MICH. W/4 Cor. Sec. 34, T3N, R2W Cen. of Sec. 34, T3N. RZW - E-W/4 line rd. /2 borscop . N695/07E X895107"E 1410.25 404.72 ±70.284 Acres (including to 250 ac of Plw) W. 25.08.00N 5d 3/4" pinch pipe -Fd. 1/2"bor & cap 825.00 S895908"W South line Sec. 34 ENICHOLS Rd. or Sec. 34 T3N, RZW Rotum M. POB S/BCorof SW/4 Sec. 34. T3N, R2W S/4 Cor. Sec. 34, T3N, R2W 1201.7 CURVEYOR

1015



surveyors planners engineers

3422 Hagudom Rangs DRAWN
Mason Michigan 48864 COMPUTED
phone (517) 351-7410 FLC. SURVEY

M.E. 12/13/74 SEC. 34 12/10/74 10b

2 16 300 LIBER

CERTIFIED BOUNDARY SURVEY

LEGAL DESCRIPTION:

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the South 1/4 Corner of said Section 34; thence West along the South line of Section 34, 404.74' to the Point of Beginning; thence West along the South line of Section 34, 330.00'; thence North perpendicular to said South line, 330.00'; thence West parallel with said South line 99.00'; thence North perpendicular with said South line, 330.00'; thence West parallel with said South line, 825.00'; thence S89°59'08"W, 180.04'; thence N00°10'30"W, 1981.79' to the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 1410.28'; thence S00°38'45"E parallel with the N-S 1/4 line of said Section 34, 2645.55' to the Point of Beginning; said parcel containing more or less 70.284 acres including more or less 0.250 acre presently in use as public right of way; said parcel also subject to all easements and restrictions of record. A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County to all easements and restrictions of record.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

SW Corner Section 34, T3N, R2W
Nail & tag South side 30" oak, WNW, 86.98'
Nail & tag East side 12" cherry, NW, 101.85'
Nail & tag East side 15" apple, SW, 131.03'

S 1/8 Corner of SW 1/4 Section 34, T3N. Nail & tag South side 18" maple, NW, 42.67'
Nail & tag West side 15" wild cherry, North, 33.02'
Nail & tag West side 12" maple, NE, 79.82'

S 1/4 Corner Section 34, T3N, R2W NW corner fence post, SW, 32.18' Nail & tag South side 30" oak, WNW, 79.23' Nail & tag East side 10" apple, NNW, 65.48'

Center of Section 34, T3N, R2W
Nail & tag North side 10" maple, West, 16.90'
Nail & tag West side 50" sycamore, North, 17.40'
Nail & tag North side 10" maple, East, 50.16'

W 1/4 Corner Section 34, T3N, R2W Nail & tag North side 12" twin maple, West, 61.46' Nail & tag East side 30" maple, North, 130.70' Nail & tag West side 10" pine, SE, 55.09'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed a parcel of land within:

Beginning 36 rods east of the south-west corner of the east half of the south-west quarter of section 34, Town 3 north, Range 2 west, Delhi Township, Ingham County, Michigan, thence North 20 rods, thence west 6 rods, thence north 20 rods, thence west 60 rods, thence north 120 rods, thence east 111 rods, thence south 160 rods, thence west 12 rods, thence north 25 rods, thence west 13 rods, thence south 25 rods, thence west 20 rods to place of beginning.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon as it is apparently peacefully occupied at present and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Ronnie M. Lester

Ronnie M. Lester
Registered Land Surveyor #18998

Surveyor's Note:

Description provided apparently in error by one rod east and west. Description as written would put strip of property 1 rod wide in SE 1/4 of Section 34 and records show this apparently does not occur. CTER CA records show this apparently does not occur.

POLARIS surveyors planners ASSOCIATES - INC.

engineers

3422 Hagadorn Road Mason Michigan 48854 phone (517) 351-7410


	,			$A : \mathcal{A} \to \mathcal{A}$
	DRAWN	M.E.	12/13/74	SEC. 34 1 2 7/1
	COMPUTED	R.L.	12/19/14	10b 5369
_	FLD. SURVEY	18	12/4/74	sheet 2012 A SOE

UBER 2 151234

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION: LEGAL DESCRIPTION:

Commencing in the north and south & line at a point 412.50 feet N O deg 38 min 45 sec W of the south & post of Section 34, Town 3 North, Range 2 West, Delhi Township, Ingham County, Michigan, thence west 404.73 feet parallel with the south line of said section 34, thence N O deg 38 min 45 sec W 2233.05 feet to the east and west & line, thence N 89 deg 51 min 07 sec E 404.72 feet along the east and west & line to the center post of said section 34, thence S O deg 38 min 45 sec E 2234.09 feet to the point of beginning.



THE UNCERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, MEMBEY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

OCTOBER 18, 1975

SURVEY # 12194 "8"

LAVERNE J. HENDRYX
26EI S. WAVERLY ROAD
LANGING LANSING, MICHIGAN 48910 R. L. S. 3276

RECORDED

SEP 18 10 17 AH '77

RECISTER OF DEEDS Paula Johnson INCHAM COUNTY, MECH


2 11235 LIBER

CERTIFICATE OF SURVEY

Legal Description:
Commencing at the south & post of Section 34,
Town 3 North, Range 2 West, Delhi Township, Ingham
County, Michigan, Thence West 190.23 Feet along
The Section Line, Thence N O deg 38 min 45 sec W
412.50 Feet parallel with the North and South & Line,
Thence East 190.23 Feet to the & Line, Thence
S O deg 38 min 45 sec E 412.50 Feet to the point
Of Beginning. OF BEGINNING.

THE ERROR OF CLOSURE 18 O.

4688 NICHOLS ROAD



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970 AND THAT THE IMPROVEMENTS ARE ENTIRELY ON THE LAND AS PLATTED WITH NO ENCROACHMENTS ON ADJOINING PROPERTY. RECORDED

> OCTOBER 18, 1975 SURVEY # 12194 "A"

LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48910 SEP 18 10 17 AH 977
H. L. S. 3276
RECORDED

REGISTER OF DEEDS

Buch Dork son THOMAN COUNTY, MICH.

MAR 78

USER 3 N 252


CERTIFIED BOUNDARY SURVEY

FOR Ronald & Patracia Peters

LOCATION MAP

LEGEND: All dimensions are in feet and decimals thereof. 2" bars with identification caps have been placed at all points marked "o" unless of erwise noted. • • described boundary. * • fence line. All bearings are relative a d are referenced to the South line of Section 34, T3N, R2W, which is recorded to bear East-West in a previously recorded survey.

LEGAL DESCRIPTION: A parcel of land in Section 34, 13N. RZW, Delhi Township, Ingham County, Michigan; the boundary being described as commercing at the SW corner of said Section 34; thence East along the South line of said Section 34, 264' (16R) to the point of beginning of this description; thence NOO°30'22"N parallel with the West line of said Section 34, 660' (40R); thence East parallel with the South line of said Section 34, 125'; thence SOO°30'22"E parallel with the West line of said Section 34, 660' (40R) to the Seuth line of said Section 34; thence West along the South line of raid Section 34, 125' to the point of beginning. Contains 1.894 acres, more or less, and subject to the rights of the public over existing Nichels Read.



I hereby certify to the parties named hereon that we have surveyed a parcel or land within the SW 1 of Section 3h, T3N, R2W, Delhi Township, Ingham County, Michigan; as it is apparently, peacefully occupied at present, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcel shown hereon, and the more particular description of said parcel is as designated hereon. This survey was performed with an error of closure no greater than a ratio of 1' in 5,000'. This survey complies with the requirements of P.A. 132 of 1970.

Austin & Ofilliams

Registered Land Surveyor Mich. Registration No. 21275


WILLIAMS

Surveying

1148 Okemos Rd. Mason, Michigan 48854 PH. (517) 676-5153 DRAWN 4\(\omega \frac{2}{7}\)/78 SEC \(\mathbb{N} - 18\) Z(1)

COMPUTED \(\psi\) \(\mathbb{N}\) \(\mathbb{N}\)

(9 JULY 78



9 JULY 78


CERTIFICATE OF SURVEY

Line

3 % 442

LEGAL DESCRIPTION: PARCEL A

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described by Michigan R.L.S. #18998 as commencing at the South 1/4 corner of said Section 34; thence West along the South line of said Section 34, 569.74 feet to the point of beginning; thence West continuing along the South line of said Section 34, 165.00 feet; thence North perpendicular to the South line of said Section 34, 330.00 feet; thence West parallel to the South line of said Section 34, 330.00 feet; thence West parallel to the South line of said Section 34, 330.00 feet; thence West parallel to the South line of said Section 34, 325.00 feet; thence S89°59'08"W, 180.04 feet; thence N00°10'30"W, 924.95 feet; thence East parallel to the South line of said Section 34, 1089.00 feet; thence S00°38'45"E, 79.00 feet; thence East parallel to the South line of said Section 34, 1089.00 feet; thence S00°38'45"E, 79.00 feet; thence East parallel to the South line of said Section 34, 1089.00 feet; thence S00°38'45"E, 1506.00 feet to the point of beginning; said parcel containing 29.601 acres more or less including 0.125 acres more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.



1796



Registered
Land
Surveyors

3422 Hagadorn Road Mason Michigan 4885phone (517) 351-7410

	DRAWN	RB	JUNE 78	SEC. 34 .13N	n 2W
34	COMPUTED	GΥ	JUNE 78	drawing no.	
	FLD. SURVEY	GΥ	JUNE 78	sheet 2 A of 3	4-1169


CERTIFICATE OF SURVEY

Liber?

3 6 443

PARCEL B LEGAL DESCRIPTION:

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described by Michigan R.L.S. #18998 as commencing at the South 1/4 corner of said Section 34; thence West along the South line of Section 34, 404.74 feet to the point of beginning; thence West continuing along the South line of said Section 34, 165.00 feet; thence West parallel to the South line of said Section 34, 165.00 feet; thence West parallel to the South line of said Section 34, 1089.00 feet; thence West parallel to the South line of said Section 34, 1089.00 feet; thence N00°10'30"W, 1056.84 feet to a point on the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 1410.28 feet; thence S00°38'45"E, 2645.55 feet to the point of beginning; said parcel containing 40.684 acres more or less, including 0.125 acres more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.



CERTIFICATE OF SURVEY

3 1 444 Libri

CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a tract of land previously described as:

A parcel of land in Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the South 1/4 Corner of said Section 34; thence West alont the South line of Section 34, 404.74' to the Point of Beginning; thence West along the South line of Section 34, 330.00'; thence North perpendicular to said South line, 330.00'; thence West parallel with said South line, 330.00'; thence West parallel with said South line, 330.00'; thence West parallel with said South line, 825.00'; thence S89°59'08"W, 180.04'; thence N00°10'30"W, 1981.79' to the E-W 1/4 line of said Section 34; thence N89°51'07"E along the E-W 1/4 line of said Section 34, 1410.28'; thence S00°38'45"E parallel with the N-S 1/4 line of said Section 34, 2645.55' to the point of Beginning; said parcel containing more or less 70.284 acres including more or less 0.250 acre presently in use as public right of way; said parcel also subject to all easements and restrictions A parcel of land in Section 34, T3N, R2W, Delhi Township, said parcel also subject to all easements and restrictions of record.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

SW Corner Section 34, T3N, R2W
Nail & tag South side 30" oak, WNW, 86.98'
Nail & tag East side 12" cherry, NW, 101.85'
Nail & tag East side 15" apple, SW, 131.03'

S 1/4 Corner Section 34, T3N, R2W NW corner fence post, SW, 32.18' Nail & tag South side 30' oak, WNW, 79.23' Nail & tag East side 10" apple, NNW, 65.48'

Center of Section 34, 13N, R2W
Nail & tag North side 10" maple, West, 16.90'
Nail & tag West Side 50" sycamore, North, 17.40'
Nail & tag North side 10" maple, East, 50.16'

W 1/4 Corner Section 34, T3N, R2W
Nail & tag North side 12" twin maple, West, 61.46'
Nail & tag East side 30" maple, North, 130.70'
Nail & tag West side 10" pine, SE, 55.09'

Maynard Dyer 6-16-28 Registered Land Surveyor #21565

W.C. C. MAYMARD R. DYER LAND MANUTERED LAND

1794

POLARIS ASSOCIATES - INC. Surveyors

flegistered'

3422 Hagadorn Roa Meson Michigan 451 phone (517), 351-7410

RB JUN 78 SEC. 34
GV JUN 78 drawing no. COMPUTED UUN 78 sheet 3 of 3 A-1169 GV FLD. SURVEY

LIBER

3 16 231

RECORDED

CERTIFICATE OF SURVEY

Fee II I no # 17 REGISTER OF DEEDS

Paula Johnson INGHAM COUNTY, MICH.

RECORDING SPACE

REFERENCES

West 1/4 Post, Section 35 T3N-R2W, Delhi Township Ingham County, Michigan Nail w/tag, South side P.D. West 42.62'

Nail w/tag, South side Anchor Post, East 34.16

Nail w/tag, NW side 40" Oak N 20° E 38.70'

Set P.K. Nail in c/l of Pavement per references as recorded Liber 2, Page 551 Ingham County Records.

3.2.6

ACRES

REFERENCES

Northwest Corner Post Section 35, T3N-R2W Delhi Township, Ingham County, Michigan Nail in 20" Hickory N 70° W 68.66' West 1/4 Post, Section 35, South 2,641.69' West 1/4 Post, Section 26, N 00° 06' 32" E 2,642.64' Set P.K. Nail



DESCRIPTION

Being a part of the SW 1/4 of the NW 1/4 of Sec. 35, T3N-R2W, Delhi Township, Ingham County, Michigan and more particularly described as:

- Sacre 35

LIVE

Beg. at a pt. S 1,477.86 ft. along the W line of said section, being the c/1 of Aurelius Road, from the NW cor. post; thence E 516.00 ft., S 275.00 ft., W 516.00 ft. to a pt. on said sec. line, N 275.00 ft. to the p.o.b. of this description. Containing 3.26 acres more or less.

I certify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is not less than 1/5000, and that all of the requirements of P.A. 132 of 1970 have been complied with.

Bearings are referenced to the W-line of Section 35, which is assumed to bear due N & S.

Wolverine Engineering Company

M. Young, R.L.S. # 17640 LEGEND

SECTION LINE DESCRIBED BOUNDARY IRON SET & CAPPED CORNER ANCHOR POST IMON FOUND SECTION OR 1/4 CORNER

100

WOLVERINE ENGINEERING COMPANY **ENGINEERS SURVEYORS**

MASON, MICHIGAN SURVEY FOR GARY CALTRIDER

FLD. SURVEY TVG SCALE |"=100" DRAWN BY CLK DATE DEC. 28, 1977

SHEET I OF I

CERTIFICATE OF SURVEY


LIBER

3 550

For: K.R. & Agnes I. Peterson 576 N. Aurelius Rd.

100

Mason. Michigan
Survey of property legally described as: Beginning at a point 820.0 ft. North of the
SW Corner of Section 35 T2N, R2W Delhi Twp., Ingham Co., Michigan: thence East 400.0 ft.;
thence South 160.0 ft.; thence East 920.0 ft.; thence North 270.0 ft.; thence West 1320.0 ft.;
thence South 110.0 ft. to the point of beginning containing 6.71 acres subject to easements
and restrictions of record and the right of way over the North 30 ft. of land described as
beginning 660.0 ft. North of said SW Corner of Section 35, thence North 160.0 ft.; thence
East 400.0 ft.; thence South 160.0 ft.; thence West 400.0 ft. to the point of beginning. Mason, Michigan



The undersigned civil engineer hereby certifies that he has surveyed the above described property, and that the sketch here shown indicates the dimensions and any encroachments of said property, and the location and size of all buildings on the property. He further certifies that he has fully complied with requirements of

of Section 3 Public Act 132 of 1970, and that the ratio of error of clasure of this survey is less than 1/5000.

HAROLD J. ÖLVER

1861

HAROLD J. OLVER PER REGistered Civil Engineer & Land Surveyor
12422 Data Piver Dr. No. 6354 2422 Delta River Dr. Lansing, Mich. 48906

Date Aug. 28 1978

321-2414

7827 Survey No.

I GRANGE OF STATE OF

un 3 ft 845


RECORDED



CERTIFICATE OF SURVEY

MAY 14 8 55 AM 7 REGISTER OF DEEDS

INGMAN COUNTY, MICH.



DESCRIPTION

Being a part of the NW 1/4 of the NW 1/4 of fractional Section 2, T2N-R2W, Aurelius Township, ligham County, Michigan and described as: Beg. at the NW corner of said section, thence S 89° 02' 37" E 632.22 ft. along the N line of said section, S 00° 15' 54" W 695.89 ft., 89° 02' 37" W 632.22 ft. to a point on the West line of said section, N 00° 15' 54" E 695.89 ft. along said West line to the p.o.b. Contains 10.099 acres.

I certify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is 1/5000, and that all of the requirements of P.A. 132 of 1970 have been complied with.

Bearings are referenced to the South line of the Southeast 1/4 of Section 2, T2N-R2W, which on a survey by Wolverine Engineering Company, recorded in Liber 2, Page 546 on November 25, 1975 is shown to bear due East and West.

Wolverine Engineering Company GEORGE M. YOUNG George M. Young, K.L.S. # 17640 LAND SURVEYO: LEGEND No WEVERINE ENGINEERING COMPANY 17640 BECTION LINE COLO LAKO ENGINEERS SURVEYORS DESCRIPTO SOURDARY IRCH SET & CAPPED MASON, MICHIGAN CORNER ANCHOR POST 00 SURVEY FOR ROBERT MOM POUND OLSON SECTION OR LA CORNER 2024 FLD. SURVEY CLK-MAI SCALE 1" = 200'

DRAWN BY


CLK

APRIL 11, 1979

DATE

4 PG 777 LIBER

RECORDED



DESCRIPTION

Beg. at a point in the North line of Section 3, West 833.77 feet from the NE Corner of Sec. 3, T2N-R2W, Aurelius Township, Ingham County, Michigan; thence South 330.00 feet, West 165.00 feet, North 330.00 feet, East 165.00 feet to the p.o.b. and containing 1.25 acres of land more or less.

I certify that I have surveyed the property described hereon and that the ratio of error of closure on the unadjusted field measurements is not greater than 1/5000, and that all of the requirements of P.A. 132 of 1970 have been complied with.

Bearings are referenced to the North line of Section 3, which is assumed to bear due East and West.

WOLVERINE ENGINEERS AND SURVEYORS, INC.

George M. Young, L.S. (17640

GEURGE William Market M. YOUNG TAND SUKVLYOR 110. 17040

느	Ę	<u>ب</u>	<u>Ę</u>	Ņ	Ų	
_	-					

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF SECTION LINE DESCRIBED BOUNDARY IRON SET & CAPPED IRON FOUND EX. FENCE LINE

WOLVERINE ENGINEERS & SURVEYORS, INC. ENGINEERS- SURVEYORS MASON, MICHIGAN

- 4	SURVEY FOR	STEVEN	SPINK		13
	FIELD SURVEY	JI-SA	SCALE	1" = 60'	
J	DRAWN BY	SA	DATE	9-30-83	**********
-				AND ASSESSMENT TO SERVICE AND ASSESSMENT OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAM	

N-5 1/3 Line CERTIFICATE OF FROPERTY SURVEY 1"=200"
South 1/4 Cor. N 00° 24' 43" E 2646.59" Center of Sec. 34)
West Line of NE 1/4 LSE 1/4
N 00° 25' 28" E 1323.08'
NO0° 25' 28"E 993.08'
% RECORDED
Parcel "E"
W 14 1111111111111111111111111111111111
N RECISTEP OF DEEDS
2 2 INCHAM COMMINICIE
25. 28 S S S S S S S S S S S S S S S S S S
8 7 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
3 00° 26' 12"W 812.98 500° 26'12"W
m 3 160.00 160.00 1 160.00 1
Parcel "D" River A Sing
7 3971 10 11 2 1 10 11 11 10 11
0 0 0 0 0 0 0 0
20 200,56,15, M = 25
A Par Distriction of the state
1322.87 8 20.00
1322.87' 160.00' 160.00' 160.00' 330.00' 330.00' 160.0
830.00' 670.00' P.O.B."E" T.P.O.B."A" 830.00' 670.00' P.O.B."B" 330.00'
SE Cor. Sec. 3d & Aurelius Rd.
T3N, RZW 500° 26' 12" W 2645.74" East 1/4 Cor. Sac.34 (. Z, Pg. 413)
I hereby certify that I have surround the arms 4. 2/Pg. 55/
except as shown hereon.
I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.
This drawing is the property of RPFPY & ASSOCIATION THE
authorized agent of BRERY & ASSOCIATES. INC. BEERY & ASSOCIATES. INC.
after six months from the date indicated herein. All rights reserved. Copyright 1986 BERRY & ASSOCIATES, INC. David R. Lohr, L.L.S. #30090
PATE: June 1, 1987 Mr. Willis Rockwood 651 N Aurolius Rockwood
SHEET: 1 of 3 Mason, Michigan 48854
DRAWN: RRB CHECKED: DRL SURVEYOR
REVISED: 6-24-87 SEERY 849 N AURELIUS ROAD NO. 30090
& ASSOCIATES, INC. 48854

PHONE (517) 676-4686

CERTIFICATE OF PROPERTY SURVEY

LIBER

5 pc 1021

LEGAL DESCRIPTION

PARCEL "A"

That part of the NE 1/4 of the SE 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Commencing at the East 1/4 Corner of said Section 34; thence S 00° 26' 12" W, along the East line of said Section 34, 330.00 feet to the point of beginning; thence continuing S 00° 26' 12" W. along said East line of Section 34, 160.00 feet; thence N 89° 22' 07" W, 700.00 feet; thence N 00° 26' 12" E, 160.00 feet; thence S 89° 22' 07" E, to said East line of Section 34, 700.00 feet to the point of beginning. Containing 2.5712 Acres, more or less. Subject to an easement over the East 33 feet for Aurelius Road. Subject to any easements or restrictions of

PARCEL "B"

That part of the NE 1/4 of the SE 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Commencing at the East 1/4 Corner of said Section 34; thence S 00° 26' 12" W, along the East line of said Section 34, 510.00 feet to the point of beginning; thence continuing S 00° 26' 12" W, along said East line of Section 34, 160.00 feet; thence N 89° 22' 07" W, 700.00 feet; thence N 00° 26' 12" E, 160.00 feet; thence S 89° 22' 07" E, to said East line of Section 34, 700.00 feet to the point of beginning. Containing 2:5712 Acres, more or less. Subject to an easement over the East 33 feet for Aurelius Road. Subject to any easements or restrictions of record.

PARCEL "C"

That part of the NE 1/4 of the SE 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan, described as: Commencing at the East 1/4 Corner of said Section 34; thence S 80° 26' 12" W, along the East line of said Section 34, 670.00 feet to the point of beginning; thence continuing S 00° 26' 12" W, along said East line of Section 34, 160.00 feet; thence N 89° 22' 07" W, 700.00 feet; thence N 00° 26' 12" E, 160.00 feet; thence S 89° 22' 07" E, to said East line of Section 34, 700.00 feet to the point of beginning. Containing 2 5712 Acres, more or less. Subject to an easement over the East 33 feet for Aurelius Road. Subject to any easements or restrictions of

I hereby certify that I have surveyed the property herein described, and that there are no visible encroachments upon the subject property, except as shown hereon.

I further certify that I have fully complied with the requirements of Section 3, Fublic Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

This drawing is the property of BEERY & ASSOCIATES, INC. and shall not be used for any purpose without the written consent of an authorized agent of BRERY & ASSOCIATES. INC. BEERY & ASSOCIATES. INC. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1986 BEERY & ASSOCIATES, INC.

David R. Lohr, L.L.S. #30090

DATE: June 1, 1987 FILE NO: 2264

SHEET: 2 of 3 FIELD:RRB-RA

DRAWN: RRB CHECKED: DRL

REVISED: 6/24/87

& ASSOCIATES, INC. 48854

Mr. Willis Rockwood

651 North Aurelius Road

Mason, Michigan 48854

849 N. AURELIUS ROAD MASON MICHIGAN

PHONE (517) 676-4686

OF MICHIGAN DAVID R. LOHR SURVEYOR LAND SU LAND SURTE

CERTIFICATE OF PROPERTY SURVEY

5 rc1022 LIBER

LEGAL DESCRIPTION

PARCEL "D"

That part of the NE 1/4 of the SE 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Mich.gan, described as: Commencing at the East 1/4 Corner of said Section 34; thence S 00° 26' 12" W. along the East line of said Section 34, 830.00 feet to the point of beginning; thence continuing S 00° 26' 12" W. along said East line of Section 34, 392.87 feet; thence N 89° 05' 32" W. 227.00 feet; thence S 00° 26' 12" W. to the South line of the NE 1/4 of the SE 1/4 of said Section 34, 101.13 feet; thence N 89° 22' 40" W. along said South line of NE 1/4 of the SE 1/4, 473.00 feet; thence N 00° 26' 12" E, 492.98 feet; thence S 89° 22' 07" E, to said East line of Section 34, 700.00 feet to the point of beginning. Containing 7.3971 Acres, more or less. Subject to an easement over the East 33 feet for Aurelius Road. Subject to any easements or restrictions of record.

PARCEL "E"

That part of the NE 1/4 of the SE 1/4 of Section 34, T3N, R2W. Delhi Township, Ingham County, Michigan, described as: Commencing at the East 1/4 Corner of said Section 34; thence S 00° 26' 12" W, along the East line of said Section 34, 490.00 feet to the point of beginning; thence continuing S 00° 26' 12" W, along said East line of Section 34, 20 00 feet; thence N 89° 22' 07" W, 700.00 feet; thence S 00° 26' 12" W, to the South line of the NE 1/4 of the SE 1/4 of said Section 34, 812.98 feet; thence N 89° 22' 40" W, along said South line of the NE 1/4 of the SE 1/4, 628.67 feet, to the West line of said NE 1/4 of the SE 1/4; thence N 00° 25' 28" E, along said West line of the NE 1/4 of the SE 1/4, 993.08 feet; thence S 89° 22' 07 E, 628.89 feet; thence S 00° 26' 12" W, 160.00 feet; thence S 89° 22' 07" E, to said East line of Section 34 700.00 feet to the point of beginning. Containing 14.6556 Acres, more or less. Subject to an easement the East 33 feet for Aurelius Road. Subject to any easements or Subject to an easement over restrictions of record.

I hereby certify that I have surveyed the property herein described, and that there are no visible encroachments upon the subject property, except as shown hereon.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey a no greater than 1/5000.

This drawing is the property of BEERY & ASSOCIATES, INC. and shall not be used for any purpose without the written consent of an authorized agent of BEERY & ASSOCIATES. INC. BEERY & ASSOCIATES. INC. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1986 BEERY & ASSOCIATES, INC.

David R. Lohr, L.L.S. #30090

DATE: June 1, 1987 FILE NO: 2264 of 3 FIELD: RRB-RA

DRAWN: RRB CHECKED: DRL

REVISED: 6/24/87

3805

& ASSOCIATES, INC. 48854

Mr. Willis Rockwood


651 North Aurelius Road

Mason, Michigan 48854

849 N AURELIUS ROAD MASON MICHIGAN

PHONE (517) 676-4686





CERTIFIED BOUNDARY SURVEY

1.18ER

6 m 234

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a parcel of land previously described as:

The South 2 acres of the North 9.5 acres of the West 50 acres of the Southwest 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as follow:

PARCEL A

A parcel of land in the Southwest 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the West 1/4 corner of said Section 34; thence S00°30'22"E along the West line of said Section 34, a distance of 396.34 feet to the point of beginning; thence N89°51'58"E 829.72 feet; thence S00°33'03"E 105.77 feet; thence S89°52'18"W 579.80 feet; thence N00°30'22"W parallel with said West line, 50.00 feet; thence S89°52'18"W 250.00 feet to said West line; thence N00°30'22"W along said West line 55.69 feet to the point of beginning; said parcel containing 1.72 acres more or less including 0.04 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.

PARCEL B

A parcel of land in the Southwest 1/4 of Section 34, T3N, R2W, Delhi Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the West 1/4 corner of said Section 34; thence S00°30'22"E along the West line of said Section 34, a distance of 452.03 feet to the point of beginning; thence N89°52'18"E 250.00 feet; thence S00°30'22"E parallel with said West line, 50.00 feet; thence S89°52'18"W 250.00 feet to said West line; thence N00°30'22"W along said West line 50.00 feet to the point of beginning; said parcel containing 0.28 acre more or less including 0.03 acre more or less presently in use as public right of way; said parcel subject to all easements and right of ways of record



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY GJW	SECTION 34, T3N, R2W
FIELD WORK BY R S	JOB NUMBER:
SHEET 2 OF 3	88-B-19034

CERTIFIED BOUNDARY SURVEY

858 - 6 m **23**

WITNESSES:

Southwest corner Section 34, T3N, R2W.
Found "pk" nail 12' East of centerline Ei_ rd in centerline Nichols rd.
Found nail & tag in South side 30" Oak, N60°W, 86.95'
Set nail & tag in East side 24" Apple, S30°W, 131.03'
Found nail & tag in Northeast side power pole, S30°E, 31.3'

South 1/4 corner Section 34, T3N, R2W.
Found 1/2" bar 3' South of centerline Nichols rd on tree line North.
Found 1/2" bar & cap, West, 20.5'
Found nail & tag in Southeast side power pole, N05°W, 43.28'
Steel fence post, S30°W, 32.3'
Found nail & tag in South side 40" Oak, N75°W, 79.23'

West 1/4 corner Section 34, T3N, R2W.
Found 1" bar in centerline Eifert rd on East-West fence.
Found nail & tag in North side 20" twin Maple, West, 61.33'
Found nail & tag in south side power pole, S85°W, 43.56'
Found nail & tag in West side 18" Pine, S45°W, 55.05'
Found nail & tag in Southeast side power pole, N45°E, 80.86'
Found bar & cap, West, 32.0'

Center of Section 34, T3N, R2W.
Found 1/2" bar at intersection North, South, East and West fences.
Found nail & tag in North side 16" Maple, S80°W, 17.08'
Found nail & tag in West side 60" Sycamore, North, 17.45'
Set nail & tag in North side 18" Maple, East, 50.0'

This survey was performed with an error of closure no greater than a ratio of 1 in 126,582.

All bearings are derived from the West line of Section 34 wich is recorded to bear N00°30'22"W in Liber 3 of Surveys, Page 441, Ingham County records.

Larry A. Bryan Date: Licensed Land Surveyor No.25832



BRYAN LAND SURVEYS, P.C.


6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

 DRAWN BY
 G J W
 SECTION 34, T3N, W

 FIELD WORK BY
 R S
 JOS NUMBER:

 SHEET 3 OF 3
 S8-B-19034



CERTIFIED BOUNDARY SURVEY CERTIFICATE OF SURVEY: I hereby certify only to the parties named hereon that we have surveyed a parcel of land within: A parcel of land in the South 1/2 of the Southwest 1/4 of Section 35, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the Southwest corner of Section 35; thence North along the West line of said Section 35 a distance of 1078.50 feet to the point of beginning of this description, thence North continuing along said West line 244.49 feet to the North line of said South 1/2 of the Southwest 1/4; thence S89°12'07"E along said North line 1320.00 feet; thence S00°00'42"W 398.24 feet; thence N88°58'27"W parallel with the South line of said Section 35 a distance of 1120.00 feet; thence North parallel with said West line 148.50 feet; thence N88°58'27"W parallel with said South line 200.00 feet to the point of beginning; said parcel containing 11.30 acres more or less including 0.18 acre more or less presently in use as public A parcel of land in the South 1/2 of the Southwest 1/4 of Section less including 0.18 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record. and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as follows:

parcel of land in The South 1/2 of the Southwest 1/4 of Section 35, T3N, A parcel of land in The South 1/2 of the Southwest 1/4 of Section 35, T3N, R2W, Delhi Township, Ingham County, Michigan; the boundary of said parcel being described as commencing at the southwest corner of Section 35; thence North along the West line of said Section 35 a distance of 1078.50 feet; thence S88°58'27"E parallel with the South line of said Section 35 a distance of 200.00 feet to the point of beginning of this description; thence continuing S88°58'27"E parallel with said South line 1120.03 feet; thence S00°00'42"W 148.50 feet; thence N88°58'27"W parallel with said South line 1120.00 feet; thence North 148.50 feet to the point of beginning: said parcel containing 3.81 acres more or less: said parcel beginning; said parcel containing 3.81 acres more or less; said parcel subject to all easements and restrictions if any.

WITNESSES TO SECTION CORNERS:

Southwest corner Section 35, T3N, R2W, Liber 2, Page 413. Found 1/2" bar 7 feet East of East edge of Aurelius Road. Found nail North side power pole, S50°W, 75.90' Found nail & washer East side power pole, S05°W, 74.00'

West 1/4 corner Section 35, T3N, R2W, Liber 2, Page 551. Found boat spike centerline Aurelius Road. Found nail & tag #12034 South side power pole, West, 42.62'
Found nail & tag #12034 South side anchor post, East 34.16'
Found nail & tag #12034 Northwest side 40" dead tree, N80°E, 38.72'

South 1/4 corner Section 35, T3N, R2W Found 1/2" bar & cap at base corner post fence lines North, South & West. Found nail & tag Northwest side 6" Elm, S20°W, 27.11' Found nail & tag East side 6" Maple, S25°E, 33.52' Found nail & tag East Side 14" Oak, N10°E, 35.64'

Center of Section 35, T3N, R2W, Liber 3, Page 43. Found corner post fence lines North & South, East & West 1/2" bar, N45°E, 1.0' Found nail & tag #12034 East side 20" Maple, N50°W, 43.65' Found nail & tag #12034 West side 5" Cherry, S45°E, 9.15'

All bearings are derived from the West line of Section 35, which is assumed to bear North.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Lairy A. Bryan Date: Licensed Lard Surveyor No.25832

2806

BRYAN LAND SURVEYS, P.C.


A WEVAN BOOT PROPERTY. erappi se

LAND 613

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

The second secon	
DRAWN BY GJW	SECTION 35, T3M, R2W
FIELD WORK BY JA	JOB NUMBER:
SHEET 2 OF 2	89-B-25003



CERTIFICATE OF PROPERTY SURVEY

TO: DALE AND JUDY CALLAGHAN

HOPO

6 - 612

LEGAL DESCRIPTION AS PROVIDED: The West 3D Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan.

OTHERWISE DESCRIBED AS:

PARCEL A: That part of the West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33; thence N 89° 52' 48" W. along the South Section line, 825.16 feet, to the Point of Beginning; thence Continuing along said Section line, N 89° 52' 48" W. 165.00 feet; thence N 00° 30' 22" W. 528.00 feet; thence S 89° 52' 48" E. parallel with said south Section line, 165.00 feet; thence S 00° 30' 22" E, 528.00 feet to the P.O.B. Containing 2.0000 acres , more or less. Subject to an easement over the South 33 feet for Nichols Road. Subject to any easements or restrictions of record.

PARCEL B: That part of the West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33: thence N 89° 52' 48" W, along the South Section line, 990.16 feet, to the Point of Beginning; thence Continuing along said Section line, N 89° 52' 48" W, 168.93 feet; thence N 00° 37' 31" W, 526.01 feet; thence S 89° 52' 48" E, parallel with said south Section line, 170.02 feet; thence \$ 00° 30' 22" E, 528.80 feet to the P.O.B. Containing 2.0867 acres , more or less. Subject to an easement over the South 33 feet for Nichols Road. Subject to any easements or restrictions of record.

PARCEL C: That part of the West 30 Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W, Delhi Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33; thence N 89° 52' 48" W, along the South Section line, 1159.09 feet, to the Point of Beginning; thence Continuing along said Section line, N 89° 52' 48" W, 165.00 feet; thence N 80° 37' 31" W, 528.01 feet; thence S 89° 52' 48" E, parallel with said south Section line, 165.00 feet; thence S DD° 37' 31" E, 528.01 feet to the P.O.B. Containing 2.00 acres , more or less. Subject to an easement over the South 33 feet for Nichols Road. Subject to any easements or restrictions of record.

PARCEL D: That part of the West 3D Acres of the East 1/2 of the Southeast 1/4 of Section 33, T3N, R2W. Delki Township, Ingham County, Michigan described as: Commencing at the Southeast corner of said Section 33; thence N 89° 52' 48" W, along the South Section line, 825.16 feet; thence N 00° 30° 22" W, 528.00 feet to the Point of Beginning; thence N 89° 52' 48" W, 500.02 feet; thence N 00° 37' 31" W, 2111.79 feet; thence S 89° 53' 51" E, 504.41 feet; thence S 00° 30' 22" E, 2111.89 feet to the P.O.S. Containing 24.3464 acres , more or less. Subject to any easements or restrictions of record.

SOUTHEAST CORNER (L2-PG.413) FOUND P-K NAIL AS PER WITNESSES N&T SO. SIDE 30" OAK WNW 86.98' N&T 15" APPLE(CHERRY) SW 131.03' SE CORNER FOUND. N 65°E

EAST 1/4 CORNER (L5-PG. 129) FD. IRON IN MON. BOX AS WITNESSED NW COR. HOUSE SE 85.79' N&T P.POLE 80.791 NE N&T P.POLE WSW 43.651

WITNESSES TO SECTION CORNERS- SECTION 33, T3N, R2W, DELHI TOWNSHIP, INGHAM CU. SOUTH 1/4 CORNER (L5-PG.312) FOUND MON. IN BOX AS PER WITNESSES N&T IN P. POLE SW 39.24 SE COR. SHED NNE 60.42* MON. IN BOX N&T FENCE POST 26.34 WEST NNW

> CENTER OF SECTION--SET 5/8"X40" REBAR AT INTERSECTION OF 1/4 LINES, 6'NO.OF ANCHOR POST REMAINS, ON DITCH BANK SET N&T 6" MAPLE WEST 43.60 SW COR. 12" CONC.POST N30°W 28.20 SET N&T 8" WH. CAK S80°E 9.56 9.56 SET N&T 8" ELM \$25°E 27.70'

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights eserved. Copyright 1988 Beery & Associates, Inc.

4021 LEGEND FOUND IRON SET IRON MONUMENT - FENCE LINE - RECORDED DIMENSION - DEEDED DIMENSION

I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.

further certify that I have fully complied with the requirements section 3, Public Act 132 of 1970 and that the ratio of error closure of this survey is no greater that 1/5000.

Out of the survey is no greater that 1/5000.

David R. Lohr Licensed Land Surveyor


RATIO OF CLOSURE:

M- MEASURED DIMENSION



849 N. AURELIUS ROAD MASON, MICHIGAN 48854

DATE:	OCTOBER 26, 1990	SCALE.
SHEET:		_CHECKED: DL
DRAWN:	d.m.o.	REVISED:
FIELD:	DL,JJ	FILE NO.: 5390



SECTION DETAIL

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc., Beery & Associates, Inc., accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1988 Beery & Associates, Inc.

4021

LEGEND

- FOUND IRON
- SET IRON
- MONUMENT
X - FENCE LINE
R - RECORDED DIMENSION
D - DEEDED DIMENSION
M - MEASURED DIMENSION

RATIO OF CLOSURE:



I hereby certify that I have surveyed the property herein described and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3: Public Act 132 of 1970 and that the ratio of error of closure of this survey is no greater that 1/5000.

tavid

David R. Lohn Licensed Land Surveyor



849 N. AURELIUS ROAD MASON, MICHIGAN 48854

DATE: OCTOBER 30, 1990 SHEET: 3 of 3 DRAWN: d.m.d. FIELD: DL, JJ CHECKED:_ REVISED: 5390 FILE NO.

CERTIFICATE OF SURVEY

IBED

6 -1134

LEGAL DESCRIPTION:

をかかい 一大のできている できながら ではなるからないのできない

THAT PART OF THE NE¹/₄ OF THE NE¹/₄ OF SECTION 33, T3N,R2W, DELHI TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS:

BEGINNING AT A POINT ON THE EAST LINE OF SECTION 33, 990 FEET, $800^{\circ}39^{\circ}05^{\circ}$ FROM THE NE CORNER OF SAID SECTION; THENCE $800^{\circ}39^{\circ}05^{\circ}$ On SAID EAST LINE, $800^{\circ}39^{\circ}05^{\circ}$ FEET TO THE SE CORNER OF THE NE $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ OF SECTION 33; THENCE $890^{\circ}57^{\circ}56^{\circ}$ ON THE SOUTH LINE OF SAID NE $\frac{1}{4}$ OF THE NE $\frac{1}{4}$, 1331.90 FEET; THENCE $890^{\circ}46^{\circ}32^{\circ}$ ON THE WEST LINE OF THE NE $\frac{1}{4}$ OF THE NE $\frac{1}{4}$, 332.11 FEET; THENCE $890^{\circ}49^{\circ}49^{\circ}$ ALONG A LINE PARALLEL WITH AND 990° FEET DISTANT FROM THE NORTH LINE OF SAID SECTION, 1332.59 FEET TO THE POINT OF BEGINNING. CONTAINING 10.20 ACRES AND SUBJECT TO THE EASTERLY 33 FEET THEREOF FOR USE AS PUBLIC RIGHT-OF-WAY, AND OTHER EASEMENTS OF RECORD, IF ANY.

CORNER, SECTION 33, T3N,R2W NE Corner Section 33 FD. P & C IN MON BOX TEN, RZW L.S. P. ZZI RECORDED 990, FD. P & C, 33.00 FEET WEST Ò, SET N & T 18" WALNUT, S70°W, 25.97' Properties deeded to 990.0 SET N & T 14" ELM, S85°E, 67.05' APR 12 8 23 AM 93 SET N & T POWER POLE, N60°E, 71.25' 500°39'05"E REGISTER OF DEEDS Frank Goldham THORAM COUNTY, WICH. ± 1.0' NB9°49'49"E 1332.591 Erame Shed ROAD + (a.2' NO0°46 32°W 332.11° over line 500,34,05, ROW. 10.20 ACRES 'n 17.31.90 5 89.5756W $\mathrm{E}^{\frac{1}{4}}$ CORNER, SECTION 33, T3N,R2W Eastline Sec FD. N & T UTILITY POLE, NE, 80.79' FD. N & T UTILITY POLE, WSW, 43.65'
FD. N & T NW CORNER OF HOUSE, SE, 85.45'
SET N & T N. SIDE 12" ELM, EAST, 38.20' 53 1325. Scale: lin.=200ft. Bearing's relative to a survey Rec. L. 6, P. 611 as 589°53'51"E East West Yaline_ E/a corner Section 33 T3N, R ZW L.5 P 129

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

LEGEND

- O Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Deeded Dist

SON HELSEL, R.L.S. No. 18994

4276



ACCOLADE, INC.

Land Surveying and Planning Specialists 807 Kerns Rd., Suite 101, Mason, Mich. 48654 Phone 517-676-1580

FOR: DAVE FRY REALTY BATH, MICHIGAN

FIELD MP./GK.	SPPI OI LIVER STAD
DRAWN M.L.M.	SURVEY SEE SIOS
CHECKED R.H.	SHEET OF

CERTIFICATE OF SURVEY

en de la como el desponsación de la companyación de la companyación de la companyación de la companyación de l

LEGAL DESCRIPTION:

Salah Sa

The state of the s

7 m 386 LIBER

THAT PART OF THE NORTH 3/4 OF THE EAST 1/2 OF THE NW FRACTIONAL 1/4 OF SECTION 3, T2N,R2W, AURELIUS TOWNSHIP, INGHAM COUNTY, MICHIGAN DESCRIBED AS: BEGINNING ON THE NORTH LINE OF SAID SECTION AT A POINT 300.00 FEET, WEST FROM THE NORTH 1/4 CORNER OF SECTION 3; THENCE S00°36′14″E, 293.30 FEET PARALLEL WITH THE NORTH-SOUTH 1/4 LINE OF SECTION 3; THENCE WEST, 150.00 FEET; THENCE N00°36′14″W, 293.30 FEET; THENCE EAST ALONG NORTH LINE OF SAID SECTION, 150.00 FEET TO THE POINT OF BEGINNING. CONTAINING 1.01 ACRES, SUBJECT TO THE NORTH 33 FEET FOR USE AS A PUBLIC RIGHT-OF-WAY AND TO ANY OTHER ENCUMBRANCES OF RECORD.

NORTH 1/4 CORNER SECTION 3, T2N,R2W FOUND MONUMENT APPROXIMATELY 3' SOUTH FROM THE CENTERLINE OF NICHOLS ROAD,

ALSO ON TREE/FENCE LINE TO THE SOUTH, FOUND NAIL & TAG (NO ID.) IN EAST SIDE OF 12" PEAR TREE: NORTH, 63.60" FOUND 1/2" IRON IN MONUMENT BOX AT H-13, T3N,R2W: EAST, 20.60'
SET NAIL & TAG No. 18994 IN SOUTH SIDE OF 22" OAK: N50°W, 60.10'
SET NAIL & TAG No. 18994 IN SOUTH SIDE OF 22" MAPLE: N70°W, 112.55'


NORTHWEST CORNER SECTION 3, T2N,R2W

FOUND PLOW POINT SURROUNDED BY ROCKS, RED BRICK, & SANDSTONE AT A DEPTH OF 1', APPROXIMATELY 1.4' SOUTH FROM THE CENTERLINE OF NICHOLS ROAD & 7.4' WEST FROM THE CENTERLINE OF EIFERT ROAD (SET A COLLAR WITH LID OVER PLOW POINT).

FOUND AXLE SHAFT SURROUNDED BY ROCKS, RED BRICK, & SANDSTONE ATG-13, T3N,R2W: EAST, 19.70'

FOUND NAIL & TAG (NO ID.) IN SOUTH SIDE OF 24" OAK: N60°W, 68.36' FOUND NAIL & TAG No. 25832 IN EAST SIDE OF 18" CHERRY: \$10°W, 126.22' NE CORNER OF HOUSE: \$40°W, 114.31'

SW CORNER OF HOUSE #506: N55°E, 67.35"



SECTION 3, T2N,R2W

FOUND PIPE & CAP No. 11370 IN MONUMENT BOX APPROXIMATELY 1' SOUTH FROM THE CENTERLINE OF COLUMBIA ROAD, ALSO ON TREE/FENCE LINE TO THE SOUTH.
FOUND NAIL AND TAG No. 18998 IN SOUTH SIDE OF UTILITY PCLE: N70°E, 159.67' FOUND NAIL & TAG (NO ID.) IN EAST SIDE OF WOOD ANCHOR POST: SOUTH, 27.30'
SET NAIL & TAG No. 18994 IN WEST SIDE OF TWIN 6' BEECH: \$10°E, 30.40' SET NAIL & TAG No. 18994 IN SE SIDE OF 6" CEDAR: 580°W, 128.87"

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of Llosure of this survey is no greater than 1/5000.

LEGEND

- O Set Iron: 1/2" BAR ! CAP

 Found Iron
- Fence Line
- 8 Recorded Distance
- M Measured Distance
- D Deeded Distance

4543 Halse RON HELSEL, R.L.S. No. 18994



ACCOLADE, INC.

Land Surveying and Planning Specialists 807 Kerns Rd., Suite 101, Mason, Mich. 48854 P.O. Box 144 Phone \$17-676-1580

FOR: CARY CALTRIDER ATIS FERRIS ROAD ONONDAGA, MICHIGAN

FIELD MP/CK 8.31.94	DATE I SEPTEMBER TOM	
DRIWN + 9.1.94	SURVEY NO. 94-6261	
CHECKED PH 9-1-94	SHEET OF:	