


SOURCE: RECORD CO. SURVEYOR V.1 P. 106

TRANSCRIBED from ~~RECORD CO.~~ on file at REMON. OFFICE
DUPLICATE

SURVEYOR'S NAME A. JACKSON SURVEYOR NO. _____

DATE OF SURVEY MAY 4, 1846 SECTION NO. 2

MAGNETIC VARIATION 3 1/2° E.



AURELIUS
TOWNSHIP

T 2 N, R 2 W

J-1
CORNER CODE


2
ATTACHMENT NO.

P. 1 of 1

COUNTY SURVEYOR'S RECORD,

TOWN 16 NORTH, RANGE 7 EAST, MERIDIAN OF MICHIGAN.

SEC. 25



K-11

L-11

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 28 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

INGHAM COUNTY, MICHIGAN.


TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the north half of the south west quarter of section No. 25 in township No Three North of Range No. Two West. Beginning at "15" the quarter post as represented in the accompanying plat being a B. Ash about 8 inches diameter corner line and running thence $S 89^{\circ} 42' E$ 40.06 chs on the quarter post line to "13" the center of the section. Witnesses B. Ash 12 inches $S 46^{\circ} \frac{1}{2}' W$ 11 links & Elm 14 inches $S 58^{\circ} \frac{1}{2}' W$ 3 $\frac{1}{2}$ links. Thence south $0^{\circ} 4' W$ on north & south quarter line 20.00 chains to "18" a post. Witnesses Beech 8 in. diam. $N 76^{\circ} E$ 32 $\frac{3}{4}$ links & Beech 13 in. diam. $N 74^{\circ} 4' E$ 11 links. Thence $N 89^{\circ} 34' W$ 3.33 chains to "27" to the center of the state road leading from Lansing to Mason. Thence continued $N 89^{\circ} 34' W$ 36.50 chs to "16" the section line. No witness. Thence $N 0^{\circ} 15' W$ on section line 19.92 chs to the place of beginning. Also to find the quantity of land east of the state road aforesaid beginning at "27" the center of said road then following the center $N 25^{\circ} \frac{2}{3}' W$ 4.22 chs to an angle, thence $N 32^{\circ} \frac{1}{2}' W$ 12.65 chs to an angle, thence $N 12^{\circ} \frac{3}{4}' E$ 2.71 chs. to an angle, thence $N 4^{\circ} \frac{1}{4}' E$ 2.93 chs to "26" a post in the quarter line thence $S 89^{\circ} 42' E$ on said quarter line 12.27 chs to "13" a post in the center of the section aforesaid. Thence $S 0^{\circ} 4' W$ on the north and south quarter line 20.00 chs to "18" a post thence $N 89^{\circ} 34' W$ 3.33 chs to the place of beginning. 17.6 Acres Run by the true Meridian Magnetic Variation $2^{\circ} 23' E$. Surveyed for Wm Pryor Mar 6th 1867 & recorded Sept. 17th 1868. by T. J. Bracon, Dep. C. Sur., Ing. Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

SEC. 35



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.


- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

INGHAM COUNTY, MICHIGAN.

TOWN Three North, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the east half of the north east quarter of section thirty five in Township No. Three North of Range No. Two West. Beginning at "1" the north east corner of said section and running thence south one third of a degree west thirty nine chains and ninety links to "11" the quarter post, being bearing trees gone. Thence north eighty nine degrees and thirty two minutes west on the quarter line twenty chains and four links to "12" a post in the line of lots. No trees. Thence north one fourth of a degree east on the line of lots thirty nine chains and eighty two links to "2" a post in the section line from which an Elm 10 inches diameter bears $S 39^{\circ} 41' W$ 32 1/2 links (See Survey No 1018, Liber 2 Page 342) Thence south eighty nine degrees and forty nine minutes east twenty chains and nine links to the place of beginning containing 79.98 Acres. This tract of land is divided by the line "9" "10" midway between the line "2" "1" and "11" "12" running south eighty nine degrees and thirty nine minutes east twenty chains and six links. Run by the true Meridian Magnetic Var $2^{\circ} 23'$ East. Surveyed for C. Hillard and W. Steele Mar 12th 1867 recorded Sept 1st 1868 by T. J. Brown, Prof. Co. Surv., Ing. Co., Mich.

SEC. 36



TOWN ... NORTH, RANGE ..., MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25

INGHAM COUNTY, MICHIGAN.

74

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the North west quarter of section No Thirty six in Township No Three North of Range No One West as represented by the accompanying plat, the scale of which is thirteen and a half chains to an inch, and in which plat the names of owners the number of acres owned by each, the bearing and distances of line letters of reference to lines and corners are respectively given together with the positions of roads & brooks drawn with red ink.

The corners of the survey are described as follows.

- "5" A stone and stake set for the corner trees gone.
- "4" A Post set for corner to be exchanged for a stone and appropriately marked
- "3" Post from which a St Oak 4 in diam. bears S 23 E 57 1/2 Chs
- "13" " " " " Sugar 18 " " S 89 3/4 E 27 1/2 "
- " " " " " " Sugar 20 " " N 37 1/2 E 30 1/2 "
- "14" " " " " Beech 12 " " S 11 W 8 "
- " " " " " " Beech 8 " " N 54 1/2 E 21 "
- "15" " " " " St Oak 8 " " S 75 1/2 W 13 " (Original)

Run by the true Meridian Magnetic Variation 2 1/2° E


Surveyed Apr 7th 1869 for C. N. Smith & J. Maxwell and

Recorded Mar 2nd 1870 by T. J. Crow, Dep. Co. Surv., Ing Co., Mich.

COUNTY SURVEYOR'S RECORD,

TOWN Thru NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

SEC. 34



VOL. 3, PAGE 88

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.


Survey of the north east quarter of section No Thirty four in Township No Two North of Range No Two West, as represented by the accompanying plat (the scale of which is thirteen chains to one inch), on which the names of owners, the numbers of acres owned by each, the bearings and distances of the lines, letters of reference to lines and corners, the position of the Roads &c. are respectively given.

The corners are described as follows

- (3) a post from which a Town. 9 m. drain. bears $S 73^{\circ} E$ 111 rods.
- " " " " " " " " " " 7167 W 14 " "
- (1) " stone " " " " " " " " " " 819 E 135 " "
- 10 " Post " " " " " " " " " " S 35 1/2 W 137 " "
- (8) " " " " " " " " " " S 71 E 34 " "
- (7 3/4) " " " " " " " " " " S 77 1/2 E 40 1/2 " "
- " " " " " " " " " " S 16 3/4 W 32 1/4 " "
- (11) " " " " " " " " " " N 78 1/2 W 17 " "

Run by the true Meridian Magnetic Variation $1^{\circ} 55'$ East
 Surveyed & Recorded Nov 6th 1874 by
 T. J. Brown, C. S. M., for Ingham Co., Mich.

Section 25



324.0012

TOWN Three NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 28
- A Bush 18 S 16 W 10 lls Suger 6 S 65 1/2 E 10 lls
- B Suger 24 S 61 1/4 E 57 lls E lms 10 S 59 1/4 W 32 1/2 lls
- C Bush 11 S 75 1/2 E 17 lls Do 9 N 10 1/4 E 9 lls
- D Bush 14 N 24 E 20 1/4 lls Do 12 N 60 1/4 W 25 lls
- E Bush 6 N 51 E 7 lls Bush 9 N 75 1/2 W 17 lls
- F No Bearing Tree Not Post-
- G Bush 10 N 18 W 20 lls Janner 6 S 5 1/2 E 14 1/2 lls
- H Janner 18 N 22 1/4 E 19 Bush 18 South 7 lls
- I Bush 18 S 45 W 26 1/2 lls Do 17 S 47 1/4 E 48 1/4 lls

INGHAM COUNTY, MICHIGAN.

123

TOWN Three NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

Survey of the south west quarter Section No Thirty five in Township No. Three North of Range No. Two West as represented by the accompanying plat (the scale scale of which is Twelve chains (2) to one inch), in which plat the names of owners, the number of acres owned by each, the bearings and distances of lines, letters of reference to lines and corners, the position of roads &c are respectively given.

The corners are described as follows.

- | | | | |
|------|---|------------------|-----------------------|
| (15) | a post from which a Beech 9 in diam bears | N 73 1/2 W | 17 1/2 ch dot |
| (13) | " " " " " " " " " " | Beech 14 " " | N 74 E 20 3/4 " " |
| (18) | " " " " " " " " " " | Beech 12 " " | N 68 1/2 W 23 " " |
| (16) | " " " " " " " " " " | Lyme 17 " " | N 22 3/4 E 19 " " |
| | " " " " " " " " " " | " Apple 4 " " | N 57 1/2 W 45 1/2 " " |
| (25) | " " " " " " " " " " | Hickory 2 " " | S 79 E 36 1/2 " " |
| (23) | " " " " " " " " " " | The corner | |
| | " " " " " " " " " " | Tamarac 5 in " " | N 33 E 16 " " |
| | " " " " " " " " " " | Tam - 4 " " | N 74 W 19 " " |


Run by the true Meridian Magnetic Var 10 55 E

Surveyed Apr 29th 1875 by T. J. Benson, Dep. Comm. Ingleb. Mich.

- (18) a post from which a Beech 18 in diam bears South 7 chs

TOWN *Shaw* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

Section 35-



J. S. 24 Oct 1

TOWN *Shaw* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25

A Bush 18 S 16 W 10 lls Sugar 6 S 45° 1/2 E 10 lls
 B Sugar 24 S 61° 1/4 E 57 lls Elm 10 S 59° 1/4 W 32 1/2 lls
 C Bush 11 S 75° 1/2 E 17 lls Do 9 N 10° 1/4 E 9 lls
 D Bush 14 N 24 E 20 1/4 lls Do 12 N 60° 1/4 W 23 lls
 E Bush 6 N 51 E 7 lls Birch 9 N 75° 1/2 W 17 lls
 F No Bearing tree Red Post -
 G Bush 10 N 18 W 20 lls Iron 6 S 52° 1/2 E 14 1/2 lls
 H Spruce 18 N 22° 1/4 E 19 Bush 18 South 7 lls
 I Bush 18 S 45 W 26 1/2 lls Do 17 S 47° 1/4 E 48 1/4 lls

VOL 3. Pg 145

1

Dec 10, 1857


Run by the true Meridian Var $2\frac{1}{4}$ E
Surveyed and Recorded December 10th 1857
By J. J. Brown Co Surveyor Ing Co Mich

Sam'l Dunn } chainman
Wm Turner } sworn

COUNTY SURVEYORS RECORD

TOWN *Thom* NORTH, RANGE *Tw. 4th*, MERIDIAN OF MICHIGAN.

SEC. *35*



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |

INGHAM COUNTY, MICHIGAN.

TOWN Three North, RANGE Two West., MERIDIAN OF MICHIGAN.

Survey of the south west quarter Section No. Thirty five in Township No. Three North of Range No. Two West as represented by the accompanying plat (the scale of which is Twelve chains (2) to one inch), in which plat the names of owners, the number of acres owned by each, the bearings and distances of lines, letters of reference to lines and corners, the position of roads &c are respectively given.

The corners are described as follows.

- (15) a post from which a Beech 9 in diam. bears $N 78\frac{1}{2}^{\circ} W$ 17 1/2 ch. dot
 (13) " " " " " " " " " $N 74^{\circ} E$ 20 3/4 " "
 " " " " " " " " " $N 60\frac{1}{2}^{\circ} W$ 23 " "
 * (18) " " " " " " " " " $N 22\frac{3}{4}^{\circ} E$ 19 1/2 " "
 (16) " " " " " " " " " $N 87\frac{1}{2}^{\circ} W$ 45 1/2 " "
 " " " " " " " " " $S 79^{\circ} E$ 56 1/2 " "
 (25) " done The corner
 (23) " " " " " " " " " $N 53^{\circ} E$ 16 " "
 " " " " " " " " " $N 74^{\circ} W$ 19 " "

Run by the true Meridian Magnetic Var $10^{\circ} 55' E$

Surveyed Apr 29th 1875 by T. J. Benson, Dep. Comm. Ingle, Mich.

- * (18) a post from which a Beech 18 in diam bears South 7 chs

Job: trav sec 2 T2N R2W INGHAM CO

By: dlc

Point	Direction	Distance	Northing	Easting	Elevation
-------	-----------	----------	----------	---------	-----------

LIST COORDINATES SECTION TRAVERSE OF EXTERIOR AND INTERIOR SECTION 2
T2N R2W AURELIUS TOWNSHIP INGHAM COUNTY
FIELD WORK IN INGHAM COUNTY PA 345 REMON BOOK AU1 PAGES 20 - 35.
TRAVERSE IS CLOSED BY GOING AROUND SECTION 35 T3N R2W DELHI TOWNSHIP.
List

X 1	AU1-20 FD BC 25832 (J-13?)		49943.0306	52660.6438	
2	AU1-20 RANDOM PT SET HUB		49941.4748	52638.1074	
3	AU1-20 RANDOM PT SET HUB		49300.1030	52606.0866	
4	AU1-4 RANDOM PT SET HUB		48653.5377	52641.2040	
5	AU1-21 FNC POST APP E16NW1/4		48665.4753	52650.4509	
6	AU1-21 RANDOM PT SET HUB		48074.8726	51245.4861	
7	AU1-22 RANDOM PT SET BC		47499.2964	49999.8697	
8	AU1-22 I-3		44693.4241	49971.5398	
9	AU1-22 I-2 SET PA 345 BC		47336.5333	49978.3394	
10	AU1-22 RANDOM PT FD BC ICTP		50000.0384	49999.9620	
11	AU1-23 I-1 PA 345 BC		49999.3850	49984.3556	
12	AU1-23 I-13 FD 1/2 IPC 25837		49999.0452	50005.5037	
13	AU1-24 RANDOM PT SET BC		44701.2584	52357.9523	
14	AU1-24 RANDOM PT SET BC		44701.8467	53343.4173	
15	AU1-24 J-3 PA 345 BC		44684.9584	52629.9103	
16	AU1-25 RANDOM PT SET HUB		47236.4602	52551.3794	
17	AU1-25 J-2 PA 345 BC		47339.5681	52641.4750	
18	AU1-26 RANDOM PT		46891.8543	55308.3444	
19	AU1-26 K-3 PA 345 BC		44691.3969	55292.4812	
20	AU1-27 K-2 ICSR CONC MON		47342.2790	55297.5923	
21	AU1-27 RANDOM PT FD BC ICTP		49937.4415	55298.9028	
X 22	AU1-28 K-13? FD BAR IN MON B		49922.5749	55310.0307	
X 23	AU1-28 K-1 ICSR CONC MON		49923.2208	55306.7870	
24	AU1-29 RANDOM PT SET BC		51416.7972	55346.8905	
25	AU1-30 RANDOM PT SET BC		54081.1034	55350.4498	
26	AU1-30 RANDOM PT SET BC		55244.8917	54580.6940	
27	AU1-31 RANDOM PT		55229.9108	53640.0828	
28	AU1-31 RANDOM PT SET BC		55299.2668	50005.1216	
29	AU1-32 RANDOM PT SET BC		53440.1668	50001.3500	
30	AU1-33 RANDOM PT SET HUB		51304.1852	50833.9127	
31	AU1-35 RANDOM PT SET HUB		50302.5658	51987.2299	

Point	Direction	Distance	Northing	Easting	Elevation
-------	-----------	----------	----------	---------	-----------

32	AU1-35 RANDOM PT SET 8" SPIK		50938.1926	51498.6154	
33			0.0000	0.0000	

File: 108.DAT

Session terminated at 11:40 AM on 12-01-1993