

PERSONNEL 2003

FROM PAGES - 42 TO 56	
R.H. RONAHEISEL PS 18994	
F.S. FRANK SIKHA JT L	
T.W. TERRY WEIGHMAN D.S	
E.F. ROBERT FUKUS	

INDEX DH 1

PAGE	
23	F-10
24	F-11
25	G-9
26	G-10
27	G-11
28	H-9
29	H-10
30	H-11
31	I-10
32	I-11
33	"
34	I-12
35	G-12
36	G-13
37	"
38	H-12
39	H-13
40	I-13
41	H-13
42	K-10, J-10
43	M-13, J-12
44	TRAVERSE
45	"
46	J-11, K-12
47	K-11

This image shows a full page of blank graph paper. The grid consists of small squares formed by thin black lines. There are approximately 20 columns and 25 rows of squares. The paper has a slightly off-white or light gray tint, suggesting it might be a scan of a physical document. There are no markings, text, or drawings on the grid.

48	TRAVEL
49	"
50	"
51	K-13, L-13
52	M-12, L-12
53	K-13, L-11
54	M-11, A-11 (K-11)
55	M-10
56	L-10

43

5-22-03

11-13

Found 3/4" Ash over top of 5 bone
Ascribed position of 18150
to Grade with standard 114
Co. Mon & Nov Box

Ed Stephens Net Spoke P. Pole Az

Set Net 2' above Az. 560 50.30

Ed Stephens Net SE side P. Pole

Set Net 12' above Az. 328 50.30

Ed Stephens Net N side Grove Pole

Set Net 12' above Az. 227 44.10

Ed Stephens Net N side 32' Victory

Set Net group over Net 18998 Az 180

Sw 200' brick church Az 53 187.33

24-F5

J-12

5/29/03

43

FD 30" Sugar Maple NW

FD Rotten Remains of 16" Wood

Another post wrapped in wire

Remain of fence N-55W. EXCAVATED

& FOUND 12" Square chiseled Stone

with brick on south side. FD 18" rebar

FD 1/2" bar NE set standard Stephen Co

Remain Mon. on S side of chiseled

at location of fd piece of yellow brick

FD Net 20444 W side 12' Apple N 50° E 11.08

FD Net 20444 N/S 14' Cherry S 85° W 6.41

FD 11' 5' 30" Map N 45° W 4354

Set Net 4/3 8' Cherry N 15° W 30.30

Set Net N 15° W 14' Cherry West 30.05

940

6-4503

0219. Mon R.P. SPK	L3. P 43	1974
10" ASPEN N.	32.0	now gone
18 WAL. S.	56.21	(fallen oak)
24" OAK	56.00	60.1 N side NE/SE side
Lester Survey April 1990		
08 Long BAR in Mon Box		
NET w/side 36" oak	185	56.3
" w/side 4" pole	180	34.7
" N/side 36" oak	230	58.3
" w/side 4" pole	180	51.1
L. Bryan unrecorded Survey Dec. 1990		
1" BAR in Mon Box	Large Limes -	North-South
NET 18998 NLS	60" oak	50.0
Set NET 30' S	Maple	18.3
Set NET 30' ASH	South	56.2
	12"	

Ext. oblong iron bar 18" x 1/2" x 10"
 EX. DOWN THRU SAND BUT NOT NO.
 EVIDENCE OF PREVIOUS CORNER
 ACCEPTED BASE OF Flat Bar & Picked
 B&C Eng. 26, 345, 251, 5994
 Set NET w/side 40" oak Az 230°, 58.32
 Set NET w/side 10" oak Az 128°, 73.68
 Set NET E/side TWIN 10" Basswood Az 332°, 32.12
 FD NET w/side P. Pole #18932 Az 190° 49.31
 FD " w/side P. Pole #18998 Az 181° 34.63

RH-FS 6-403 BH-146
 K-12 58° RAIN

018055	FD	ER Spoke	MAA	25
E-20.95	N	3/5 fence	gone	12.14
West 33	100W	BAR	Gone	
515E	300.50	N w/side	21.20	44.48
Lester ER Spoke	4-15-89			
SW Cor GAR	AND	450	#73	86.0 Az 133.4
Now Moo	96.0	Az	59.7	
SW Cor	450	#72	105°	Az 139.5
12" Maple	132°	Az	109.3	(FD)
FD	20 spoke	in & ed.		
FD	NET	N side 18" Maple	# 20.41	Az 99°, 75.20
EXCAVATED	& FOUND	12" Long	by 1.5	
Steel bar	bar	ER Spoke	Accepted	
POSITION	of spoke	& REPLACED	50.0	gone
& INSULATOR	GLASS	North & South		
SW COR GAR	FD	450	#72	Az 87°, 133.47
Set NET	E/side	10" Maple	Az 150°	129.34
MOO	EAST	59.7		
NW COR	FD	450	#732	Az 68°, 158.42
NW	"	"	450	#724 Az 105°, 131.48

147

6-4-03

1-1

Ex-13

FD 'BAC & Harper 34. East of EDGAR RD.

FD 25832 e/s P.P.

FD Lessor N 1/4 + N/5 30' Maple

EXCAVATED DOWN THRU GLOW BOX
5 1/2" STONE 4" BAR WEDGED BETWEEN
LARGER & SMALLER STONES
BLOCK OF TOP PORTION OF T BAR
WAS AN ATTEMPT TO REMOVE IT
ACCEPTED POSITION OF T BAR
& PLACED STANDARD TAG CO.
3/4" BAR & DISK IN M.W.
BOX 3' E & EDGAR RD
& ON & HADDER RD

FD NET 28044 w/ 3 SUR POL 585E,	28594"
---------------------------------	--------

On 11/25/2003 at 5:23 PM, 43.22,

"	"	18998	C/S "Maple No 50"	165.11
"	"	"	"	"
"	"	"	"	"
"	"	"	"	"

11	11	18998 N 15 E 500E, 165.8S
----	----	---------------------------


West 2658.62' to J=11

50106	26.47.64'	to K-12
-------	-----------	---------

DN-1
7-9-03
DN-F3

DN-1	DN-F3	7-9-03
T DH-1-45-9	3	8-12
B/S DH-1-45-9		1175.202
H/S DH-1-45-9		1175.200
BSD 00-00-00		1175.204
H/S 178-14-33		1175.200
BSE 56-48-07		M 1175.20
F/S 235-02-42	14.35	
BSD 31-52-15	14.36	
H/S 210-06-51	14.40 31	
BSE 00-00-00		
F/S 178-14-40		
M 178-14-36"		
T DH-1-48-12		18-13
B/S DH-1-45-9	3	1401.220
F/S DH-1-48-13		1401.226
BSD 00-00-00		1401.232
F/S 182-43-01		1401.224
BSE 53-04-01		1401.23
F/S 235-47-00		
BSD 04-09-10		
H/S 184-52-11		
BSE 09-57-13		
F/S 192-40-14		
M 178-14-36"		
T DH-1-48-13		13-14
B/S DH-1-48-12		17.68
H/S DH-1-48-14 (K-1)		17.68
BSD 00-00-00		
F/S 31-09-37	09-37	
BSE 00-48-21	09-33	
F/S 31-58-14		
BSD 00-00-00		
H/S 31-09-45		
BSE 00-00-00		
F/S 31-09-45		
M 178-14-36"		

7-9-03
DN-F3
DN-1 48




7-9-03

DAI
49


T DH-1-48-13		
B/S DH-1-48-12		
FLS DH-1-49-15 (K-13 AS Rec)		
BSD 00-00-00	13-15	
FLS 40-26-34	26.64	
BSE 00-46-21	26.18	
FLS 41-14-39	19.16	
BSD		
FLS		
BSE		
FLS		
M 4 40-26-28		
T DH-1-48-13	13-16	
B/S DH-1-48-12	923.002	
FLS DH-1-49-16	.006	
BSD 00-00-00	.004	
FLS 86-09-40	923.001	
BSE 02-21-11		
FLS 89-10-51	M-923.005	
BSD 17-44-22		
FLS 104-34-03	16-17	
BSE 00-00-00	1963.104	
FLS 86-49-40	1963.102	
M 86-49-40	1963.094	
M 86-49-40	1963.094	
T DH-1-49-16	M 1963.10	
B/S DH-1-48-13		
FLS DH-1-49-17		
BSD 00-00-00	21.58	
FLS 182-21-35	22.04	
BSE 00-37-35		
FLS 183-01-39		
BSD 00-05-31	21.58	
FLS 182-21-35		
BSE 00-59-34	21.54	
FLS 183-01-30		
M 182-21-58"		

7-9-03
DAI-FS
49



PH ¹ ₅₀	7-9-03	
T DH-1-49-17		
BLS DH-1-49-16	17-18	
FIS DH-1-50-18 (1-13)		
BSD 00-00-00	213.400	
FS 02-01-23	213.404	
BSE 00-34-35	213.402	
FS 02-36-00	213.400	
BSD 04-45-00		
FS 06-46-24		
BSE 00-00-00	M 213.40	
FS 02-01-24		
MA 00-01-24		
T DH-1-49-17	17-19	
BLS DH-1-49-16	1495.616	
FS DH-1-50-19	1495.616	
BSD 04-44-58	1495.620	
FS 102-49-00	1495.620	
BSE 00-00-00	M 1495.62	
FS 178-03-57		
BSD 09-07-44		
FS 187-11-48		
BSE 22-12-53		
FS 225-16-57		
MA 178-04-02		
T DH-1-50-19	19-20	
BLS DH-1-49-17	951.680	
FS DH-1-50-20 M-13	951.680	
BSD 00-00-00	951.680	
FS 182-03-22	951.678	
BSE 359-59-59		
FS 182-03-18	M 951.68	
BSD 77-14-54		
FS 199-18-14		
BSE 00-00-00		
FS 182-03-21		
MA 182-03-21		

7-9-03 DH-1
RH/PS 50



24-1 51	NOW Property Controlling Corner K-13	7-29-03 RM 1/3
	L-2 Pq 161 FWHK	
	Settled iron F Post west 36.67	
	F Post 520W 39.25	
	20" Ash 825E 75.17	
	FO 516" rebar FD circled stakes of old post	
	FO NKT 28409 W side 38" basswood	
	Az 1740, 75.40	
	Settled 18994 E side 30" oak Maple	
	Az 344°, 55.46	
	Settled 18994 N side 14" pine	
	Az 2910, 46.03	
	FO NKT 28409 E side 30" oak	
	Az 80°, 102.70	
	FO NKT 28414 T/ward Anchor Post	
	Az 1440, 44.33	
	West 322° K-1 Anchor Post	
	3.26	
	Core Perforator Excavated by Ina Co	
	Octa Crew East 12' from Present	
	Location	
	SEE Pg. 53	

	L-13	11-28-72	24-1 51
	L-2 P 163	7-29-03	
	Found 3/4" pipe		
	FD 6 N 71° E, 59.35' Core		
	6" Map 558° 30' W, 42.28'		
	2" Walnut South, 32.68' Ad		
	Found mangled rebar EXCAVATED		
	Down 15" to top of 3/4" O.D. 524' pipe		
	INSAND FIN EXC 3 1/4' to 4 1/2', Road		
	Bed found nothing to indicate		
	Previous cores must be 58-59' to		
	L-13: N-East 2600.29' to M-13		
	Accepted the position of Set 36" x 24"		
	Steel PIN STAND and DISC in Mon Box		
	O.S. South edge of hole 11 RD		
	Settled side 10" pipe to 80°, 72.51		
	SW Cor. And 30' of Street Light to 53°, 37.45'		
	Settled 1" 1" 1" Az 305°, 61.23'		
	FD NKT 18994 E side 30" Walnut Az 185°, 32.60		
	Settled N side 20" Maple Az 122°, 96.11'		

5-24-01

112 E A-12

7-29-03

EH-E3

LIBER 3 P. 348 LIBER 1 P. 51
Buggy axle Net SWSide Power Pole SE 39.78
Net SWSide P. Pole SW, 41.96
Net WSide P. Pole NNW, 39.70
Found Farm PN over top of
Found Buggy Axle over bridge
Crackery 3' west of College Road
Kepted portion of corner E AFFIXED
Ing. Co. Dred in Mon. Box
FD Net 1890 SWSide P. Pole Az 220° 21.88°
FD Net 18994 WSide 12" Cherry Az 215° 29.85°
FD Net 18997 WSide P. Pole Az 195° 98.70°
Set Net 18994 SWSide 18" Maple Az 160° 59.97°
FD Net 18997 WSide Ash Pole Az 153° 39.42°
NE Cor Bark Gap Az 259° 158.151°
SW Cor HSE 754 Az 82° 80.10°

8/7/03 DH-152

EH-EF

Center of Sec 36 (L-12)
FD 12" Oak ~~12" Oak~~ 11M
Fence Line #4 34" Basswood
East EXCAVATED AND CIRCLED
Field Stones at the intersection
downed fence lines to Mark 1, 2, 3, 4
East ~~downed~~ road
1/2" DAP as to 12" Oak
of the corner reset by T J
FOUND C.S. VOL 2 P. 49 Mar 22, 1867
Label in K. Z. P. 74, ~~Mar 1~~ 1870.
Which described a post FW Sugar 18' SE 24° 212
Set Net 20' W 37° 42' 30' 24.12
Set Net 5/5 24' Basswood Az 95° 2.65
FD Net 1/5 26' Ash (EWN) East 10.30
Set Net 1/5 28' Ash Az 25° 10.40°
Set Net 5/5 28' Ash Az 195° 16.30°
Set Net 5/5 12" Hickory Az 260° 13.92°
Rec West 40.14 ch to K-10
Rec North 39.85" to K-11
Rec East 19.94 ch to S4 6N E 1K
Set Standard 20' 16 Monument B"
Above ground in 5605

D-11
53

B-9
RW

K-13

FROM RITY ON B-6-03

Pece Group okay'd setting Cor

At C.L.O. FADLING ON EXTENSION

FROM J-1 thru K-1 AURELIUS

GLO = 15.18' EXCAVATED.

DOWN 3.5' to Clay PASEL bed

NO INDICATION OF A PROXIMUS

CORNER SET STANDARD TRAY CO

Now of 14" S. PASEL BARE DISE

ON DOWNLINE 15.18'

EAST of K-17 AURELIUS

SET NIGH. Box box on EAST side

of EDGAR Rd E 5' SOUTH of ROAD

NET 20414 TOP of all. Arch Past Az 153° 36.88

NET 14" PASEL Az 230° 57.84

Set NET E/S 30' ~~Arch~~ Arch Az 325° 61.43

EDN NET 28 15.50" DUNK Az 71° 91.60

EDN NET 4/S 35' BKSUB Az 177° 73.64

53

B-9
DH-1

L-11

ENG to ED to PASEL Cor

30' DRIVE SHAFT in PASEL S 29.0

30' DIRT S/S 31.0

10' E/M 5 29.0

41-344 15.50' 15.6 16.7

FD 1' 50' 2.7 3.6 16.00' Ref on

OLD 7800 LUM. North

NET E/S PASEL NUC 31.04

1' N/S 10' E/S 38.15

1' E/S 8' E/S North 43.03

ED 30' Steel Drive shaft

FD NET 74598 S/S PASEL Az 289° 114.47

FD 1' 18948 E/S PASEL Az 32° 30.83

FD 1' DIRT E/S PASEL Az 189° 32.20

At 1' Brick Bldg 4301 Az 205° 77.25

SA 1' Brick Comm. Bldg Az 270° 70.69

04-11

8-9

8-12
Extended
FS

04-11

Found 1 1/2" o.d. pipe in Man Box
At E's of College & Harper St
Exc. Down to field
Pipe Water between shores Set
3/4" Form Pin Along side with
Top over E of Pipe in Man
Box

FD 4.5.65 BM Az 311° 35.18'
FD NET 18998 S/Side P.Pole Az 63° 34.94'
Set Net N/Side 26" Mapk Az 124° 61.62'
FD 0.2 N/Side P.Pole Az 313° 39.53'
North 13.39' to 04-11 ALAIEDON
Close Movement Az 134° 62.95'

8-9-03


8-12-03 24-TN 54

04-11 ALAIEDON ROP

FD PL. 5.000 NEAR G.L.O
Falling 132 North of Standard
Corner Excavated Down 3'±
to clay Road bed DNE Any
Evidence of a previous cone

FD 4.5.65 BM Az 290° 29.52'
" NET 18998 S/S P.Pole Az 81° 29.12'
Set 1' N/Side 24" Mapk Az 132° 28.48'
South 13.39' to 04-11
Road cone. Mapk Az 141° 71.80'
FD NET N/Side P.P. 18998 Az 294° 32.89'

Obs	8-29-03	DM-FS
	M-10	
L.A. P.G. 1	5-24-77	
P. L&SKE	1/2" B&C	
1/2" pinch P.P. West	31.30'	
NET	slide 48' Maple, ESE, 50.0'	
SW COR FORMER #1252 (5' High) ENE	74.00'	
NET	N w/side 36" Maple NE 48.65'	
FD 1 1/2" rubber 1' west E College Rd.		
EXV. Found piece of Gravel Black Under		
& Another 1/2" Rubber below.		
Top center Fur Redrant	Az 126°, 34.30'	
Set NET N/side P. Oak	Az 103°, 83.03'	
Det NET E/side 10" Maple	Az 349°, 93.52'	
Set NET W/side 24" Maple	Az 16°, 169.18'	
FD 1' 22.445		
(GRANTMAN)		
Cut 'V' N/EVD 12" cap	Az 241°	
	29.33'	
COR DEC. 10 (LG. Pg 225) by J. Stephen		
which was intended to be H-10, AN		
update of L. Hendryx Still LG. Pg		
297	Ignored w. Ives	
	which are in accord with Hendryx	
	COR COR	



1
D.K. 60

8-29-03

RH
FS

L-10

T.M. R.W.

Corner not set in GLO Survey

Per Liber 4 Pg 61 R. Lester

set 1/2" bar @ base of conc. Post

Fence 5' South EAST & West

NET - E/S 5" Elm, North 48.25

NET - N/S F. Post, EAST 6.89'

" WSW R. Post 141.80'

FD 1/2" iron bar & cap at 18998 on

East Side of A conc. Avenue

Post. Position good from original

Loc. Accepted concrete Post

AS corner. Following witnesses

are to the 1/2" BAR & CAP.

FD NET 18998 E/S 16" corbuwood Az 339°

64.80'

FD NET 18998 W/S 70" Maple Az 12° 57.61'

5"

FD NET 18998 E/S 6" Elm Az 04° 43.78'

FD NET " E/S 20" Maple Az 31° 65.42'

D.H. 1

56