

60

Index Map of T. 2. N. R. 1. E

The figures on the lines refer to the page

2450	14	13	12	12	11	10		
	6	5	4	3	2	1		
	55	52	44	37	29	21		
	7	8	9	10	11	12		
	55	51	43	35	27	20		
	18	17	16	15	14	13		
1745	54	49	41	34	26	18		
	19	20	21	22	23	24		
	54	48	40	33	25	16		
Meridian line	30	29	28	27	26	25		
	54	47	39	31	23	15		
	31	32	33	34	35	36		
1740	5	4	4	3	2	1		

Meanders of Lake

Pages 53 & 56

SEC. 2, T19 Nwp

64.37 Gr 18

8000 alt. to p. Cor. p. 2934 N. 18.

Re 7 N43E24

Elev 12 in. 5.79 ft. 8.165 ft (new)

W on S. for p. 35 734 N. 18

North Boundary line 4.40' E

346 Elev 10

W on S. for 36 73 N. 18

4000 alt. p. p. to line

23.00 on for

Re 6 N75W26

28.76 Elev 10

The 10 N. 12 E 20

33.80 Run 15 line to N

4946 Elev 15

36.95 deck 9

66.26 W. 48

4000 alt. p. p. to line

8000 alt. p. Cor. p. 34 - 35 - line

Re 13 N57E 54

Re 5 N33W29

" 8 N69W 40 1/2

" 10 N56E 19 1/2

43.74 . 22

62.50 Run 4 line to alt

W on S. for p. 34 734 N. 18

64.70 Re 9

0.18 Re 14

8000 alt. p. Cor. p. 35 736 line

27.27 Top 48

Elev 19 N69W 10 1/2

4000 alt. p. p. to line

7928 In: C.M. 5.62A 59p.

N C.O. 12+13

39.64 Elm
Ret gr. p at 405 ft
Elm 17 N 83 W 24 1/2 39 ft new
M 9 North 26 39 ft
7928 to Rec. Con. 3.24° E 69 1/2 new

N C.O. 11+12

4.49 In 17

17.64 Pop 40

4000 ret gr. p. for K-4

Re: 7 S 36° W 23 1/2

" 10 S 48° E 15

43.29 Pop 30

58.80 " 36

8000 ret p. Cor. 1.2.11+12 for

Sum: 14 in S. 25° E. 44 1/2 ft new

Re 7 N 87 W 12 1/2

Re 7 N 18° E 8

C on C.O. 1+12

4000 ret tin gr p

41.00 in brushy 100 ft

44.00 do " "

79.46 In: C.M. 7.62A 59p.

N C.O. 1+12

39.73 ret gr. p at 405 ft L3

Elm 16 S 16° W 20

" 12 N 42° E 20 1/2

79.46 to Rec. Con.

N C.O. 1+12

2.00 in Tam fm

15.00 Le Sam Sm
33.28 Re 18

40.00 net gr. p. h. w

Re 8 SJW 12

" 9 N31W 12

48.78 " 20

62.34 Aug 30

91.40 net Mgr ~~STP~~

N ltu 34-35

14.72 WD 40

29.50 En Sam Sm

36.00 Le " "

38.00 En " "

40.00 net gr. p. h. w

Sam 9 SJ 70W 17

" 9 N11 W21

10.00 Le Sam Sm

76.00 En Crueky Sam Sm

79.52 Le " "

58.00 net p. h. w 26 27 34-35 h. w

11 17 SJW 40

Re 11 N21W 33

E on N ltu 26-35

1.00 on Crueky Sam Sm

11.50 Le " "

18.50 En " "

40.00 net ltu gr. p.

65.00 Le Sm

79.92 net Mgr ~~STP~~

11 M ltu 26-35

39.96 net gr. p. h. w

Sam 11 SJ 20W 4

28

81.80 to Reelers

N Dec 10 + 11

15742 Ash 20

39.71 " 20

4000 net yr p ju

Dec 22 344 E 12

Ash 7 355 W 1 1/2

16.15 Elm 16

72.13 Pop 30

8000 net p Cor 2.3.10 + 11 ju

Dec 7 460 1/2 W 8

" 8 464 E 19

B on 12 Dec 25 + 11

4000 net ten yr p

74.00 on ten. ju

78.00 do " "

29

51.00 sent Mr. S. L. L. at p

N 12 Dec 25 + 11

40.50 net yr p at 20 ju

Aug 9 341 E 18

NO 40 373 W 18

81.00 to Reelers

N Dec 20 + 3

1342 Re 16

32.11 Elm 22

23.28 Re 18

4000 net yr p ju

Re 18 360 E 24

" 9 364 W 26

86.27 Aug 19

62.34 Aug 30

62.85 Re 20

30

73.53 Re 30

90.34 Smr 1.18.1.6.11.20 E 9 P

at pot out cor 2-8 Euc

Re 30 587 1/2 W 21

" 20 1146 E 31

3322.44

1/4 line 33-34

5.50 net p on side of dam Euc

dam. 9 1187 W 37

" 7 118 W 18

14.50 Le Sm

21.04 Jan 12

23.00 en Jan Sm

39.60 Le " - "

4000 net gr po Euc

WD 19 579 W 22

Re 8 1132 E 26

31

45.17 WD 16

71.00 en Jan + Spn Sm

82.00 net p Cor 27.28.33 29.34 Euc

Jan 8 1146 W 9

" 7 119 W 12

E on 18 Jan 27-34

11.00 Le Jan + Spn Sm

24.00 en Sm

4000 net two gr p

55.50 Le Sm

65.00 en Sm

77.50 Le "

80.00 Smr 1/4-1/2 line 20.00 21.00 22.00

1/4 Cor 27-34

40.50 net gr pot and Euc

Jan 16 1138 W 7

Certificate

In pursuance of a Contract with, and instructions from, Edward Tiffin Surveyor General of the United States, and conformably to the laws of the United States, I have Surveyed and subdivided into sections Township N^o. 2 North of Range N^o. 1 East, in the Detroit Land District in Michigan Territory; And I certify that the foregoing are correct Field notes of the Surveys of the said Township.

Certified this 18th day of Feb^r 1826

J. Wampler Deputy Surveyor