


COUNTY SURVEYOR'S RECORD,

TOWN TWO NORTH, RANGE ONE EAST, MERIDIAN OF MICHIGAN.



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |

INGHAM COUNTY, MICHIGAN.

TOWN Two NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the north fractional part of the north west quarter of section No Five in Township No Two North Range No One East as represented by the accompanying plat (the scale of which is 12 chains to one inch); in which plat the names of owners, the number of acres owned by each, the bearings and distances of the lines, the letters of reference to lines and corners, and the position of the land surveyed are respectively given.


The corners are described as follows

- | | | | | | | |
|------|-------------------|--------------------|--------------|---------|----|------------------|
| (5) | a post from which | a N. Oak 18" diam. | bears | S 31° E | 28 | Stakes |
| (26) | " | " | an Elm 12 " | " | " | S 38° W 109 " " |
| " | " | " | a Birch 12 " | " | " | S 26½° E 9½ " " |
| (32) | .. stone | Corner | | | | |
| (8) | a post | " | an Elm 28 " | " | " | S 49½° E 32½ " " |
| " | " | " | " Elm 36 " | " | " | N 47° W 42½ " " |
| (28) | " | " | a Birch 12 " | " | " | South 2 " " |
| " | " | " | an Elm 36 " | " | " | N 23° E 69 " " |
| (6) | " | No bearing | | | | |

Run by the true Meridian. Variation assumed 1° 55' East
 Surveyed and Recorded Feb 2nd 1876 by
 T. J. Brown, Dep. Co. Surv. Ingham Co., Mich.


T. 2. N. R. 1. E

Sec 6-



T. 1. N. R. 1. W

Sec 1



Survey of the N & S $\frac{1}{4}$ line of Sec. 5 of Ingham made April 29th 1896 for M.D. Robinson & others

The south $\frac{1}{4}$ post A was set midway between section corners upon a transit line and the Post C was perpetuated with a stone by J. J. Brown which stone was found.

D. Hulbert & Wm. Hutchins sworn chainmen. Var. 0
Corners were marked and witnessed as follows

- A. Iron slip above for elm 3. N. 53 $\frac{1}{2}$ E 56.17 Apple 10 N 76 $\frac{1}{4}$ W. 192 $\frac{1}{2}$ lks
- B. Oak Post for Birch & N. 33. E. 30 l & B cherry & S. 59 $\frac{1}{2}$ E 30 lks
- C Stone for wheelfield corner also a stone bears East - 13 lks
- D Post only D set off E $\frac{1}{4}$ of S W. $\frac{1}{4}$ of Sec 5

Recorded Apr. 30th 1896

W. A. Rowe
Co Surveyor

Survey of a parcel upon the N. W. $\frac{1}{4}$ of Sec 1. of Leslie. Made May 6th 1896 for J. Bach

Surveyed from deed

At A & C old posts were found.

Posts were set & corners marked as follows

- A. Brick & gas pipe for B. cherry 16 south 49 $\frac{1}{2}$ & W. Oak 14 N 59 $\frac{3}{4}$ W 68 lks
- B Iron rod & tile for Hick. 6. 310. E. 10 lks & Oak 6 N 38 W. 9 $\frac{1}{2}$ lks
- C Stone & brick for W. Oak 12 N - W 33 $\frac{1}{4}$ L & Walnut - 4 S - E 43 $\frac{3}{4}$ lks
- D. E, & F Posts only
- G. Iron post & cracker

Lehos. Leok & Ellsworth Brinley sworn chainmen

Magnetic Variation 0

Recorded May 10th 1896

W. A. Rowe
Co Surveyor


TOWN ~~2100~~ NORTH, RANGE ~~2100~~ EAST, MERIDIAN OF MICHIGAN.

Run by the true Meridian Over 2 1/2 S
Surveyed and Re-surveyed Nov 11th 1856
by A. Jackson Co. survey

COUNTY SURVEYOR'S RECORD,

TOWN 5th NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Section 5



1304 1/2

TOWN 5th NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

- 1-
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24

25

A Saye 10' 0" 1/2 34 51' 1/2 45
 B Ash 18 56' 1/2 41' 1/2
 C Ash 11 56' 1/2 10
 D O 9 58' 4" 7 1/2
 Bush 15 1' 72 1/2 15 1/2
 Iron 7 1' 22 1/2 50
 Iron 5 5' 27 1/2 10
 D O 5 1' 14 1/2 5 1/2
 B Ash 12 5' 65 1/2 78
 Bush Maple 28 1' 19 1/2 65 1/2
 Bush 18 5' 12 1/2 74
 Cherry 11 1' 29 1/2 5 1/2

INGHAM COUNTY, MICHIGAN.

TOWN East NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

Survey of the N & 1/4 line of Section 5 of Ingham Made April 29th 1896
for M. D. Robinson & others

The S 1/4 Post A was set midway between section corner upon a transect line
and the post C was perpetuated with a stone by J. J. Brown which stone was found
D. K. Hubbert & W. J. Gutches sworn chainmen Jan 0

Corners were marked and witnessed as follows

A. Iron sligh shoe for Elm & N 53 1/2 E 56 1 Apple 10 N 76 3/4 W 192 1/2 W

B oak post for Buck & N 55 E 30 l & B cherry & S 59 1/2 E 30 W

C Stone for Wheatfield corner also a stone bears East 15 W

D Post only to set off east 1/4 of SW 1/4 of Sec 5

Resided April 30th 1896 W. A. Rowe Co Surveyor