


5/10/05 2-10-05 sunny, 20°

INGHAM TWP. T2N, R1E
 SEC. 12, NW COR. K-3
 Fd. 3/4" PIPE IN MON BOX ~~W/~~ ~~SEE~~
~~REMOVED~~ ~~SEE~~ FENCE LINE NORTH.
 REMOVED MON BOX + 3/4" PIPE EXCAVATED
 3' FURTHER Fd NO FURTHER EVIDENCE
 Fd. 1/2 FOOT OF ASPHALT W/ 1/2 FOOT OF
 GRAVEL BELOW THEN SAND.
~~W/~~ ~~REMOVED~~ RESET REMON BTC #47989
 IN SAME PLACE AS PREVIOUSLY REMOVED PIPE
 WITNESSES:

- ① Fd NAT #18998 IN W. FACE CLUSTER MAPLE
 NORTH, 26.45'
- ② Fd NAT #18998 IN N. FACE 36" OAK
 S 80° W, 89.40'
- ③ Fd NAT #25832 IN S. FACE 8" GATE POST
 N 70° W, 94.10'
- ④ SET NAT #31603 IN N. FACE CLUSTER BOX
 EIDER
 S 50° E, ~~26.45~~ 40.28'




- INGHAM TWP. T.2N R.1E
 SEC. 12, W 1/4 COR, K-4
 Fd. IRON + Cap (smashed) 0.30 BELOW
 Asphalt
- ① FD NAT #18998 IN N. FACE TWIN 16" ELM
 S 45° E, 42.48'
 - ② FD NAT #18998 IN W. FACE TWIN 50' OAK
 NORTH 45.8'
 - ③ SET NAT #31603 IN W. FACE 8" ASH
 SOUTH, 20.38'
 - ④ SET NAT #31603 IN E. FACE 16" ELM
 S 30° E, 36/28'

Cont. excavation through asphalt.
 Asphalt was 8" thick, excavated
 further through 10' of GRAVEL
 and found sand below. No further
 evidence of CORNER. Set MON.
 Box + REMON B+C #47969 in
 place of IRON + Cap.

①7

2-10-05 Sunny, 20°

JV/DT



INGHAM CO T2N-R1E


SEC 13 N.W. COR K-5

2-14-05

RAIN 45° PT, BV

FOUND IRON IN pile of GRANITE STONES
CHK AND REWITNESS CORNER

- ① N.5°W FND NAT E-SIDE old maple
STUMP 8.80'
 - ② N.45°E FND NAT S-SIDE WALNUT
STUMP 13.50'
 - ③ N.80°E SET NAT N-SIDE 8" ASH
18.69'
 - ④ S.10°W SET NAT W-SIDE 10" ASH
3.39'
 - ⑤ S.70°W SET NAT S-SIDE 12" ASH
10.39'
 - ⑥ N.30°W FND NAT #28409 N-SIDE
10" ASH 12.30'
- MOVED IRON AND STONE
20" STONE + TOP SOIL
Then 4' T 3.0' - SAND + CLAY



T2N, R1E

INGHAM Co

SEC 12 N 1/4 COR

L-3

FND 1/2" PIPE + CAP 11370 4' LONG

IN MON BOX 0.6' ASPHALT

0.8' GRAVEL UP TO 3' OF SAND

NO EVIDENCE OF ANY OTHER

MARKER

CONC HEADWALL

① S 80° E 198.75' S.W. BRIDGE COR

② N 85° E 198.89' N.W. BRIDGE COR

③ N 65° W 24.82' FND NPT NW 1/4 SIDE

28" OAK

④ S 60° W 28.30' FND B+C CAP

EMASSED, MATCHED DISTANCE TO

TRAU. PT. # 11061 FROM 4-17-78

CETA S.105 FROM L. BRYAN

at POLARIS,


Held 1/2" PIPE + CAP and SET

REMOVED B+C #47969 IN PLACE.

2-14-05

RAIN 40° DT, BV

(22)



INGHAM Co T2N - R1E
 CENTER. SEC 12. L4

FND 1/2" IRON NORTH SIDE
 ROTTEN 3" FENCE POST
 FENCE LINE EAST WEST
 AND SOUTH CHK AND
 REWITNESS CORNER


- ① N 80° E FND NPT #18798 N. SIDE
 40" MAPLE 45.85
- ② S 30° E SET NPT W. SIDE 10' ELMA
 16.0
- ③ N 80° W SET NPT N. SIDE NEW 16"

- ④ cherry 16.82
 N 45° W FND NPT #18798 S.E. FACE
 12" IRON WOOD 39.15

REMOVED DIRT & STONE
 3' I. DEEP THEN RESET
 REMON

2-17-05

COODY 20° DT, JV



(24)

Ingham Twp. T2N, R1E
Sec 13, N1/4 COR L-5


Found witness tags fence line
N. of Iosco Rd. ~~Fence~~

Found 3 irons.
Iron & obliterated cap S of
fence line. 5.1' W. to 1"
(Rebar) pipe. 4.95' W. to 3/4"
(bent) pipe w/square head. Removed
1/4 Temp. replaced w/1/2" rebar
Excavated W. most pipe to
2.0' and hit many hardball
sized rocks. A 12" clay
culvert runs N-S pretty much
under center iron. Excavation
hit stones & rocks. Top culvert
is 20' below road bed. Set
REMARK B+C #4969 in place of 3/4" REBAR
Set NKT in SW side of
72" Maple 62.5' from NKT SW To
Mall. Maple & 36' SW To NKT
in Twin Maple
witnesses

Set NKT #31603 in S. face 24" maple, N60°W, 59.92'
Fd. NKT #28409 in NE FACE 12" maple N30°W, 25.07'
Set NKT #31603 in S. FACE 24" CHERRY N60°E 83.37'
Fd. PK + Tag in E. FACE P.P. South 34.45'
COR. is 15.5' S. of N. END CMP and 23.5' N of S. END
COR. P. # COR. RAILS falls in center of CMP

BS
BV
11-1-04
cldy 50°

(13)



INGHAM CO., T2N-R1E, SEC. 12, NE COR. M3

CLoudy, 35° JS BV


2-11-05

(20)

FD, 3/4" pipe in mon. box, 2.5' E. of Meech Rd., 5' N. of E Columbia Rd (to the W.) Removed. Top of mon box was 5" below Top of bit. 5" of bit., then dug through inside of mon box 1' of gravel, 8" of gravel-clay mix, then 1.5' of clay. No further evidence found.

set 3/4" x 18" Bar w/ Remon Disk #47969, in previous location.

- ① FD. Nail Tag #18998 W. side 24" Ash S. 23° E. 62.99'
- ② FD. Nail Tag #13039 N. side 42" Ash N. 72° E. 22.40'
- ③ FD. Nail Tag #13039 Top wood guard rail post N. 40° W. 29.42'
- ④ FD. Nail Tag #13039 Top wood guard rail post N. 69° W. 45.00'




UNIVERSITY CO.
SEC. 12, E 1/4 COR. M-4

FD. 1/2" pipe with cap #11370 in mon box
1' E of E road; removed. Dug through
2' of gravel, trace of clay. At 2' deep,
hit large (± 6" dia.) stone; unable to remove,
or break-up said stone.


set 3/4" x 18" Bar w/ Re-mon Disk
#47969 in previous location.

- ① set mag nail in E culvert, 1' E. of W. end
N. 20° W. 91.87'
- ② FD. Nail & Tag #28414 E. side Quad 18" Maple
S. 25° E. 76.32'
- ③ FD. Nail & Tag #18998 W. side 48" Maple,
S. 15° E. 132.00'
- ④ FD. 3/4" Bar in mon. box
North 84.60'

cloudy, 35° JS BV 2-11-05



set mag
nail in culvert



Ingham Twp., T2N, R1E
Sec. 13 NE COR M+5

B5
BV

11-1-04

cidr 40°
(14)

Found man box (cracked lid) in
East lane of North bound Meach
Rd. 1.7' E of & North 99' to 3/4"
Capped iron (11370) in man box.
N 45° E to N 4 T in mine R.P.
39.10' 575° E to N 4 T in SW
side of 13" Sassafras, 46.95'.
570° W, 74.56' to N 4 T in
20" Walnut.

Top of pipe 0.5' below surface.
At 1.0' hit sand-gravel
mixture. Removed 20" pipe,
pinched at bottom. Excavated
to depth of 3.2' and found
no further evidence. Replaced
with iron & man cap #3603.

