


SOURCE: RECORD CO. SURVEYOR VOL. 3 PAGE 12 Yr. 1864
TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE



T4N-R2W

SOURCE:

RECORD CO. SURVEYOR Vol. 3 PAGE 12 Yr. 1864

TRANSCRIBED from

~~CERTIFICATE~~
DUPLICATE

on file at

REMON. OFFICE

12

Survey of the Southeast fractional quarter of Section (6) six and a part of the North-east fractional quarter of Section (7) seven in T. 4 N. R. 2 W. Beginning at the Quarter Post C, as represented in the accompanying Plat in the East line of Section six aforesaid and [crossing thence S. 0° 24' W. on the said section line 34.85 chains to a Post D, on the right bank of Grand River, from which Post, a white Ash 18 inches diameter, bears N. 33° E. 29 links and a Sugar 12 inches diam. bears S. 35° W. 14 links; thence on the meander line of said River through various stations as follows to wit: from the station D, S. 38° W. 51.6 chains to a Post E, in the line between Sections 6 & 7, from which Post, a Hickory 18 inches diam. bears S. 72° W. 62 links] thence from E, continuing S. 38° W. 3.20 chains to F; thence S. 47° W. 5.57 chains to G; thence S. 77° W. 5.00 chains to H; thence N. 85° W. 5.00 chains to I; thence S. 76° W. 1.72 ch. to a Post K in the division line BK, which parts off 93.50 Acres. to the East, and from the said Post K, a white Oak double 20 inches diam. bears S. 32° W. 8 1/2 links; thence continuing S. 76° W. 11.28 chains to a station L; thence S. 83° W. 6.29 chains to M; thence S. 73° W. 1.40 ch. to a Post N, in the intersection of the North & South Quarter Post line; thence leaving the meanderings of the River running North on said Quarter Post line 11.35 chains to the Quarter Post P, in the South line of Section 6 aforesaid; thence continuing North on the said Quarter Post line in Section 6, 39.75 chains to a Post A, in the East & West Quarter Post line of said Section 6, from which Post A, an Elm 15 inches diameter bears S. 60° W. 105 links; thence S. 89° 48' E. on said East & West Quarter Post line 18.62 chains to a Post B, in the intersection of the division line BK; thence continuing on said Quarter Post line S. 89° 48' E. 21.38 chains to the place of beginning, containing 184.85 acres. The part West of the division line BK containing 91.35 Acres.

Run by the true Meridian Variation 2 1/2° E.

Surveyed for Walter Richard August 17th AD. 1864 by

Thomas J. Brown,


Dep. Co. Surveyor for Eng. C. Meade

COUNTY SURVEYOR'S RECORD,

TOWN *Four* NORTH, RANGE *Two* West, MERIDIAN OF MICHIGAN.

Sections Six and Seven.

B3 pg 3



Page 12 Vol 3

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

24
25


Beginning at the south east fractional quarter of section six (6) and at the north east fractional quarter of section seven (7) in Twp. 11 N. R. 2 W. Beginning at the quarter post (1) as represented in the accompanying Plat in the East line of section six aforesaid and running thence S 0° 24' W on the said section line 34.85 chains to a post (2) on the right bank of Grand River from which post a White Oak 18 inches in diameter bears S 33° E 29 links and a Sugar 12 inches diam. bears S 35½° W 14 links. Thence on the meander line of said river through various stations as follows to wit: From the station (2) S 38° W 5.94 chains to (3) post (3) in the line between sections 6 & 7 from which post a Hickory 18 inches diam. bears S 72° W 62 links. Thence from (3) continuing S 38° W 3.20 chains to (4) thence S 47° W 5.57 chains to (5) thence S 77° W 3.00 chains to (6) thence S 83° W 5.00 chains to (7) thence S 76° W 1.72 chains to a post (4) in the division line (8)(4) which post of 93.50 acres to the east and from the said post (4) a White Oak double 20 inches diam bears S 32° W 8½ links; thence continuing S 76° W 11.28 chains to a station (2) thence S 83° W 6.29 chains to (3) thence S 73° W 1.40 chains to a post (5) in the intersection of the North and South quarter post line; thence leaving the meanderings of the river and running North on said quarter post line 11.65 chains to the quarter post (6) in the South line of section six aforesaid; thence continuing north on the said quarter post line in section 6 39.75 chains to a post (7) in the east and west quarter post line of said section 6 from which post (7) an Elm 15 inches in diam. bears S 65½° W 10.5 links, thence S 89° 48' E on said east and west quarter post line 18.62 chains to a post (8) in the intersection of the division line (8)(4) thence continuing on said quarter post line S 89° 48' E 21.38 chains to the place of beginning. Containing 184.85 acres.

The East West of the division line (8)(4) containing 91.35 a.
Run by the true Meridian Variation 2¾° E
Surveyed for Walter Pickard August 17th A.D., 1864 by
Thomas J. Brown
Deft. Co. Surv., for Douglas Co., Mich.

SOURCE: RECORD CO. SURVEYOR VOL. 3 PAGE 14 Yr. 1864

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

Sections 5 & 8.



Survey of the Northwest Quarter of Section Eight, and the fraction south of Grand River on Section Five T. 4 N. R. 2 W. beginning at the South west corner of Section five (5) [being in the meander line of the River and the Point A as denoted in the accompanying Plat. from which Point A Beech 10 inches diameter bears N. 73° W. 13 links & Red Oak 16 in. diam. bears N. 35° E. 14 links] thence running on the meander line of the left bank of Grand River through various Stations as follows to wit: N. 41° E. 49 links to G; thence N. 48° E. 17.90 chains to H; thence N. 70° E. 6.75 chains to I. being a stake and stones at the intersection of the line of Lots, from which stake a Beech 15 inches diameter bears S. 22° E. 57 links & a Beech (Doubt) 18 in. diam. S. 37° W. 58 links; thence N. 75° E. 4.50 chains to K; thence S. 53° E. 6.00 chains to L; thence N. 11° E. 6.93 chains to M; thence N. 67° E. 2.00 chains to N; thence East 1.10 ch. to O; thence S. 64° E. 4.50 chains to P; thence S. 36° E. 5.00 chains to Q; thence S. 58° E. 2.50 chains to R; thence S. 31° E. 73.50 chains to S; thence S. 45° E. 11.66 chains to T in the South line of the said Section (5), from which point a Lyrus 8 inches diameter bears N. 84° W. 10 links & a Butternut 12 in. bears S. 15° E. 13 links; thence leaving the meander line of the River and running on the section line a forward N. 89° 27' W. 17.96 chains to the Quarter Post C, from which a Beech 18 inches diameter bears S. 53° E. 26 links & Red Elm 9 in. diam. bears S. 63° W. 9 1/2 links; thence S. 1/2° W. 38.74 chains on the Quarter Post line in Section Eight (8) to D where it intersects the East & West Quarter Post line in the center of a Highway; thence West on the said East & West Quarter Post line 38.88 chains to the quarter Post F, in the West line of the Section, from which a Sugar Swamp 6 inches diameter bears S. 76° W. 11 links; thence N. 1/2° E. on said West line of the section 40.12 chains to the place of beginning; Containing 237.18 Acres (the bearing & distance of the West line is found by calculation). Also run the division line BBT, beginning 19.34 chains East of said West Quarter Post, at B, and running thence N. 1/2° E. on the line of Lots 38.83 chains to B, in the West line of said Section (8), from B, a Beech 16 inches diameter bears N. 46° W. 13 1/2 links & a W. stlk. 6 in. dia. S. 8 1/2° W. 37 links; thence continued N. 1/2° E. on the line of Lots in section five (5) 14.78 chains to I, where said line of Lots intersects the meander line of the River. The part West of the division line contains 96.94 Acres, and the part East of said line contains 140.24 Acres.

Run by the true Meridian Variation 2 1/2° E.

Surveyed for Edward Parmelee & Co. by A. S. Elliott on August 29th AD. 1864 by

Thomas J. Brown Dep. C. Surveyor for Sug. Co. Mich.

LANSING T. & N. R. W.


C-3

3

p 2 of 2

SOURCE: FOLDER # 1 P. 15

TRANSCRIBED from DUPLICATE on file at Reman. Office



D-3

Section	Timber	Diam	Bearing	Links	Acres	Timber	Diam	Bearing	Links
A	Beech	10	N. 83° W	15	1	St. h. volume			
	B. Oak	16	N. 33° E	14	1	Beech	15	N. 22° 43' 59"	
B	Beech	16	N. 46° W	18	"	" (small)	18	S. 37° 24' 52"	
	W. Ash	6	N. 8° 45' W	32					
C	Beech	18	S. 11° 42' E	26	1 1/4	Sugar	8	N. 84° W	10
	Red Oak	9	N. 63° W	9 1/2	1 1/4	Hardwood	12	S. 15° E	13
	3 in. center of Highway								
H	Sugar	6	S. 76° 46' W	11					

Run by the true meridian. Magnetic variation 2 degrees 45 minutes W.

Surveyed the 29 day of Aug 1866 by

D. J. B.
County Surveyor of Ingham County, Michigan.

Sec. 8

LANSING
township

T4 N. R2 W

D-3

6

p. 1 of 1 8-29-67


15

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

58

77 4 KR. 2 M

Section 5



10-20-1870

LANSING
township

T 4 N, R Z EW

C-3

4

p. 1 of 2

SOURCE: RECORD CO. SURVEYOR VOL. 3 PAGE 58 Yr. 1870

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

Survey of the South-west Quarter of the North-east Quarter, and the South-east Quarter of the North-west Quarter, & also the North Fractional part of the South-west Fractional Quarter of Section No Five in Township No Four north of Range No Two west as represented in the accompanying Plat, the scale of which is ^{one half} thirteen chains to miles in which Plat the position of the Lansing & Conia Railroad, the Grand River turnpike and Grand River itself, and distances on the line, and letters of reference to lines and corners, and the number of acres in the various divisions are respectively given.

The corners are described as follows

A = a stone the top of which is even with the surface of the ground

B = a Post from which a W. Oak 5 inches diam. bears S 73° W 23 1/2 lbs distant

C = a Stone sunk even with the surface of the ground

D = a Post fr. wh. a Beech 16 inches Diam bears S. 41° W. 45 lbs distant

E and F Posts with no witnesses

G = a Post from which a Butternut 14 inches diam. bears N 30° E 48 lbs

H = a Post " " a White Ash 20 " " " N 33° E 29 "

" " " " Sugar 14 " " " S 35° W 14 "

POST ON BANK OF
GRAND RIVER
~~MEANDER~~
~~LINE~~

Run by the true Meridian Mag. Var. 1° 55' East

Surveyed for Susan Stambaugh Dec. 20th 1870 by

J. J. Brown Dep. Co. Surveyor Ing. Co. Mich.


* C = a Post on the right bank of Grand River, thence down the River through various stations as follows

1	N.	43°	W.	1.79 ch.
2	N.	55	W.	1.50 "
3	N.	65	W.	2.50 "
4	West			2.50 "
5	S.	70	W.	2.00 "
6	S.	52	W.	3.00 "
7	S.	7	W.	4.50 "
8	S.	35	W.	5.00 "
9	S.	65	W.	2.00 "
10	S.	78	W.	2.50 "
11	N.	81	W.	1.50 "
12	S.	75	W.	2.50 "
13	S.	74	W.	2.50 "
14	S.	61	W.	3.00 "
15	S.	54	W.	5.00 "
16	S.	51	W.	7.81 "

To the West line of Section Five.
51.00 chains whole distance of the meander line.

TOWN Four NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Section Five



Page 58, Vol. 3.

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10.
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

24
25

INGHAM COUNTY, MICHIGAN.

B3 pg:16

TOWN Four NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the Southwest quarter of the north east quarter of the south east quarter of the north west quarter & also the north fractional part of the south west fractional quarter of Section No Five in Township No Four North of Range No Two West as represented in the accompanying plat. The scale of which is thirteen and a half chains to one inch, in which plat the position of the Lansing and Ionia Railroad, the Grand River Turnpike & Grand River itself, and distances on the sides and letters of reference to lines & corners and the number of acres in the various divisions are respectively given.

The corners are described as follows.

- A. a stone the top of which is even with the surface of the ground.
- B. a post from which a 16 Oak 5 in. diam. bears S73 $\frac{1}{2}$ W 28-lks distant.
- C. a stone sunk even with the surface.
- D. a post fr. wh. a Buck 16 in. diam. bears. S44W 45 " "
- E and F posts with no witnesses.
- G a post fr. wh. a Butternut 14 in diam. bears N30 $\frac{1}{2}$ E 48 lks
- H " " " " N. Ash 20 " " " N33 $\frac{1}{2}$ E 29 "
- " " " " Sugar 14 " " " S35 $\frac{1}{2}$ W 14 "

Run by the true Meridian May. Var 1 $^{\circ}$ 55' East

Surveyed for Susan Hamburg. Oct. 20th 1870 by
T. J. Brown Dep. Commr., Ing. Co., Mich.

* G a post on the right bank of Grand River, thence down the River through various stations as follows.

1. N43W 1.79 chs
2. N55W 1.50 "
3. N65W 2.50 "
4. West 2.50 "
5. S70W 2.00 "
6. S52W 3.00 "
7. S7W 4.50 "
8. S35W 5.00 "
9. S65W 2.00 "
10. S78W 2.50 "
11. N81W 1.50 "
12. S73W 2.50 "
13. S74W 2.50 "
14. S61W 3.00 "
15. S54W 5.00 "

16. S51W 9.81 " To the west line of Sect 5.
11.60 chains whole distance of the meander line.

145

See H. Lansing

Survey of N line of parcel
described before at a point 4.25 chs
South of N.E. corner of Sec 4, T. 4 N. R.
2 W. Range West 10.97 chs to Center of Lansing
and Dr. West Road thence S.E. 4 some
quarters of Rod about 5.61 chs to land of
J. Curwick thence East 10.13 chs to by
corner upon application of Chip
Lansingburg

July 5th 1900

My observation 0°

of Curwick

O. S. Gray etc.

Chip Lansingburg

Commenced at West point of Sec 4

to old fence line: Chas. 10 N. 10 E. 10 S. 10 W.

to stone fence line on 1/2 Sec 4

27.30 chs to Center line Dr. West Road. S.

39.91 S. 1/4 Sec 4 to a stone fence line

Maple 1/2 - N 66 1/2 W - 100 1/2 ft.

6 - S 50° E - 89 ft.

Ran thence S 1/2 E on N 1/4 line, S.

4.25 chs old fence line 1/2 Sec 4 to old fence line

Maple 7 - S 66° E - 57 1/2 ft.

Ran thence N 89° 45' W. at 1101. old Gasfry

in Center line of Road S.W.

Sounded 12, S 52° 30' E 85 ft.

10. N 34° E - 146 ft. 29 ft.

Thence N 1/4 by 450 chs to wire station, line

with E x W line.

E. A. Calkins

Dep. Co. Surveyor

I hereby certify that on
the 31st day of May and 1st, 2nd
and 4th days of June A.D. 1900
I made the foregoing sur-
vey, set and marked the
corners, and established the
lines as therein set forth.

E. A. Calkins

Deputy County Surveyor.

Lansing
township

T 4 N, R 2 W

E2

corner code attachment no.

9


p. 1 of 1

COPY OF MINUTES OF SURVEY.

Register of Deeds.

B1 pg 71

SECTION 4, Town 4N North, Range 2W Meridian of Michigan.



F-2

- Stone, f.w. bears Maple 8. N 86 3/4° W - 100 1/2 lks
- Do 6. S 80° E - 39 "
- * M. dit 1 1/4' Gas Pipe 3 ft long. f.w. bears Maple 7 - S 66° E - 51 2/3 lks.
- * N dit 1 1/4' Gas Pipe 2 ft long. with king bolt in top. f.w. bears
- Sugar 12, S 52 1/2° E - 8 1/2 lks
- Cherry 10, N 3 3/4° E 14 1/3 lks.

Section Corners.

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Gas pipe 1 1/4' f.w. bears Cherry 10 N 3 1/2° E 14 1/3 lks
Old Elm still remains as stump almost entirely decayed.

a
b
c
d
e
f
g
h

STATE OF MICHIGAN, } ss.
COUNTY OF INGHAM, }
Do Hereby Certify that I did, on the application of E. A. Balkins, Deputy, County Surveyor of said County,
Philip Schmeberger

survey parcel for a line in N.E. corner of S.W. 1/4 of


Section 4 in the Township of Sanborn, Town 7 North, Range 2 W
on July 5th A.D. 1900, and the following persons acted as chainmen, first being duly sworn, to-wit:

A. J. Angell Philip Schmeberger
And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

E. A. Balkins Deputy County Surveyor.

COPY OF MINUTES OF SURVEY

SECTION 3rd, Town 4 North, Range 2 W. Meridian of Michigan.



B-1 pg 34

E-1.

E-2

C

Section Corners.
1
2
3
4

X Posts.
5
6
7
8

Old post of resurvey.

1/4 Posts on Section Lines.
9
10
11
12
13
14
15
16

Point only

MINUTES OF SURVEY (Concluded).

- a
b
c Well point, f. w. Stick 9 - S 72° N. 6 l.
Stick 2 1/2 - N 24° N. 7 1/4 l.
d. Post only
e
f Print - Gas pipe 50 l. East.
g File and post.
h a point only.

Magnetic variation of 10' West was allowed
Distances herein indicated are not standard
but in accordance with terms of deeds.

STATE OF MICHIGAN, } ss.
COUNTY OF INGHAM, }
I, E. A. Balkins, County Surveyor of said County,
Do Hereby Certify that I did, on the application of John Noth
survey parcel on North side of S.E. 1/4 of N.E. 1/4 of
Section 6.
Section 6, in the Township of Lansing, Town 4 North, Range 2 N.
by September 22nd A.D. 1922, and the following persons acted as chainmen, first being duly sworn, to-wit: 6 H. Casterline Paul Noth
And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it
is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.
E. A. Balkins, County Surveyor.