


BK 3-P9 4

Sections six and seven



Page 13 Vol. 3

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

24

28

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

INGHAM COUNTY, MICHIGAN.

TOWN Four NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of the south west fractional quarter of section (6) six and a part of the north west fractional quarter of section (7) seven T. 4 N. R. 2 W. Beginning at the quarter post (1) as represented in the accompanying map, on the east line of section line six from which Post a willow 10 inches diameter bears $82^{\circ} 0' E$ 225 $\frac{1}{2}$ links; and running thence $89^{\circ} 48' E$ on the quarter post line 1150 chains to a post (2) from which a sugar 6 inches diameter bears $32^{\circ} 10' W$ 124 $\frac{1}{2}$ links, thence $33^{\circ} 4' E$ 10.04 chains to a stake and stone (K) thence $81^{\circ} 2^{\circ} E$ 2385 chains to a stake and stone (L) thence $89^{\circ} 34' E$ 17.55 chains to a stake and stone (M) thence $71^{\circ} 4' W$ 13.43 chains to a stake and stone (P); thence $389^{\circ} 40' E$ 9.64 chains to a stake and stone (3) in the quarter post line; thence south on the quarter post line for sections 6 & 7, 31.00 chains to a post (4) on the right bank and in the meander line of Grand River being in section (7) and distant 1.25 chains south of the quarter post in the north line of said section (7) thence on the meander line of said River through various stations as follows to wit: $37^{\circ} 30' W$ 147 lks to (T), thence $88^{\circ} 10' W$ 7.19 chs to (S) thence $77^{\circ} 51' W$ 1.06 chs to (X). This post is a division point where the line (B.M.) being continued intersects the meander line of the River and starts off in the figure (5.P. 3. 4. 5) 31 acres; and from the post (5) a Red Elm 12 inches diam. bears $87^{\circ} 4^{\circ} W$ 28 links to a white Oak 8 in diam. bears $32^{\circ} 10' W$ 18 links; thence $77^{\circ} 51' W$ 45.1 lks to (Q), thence $76^{\circ} 0' W$ 14.79 chs to D (On this course at 7.68 chains is the center of a lane 75 lks wide running North 14.09 chains and also at the point (4) being 12.24 chains from (Q) is the intersection of the line (B.L.) continued and from the point (6) a Red Oak 15 in diam bears $86^{\circ} 2' W$ 35 $\frac{1}{2}$ lks to Yellow Oak 15 in diam. bears $31^{\circ} 10' E$ 33 $\frac{3}{4}$ links and the figure (6.L.M. 5.C. 6) contains 25.30 acres including the lane reserved which contains 1.05 acres; thence from (D) to (E) $88^{\circ} 10' W$ 5.44 chains; thence $368^{\circ} W$ 8.44 chains to F. thence $85^{\circ} 40' W$ 5.50 chains to the post (7) in the west line of section (7) seven from which post a sugar 12 inches diameter bears $77^{\circ} 15' W$ 24 links and Blue Oak 20 in diam. bears $71^{\circ} 31' E$ 23 links, thence leaving the meander line of the river and running on the said section line $71^{\circ} 3' E$ 10.48 chains to the north west corner of section (8) from which a Beech 6 in diam bears $80^{\circ} 2' W$ 38 links; thence continuing $71^{\circ} 3' E$ 10.48 chains on the west line of section six (6) 40.00 chains to the place of beginning. The figure (1.B. 6. D. C. F. 7. 8. 1) containing 70.00 acres and as afore said the figure (6.L. M. 5.C. 6) containing 25.30 acres and (5.P. 3. 4. T. S. 5) = 31.00 acres + (B. 2. K) = 0.75 acres Total 127.05 acres


Run by the true Meridian Magnetic Variation $2^{\circ} 34' E$
 Surveyed Aug. 18th 1864 for Michael Blumberg by
 Thomas J. Brown
 Dep. Co. Surv. for Ing. Co., Mich.

SOURCE: RECORD CO. SURVEYOR Vol. 3 PAGE 14 Yr. 1864

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

1. 4. 11. 12. 2. W.

Sections 5 & 8.



LANSING
township

T 4 N. R 2 EW

43
corner code

3
attachment no.

p. 1 of 2

RECORD CO. SURVEYOR VOL. 3, P. 14, YR. 1864, DUPLICATE FROM REMON
OFFICE

Survey of the Northwest Quarter of Section Eight, and the Fraction south of Grand River on Section Five T. 4 N. R. 2 W. beginning at the South west corner of Section five (5) [being in the meander line of the River and the Point A as denoted in the accompanying Plat. from which Point A bears 10 inches diameter bears N. 73° W. 13 links & Red Oak 16 in. diam. bears N. 35° E. 14 links] then running on the meander line of the left bank of Grand River through various Stations as follows to wit: N. 41° E. 4.9 links to G; then N. 48½° E. 17.90 chains to H; then N. 70° E. 6.75 chains to I, being a stake and stones at the intersection of the line of Lots, from which stake a Beech 15 inches diameter bears S. 22½° E. 57 links & a Beech (Double) 18 in. diam. S. 37½° W. 58 links; then N. 79° E. 4.50 chains to K; then N. 53° E. 6.00 chains to L; then N. 11° E. 6.93 chains to M; then N. 67° E. 2.00 chains to N; then East 1.10 ch. to O; then S. 64° E. 4.50 chains to P; then S. 36° E. 5.00 chains to Q; then S. 58½° E. 2.50 chains to R; then S. 31° E. 13.50 chains to S; then S. 45° E. 11.56 chains to T in the South line of the said Section (5), from which point a Lyron 8 inches diameter bears N. 84° W. 10 links & a Butternut 12 in. bears S. 15° E. 13 links; then leaving the meander line of the River and running on the section line aforesaid N. 89° 27' W. 17.96 chains to the Quarter Post C. from which a Beech 18 inches diameter bears S. 53½° E. 26 links & Red Elm 9 in. diam. bears S. 63½° W. 9½ links; then S. ½° W. 38.74 chains on the Quarter Post line in Section Eight (8) to D where it intersects the East & West Quarter Post line in the center of a Highway; then West on the said East & West Quarter Post line 38.88 chains to the quarter Post F in the West line of the Section, from which a Sugar Stump 6 inches diameter bears S. 76½° W. 11 links; then N. ½° E. on said west line of the section 40.12 chains to the place of beginning; containing 237.18 Acres. (The bearing & distance of the west line is found by calculation). Also run the division line E B I, beginning 19.84 chains East of said West Quarter Post, at E, and running then N. ¼° E. on the line of Lots 38.83 chains to B, in the North line of said Section (8), from B. a Beech 16 inches diameter bears N. 46° W. 13½ links & a W. Ash 6 in. diam. S. 8½° W. 37 links then continued N. ¼° E. on the line of Lots in section five (5) 14.78 chains, to I, where said line of Lots intersects the meander line of the River. The part West of the division line contains 96.94 Acres, and the part East of said line contains 140.24 Acres.

Run by the true Meridian Variation 2½° E.

Surveyed for Edward Parmelee & Ernest A. Elliott, co. August 29th AD. 1864 by

Thomas J. Brown, Dep. C. Surveyor for Ing. Co. Mich.


STATE OF MICHIGAN, } ss.
COUNTY OF INGHAM.

Received for Record this 10th day of November, A. D. 1877, at 5 o'clock P. M.
H. A. Lester
Register of Deeds.

Book 1 pg. 2 SECTION

COPY OF MINUTES OF SURVEY.

SECTION 18, Town 4 North, Range 2 West Meridian of Michigan.



- Tile and crocking f.w. Elm 4 in. N. 74° W. 94 lbs & Sugar 5 in. S. 66° W. 87 lbs.
- 1 Stone set 34 lbs north from a stone marking the corresponding corner in Delta township.
- 2 White Stone & brick set in place of old post found in center of highway f.w. Apple 8 in N. $35\frac{1}{2}^{\circ}$ W. 69 lbs Sugar 6 in N. 21° E 45 lbs, Oak 3 in. S. $70\frac{1}{2}^{\circ}$ W 109 lbs
- 3 Stone set by Preston in center of C. & M road 6 ft west, from line of fence running north and 2 ft east of line of fence running south.
- 4 Iron pipe 3 ft long set in place of old post set by Preston f.w. N.W. corner of School House. S. 37° E 173 lbs Elm 6 in N. 63° E 57 lbs, Double Oak 20 in. N. 84° W. 119 lbs.
- 5 Stone set f.w. White Oak 10 in. N. $52\frac{1}{2}^{\circ}$ E 70 lbs & Elm 8 in. N. $42\frac{1}{2}^{\circ}$ W. 67 lbs.
- 6 Stone & gas pipe set f.w. maple 8 in N. 51° E 67 lbs.
- 7 Stone & small stone in center of highway.
- 8 Stone set in place of old post, and 37 lbs north of stone marking Delta corner f.w. sugar 4 in. S. $77\frac{1}{2}^{\circ}$ E 118 lbs, Elm 10 in. S. 110° W. 66 lbs. W. Oak 10 in. N. $12\frac{1}{2}^{\circ}$ W. 63 lbs
- 9 In center of ditch under bridge f.w. Oak post set 50 lbs south Elm 4 in N. 41° W. 59 lbs.
- 10
- 11
- 12
- 13 Stone and small stone f.w. W. Oak 10 in S. 45° W. 61 lbs. Sugar 14 N. 40° W. 108 lbs & Elm 16 in. N. 78° E. 149 lbs.
- 14 Brick set by Preston f.w. maple 6 S. 5° W. 53 lbs.

1/4 Posts on Section Line.

MINUTES OF SURVEY (Concluded).

- M. Stone & brick f.w. Elm. 4 in. N. 4 1/2° E 59 lbs. sugar 6 in. N. 62° W. 96 lbs. and Elm 8 in. S. 28° W. 60 lbs.*
- c. Stone set.*
- d. Stone set f.w. W. oak 2 in. S. 61° E 97 1/2 lbs. & W. Oak 20 in. S. 60° W. 81 lbs.*
- e. Stone set.*
- f. Stone set.*
- h. M. Stone set f.w. maple 10 in. N. 11° E 57 lbs. Elm 6 in. N. 49° W. 76 lbs.*
- N. Stone set.*
- O. Stone set.*
- P. Blue stone f.w. Elm 4 in. S. 22 1/2° E 51 lbs. & Sugar 7 in. N. 7 1/2° E 58 1/2 lbs.*
- R. Post set.*
- S. Cedar post set.*
- T. Stone set.*
- W. Broken sleigh shoe set.*
- X. Broken sleigh shoe set.*

STATE OF MICHIGAN,

COUNTY OF INGHAM,

ss.

Do Hereby Certify that I did, on the application of

W. A. Rowe
C. W. Van Dyke

County Surveyor, of said County

Section *15* in the Township of *Lansing*, Town *4* North, Range *2 W*

on October 21st and November 1st & 2nd 1899, and the following persons acted as chainmen, first being duly sworn, to-wit:

C. W. Van Dyke, M. B. Wingard, John Russell & S. A. Pratt

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey, as *2 in.*

W. A. Rowe

County Surveyor

SOURCE: RECORD CO. SURVEYOR


V.3 P.13

TRANSCRIBED from RECORD CO. on file at REMON. OFFICE

13

T. 4 N. R. 2 W.

Sections 6 & 7.



Survey of the Southwest fractional Quarter of Section (6) six and a part of the north-west fractional Quarter of Section (7) seven T. 4 N. R. 2 W. Beginning at the Quarter Post A as represented in the accompanying plat, in the west line of section six, from which Post a willow 10 inches diameter bears S. 27° E. 225 1/2 links; and running thence S. 89° 48' E. on the quarter post line, 11.50 chains to a Post I, from which a Sugar 6 inches diameter bears S. 28° W. 124 1/2 links; thence S. 3 1/4° E. 10.04 chains to a stake and stones (K); thence S. 12 1/2° E. 23.85 chains to a stake and stones (L); thence S. 89 3/4° E. 17.55 chains to a stake and stones (M); thence N. 1/2° W. 13.43 chains, to a stake and stones (P); thence S. 89 3/4° E. 9.64 chains to a stake and stones (Q) in the quarter post line; thence South on the quarter post line of sections 6 & 7, 31.00 chains to a Post (R) on the right bank, and in the meander line of Grand River, being in section 7, and distant 11.25 chains south of the quarter Post in the north line of said section 7; thence on the meander line of said River, through various stations as follows to wit: S. 73° W. 1.47 ch. to T; thence S. 84° W. 7.19 chains to S; thence N. 78° W. 1.06 ch. to U. This Post is a division point where the line P.M. being continued, intersects the meander line of the River, and Parts off in the figure N P Q R T S U, 31 Acres and from the Post U, a Red Elm 12 inches diameter bears S. 75 1/2° W. 24 links & a White Oak 8 in. diam. bears S. 2° W. 18 links; thence N. 78° W. 4.51 chains to O; thence N. 60° W. 14.79 chains to D. (On this course at 7.68 chains is the center of a Lane 75 links wide running North 14.09 chains, and also out the point C, being 12.24 chains from O, is the intersection of the line B.I. continued; and from the point C, a Red Oak 18 in. diam. bears S. 62° W. 31 1/2 links & Yellow Oak 15 in. diam. bears S. 17° E. 53 1/2 links; and the figure C L M N O C, contains 25.30 Acres including the Lane reserved which contains 1.05 Acres); thence from D to E, S. 87° W. 5.41 chains; thence S. 68° W. 8.41 chains to F; thence S. 59° W. 5.50 chains to the Post G in the west line of Section seven (7), from which Post a Sugar 12 inches diameter bears N. 77° W. 24 links & Blue Ash. 20 inches diam. bears N. 31° E. 23 links, thence leaving the meander line of the River and running on the said section line N. 0° 3' E. 10.48 chains to (the Northwest corner of said section) H, from which a Beech 6 inches diam. bears S. 52° W. 38 links; thence continuing N. 0° 3' E. on the west line of Section six (6), 39.80 chains to the place of beginning; The figure A B C D E F G H A, containing 70.00 Acres; and as aforesaid the figure C L M N O C containing 25.30 Acres and N P Q R T S U = 31.00 Acres & B I K = 0.75 Acre Total 127.05 Acres.

Run by the true Meridian. Magnetic Variation 2 3/4° East

Surveyed August 18th A.D. 1864 for Michael Blumberg, by
Thomas J. Brown Dep. C. Surveyor for Ingham Co. Mich.

V. 3 P. 12

12

T. 4 N. R. 2 W.

Sectionis 6 & 7

Township & County Line

D. H. Ricker & } Secretary
Marion A. Lounsberry } Chairman

Quarter Post line of section 6

B. S. 89° 48' E.
21.38 ch.

N^o 1155.

N^o 1156

W. H. Kerd

Dr. Haze,

91.35 Acres

43.50 Acres

South line of Section 6

Accounts - Post Office of Boston 7

B-4

South line of Section 7

township LANSING T4NR2W corner code attachment no. B-4 3

~~P 1 - 2~~

SOURCE: RECORD CO. SURVEYOR

V. 3 P. 12

TRANSCRIBED from RECORD CO. on file at REMON. OFFICE
DUPLICATE

12

Survey of the Southeast fractional Quarter of Section (6) six and a part of the North east fractional quarter of Section (7) seven in T. 4 N. R. 2 W. Beginning at the Quarter Post C, as represented in the accompanying Plat in the East line of Section six aforesaid and running thence S. 0° 24' W. on the said section line 34.85 chains to a Post D, on the right bank of Grand River, from which Post, a white Ash 18 inches diameter, bears N. 33° E. 29 links and a Sugar 12 inches diam. bears S. 35½° W. 14 links; thence on the meander line of said River through various stations as follows to wit: from the station D, S. 38° W. 5.84 chains to a Post E, in the line between Sections 6 & 7, from which Post, a Hickory 18 inches diam. bears S. 72° W. 62 links; thence from E, continuing S. 38° W. 3.20 chains to F; thence S. 47° W. 5.57 chains to G; thence S. 77° W. 5.00 chains to H; thence N. 85° W. 5.00 chains to I; thence S. 76° W. 1.72 Ch. to a Post K in the division line BK, which parts off 93.50 Acres. to the East, and from the said Post K, a white Oak double 20 inches diam. bears S. 32° W. 8¾ links; thence continuing S. 76° W. 11.28 chains to a station L; thence S. 83° W. 6.29 chains to M; thence S. 73° W. 1.40 Ch. to a Post N, in the intersection of the North & South Quarter Post line; thence leaving the meanderings of the River running North on said Quarter Post line 11.25 chains to the Quarter Post P, in the South line of Section 6 aforesaid, thence continuing North on the said Quarter Post line in Section 6, 39.75 chains, to a Post A, in the East & West Quarter Post line of said section 6, from which Post A, an Elm 15 inches diameter bears S. 60½° W. 105 links; thence S. 89° 48' E. on said East & West Quarter Post line 18.62 chains, to a Post B, in the intersection of the division line BK; thence continuing on said Quarter Post line S. 89° 48' E. 21.38 chains to the place of beginning, Containing 184.85 Acres. The part West of the division line BK containing 91.35 Acres.

Run by the True Meridian Variation 23½° E.

Surveyed for Walter Ricker August 17th AD. 1864 byThomas J. Brown.

Dep. Co. Surveyor for Ing. Co. Mich.

Resurvey of 1909. by order of Twp. board Lansing Twp. Book 5 pg 218 R.J. Robb

TOWN 4th NORTH, RANGE 2 West, MERIDIAN OF MICHIGAN.

13	12	11	10	9	8	7	6	5	4	3	2	1	
14 Sec 6.		15 Sec 5		16 Sec 4		17 Sec 3		18 Sec 2		19 Sec 1		20	
30	32	31	30	29	28	27	26	25	24	23	22	21	
34 Sec 7		35 Sec 8		36 Sec 9		37 Sec 10		38 Sec 11		39 Sec 12		40	
41	42	43	44	45	46	47	48	49	50	51	52	53	
44 Sec 13		45 Sec 14		46 Sec 15		47 Sec 16		48 Sec 17		49 Sec 18		50	
61	60	59	58	57	56	55	54	53	52	51	50	49	
62 Sec 19		63 Sec 20		64 Sec 21		65 Sec 22		66 Sec 23		67 Sec 24		68	
75	74	73	72	71	70	69	68	67	66	65	64	63	
80 Sec 30		81 Sec 29		82 Sec 28		83 Sec 27		84 Sec 26		85 Sec 25		86	
99	98	97	96	95	94	93	92	91	90	89	88	87	
100 Sec 31		101 Sec 32		102 Sec 33		103 Sec 34		104 Sec 35		105 Sec 36		106	
119	118	117	116	115	114	113	112	111	110	109	108	107	

TOWN 4th NORTH, RANGE 2 West, MERIDIAN OF MICHIGAN.

All corners are marked by cement posts 2.5' long 3" square at top 4" square at bottom

- 6' East of End of Bridge Gas pipe by side
- By Hooker Post of fence going south, Under Co. Line fence.
- By Hooker Post of fence going South Delta post 18/15 East.
Set half way from adj. corners and on true line
- E/W 30° S-W
- Maple 10" S-W 50' Butternut 15" N-W 35' Row of Maples on East side is 35' East of Line
- Oak 24" N-E 17' Ash 10" East 26'
- Maple 8" S-W 45' Hick 10" S 35° E 58.5'
- Maple 10" South 20.5' Box Elder 12" N-E 47'
- E/W 24" S-W 61'
- Hick 6" South 6' Hick 8" S-E 16'
- Lynx N-W 3' Maple West 21.5' Hawthorn West 24.4'
- Willow 4" North 38.5' E/W 4" S 20° W 14.5'
- Honest 2" East 20' Apple 21" N-E 17'
- E/W 4" N-W 34' Ash 9" N-W 74'
- Blackwood 10" S 23.7' E/W 10" S-E 7'
- Cherry North 43.5' Maple 10" S-W 54.3'
- Stone S-W 27.6' Maple 8" S-W 33.5' Maple 10" N-W 17.4'
- Oak N-W 35' S Oak N-E 42.8'
- Ash S 60° E 28' By two posts
- 6' East of Road

- 24 Between 3 Anchor Posts.
- 25 Ash 6" N-E 38' Bitternut 20" N-E 33.4'
- 26 Cement post as witness 10' East to Wax Corner by Elm stump.
- 27 Bitternut 9" N-W 51 3/4 lks. Maple 4" N-E 50 1/2 lks.
- 28 P.M.P.R. 4 rods south P.M.P.R. 3 rods west. Under line fence.
- 29 Elm 12" N-W 70' Maple S-W 88'
- 30 Stone set by Bartholomew 29.5' South.
- 31 Riverbank North 24.4'; Riverbank West 21'
- 32 Under fences both ways.
- 33 ~~Stone~~ Under fences both ways.
- 34 2 Maple 15" N-E 56.5' Maple 20" S-E 48.9'
- 35 Maple 12" N-E 47.5', Elm 8" N-E 53'
- 36 W. Ash 10" N-E 23' Elm 8" S-E 47.5' Look this one up
- 37 Hick N-E 35.5' Hick N-W 38'
- 38 Poplar 12" S-E 13' S-E cor. House N-W 56.8'
- 39 West side of Road Gas pipe by side.
- 40 Oak 20" N-E 38' Oak 6" S-W 34.8' Fence post East 33'
- 41 Hick 6" S-E 70' Hick South 111.5'
- 42 Hick 10" West 11.4' Poplar 12" North 4'
- 43 W. Ash 9' S-W 35.3' Elm 20" N-W 64.6' Hick 8" S-W 18.9'
- 44 Basswood 8" N-E 58' S.W. cor. House N-W 59.5'
- 45 Apple 9" N-W 45.5' Sugar 6" N-E 29.7' Oak 3 S-W 72'
- 46 Apple 6" N-E 44' W. Ash 12" N-E 51'
- 47 Oak 13.4' N-W 33.4' Delta Cor. South 22.4'
- 48 Sugar 4" S 77 1/2° E 77.9' Delta Cor. 37.2 lks south.
- 49 Maple 15" N-E 39 1/2 Gauge of W. Rail of M. & N. R.R. East 20.8'
- 50 Iron marker for corner Cen. Mich. Ave. between Tavernier & Macadam.
- 51 Cement post S-W 24.6' Cement post S-E 24.6' Gauge STR. M.U.R. North 6.7'
- 52 1/4 East Lansing; Not set
- 53 ~~Corner~~ 33' W. iron in fence
- 54 Sugar 8" S-W 70' Sugar 10" N-W 107.5' 96 lks East of Center of Road.
- 55 Double Oak 10" N 86° W 26' Elm 30" N 89° W 72'
- 56 Iron corner in Race Track left from there Set Cement post N 45° E 25'
- 57 East fence N 45° E 19.9' West fence S 45° W 42.6'
- 58 Gas pipe by side
- 59 Cement post 12' South.
- 60 Gauge of W. Rail of M. & N. R.R. East 22.8' Gauge of S. Rail of M. & N. R.R. 22.8' S.W. cor. Crossing square N-E 30.1'
- 61 Elm 3" S 30° E 16' Gauge of S. Rail of M. & N. R.R. North 20.8'
- 62 S.W. cor. House N-E 80' Elm 12" N-E 36.6' D. Oak 24" N-W 72.8'
- 63 Basswood N-E 70.5' Gauge of W. Rail of M. & N. R.R. East 21'
- 64 Baker post true corner Cement post 5' West.
- 65 Gauge side South Tail of G.T. R.R. North 22.5' Ly 11 1/2' S 2° E 32' R.R. Sign N 40° E 76.5'
- 66 Gauge of S. Rail of North Track of G.T. R.R. 79.8' North.
- 67 Cement post at corner
- 68 Cement post 5' North Oak 15" S-W 39' Hick 8" S-W 66.5'
- 69 S.W. cor. M.C. North 25' Cement post N-W 30'
- 70 Oak 16" N-E 44.5' Ly 11 1/2' N-E 41' Ly 11 1/2' N-E 38.5' S.W. cor. N-E 140 1/4 lks 95.5'
- 71 Poplar 8' S-W 75.4' Maple 20" N-E 65'
- 72 Maple 8" S-W 20.3' Maple 14" S-W 18.8' Fence South 23.3'

S. W. cor. School
N-E 140 1/4 lks 95.5'
NW 42.8 cor. cen. post
Fence post 33' W. of 1/4 line