

Index Map

The figures on the lines refer to the pages

Meanders of a Lake

12	12	11	11	11	10	10	10	9	62
17	6	5	50	4	42	3	34	2	1
13	60	59	49	41	34				
16	7	58	8	49	41	10	33	11	24
15	58	57	48	40	32				24
15	18	57	17	47	16	39	15	32	14
15	56	55	46	39	30				22
15	19	55	20	45	21	38	22	29	23
14	54	53	44	37	28				20
14	30	53	29	44	28	37	27	26	20
13	52	51	43	36	27				19
13	31	51	32	43	33	35	34	26	35
12	4	15	4	15	3	2	2	2	1

Meanders of the Left Side of Grand River 63

Meanders of the Right Side of Grand R. & Cedar Creek 68

Meanders of the North Shore S. River & Cedar Creek 75

From ship 104 North of Range No 2 West

South Boundary { Variation by observation of Polaris 4° East

West on the South Boundary of Sec. 36*

16.50 Elm 10 in dia.

40.00 Set 1/4 Sec. Post from which a

Beach 24 in. N 57 1/2 E. 49 1/2

Do 18 " N 59 W 44 "

64.28 Sugar 30 in diam.

80.00 Set Post Cont. to Sec 35 & 36 fur. on

Elm 9 in. N 55 E. 14 1/2

Aug. 8 " N 59 W 41 "

Sand gently rolling & forest on

Timber - Beech Sugar - Spruce - Ash.

Undergrowth same

* From the Southeast corner of this section

a Beach 15 in. diam. bears N 80 1/2 E 25 1/2

a Sugar 15 in. " " N 37 1/2 W 23 "

T. A. N. - R. 2 W.

Enns 229

A. P. Drake

A. E. DREKESBURY
WASON, MICH.

8 North On the East Boundary of Sec. 12

17.67 Tamarac 8 in. di

27.50 Left the Swamp

33.50 a path Course West

40.00 set $\frac{1}{4}$ Sec. Post for a

Red Oak 11 in. S. 40 W. 28 lbs.

Black 9 in. N 43 W. 48 lbs.

44.00 Enter Marsh

76.00 Left "

80.00 Set Post Cor of Secs 14 & 12 for a

W. Oak 10 in. N. 26 W. 76 lbs.

Do 7. S. 56 W. 34 "

Land Rolling & 3^d rate mostly Marsh.

North On the East Boundary of Sec 10

21.84 Sugar 16 in. di

25.00 Enter Marsh without Timber

40.00 Set $\frac{1}{4}$ Section Post for a

Tamarac 7 in. South 12.90 lbs.

No other near

80.00 Set Temp. Post in the Marsh

Forest Cor. 12. Corner & Tamarac 16 in. diam N 55 $\frac{1}{2}$ E 22.53 lbs.

9 Land except Marsh is 2^d rate
Timber Birch, Ash, Oak, Beech &c.
Undergrowth same

North Boundary Vari 4° 5' E.

West 23, the South Boundary of Sec. 36 T. 5 N. R. 2 W.

Began in a large Marsh

40.00 Set $\frac{1}{4}$ Sec. Post for a

Elm 14 in. West 1774 lbs.

No other tree near

57.50 Left the Marsh

57.74 Elm 14 in. di.

72.00 Enter another Marsh

80.00 Set Post Cor to Secs 35 & 36 for a

Aspen 10 in. N. 88 $\frac{1}{2}$ E. 475 lbs.

Ash 10 N. 35 $\frac{1}{2}$ W. 209 "

Land Level and 3^d rate

No Timber in the Marsh, the the way

Land Oak, Ash, Aspen & Beech

52.25 Lynx 24 in diameter
 57.70 Enter Jam. Swamp
 80.00 Set a Post Cor. to Sec 24 & 25 for
 a Jam. Gin. N. 60 W.
 Do 5 in. S. 19 W.
 Land and Timber same as last mile
 Except the Swamp.

North On the East Boundary of Section 24

16.23 W. Oak 22 in. di.
 25.50 Enter Tamarac Swamp
 38.00 Left
 40.00 Set $\frac{1}{4}$ Sec. Post for a
 W. Oak 1 1/2 in. N. 41 W.
 Do 12 in. S. 6 W.
 54.00 Enter Swamp.
 60.00 Left
 61.00 W. Oak 18 in. di.
 80.00 Set Post Cor. to Sec 24 for a
 Beech 14 in. S. 27 W.
 Do 12 in. N. 52 1/2 W.
 Land and Timber similar to last mile

North On the East Boundary of Sec. 13

19.12 To a Stream Course West
 Set a fractional Post on the South side
 Ash 8 in. S. 37 E. 5 1/2 lbs
 Sug. 5 in. N. 86 W. 16"
 20.94 Set Post on the N. Side of Stream
 Ash 7 in. N. 77 E. 25"
 Lynx 12 in. N. 11 W. 50"
 40.00 Set $\frac{1}{4}$ Sec. Post for an
 Ash 7 in. S. 30 W. 37"
 Beech 19 in. N. 46 1/2 W. 78"
 60.30 W. Oak 20 in. di.
 75.00 Enter Swamp
 80.00 Set Post cor. to Sections 12 & 13 for
 Jam 6 in. S. 53 W. 195"
 Do 10 in. N. 19 W. 53"

South of the River Land and Timber same
 as before. North of the Stream the Land is 2 mile
 higher - 100-130 ft. higher with less exposure

West on the South Boundary of Sec. 32

23.80 Beech 12 in. di.

40.00 Set $\frac{1}{4}$ Sec. post for a

diag. 8 in. N. 85 W. 21 lbs

(Do 8 in. N. 31 $\frac{1}{2}$ E. 30 "

64.86 Diag. 23 in di.

80.00 To a B. Ash 20 in di. which stands

for the corner of Sec 31 & 32

Land 40 chains as last mile.

West on the South Boundary of Section 31

23.38 Beech 18 di.

40.00 Set $\frac{1}{4}$ Sec. Post for a

Beech 5 in. N. 64 $\frac{1}{2}$ E. 36 lbs

W. Oak 9 in N. 74 W. 24 "

47.50 Enter Swamp.

58.00 Left Swamp

61.98 Maple 22 in. di.

84.38 Cont. West Boundary 198 lbs North of the

Post and set a Post for a

Sugar 16 in. N. 88 W. 13 lbs

W. Ash 24 in. N. 80 E 42 lbs

Land and Timber same as last mile

East Boundary { Variation by observation

North on the East Boundary of Section 36 as the beginning 40 E.

20.40 Lygin 16 in. di.

40.00 Set $\frac{1}{4}$ Sec Post for a

Sugar 13 in. S. 14 W. 34 lbs

(Do 13 in. N. 85 $\frac{1}{2}$ W. 13 $\frac{1}{2}$ "

60.08 Beech 11 in di.

80.00 To a Lygin 12 in. Cor. to Sec 25 & 36

Land Nothing ind. first mile Timber

Ash Beech, Elm, Ironwood Sugar, Undergrowth

same as last mile.

North on the East Boundary of Sec 25

19.24 Beech 20 in di.

29.00 Enter Swamp

37.50 Left "

40.00 Set $\frac{1}{4}$ Sec. Post for a

Black 6 in. S. 6 W. 36 lbs

Red Oak 20 in. N. 22 $\frac{1}{2}$ W. 48 "

West on the South Boundary of Sec. 35.

17.56 Elm 24 in. di.

40.00 Set a $\frac{1}{4}$ Sec. Post for a

Be. 6 in. N. 70 E. 43 $\frac{1}{2}$ Ms

Do 8 in. N. 72 $\frac{1}{2}$ W. 17 $\frac{1}{2}$ "

64.50 A Stream 60 $\frac{1}{2}$ Ms. wide Course N. 70 E.

72.75 Elm 16 in. di.

80.00 Set Post Cor. to Sec. 34 & 35 for a

Lynx 8 in. N. 9 E. 35 $\frac{1}{2}$ Ms

W. Ash 11 in. N. 72 W. 10 $\frac{1}{2}$ "

Land and Tim. been same as last mile

West on the South Boundary of Sec. 34

4.00 Brook 8 $\frac{1}{2}$ Ms wide Course North

19.50 Another Brook

23.37 Brook 10 in diam.

40.00 Set $\frac{1}{4}$ Sec. Post for an

Elm 8 in. N. 26 W. 43 $\frac{1}{2}$ Ms

Aug. 5 in. N. 77 E. 10 "

48.00 A Brook 6 $\frac{1}{2}$ Ms wide Course N. E.

61.10 Ash 15 in di.

80.00 Set a Post Cor. Sec. 33 & 34 for

Beech 18 in. N. 30 E. 23 $\frac{1}{2}$ Ms

Do 5 in. N. 55 W. 18 "

Land &c same as last mile

West on the South Boundary of Sec. 33.

28.09 Lynx 14 in di.

40.00 Set $\frac{1}{4}$ Sec. Post for a

Beech 8 in. N. 71 $\frac{1}{2}$ E. 23 $\frac{1}{2}$ Ms

Ash 3 in. S. 37 W. 64 $\frac{1}{2}$ Ms

Aug. 18 in. N. 34 W. 38 "

64.41 Beech 18 in. di.

73.00 A Brook 6 $\frac{1}{2}$ Ms. N. 20 North

80.00 Set Post Cor. of Sec. 32 & 33. for

Beech 23 in. N. 20 E. 16 Ms

Do 9 in. N. 82 W. 53 "

Land and Tim. been same as last mile

54.00 A Brook 12 1/2 wide Corner South
 62.73 Beech 11 in. di.
 80.00 Set Post cor to Sec 31 & 32 for a
 Sugar 13 in. N. 63 1/2 E. 46 1/2
 Beech 10 in. N. 11 W. 27"
 Land and Timber same as last mile.
 West On the South Boundary Sec. 31 T. 5 N. R. 2 W.
 10.50 W. Oak 30 in. di.
 40.00 Set 1/4 Sec Post for an
 Ash 18 in. N. 28 E. 43 1/2
 Elm 12 in. N. 52 W. 15"
 Beech 13 in. di.
 59.75 East West Boundary 119 N. S. of Post
 83.88 and Set Post for a
 Beech 18 in. S. 41 1/2 E. 50 1/2
 Sugar 20 in. S. 75 1/2 W. 36"
 Land and Timber same as last mile.

West Boundary. Intersection 4° 5' E.
 ascertained by celestial observation at the place of beginning.
 North On the East Boundary of Section 36 T. 4 N. R. 3 W.
 16.03 Beech 18 in. di.
 40.00 Set 1/4 Sec Post for an
 Ash 7 in. S. 20 W. 14 1/2
 Beech 7 in. N. 16 W. 31"
 61.66 Sugar 15 in. di.
 80.00 Set Post cor. to Sec 25 & 36 for a
 Beech 18 in. S. 26 1/2 W. 24 1/2
 Do. 6 in. N. 48 W. 70"
 Land Holding 1st water - Timber
 Sugar, Beech, Ash, Elm &c

14

North on the East Bound^g Sec. 25 T. 4 N. R. 3 W.
 24.00 A. Brook 3 1/2 m wide Course West
 28.97 Ash 18 in. diam.
 40.00 Set 1/4 Sec. Post for a
 Beech 20 in. S. 58 W. 18 1/2 m.
 Do 7 in. N. 32 W. 42 "
 44.50 A Brook 8 1/2 m wide Course N. W.
 61.90 Set a fractional Post on the South
 side of Grand River, Course N. E.
 W. Oak 10 in. S. 20 1/2 E. 23 1/2 m.
 Red Oak 16 in. S. 94 E. 19 "
 66.10 Set a fractional Post on the North side
 of the River from which an
 Cornwood 6 in. N. 50 W. 13 1/2 m.
 Do 6 in. N. 60 E. 22 "
 70.50 A Brook 5 1/2 m wide Course E.
 80.00 Set Post cor to Sec 24 & 25 for a
 Beech 5 in. S. 47 W. 11 1/2 m.
 Do 28 in. N. 49 W. 53 "
 Land & Timber same as on the last mile

15

North on the East Bound^g of Sec. 24 T. 4 N. R. 3 W.
 26.43 Beech 15 in. di.
 40.00 Set 1/4 Sec. Post for a
 Beech 5 in. S. 17 W. 10 1/2 m.
 Ash 5 in. N. 44 W. 13 "
 R. Oak 18 in. di.
 57.12
 80.00 Set Post Cor. to Sec 23 & 24 for a
 Beech 18 in. S. 40 W. 22 1/2 m.
 Do 18 in. N. 7 W. 63 "
 Land & Timber same as last mile

North on the East Bound^g Sec. 13 T. 4 N. R. 3 W.
 18.73 Beech 9 in. di.
 40.00 Set 1/4 Sec Post for a
 Maple 16 in. S. 33 W. 28 1/2 m.
 Beech 12 in. N. 13 W. 24 "
 66.45 Ash 20 in. di.
 80.00 Set Post Cor. to Sec 12 & 13 for a
 Beech 30 in. S. 33 W. 25 1/2 m.
 Do 18 in. N. 12 W. 20 "
 Land & Timber same as last mile

16

North On the East Bound Sec. 12 T. 4. R. 3 W.

16.32 Beech 20 in. di.

40.00 Set $\frac{1}{4}$ sec. Post for a

Beech 15 in. di. 14 W.

Do. 20 in. N. 42 W.

50.50 A Brook

66.00 A Brook Enters Grand River; Set Post

Elm 8 in. S. 19 W.

Do 9 in. S. 66 E.

69.85 Set Post on the North Side of Grand River

Sugar 9 in. N. 77 W.

B. Ash 20 N. 31 E.

80.00 Set Post con. to Sec. 1 & 12 for a

Beech 5 in S 52 W.

Doon 10 in 5 in. N. 33 W.

Land & Timber same as last mile.

17

North On the East Bound Sec. 1 T. 4. R. 3 W.

23.60 Beech 18 in. di.

40.00 Set $\frac{1}{4}$ sec. Post for a

Beech 20 in. di. 26 W.

Sugar 11 in. N. 66 W.

55.00 Enter swamp.

65.10 Ash 20 in di.

68.00 Left the Swamp

80.00 Set a temporary Post

Land on the 1st $\frac{1}{2}$ mile same as the last
on the 2nd $\frac{1}{2}$ level & Timbered
with Oak

Surveyed by Lucius Lyon D.E.

$$\begin{array}{r} 4^{\circ} \\ 5^{\circ} \\ 3^{\circ} \\ 1^{\circ} \\ 3^{\circ} \end{array}$$

Subdivisions

North	Between dead 35 & 36	
18.09	Sugar 24 in diam.	
39.50	Entire very bad spruce swamp	
40.00	Set $\frac{1}{4}$ Sec. Post for a 1	17 $\frac{1}{2}$ ft
	B. Ash 5 in S. 53 ft	
	Birch 6 in N. 77 ft	11 "
57.40	A Spruce 5 in diam.	
80.00	Set Post cor to Sec 25, 26, 35 & 36 for	
	Tam. 6 in S. 25 ft	13 $\frac{1}{2}$ ft
	Spruce 10 in N. 46 ft	18 "
	Land on the $\frac{1}{4}$ mile very good	
	and dry, timber Sugar, Spruce,	
	Beech &c. Last $\frac{1}{2}$ mile bad Swamp	

East on Random between Secs. 25 & 36	
28.00	Left the Swamp
40.00	Set temporary $\frac{1}{4}$ Sec. Post
80.14	Set East Bound $\frac{1}{4}$ 24 $\frac{1}{2}$ miles South of Post
	Land on the $\frac{1}{4}$ mile bad Swamp
	Last $\frac{1}{2}$ pretty good - Timber Beech
	Sugar Spruce &c.
West Corrected between Secs 25 & 36	
40.07	Set $\frac{1}{4}$ Sec Post at average dist. in line
	Maple 3 in S. 76 ft. 11 $\frac{1}{2}$ ft
	Chm. 6 in N. 67 ft. 30 "
41.12	B. Ash 5 in. diam.
80.14	To Section Corner

22	North	Between Sections 25 & 26	West	Corrected between Secs 24 & 25
9.00		Left the Swamp	40.14	Set $\frac{1}{4}$ Sec. Post for a
24.15		B. Oak 26 in. diam.		Maple 26 in. S. 21 E. 9 ft
40.00		Set $\frac{1}{4}$ Sec. Post for a		S.W. cor. School town N 45 $\frac{1}{2}$ E. 140 ft
		W. Oak 8 in. N 73 E.		Beech 8 in. S. 46 E. 8 in
62.47		Aspen 10 in. N 76 W.	41.05	Beech 12 in. diam.
		Ironwood 20 in. diam.	80.28	To Section Corner
80.00		Set Post cor to Secs 23, 24, 25 & 26		Monday Feb 12 1897
		W. Oak 12 in. N 22 E.		
		Do 9 West		North Between Sections 23 & 24
		Sound. Hill & poor Timber	17.17	B. Oak 24 in. diam.
		Beech, Oak, Aspen, Boxwood &c	40.00	Marked the $\frac{1}{4}$ Sec. corner on a Beech 6 in. di
			58.22	Pile of Rail road Iron cut for corner
			59.00	Beech 8 in. diam.
				Enter Swamp
			80.00	Set Post cor to Secs 13, 14, 23 & 24, in swamp
27.00	East On	Random between Secs 24 & 25		Maple 7 in. S. 40 W. 17 ft
38.00		Enter Swamp. Tamarack		Elm 16 in. N. 2 W. 9 in
40.00		Left " "		Land outside, Timber Oak
52.00		Set Temporary $\frac{1}{4}$ Sec Post		Enter Beech &c
80.28		Enter Swamp		
		Int. East Boundary 18 Ws south of Post		

22

East. On Random Between Sect 13 & 24

8.50 Left the Swamp

40.00 Set a temporary $\frac{1}{4}$ Sec. Post.80.00 Set East Boundary 14 $\frac{1}{4}$ Sec. South of Post.

Land 2nd grade Timber

Oak, Ash, Sugar

West Connected between Sect 13 & 24

40.00 Set $\frac{1}{4}$ Sec. Post for a

Beech 7 in. S. 20 E.

Sugar 8 34 W (new) 106

Do 8 in. N. 19 E. 15"

Sugar 10 in. N. 22 W (new) 163

Beech 10 in. diam.

80.00 To Sec. corner.

23

North Between Sect 13 & 14.

18.27 Set Post on the South Bank of Cedar Creek

Maple 9 in. S. 10 $\frac{1}{2}$ E. 55 $\frac{1}{4}$

Do 14 in. S. 14 W. 82"

19.83 Set Post on the North Bank of the Creek.

W. Ash 7 in. N. 62 E. 22 $\frac{1}{4}$

R. Ash 9 in. N. 52 W. 17"

27.60 Lyron 14 in. diam.

40.00 Set $\frac{1}{4}$ Sec. Post for aR. Ash 4 in. N. 82 E. 21 $\frac{1}{4}$

W. Ash 5 in. S. 70 W. 24"

44.00 A. Brook 10 $\frac{1}{4}$ Sec. wide course West.

80.00 Set Post cor. to Sect 11, 12, 13 & 14, for an

Sawyer's 4 in. N. 56 E. 7 $\frac{1}{4}$

Beech 12 in. S. 77 W. 27"

(No descriptions Ed.)

East	On Road. Between Sects 12 & 13.	
7.00	Enter Swamp	
21.00	Left "	
40.00	Set a temp. $\frac{3}{4}$ Sec Post	
80.05	Dist. East Boundary 18 $\frac{1}{2}$ lbs. S. of Post. Land broken and Swampy.	
West	Corrected Between Sects 12 & 13.	
40.02	Set $\frac{1}{4}$ Sec. Post at av. dist. in tree line	15 $\frac{1}{2}$ lbs.
	W. Oak 6 in. d. N. 6 $\frac{1}{2}$ E.	12"
	W Oak 12" d. 77. W.	
41.31	Shorewood 5 in diam.	
80.05	To Section Corner	
North	Between Sections 11 & 12.	
16.89	Maple 16 in diam.	
17.00	Enter the Swamp.	
25.00	Left "	
40.60	Set $\frac{1}{4}$ Sec Post on a Beech 15 in diam.	
42.50	Ent Swamp	
52.00	Left "	

56.00	Beech 10 in diameter	
76.50	Enter Tamarac Swamp	
80.00	Set Post - cor to Sect. 1, 2. 11 & 12 per an	
	Aspen 3 in. N. 45 E.	15 lbs
	Do 3 in. d. 52 $\frac{1}{4}$ W.	18 "
	Land broken & Swampy - Timber	
	Beech, Oak, Ironwood & Aspen	
	Monday Feb 12 th 1827	
East	On Road. Between Sects 14 & 12.	
36.00	Left the Swamp	
40.00	Set a temp. $\frac{1}{4}$ Sec. Post	
48.00	Enter Swamp	
79.00	Left "	
80.21	Dist. East Boundary 21 $\frac{1}{2}$ lbs South of Post	
	Land very poor and Swampy.	
West	Corrected Between Sects 14 & 12.	
40.11	Set $\frac{1}{4}$ Sec. Post at av. dist. on tree line per an	
	Shorewood 10 in. N. 9 E. 18 lbs. & Birch 5 in. S. 57 E 14 lbs.	
42.71	Beech 8 in. diam.	
80.21	To Section Corner	
	Sunday 11 th of Feb ^y 1827	

26

North Between Sleet 18-2
 20.30 Tomorac 10 in diam.
 25.00 Left the Swamp.
 40.00 Set $\frac{1}{4}$ Sec. Post for a
 Aug. 11 in N. 64 $\frac{1}{2}$ E. 24 $\frac{1}{2}$ lbs
 Do 15 in N. 52 W. 30 "
 44.00 Enter Swamp.
 57.65 B. Ash 4 in diam.
 78.74 Set North Boundary 18 lbs. West of Post
 Set a Post cor. to Sleet 18-2 for a
 B. Ash 5 in S. 76 W. 26 $\frac{1}{2}$ lbs
 S. Oak 6 in S. 82 E. 450 "
 Land very poor nearly all swamp.
 Monday 12th of Dec^r 1827

North Between sections 34 & 35
 8.00 To Spearsmore Creek 8 $\frac{1}{2}$ in. C. N. W.
 21.00 Beech 12 in. diam.
 40.00 Set $\frac{1}{4}$ Sec. Post for a
 Beech 10 in S. 57 W. 25 $\frac{1}{2}$ lbs
 Do 7 in N. 68 E. 22 "
 * Evidently a mistake in the width of the creek.
 Ed.

27

57.50 Sugar 16 in. diam.
 80.00 Set Post cor. Sleet 26, 27, 34 & 35 for.
 Beech 18 in S. 53 E. 30 $\frac{1}{2}$ lbs
 Sugar 16 in S. 64 W. 31 "
 Land very good Timber Sugar
 Beech, Oak & No growth Spruce

East On Hand. Between Sleet 26 & 35
 20.00 Enter Swamp.
 30.50 Left "
 40.00 Set a Temp^y $\frac{1}{4}$ Sec. Post
 50.50 Enter Bad Spruce Swamp.
 80.23 Set N. & S. line 2 1 $\frac{1}{2}$ lbs N. of Post
 Land very good excepting the Swamp
 Timber Spruce, Sugar Beech &c

West Connected Between Sleet 26 & 35
 40.12 Set $\frac{1}{4}$ Sec. Post at a distinct line for a
 Beech 7 in S. 38 E. 8 $\frac{1}{2}$ lbs
 B. Oak 20 in N. 13 E. 25 "
 43.91 Beech 9 in. diam
 80.23 To Sec. Corner.

B. Ash 5 in. S. 30 E.	18 1/2
Do 7 in. N. 61 E.	7 "
(No descriptions, Ed.)	
East On Barren Between S. 14 & 23.	
10.00 Left the Swamp.	
24.00 A. Brook 6 1/2 miles south	
40.00 Set Trap 1 1/4 Sec. East.	
52.23 To the Bank of Cedar Creek	
53.55 Over the Creek	
55.81 To the Bank of the Creek again	
57.42 Over the Creek	
62.16 To the Bank of Cedar Creek again	
63.89 Over the Creek	
80.00 Cont. the N. & S. line 10 k. N. of the Post	
Land fine rich Bottoms timber	
Lynx, Ash, Beech &c.	
West Connected Between S. 14 & 23.	
16.11 Set Post on the East Bank of Cedar Creek	
B. Ash 9 in. N. 64 E.	60 Ms
Sycamore 10 in. S. 33 W.	6 "

17.84 Set Post on the West Bank of the Creek for	
Butternut 8 in. S. 16 W.	18 Ms
Boxwood 6 in. N. 52 W.	17 "
22.58 Set a Post on the Creek again for a	
Hopple 4 in. S. 45 E.	35 Ms
Do. 9 in. N. 52 W.	64 "
24.19 Set a Post on the West Side for a	
B. Ash 12 in. S. 26 E.	36 Ms.
Sycamore 12 in. N. 50 W.	81 "
26.45 Set a Post on the Bank of the River for a	
Maple 7 in. S. 38 E.	22 Ms
Sycamore 4 in. N. 46 E.	26 "
27.77 Set a Post on the West Side of the Creek for a	
B. Ash 18 in. N. 44 W.	11 Ms
Do 18 in. S. 49 W.	13 "
40.00 Set 1/4 Sec. Post on True line for	
Beech 14 in. N. 24 W.	6 Ms.
Lynx 9 in. S. 2 E.	28 "
80.00 To Section Corner	

North Between Sections 14 & 15.	
8.75	Left the swamp
30.45	Elm 20 in. diam.
40.00	Set $\frac{1}{4}$ Sec. Post for a
	Beech 8 in S. 78 E. 9 1/2
	Butternut 6 in S. 41 W. 44 "
59.06	Elm 24 in. diam.
80.00	Set Post cor. to Secs 10, 11, 14 & 15 for a
	Beech 12 in. S. 59 E. 20 1/2
	Do 20 in. N. 83 W. 17 "
	Land very good, Timber
	Sugar, Lyrus, Oak, Elm, etc.
	Old growth Hazel & Spruce
East On Random Between Sect 11 & 14	
40.00	Set Swamp $\frac{1}{4}$ Sec Post.
56.00	A Brook 6 lbs wide Course south.
79.82	Set N. & S. line 3 lbs N. of Post.
	Land very fine Timber Sugar,
	Lyrus Beech etc.

West Corrected Between Sect 11 & 14.	
39.91	Set $\frac{1}{4}$ Sec. Post at old dist on true line.
	Ash 5 in S. 2 W. 9 1/2
	Beech 18 in. N. 9 E. 39 "
41.70	Beech 6 in. diam.
79.82	To Sec. Corner
North Between Sections 10 & 11.	
22.50	W. Oak 12 in. diam.
40.00	Set $\frac{1}{4}$ Sec. Post for a
	W. Ash 6 in N. 48 W. 12 1/2
	Beech 20 in. N 19 E 15 "
64.00	Hick 22 in diam.
80.00	Set Post Cor. to Sect 2, 3, 10 & 11 for a
	Sug. 12 in S. 58 E. 13 1/2
	Lyrus 10 in. N. 65 W. 20 "
	Land good Timber, Sugar,
	Elm, Beech, Oak &c
	Old growth Spruce

East On. Mandon Between Sect 2 & 11

40.00 Set Temp $\frac{1}{4}$ Sec Post:

79.85 Int. N. 45° E. line 13 Mds S. of Post

Land very fine and dry excepting
the swamp at the corner

West Connected Between Sect 2 & 11

39.93 Set $\frac{1}{4}$ Sec. Post at a dist. on Section line for

Beech 9 in. N 7 W

Lynn 18. S. 2 W

40.69 Hick. 7 in diam.

79.85 To Section corner

North Between Sect 2 & 3

20.18 Beech 16 in diam.

40.00 Set $\frac{1}{4}$ Sec. Post for a

Oak 10 in. N 45° E

Sug. 12 in. S. 20 W

B. Walnut 9 in. S. 16 E.

Iron will 4 in. N. 17 E.

67.01 B. Oak 22 in diam.

79.00 Int North Boundary 10 lks East of Post

and Set Post con to Sect. 2 & 3 for

W. Ash 16 in. S 14 $\frac{1}{2}$ W

B. Walnut 14 in. S 16 E

B. Oak 14 in. S. 47 E.

B. Walnut 10 in. N. 67 W

Land very good & dry timber

Lynn, Spr Beech Sugar etc.

North Between Sections 33 & 34.

10.00 Entire Willow Swamp

19.50 Left "

23.80 Beech 10 in. diam.

40.00 Set $\frac{1}{4}$ Sec Post for a

Beech 11 in. N. 44 E.

A stone monument for corner

Do 7 in. N. 53 W.

58.50 Elm 12 in. diam.

78.30 A Brook 10 lks wide Course N. E.

80.00 Set Post con to Sect. 27, 28, 33 & 34 for

Elm 9 in. S. 51 E.

Do 11 in. S. 43 W

Land very good Timber Ash,

Beech, Lynn etc.

29 Mds

20 $\frac{1}{2}$ " new55 $\frac{1}{2}$ " new62 $\frac{1}{2}$ " new

6 lks. new

34 lks.

13 lks.

14 "

East On Random Between Secs 27 & 34

2.50	A Brook 12 lbs. wide Course N.E.	
7.70	To Do. " " S.E.	
37.70	" Do. " " N.E.	
40.00	Set a Tangle 1/4 Sec. Post.	
48.00	To Lysamore Creek 60 lbs. wide C.S.N.	
68.45	A Spring Brook 4 lbs. wide Course N.	
80.08	Int. N & S. line at the Post.	
	Land very fine Timber	
	Sugar Elm &c.	

West Connected Between Secs 27 & 34.

40.04	Set 1/4 Sec. Post at av. dist. from line	
	N. Ash 12 in. N 75 E.	32 lbs.
	Beech 6. S. 68 E.	16 "
42.75	Beech 10 in. Diam.	
80.08	To Section corner.	

North Between Secs 27 & 28.

31.36	Beech 9 in. diam.	
40.00	Set 1/4 Sec. Post for	
	Beech 10 in. S. 77 87 W.	18 lbs
	Do 8. S. 47 E.	22 "
58.15	Beech 14 in. diam.	
60.00	Entire Alder Swamp.	
71.00	Left " "	
80.00	Set Post Cor. to Sec. 21, 22, 27 & 28. for	
	Beech 12 in. S. 67 1/2 E.	34 lbs
	Do 11. N 67 W.	24 "
	Land pretty good, Timber, Beech	
	Sugar Elm &c.	

East On Random Between Secs 22 & 27.

40.00	Set a Tangle 1/4 Sec. Post.	
56.15	To Lysamore Creek 60 lbs. wide C.S.N.	
79.97	Int. the N & S. line 7 1/2 S. of Post	
	Land very fine Timber	
	Sugar, Ash, Sycamore Beech, &c.	

West Corrected Between Sleet 22 & 27.

39.98 Set $\frac{1}{4}$ Sec. Post at av. dist. in true line for
the 6th 2 in. S. 54 $\frac{1}{2}$ E. 86 $\frac{1}{2}$ diam.Beech 30 in. N. 31 $\frac{1}{2}$ W. 20 $\frac{1}{2}$ Ms.Do. 8 " N. 59 $\frac{1}{4}$ E. 127 "

Do. 14 " S. 9 W. 29 "

42.17 Lyrus 18 in. diam.

79.97 To Section corner.

North Between Sections 21 & 22.

25.32 Beech 7 in. diam.

40.00 Set $\frac{1}{4}$ Sec. Post for a

Beech 19 in. S. 39 E. 22 Ms.

Lyrus 5 in. S. 68 W. 29 "

52.23 Set a Post on the S. Bank of Cedar Creek

B. Oak 8 in. S. 40 E. 27 $\frac{1}{2}$ Ms.Elm 7 in. S. 62 $\frac{1}{2}$ W. 24 "

53.89 Set Post on the N. Bank of the Creek for.

W. Oak 5 in. N. 54 E. 17 $\frac{1}{2}$ Ms.

Do. 4 in. N. 18 W. 12 "

67.09 Elm 24 in. diam.

80.00 Set Post. Cor. to Sleet 15.16. 21 & 22 for

Beech 12 in. S. 54 W. 34 $\frac{1}{2}$ Ms.

Maple 16 " S. 36 E. 34 "

Land telling & good, Tinsler Oak Beech &c.

East On a Random Between Sleet 15 & 22.

40.00 Set Temp $\frac{1}{4}$ Sec. Post.

70.00 Enten Swamp.

80.09 Set N. & S. line 10 M. S. of the Post.

Land good. Tinsler Oak Beech Sug. &c.

West Corrected Between Sleet 15 & 22.

40.04 $\frac{1}{2}$ Set $\frac{1}{4}$ Post at av. distance line forMaple 11 in. N. 39 $\frac{1}{2}$ W. 29 Ms.

W. Oak 24 in. N. 50 E. 42 "

W. Oak 12 in. diam.

80.09 To Section Corner.

Thursday 15th Feb. 1827

North Between Sections 15 & 16

20.60 W. Oak 24 in. diam.

36.00 Enten Swamp

40.00 Set $\frac{1}{4}$ Sec. Post for aSwamp Oak 10 in. S. 35 W. 13 $\frac{1}{2}$ Ms.

B. Ash 13 in. S. 71 E. 11 "

45.00 Left Swamp.

40

48.38 A Brook 5 lks wide. Course N. W.
 60.20 B. Ash 9 in. diam.
 80.00 Set Post cor. to Sec. 9, 10, 15 & 16 for
 B. Oak 18 in. S. 148 W. 35 lks
 W. Oak 15 in. S. 14 E. 65"
 Land 2nd rate Timber Oak, Birch
 Ash &c.

East On Random Between Secs. 10 & 15.

40.00 Set a Sump $\frac{1}{4}$ Sec. Post.
 80.16 Int. N. & S. line 14 lks S. of the Post.
 Land Nothing & good. Timber Oak
 Beech Sugar &c.

West Corrected Between Secs. 10 & 15.

40.08 Set $\frac{1}{4}$ Sec. Post at a distance true line
 Beech 8 in. S. 37 W. 34 lks.
 Hick. 16 in. N. 46 W. 35"
 42.18 Ironwood 6 in. diam.
 80.16 To Section Corner.

41

North Between Sections 9 & 10.

17.50 Maple 18 in. diam.
 18.00 Iron Beaver Meadows.
 40.00 Set a $\frac{1}{4}$ Sec. Post for a
 Aspen 6 in. S. 76 E. 60 lks
 20 5 in. S. 44 W. 126"
 42.00 A Brook 6 lks wide. Course S. W.
 48.00 Set Beaver Meadows or Swamp.
 62.63 Cherry 10 in. diam.
 80.00 Set A Post cor. to Sec. 3, 4, 9 & 10 for
 W. Oak 30 in. S. 71 E. 32 lks
 Ironwood 7 in. S. 77 W. 37"
 Land good excepting the Swamp.

East On Random Between Secs. 3 & 10.

35.00 Iron Swamp.
 40.00 Set a Sump $\frac{1}{4}$ Sec. Post.
 50.00 Left the Swamp.
 80.20 Set the N. & S. line 25 lks N. of Post.
 Land pretty good excepting the Swamp.

West Connected Between Sect 3 & 10
 W. Oak S. 78° E. 29
 40.10 Skipped the 1/4 sec. corner Elm 12 in. diam.
 42.81 S. Oak 9.6 S. 30 1/4 W. 90
 80.20 To Section Corner.

North Between Sections 3 & 4.
 20.93 W. Oak 20 in. diam. ^{Found 1/5 sec. 1627}
 40.00 Set 1/4 Sec. Post for a
 B. Oak 24 in N. 57 1/2 W.
 W. Oak 17 in. S. 86 E.
 57.40 Beech 9 in. diam.
 78.72 Set North Boundary 4 1/2 W. of the post
 and set a post for the corner to
 Sect 3 & 4 from which a
 Maple 7 in. S. 25 E. 5 1/2
 Do 8. S. 45 W. 40 "
 Land 2nd rate - Timber Oak, Beech, Maple, Ash &c.

North Between Sections 32 & 33.
 17.58 Beech 24 in diam.
 37.00 Enter the Swamp.
 40.00 Set a 1/4 Sec. Post for a
 Tamar 10 in. N. 38 W.
 Maple 10 in S. 2 1/4 E.
 (Do 8 in S. 32 E. 18 1/2 W.
 11 " new
 11 1/2 "
 51.00 Left the Swamp.
 60.70 A Brook 6 1/2 wide Corner East
 80.00 Set a Post corner to Sec 28, 29, 32 & 33
 W. Ash 18 in. S. 54 1/2 W. 34 1/2
 Cherry 12 in. N. 11 E. 25 "
 Land on the 1st 1/2 mile very good
 Last 1/2 mile Swampy
 Timber Sugar, Elm, Beech &c.

East On Road Between Sect 28 & 33.
 19.00 A Brook 10 1/2 wide Corner North
 40.00 Set a Tump 1/4 Sec. Post
 80.00 Set N. & S. line 20 1/2 S. of Post
 Land Nothing & good Timber
 Sugar Beech and Lymn.

West Corrected Between Seed 28 & 33
 10.00 Set $\frac{1}{4}$ Sec. Post on the true line for
 8 1/2 in. S. 73 E.
 Beech 24 in. S. 13 W.
 Maple 2 in. S. 74 W.
 Do 7 in. S. 39 E.
 15.04 Lynn 14 in. diam.
 10.00 To Section Corner.
 North Between Sections
 13.79 Lynn 10 in. S. 70 W. 16 in. diam.
 Beech 20 in. diam.
 10.00 Marked a Beech 7 in. diam. for $\frac{1}{4}$ Sec. corner
 6.25 Beech 8 in. diam.
 90.00 Set Post con. to Seed 20, 21, 28 & 29.
 14 in.
 Elm 6 in. S. 33 W.
 Land very good Timber Sugar
 Beech, Elm, Oak &c.
 East On Random Between Seed 21 & 28
 3.00 Entire Swamp.
 30.00 Left
 70.00 Set a Trip $\frac{1}{4}$ Sec. Post.

79.83 Int. the N. & S. line 14 1/2 S. of Post
 Land on the 1st $\frac{1}{2}$ Swampy.
 2nd $\frac{1}{2}$ good & dry Timber Sugar
 Lynn, Beech &c.
 West Corrected Between Seed 21 & 28
 29.91 Set on $\frac{1}{4}$ Sec. Post at an dist. on true line
 10 in. S. 31 1/2 E.
 Beech 22 in. S. 9 W.
 Cherry 11 in. S. 73 E.
 Do. 18 in. S. 26 W.
 41.01 Beech 8 in. diam.
 79.83 To Section Corner.
 North Between Sections 20 & 21
 26.31 Beech 20 in. diam.
 36.50 Set on Post on the Bank of Grand River
 Beech 6 in. S. 57 W.
 B. Ash 9 in. S. 34 E.
 39.13 Set Post on the N. Bank of the River for
 W. Oak 7 in. N. 92 E.
 Sassafras 8 in. N. 66 W.
 40.00 Set $\frac{1}{4}$ Sec. Post for a
 W. Oak 14 in. S. 56 E.

46	W. Oak 16 in. S. 56 E.	19 Ms.
62.76	Beech 22 in. diam.	
80.00	Set Post cor. to Sect 16. 17. 20 & 21	
	Beech 24 in. N. 39 E.	14 Ms.
	Do 30. S. 59 W.	15 "
	Land very good - no description of timber	
	East On Random Between Sect 16 & 21	
40.00	Set a Temp. 1/4 Sec. Post	
66.84	To the Bank of Grand River	
69.38	Over the River	
79.70	Set N. & S. line 40 lbs S. of Post	
	Land, dry & good Timber	
	Oak, Sugar, Beech &c	
	West Corrected Between Sect 16 & 21	
10.32	Set a Post on the East Bank of the River	
	Bedar 15 in. N. 4 E.	31 Ms.
	Shrubby 7 in. S. 24 E.	58 "
12.86	Set Post on the West Bank of the River	
	Maple 5 in. S. 16 W.	42 Ms.
	Elm 6 in. N. 68 W.	33 "

39.85	Set 1/4 Sec. Post at ar. dist. ju a	
	W. Oak 56 in. S. 61 W.	21 Ms.
	Beech 7 in. N. 54 W.	13 "
79.70	To Section Corner.	
	Saturday Feb. 17 th 1827	
	North Between Sections 16 & 17	
24.19	Beech 18 in. diam.	
40.00	Set 1/4 Sec Post ju a	
	B. Oak 22 in. S. 33 1/2 E.	14 Ms.
	Beech 6 in. S. 89 W.	20 "
57.98	W. Oak 24 in. diam.	
80.00	Set Post Cor. to Sect 8. 9. 16 & 17 ju	
	B. Oak 26 in. N. 67 E.	22 Ms.
	Beech 18 in. S. 22 W.	17 "
	Land very good. Timber Sugar Lynx, Beech &c M. g. Shakes	

East - On Random Between Sects 9 & 10	
40.00	Set Temp ^l 1/4 Sec. Post
50.37	To the Bank of Grand River
54.10	Over the River
66.00	Touched a bend of the little creek
79.76	Int. the N. & S. line. 3 1/4 Sec. South of To. 1.
West - Corrected Between Sect. 9 & 10	
25.66	Set Post on the East Bank of Grand River
	B. Oak 12 in. N. 30 E. 13 1/2
	Hick 20 in. S. 75 E. 20 "
29.39	Set Post on the West Bank of the River
	Beech 20 in. N. 63 W. 17 1/2
	Do. 16 in. S. 18 E. 15 "
39.88	Set 1/4 Sec. Post at av. dist on line from
	Beech 6 in. S. 65 W. 13 1/2
	Do. 24 in. N. 35 E. 19 "
79.76	To Section Corner

North Between Sections 8 & 9.	
23.14	Spruce 16 in. diam.
40.00	Set 1/4 Sec. Post few in
	W. Ash 22 in. S. 68 E. 17 1/2
	Do. 20 in. N. 87 W. 3 "
57.94	Sugar - 24 in. diam.
71.20	Set a Post on the Bank of Grand River
	W. Oak 6 in. S. 87 W. 18 1/2
	Beech 4 in. S. 36 E. 26 "
74.00	Set Post on North side of the River for
	Lynum 16 in. N. 70 E. 32 1/2
	Sassafras 4 in. N. 49 W. 46 "
80.00	Set Post cor. to Sect. 4. 5. 8 & 9 few in
	Beech 10 in. N. 23 E. 24 1/2
	Do. 12 in. S. 27 W. 31 "
East - On Random Between Sect. 4 & 9.	
40.00	Set a Temp ^l 1/4 Sec. Post
79.90	Int. the N. & S. line South of the Post
	Land 2nd rate. Timber Oak.
	Sugar Beech &c.

West Connected Between Sections 4 & 9	
39.95	Set $\frac{1}{4}$ Sec. Post at n. dist. fur. a
	B. Oak 7 in. S. 61° E
	Beech 10 in. N. 55 $\frac{1}{2}$ ° W.
43.17	W. Oak 18 in. diam.
79.90	To Section corner
North Between Sections 4 & 5.	
14.00	A Brook 6 ft. wide. Runner W.
21.30	B. Oak 26 in. diam.
40.00	Marked the $\frac{1}{4}$ Sec. corner on an Elm 6 in. diam.
41.50	Enter Swamp.
57.91	Turn away 7 in. diam.
58.70	Set Post on the South shore of a Lake
	Tam. 3 in. S. 38° W.
	Do. 4 in. S. 87° E.
76.26	Set Post on North shore of the Lake fur.
	Tam. Fur S. 71° W.
	Do. 5 in. N. 41° E.
79.00	Set the North Boundary 12 $\frac{1}{2}$ M. West of the Post
	and set a Post cor. to Sec. 405 fur a

Tam. Fur S. 11° W.	
	Do. 6 in. S. 79° E.
North Between Sections 31 & 32	
22.47	A Sugar 18 in. diam.
40.00	Set $\frac{1}{4}$ Sec. Post fur a
	Beech Fur S. 63° E.
	stone at for corner true good
	Sugar 20 in. N. 62° W.
58.29	Elm 22 in. diam.
80.00	Set Post cor. to Sec. 29. 30. 31 & 32
	Beech 16 in. S. 31° W.
	Elm 12 in. N. 42 $\frac{1}{2}$ ° W.
	W. Ash 24 in. S. 58° E.
	Do. B. Oak 9 S. 41° E.
	Land very good Timber
	Sugar Beech, Lign. M. g. Spruce
East-On Random Between Sec. 29 & 32	
40.00	Set a Tampl. $\frac{1}{4}$ Sec. Post.
80.07	Set the N. S. line 5 M. N. of the Post.
	Land very good Timber
	Sugar, Beech, Lign. &c.

West connected Between Seed 29 & 32
 40.03 Set $\frac{1}{4}$ Sec. Post at av. dist on true line
 B. Oak 24 in. N. 18 E. 17 $\frac{1}{16}$
 Beech 20 in. S. 24 E. 24 "
 43.30 Lymn 12 in diam.
 80.07 To Section corner

West Between Sections 30 & 31.
 19.18 Maple 20 in. diam.
 40.00 Set $\frac{1}{4}$ Sec Post for a
 Beech 18 in. N. 42 E. 42 $\frac{1}{16}$
 W. Oak 24 in. S. 42 E. 47 "
 60.23 Sugar 26 in. diam.
 84.31 Int. West Boundary 12 lbs N. of the Post.
 Cor. to Seed 25 & 36 J. 4 N. R. 3 W. &
 Set a Post cor. to Seed 30 & 31 for a
 Beech 12 in. N. 29 E. 11 $\frac{1}{16}$
 Do. 8 in. S. 13 E. 15 "
 Land very fine level & rich
 Undergrowth Spice &c

North Between Sections 29 & 30
 26.26 B. Oak 26 in. diam.
 40.00 Set a $\frac{1}{4}$ Sec Post for a
 B. Oak 22 in N. 85 W. 10 $\frac{1}{16}$
 Elm 3 in. S. 26 E. 2 "
 60.79 W. Oak 24 in. diam.
 80.00 Set Post cor. to Seed 19. 20. 29 & 30
 Beech 24 in. S. 68 E. 14 $\frac{1}{16}$
 Sugar 12 in. S. 31 W. 16 "
 Land very good, Timber Sugar
 Elm, Lymn, W. g. Spice &c.

East On a Random Between Seed 20 & 29
 40.00 Set a Tamp $\frac{1}{4}$ Sec. Post.
 80.11 Int. N. & S. line 13 lbs. N. of the Post.
 Land very fine Timber Sugar
 Beech, Ash, Lymn &c

West Connected Between Sects 20 & 29
 40.05 Set $\frac{1}{4}$ Sec. Post at cor. dist on Price line
 Lynn 12 in. S. 18 $\frac{1}{2}$ E. 25 $\frac{1}{2}$ W.
 Ironwood 4" N. 5 W. 9"
 44.11 Sugar 14 in diam.
 80.11 To Section Corner

West Between Sections 19 & 30,
 18.47 W. Ash 24 in diam.
 40.00 Set a $\frac{1}{4}$ Sec. Post for a
 Beech 14 in. S. 29 E. 17 $\frac{1}{2}$ W.
 Do 4" N. 23 $\frac{1}{2}$ W. 22"
 Beech 11 in. diam.
 62.21 Set Post on the East Bank of Grand River
 W. Oak 4 in N. 46 E. 20 $\frac{1}{2}$ W.
 Do 12 in S. 58 E. 22

70.17 Set Post on the West Bank of the River
 Beech 9 in. S. 40 W. 47 $\frac{1}{2}$ W.
 B. Walnut 24 in N. 22 E. 39"
 84.38 Int West-Bound? 37 $\frac{1}{2}$ W. N. of the Post
 and Set a Post cor. to Sect 19 & 30 for a
 W. Ash 22 in S. 50 E. 12 $\frac{1}{2}$ W. & Beech 12 in N. 28 E. 50 $\frac{1}{2}$ W.

North Between Sections 19 & 20.
 Monday Feb 19th 1927
 22.13 Cherry 20 in diam.
 40.00 Set a $\frac{1}{4}$ Sec. Post for a
 Beech 6 in S. 34 W. 12 $\frac{1}{2}$ W.
 Do. 4" N. 35 $\frac{1}{2}$ E. 11"
 49.40 Set a Post on the S. Bank of Grand River
 Elm 4 in. S. 81 W. 26 $\frac{1}{2}$ W.
 Maple 9" S. 27 E. 12"
 52.18 Set Post on the N. Bank of the River
 W. Oak 3 in. N. 85 E. 18 $\frac{1}{2}$ W.
 Ironwood 6 in N. 67 W. 22"
 63.60 Beech 10 in. diam.
 80.00 Set Post cor. to Sect 17. 18. 19 & 20 for a
 Beech 12 in S. 80 E. 4 $\frac{1}{2}$ W.
 Elm 13" S 85 W. 35"

East On Random Between Sects 17 & 20
 40.00 Set a Temp. $\frac{3}{4}$ Sec. Post
 80.22 Int. N. & S. line 24 $\frac{1}{2}$ W. N. of Post.
 Lanes fine and dry timber
 Sugar, Elm, Beech, Spruce &c.

West Corrected Between Sect 17 & 20
 40.11 Set $\frac{1}{4}$ Sec. Post at av. dist on true line
 Beech 13 in. N. 78 W. 11 $\frac{1}{2}$ lbs
 Ironwood 5 in. N. 17 $\frac{1}{2}$ W. 11 "
 43.73 Beech 10 in. diam.
 80.22 To section corner
 West Between Sections 18 & 19.
 21.66 Beech 8 in. diam.
 40.00 Set a $\frac{1}{4}$ Sec. Post for a
 Beech 18 in. S. 54 E. 15 $\frac{1}{2}$ lbs.
 Do. 11 in. N. 74 W. 12 "
 58.64 Beech 14 in. diam.
 84.51 Int. the West Boundary 41 $\frac{1}{2}$ lbs. N. of Post
 and set a Post cor. to Sect 18 & 19 for
 Beech 15 in. N. 51 $\frac{1}{2}$ E. 29 $\frac{1}{2}$ lbs.
 Do. 16 in. S. 21 E. 26 "
 Land Rollings and good, Timber
 Oak, Sugar, Beech etc.

North Between Sections 17 & 18
 21.28 W. Ash 12 in. diam.
 40.00 Set a $\frac{1}{4}$ Sec. Post for a
 Maple 12 in. S. 41 E. 8 $\frac{1}{2}$ lbs.
 Do. 9 in. S. 88 W. 7 "
 62.68 Cherry 12 in. diam.
 80.00 Set post cor. to Sec. 7 & 8. 17 $\frac{1}{2}$ lbs.
 W. D. 24 in. N. 45 W. 16 $\frac{1}{2}$ lbs.
 Maple 4 in. S. 31 E. 15 "
 Land 2nd rate - Timber Beech,
 Maple, Ash etc.
 East On a Random Between Sect 8 & 17.
 40.00 Set a Temp. $\frac{1}{4}$ Sec. Post.
 80.30 Int. the N. & S. line 10 $\frac{1}{2}$ lbs. N. of Post.
 Land dry and 2nd rate Timber
 Oak, Beech, Ironwood & Sugar.
 West Connected Between Sect 8 & 17.
 40.15 Set $\frac{1}{4}$ Sec. Post at av. dist. on true line
 W. Ash 11 in. S. 76 E. 17 $\frac{1}{2}$ lbs.
 Ironwood 5 in. N. 31 W. 23 "

40.79 Beech 6 in diam.

80.00 To Section Corner.

West Between Sections 7 & 18

35.60 Sugar 24 in. diam.

40.00 Set $\frac{1}{4}$ Sec. Post for an

Ironwood 4 in. N 41 E.

Beech 14 in. S. 48 E.

61.96 Beech 15 in diam.

84.66 Int. the West Boundary 34 1/2 N. of Post

and Set a Post for the corner to Sect. 7 & 18

Beech 27 in. N. 72 E.

Ironwood 4 in. S. 44 E.

Land fine and dry timber

Beech, Oak, Ash, Sycamore, Sugar maple.

North Between Sections

26.24 Beech 10 in. diam.

40.00 Set a $\frac{1}{4}$ Sec. Post for a

Beech 9 in N 60 E.

Sugar 6 in. S. 76 1/2 W

7 & 8

5 1/2

11 "

56.77 Sugar 12 in diam.

62.00 A Brook 6 lks wide Course N. W.

80.00 Set Post corner to Sect. 5. 6. 7 & 8 for a

Beech 10 in. N. 73 W.

B. Oak 12 in. N. 35 E.

Land rolling and good. Timber

Sugar, Sycamore, Ash & Yellow Pine

East Bar Ponds Between Sect. 5 & 8.

40.00 Set a Temp. $\frac{1}{4}$ Sec. Post.

58.00 To the Bank of Grand River

63.18 Over the River

79.81 Int. the N. & S. line 13 lks S. of Post.

Land very good. Timber. Sugar

Beech &c.

West Connected Between Sect. 5 & 8.

16.63 Set Post on the East Bank of the River

Fitch 12 in. N. 30 W.

W. Oak 10 in. S. 72 E.

21.81 Set Post on the West Bank of the River

Lynn 5 in. N. 84 W. 10 W.
 Butternut 12 in. S. 15 E. 13 "
 39.90 Set $\frac{1}{4}$ Sec. Post at an old iron true line 31 Ws.
 Beech 10 in. S. 80 W. 43 "
 Sugar 24 in. N. 8 E.
 To Section Corner.

West Between Sections 6 & 7

00.82 Set a Post on the Bank of Grand River 19 Ws.
 Beech 10 in. N. 80 E. 22 "
 B. Oak 9 in. S. 2 E.
 3.87 Set Post on the West Bank of the River 62 Ws.
 Hick 8 in. S. 72 W. 51 "
 Beech 14 in. N. 10 E.
 25.52 Beech 14 in diam.
 40.00 Set a $\frac{1}{4}$ Sec. Post for cor 11 Ws.
 Beech 20 in S. 50 W. 19 "
 Sugar 26 in. N. 43 E.
 60.26 Beech ~~20~~ 14 in diam.
 84.44 Int. the West Boundary 43 Ws N. of the Post and
 Set a Post cor. to Seed 607 for a

Beech 6 in. S. 48 $\frac{1}{2}$ E. 4 Ws.
 Ironwood 5 in. N. 38 E. 14 "
 Land good mud clay Timber Sugar
 Oak etc. Feb 27th 1827

North Between Sections 5 & 6.

00.37 Set Post on the Bank of Grand River 35 Ws.
 Beech 10 in. S. 20 $\frac{1}{2}$ W. 13 "
 Sugar 10 in. S. 63 E.
 5.05 Set Post on the North Bank of the River 29 Ws.
 W. Ash 16 in. N. 33 E. 14 "
 Sugar 10 in. S. 35 $\frac{1}{2}$ W.
 19.83 Beech 12 in diam.
 40.10 Set a $\frac{1}{4}$ Sec. Post for a 3 Ws.
 Beech 14 in S. 80 W. 14 "
 Elm 36 in. S. 76 E.
 61.95 Beech 12 in diam.
 79.22 Int. N. Boundary 32 Ws East of Post
 and Set Post cor. to Seed 586 for a 16 Ws.
 Beech 20 in S. 14 W. 36 "
 Do. 9 in. S. 59 E.
 Land very good. No description of Timber

Meanders of a Small Lake
in Sections 4 & 5 Beginning
at the Post in Section line on
the North side of the Lake.

Thence,

S. 55 W. 3.50 In Sec. 5

S. 30 1/2 W. 7.50

S. 6 E. 4.50

S. 30 W. 3.00

S. 35 E. 3.90

N. 79 E. 5.65 To Post in sec. line on South Side

N. 87 E. 4.30 In Sec. 4.

N. 62 1/2 E. 7.20

N. 12 W. 6.60

N. 58 W. 3.40

N. 22 W. 6.50

N. 70 W. 2.40

S. 60 W. 1.86 To the Place of Beginning

Meanderings of the South or West
side of Grand River Beginning
at a Post standing on the south
Bank of the River, in the West
Boundary of the Township.

Thence up the River

N. 58 1/2 E. 8.75 In Sec. 7.

N. 69 E. 5.90

N. 85 E. 4.30

S. 57 E. 14.60

S. 80 1/2 E. 6.40

N. 85 E. 15.60

N. 76 E. 15.60

S. 86 E. 4.65

N. 74 1/2 E. 6.40 To the Mouth of a Small Brook.

N. 40 E. 12.02 To the line Between Secs 6 & 7

Thence In Section 6

N. 41 E. 00.49 To the line Between Secs 5 & 6

N. 48 E. 17.90 In Sec. 5.

N. 69 E. 9.20

N. 42 E. 8.00

64

N 26 E. 2.90

N 51 E. 3.80

N 84 E. 2.70

N 54 1/2 E. 3.00

S. 41 E. 11.70

S. 34 E. 9.90

S. 47 E. 11.40 To the line Between Sects 5 & 8.

S. 47 E. 4.75 In Section 8

S. 71 1/2 E. 9.40

S. 57 1/2 E. 10.10 To line Between Sects 8 & 9.

S. 74 E. 3.68 In Section 9.

S. 47 E. 5.20

S. 34 1/2 E. 5.00

S. 42 1/2 E. 11.90

S. 69 1/2 E. 13.60

N 83 E. 6.45

S. 80 E. 4.00

S. 45 E. 5.50

S. 13 E. 7.75

S. 6 1/2 E. 7.60

S. 20 E. 8.20

65

S. 8 W. 11.75

S. 17 E. 10.30 To a line Between Sects 9 & 16

S. 16 1/2 E. 12.45 In Section 16.

S. 10 W. 8.95

S. 3 E. 11.30

S. 27 W. 7.20

S. 3 1/2 W. 8.60

S. 22 1/2 E. 8.20

S. 45 1/2 E. 11.30

S. 27 1/2 E. 8.90

S. 15 E. 10.20 To line Between Sects 16 & 21

S. 11 W. 3.66 In Section 21.

S. 38 1/2 W. 3.55

S. 86 W. 3.20

N 82 1/2 W. 5.00

S. 63 W. 3.10

S. 46 W. 4.40

S. 63 W. 1.70

N 73 1/2 W. 7.40

S. 84 W. 5.22

S. 41 W. 4.35

S. 1 S. 11.20
 S. 9 W. 9.30
 S. 8 S. 5.00
 S. 16 W. 5.65
 S. 5 1/2 W. 5.00
 S. 8 3/4 W. 4.90
 N. 75 W. 14.20
 N. 5 1/2 W. 5.80
 N. 7 1/2 W. 4.75 To line Between sheet 20 & 21.
 West 136 ch Section 20.
 S. 86 W. 2.33
 West 4.00
 N. 49 W. 7.15
 N. 62 W. 4.00
 S. 86 W. 5.00
 N. 79 1/2 W. 4.00
 N. 43 W. 7.65
 N. 67 W. 5.00
 West 2.20
 N. 78 W. 9.00
 S. 77 W. 4.12

S. 85 W. 4.00
 N. 78 W. 11.00
 S. 89 W. 4.00
 S. 67 W. 6.80
 S. 79 W. 5.00 To the line Between sheet 19 & 20.
 N. 84 1/2 W. 3.98 In Section 19.
 S. 80 W. 5.00
 S. 65 W. 2.60
 S. 73 W. 7.18
 N. 83 1/2 W. 6.60
 S. 88 W. 5.00
 S. 57 W. 6.70
 S. 63 W. 5.00
 S. 52 1/2 W. 7.40
 S. 28 W. 2.50
 S. 8 W. 3.00
 S. 16 1/2 W. 13.00
 S. 47 W. 20.00
 S. 38 W. 5.00
 S. 20 W. 2.50 To the line Between sheet 19 & 30.
 S. 26 W. 1.00 In Section 30
 S. 34 W. 4.55
 S. 51 W. 15.00 To the Post in the West Bound of the Township.

Meanders of the South side of
Ground River and Cedar Creek.
Beginning at a Post in the West
Boundary of the Township
On the South Bank of the River.
Thence down the River Right Bank.

N 50 $\frac{1}{2}$ E. 17.10 ch Section 30.

N 31 E. 8.60 To the line Between Sect 19 & 30.

N 19 E. 2.63 In Section 19.

N 46 $\frac{1}{2}$ E. 24.00

N 16 E. 13.40

N 2 E. 3.40

N 51 E. 7.85

N 62 $\frac{1}{2}$ E. 6.75

N 58 E. 4.35

N 89 E. 12.70

N 71 E. 9.30

East 7.30 To line Between Sect 19 & 20

N 78 E. 5.70 In Section 20.

N 69 E. 6.30

S. 80 $\frac{1}{2}$ E. 14.20

N 83 E. 9.00

S. 76 E. 12.10

S. 45 E. 8.65

S. 74 E. 5.50

N 88 E. 5.10

S. 50 E. 10.60

S. 87 $\frac{1}{2}$ E. 9.05 To the line Between Sect 20 & 21

S. 74 E. 4.34 ch Section 21.

S. 58 E. 5.58

S. 75 E. 14.58

N. 69 E. 2.00

N. 79 $\frac{1}{2}$ E. 5.14

N. 50 E. 6.00

N. 15 E. 2.30

N. 22 E. 2.00

N. 10 E. 3.00

N. 7 $\frac{1}{2}$ W. 3.40

N. 4 E. 5.00

N. 10 E. 6.00

N. 4 W. 10.65

N. 40 E. 2.22

N. 85 E.	4.00		
S. 74 E.	8.00		
N. 65 E.	2.36		
N. 48 E.	6.00		
N. 64 E.	1.75		
S. 64 E.	1.22	To the Mouth of Cedar Creek. Thence up said cr.	
S. 38 W.	4.75	(Left Bank of Creek)	
S. 8 W.	2.00		
S. 6 W.	6.85		
S. 14 W.	4.00		
South	5.00		
S. 64 E.	10.30		
S. 88 E.	4.00		
N. 68 E.	4.15		
N. 42 E.	8.45		
S. 88 E.	1.80		
S. 64 E.	1.72	To the line Between Sect 21 & 22	
S. 49 E.	13.20	In Section 22.	
S. 39 E.	10.50		
S. 72 E.	11.50		
S. 68 E.	14.40		

S. 77 E.	5.50		
S. 26 1/2 E.	7.50		
S. 64 E.	5.10		
S. 35 1/2 E.	4.60	To the Mouth of Sycamore Creek.	
S. 66 E.	1.80		
N. 73 1/2 E.	1.25		
N. 32 E.	2.00		
N. 27 W.	4.00		
N. 14 E.	2.80		
N. 31 1/2 E.	2.60		
N. 60 E.	1.90		
S. 45 E.	00.80		
S. 12 W.	2.10		
S. 24 1/2 W.	2.40		
S. 34 E.	2.12		
S. 84 E.	2.20		
N. 63 E.	3.40		
N. 40 1/2 E.	5.80		
N. 65 E.	3.20		
S. 25 1/2 E.	2.80		
S. 55 E.	4.00	To the line Between Sect 22 & 23.	

N. 55 E. 2.60 ch Section 23

N. 2 E. 3.45

N. 17 W. 1.30

N. 41 E. 1.45

S. 84 E. 2.10

N. 65 E. 2.00 A Spring Brook

N. 22 E. 2.40

S. 79 E. 1.30

S. 19 E. 5.10

S. 77 E. 1.20

N. 54 E. 2.30

N. 2 E. 6.35

N. 75 E. 6.60

N. 32 E. 4.00

N. 11 W. 5.50

N. 66 W. 6.50

N. 31 W. 1.60

S. 86 E. 1.80

S. 63 E. 3.75

S. 80 E. 4.65

N. 79 E. 6.50

N. 1.33 E. 7.00

N. 24 E. 6.60

N. 42 E. 3.00

N. 73 E. 10.50

N. 45 E. 3.90

N. 1 W. 6.00

S. N. 36 W. 4.70

N. 17 E. 00.90

N. 76 E. 4.80

N. 12 E. 2.10

N. 11 W. 2.70 To line Between Sec 14 & 23.

N. 17 W. 1.20 In Section 14.

S. 87 E. 1.15

S. 33 E. 1.30 To the same line

S. 45 E. 3.95 ch Section 23.

S. 68 E. 2.60

N. 56 E. 2.90

N. 10 E. 2.10 To the same line.

N. 28 W. 5.80 In Section 14.

N. 31 E. 1.15

S. 58 E. 4.20

N. 85 E. 4.25
 N. 6 E. 3.90
 N. 62 W. 4.65
 N. 38 1/2 W. 4.80
 N. 40 E. 2.20
 S. 82 E. 4.35
 N. 65 E. 2.40
 N. 32 1/2 E. 3.35
 N. 77 E. 2.60
 S. 50 1/2 E. 3.40
 N. 67 E. 2.40 To line Between Sect 13 & 14.

N. 80 E. 1.52 See Section 13.

S. 57 1/2 E. 2.35
 S. 47 E. 4.00
 S. 74 E. 4.00
 N. 50 E. 7.90
 N. 71 1/2 E. 5.40
 S. 77 E. 9.50
 N. 86 E. 7.80
 N. 65 E. 2.50
 N. 93 E. 4.80

N. 44 1/2 E. 3.00
 N. 4 E. 3.25
 N. 12 W. 5.70
 N. 31 1/2 W. 6.85
 N. 8 1/2 E. 2.40
 N. 73 E. 4.25
 S. 85 E. 12.50
 S. 61 E. 4.30
 S. 18 E. 7.60
 S. 43 E. 4.60
 S. 54 E. 13.30 To the East Boundary of the Township.

Meanderings of the North shore of
 Grand River and Cedar Creek, in
 Range 2 West Town 4 North.
 Beginning at a post standing on
 the North Bank of the River in west
 Boundary.

Thence up the River

N. 59 E. 5.50
 N. 68 E. 8.50

N. 87 E. 5.76

S. 60 E. 14.86

S. 78 E. 5.57

N. 84 S. 7.19

N. 73 E. 2.87

N. 83 E. 6.38

N. 76 E. 13.40

S. 85 E. 5.00

N. 77 E. 5.00

N. 47 E. 5.57

N. 38 E. 3.20 To line Between Sects 68 & 7.

N. 38 E. 6.39 To line Between Sects 5 & 6.

N. 46 E. 8.05 In Section 5

N. 57 E. 10.10

N. 70 S. 6.61

N. 35 E. 3.55

N. 49 E. 3.00

N. 25 E. 3.34

N. 51 E. 4.50

N. 83 E. 5.94

S. 54 E. 4.54

S. 41 E. 16.62

S. 34 E. 10.32

S. 45 E. 11.75

S. 55 E. 3.27 To the line Between Sects 5 & 8.

S. 72 E. 8.27 To the Mouth of a Brook 7 lks wide.

S. 73 E. 5.25

S. 63 E. 3.46 To the line Between Sects 8 & 9

S. 76 E. 4.72 In Sec. 9

S. 50 E. 6.41

S. 38 E. 5.00

S. 42 E. 12.15

S. 71 E. 11.28

N. 85 E. 6.69

S. 79 E. 5.00

S. 49 E. 6.60

S. 17 E. 6.23

S. 8 E. 11.14

S. 21 E. 8.27 To the Mouth of a Brook 12 lks wide.

S. 9 N. 12.38

S. 15 E. 4.64

S. 25 E. 3.31

S. 4 E. 4.01 To a line Between Sects 9 & 16.

11.00 To the Mouth of a Brook 11 lbs wide

S. 17 E. 2.90
S. 4 W. 7.21
S. 12 W. 5.38
S. 1 E. 5.92
S. 7 E. 8.92
S. 24 W. 6.50
S. 1 W. 7.31
S. 23 E. 10.46
S. 46 E. 9.50
S. 11 E. 6.73
S. 2 E. 3.60
S. 5 W. 5.00
S. 11 W. 5.07
S. 39 W. 2.82
S. 63 W. 2.06
S. 80 W. 2.78
S. 60 W. 3.70
S. 18 W. 12.77
S. 80 W. 2.78

1.26 To line Between Seed 16 & 21.

In Section 21

S. 58 E. 4.14
S. 84 E. 11.39
N. 76 E. 2.55
N. 48 E. 10.82
S. 87 E. 2.66
S. 69 E. 1.61 To line Between Seed 21 & 22.
S. 66 1/2 E. 2.50 In Section 22
S. 49 E. 12.35
S. 37 E. 9.66
S. 72 E. 32.84
S. 26 E. 7.50
S. 64 E. 4.50
S. 42 E. 2.38
S. 32 E. 3.00
N. 58 E. 1.18
N. 32 W. 3.23
N. 3 E. 4.00
N. 29 E. 3.59
N. 67 E. 4.12
S. 34 E. 3.38
S. 21 E. 4.18

In Section 22

22 & 23

To the mouth of a Brook 10/10 mile

To a line between lots 14 & 25

N 82 1/2 E 5.40

N 52 E 3.50

N 11 W 4.15

N 66 1/2 W 6.55

N 54 W 2.50

N 21 1/2 E 1.15

N 73 1/2 E 2.61

S 62 E 4.70

S 78 E 5.00

N 87 E 5.50

N 34 1/2 E 5.87

N 6 E 6.70

N 48 1/2 E 3.90

N 75 E 10.70

N 49 E 2.85

N 2 E 5.00

N 33 W 4.80

N 15 1/2 E 2.20

N 75 E 5.00

N 8 W 3.55

N 10 W 1.52

S 82 1/2 E 1.06

S 70 E 2.22

N 33 E 3.50

N 20 E 5.21

S 57 E 2.40

S 72 E 2.33

S 89 1/2 E 2.43

N 35 E 1.40

S 67 E 2.53

N 77 W 2.10

N 27 1/2 E 1.80

S 89 1/2 E 3.05

N 65 E 1.50

N 22 E 2.63

N 69 E 1.91

S 63 E 2.70

S 27 E 3.35

S 57 E 2.03

S 71 E 1.76

N 22 E 2.57

N 35 E 1.66

N. 80 1/2 E.	1.89
S. 63 E.	2.10
S. 40 E.	3.77
S. 71 1/2 E.	3.54
N. 52 1/2 E.	2.08
N. 47 E.	4.80
N. 71 1/2 E.	7.00
S. 74 E.	3.16
S. 77 E.	6.17
N. 87 1/2 E.	7.11
N. 68 E.	3.27
N. 86 E.	2.04
N. 76 E.	1.92
N. 49 E.	1.92
N. 5 1/2 E.	1.79
N. 12 W.	5.22
N. 29 W.	7.51
N. 8 1/2 E.	3.65
N. 47 E.	2.26
N. 82 1/2 E.	4.34
S. 87 E.	10.39

216.70 m. line between dec 13 & 14.

3776 2625

3775 3175

3774 276

3773 573

3772 300

3771 1253

3770 1076 To the East Boundary.

Assurance to a Contract made
Oct. 5th 1826. and destruction of
Edward Tiffin Surveyor General
of the United States. I have
surveyed and checked and made
Electrons Township No. 21. 1826
of Range 10. 2 West of the 11th
Mich. and I hereby certify
that the foregoing is a true
notes, correctly and truly taken
of the survey of the said Township.
Certified this 31st day of March 1828.
Messrs. Evans & Co.