

LE-4
INDEX

INDEX

AKES
1-6 REVERSE
7- J-8 WITNESSES
8 J-1 WITNESSES
9 J-13 LOCKE
10 J-2 WITNESSES
11 J-3 DATHAM


AUG-2000

LE-4
INDEX

AKES
1-6 REVERSE
7- J-8 WITNESSES
8 J-1 WITNESSES
9 J-13 LOCKE
10 J-2 WITNESSES
11 J-3 DATHAM

LE4			
(3)			
LE4-2-17		17-9/18	
B/S LE4-3-16		735.895	
745 LE4-3-18		735.895	
B/S 39-32-15		735.895	
FSD 308-39-10		735.890	
B/S 33-40-20		735.89	
FSE 303-47-35			
B/S 00-00-00		17-2-6	
FSD 210-07-25		74000 24.31	
B/S 53-44-25			
FSE 325-57-40			
114 270°01'5"			
LE4-2-17			
B/S LE4-3-18			
F/S LE4-3-26	I-3	18-2-19	
B/S 00-00-00		2107.780	
FSD 34-12-55		2107.780	
B/S 00-00-00		2107.780	
FSE 34-12-50		2107.780	
B/S 10-13-10		2107.780	
FSD 42-28-00		2107.780	
B/S 00-00-00		2107.780	
FSE 34-12-55		2107.780	
114 270°01'5"			
LE4-3-17			
B/S LE4-2-17			
114 176° 35' 04"			
B/S 63-33-35			
FSE 240 07-40			

EH-F5 LE4
T.E 3



4

19-28

17361435

1736.425

132.45

11/20/2011

11418139155"

74-50

180.410	0.72.081
180.410	0.72.081

150-220

[illegible]

19-51

1725.455	
----------	--

1725, 450

MO 1715.455

[illegible]


20-52	20
-------	----

1335

1-38-20

11-10-10	1125.0
----------	--------

22-28-05 18:54"



154

7 LE-4-4-20

B/S LE-4-3-19

F/S LE-4-5-21 (J-13)

B/S 00-00-00

CSO 273-15-45

19-40-55

ADK 292-06-33

FSO 790-39-45

B/S 16-08-35

FSK 289-24-15

14 ~~50~~ C13-134

LE-4-5-21 T-13

BS LE-4-4-20

713 LE-4-4-22

015 0000-00

7.24.48

167-50-50

2/5 10 45 15

198-22-25

07-15-10

7/50 777-03-30

MS 19048.21"

1

[illegible]

100

2E-45

Moerry

LE-4-5-22


ALLEN ROAD

LE-4-5-21 (5-13) (LOCKE-16-17)

15-4-20 Nil 15.5.06 of 1-13
 15-10-20 15.10.53 30
 15-11-20 15.11.53 30
 15-12-20 15.12.53 30
 15-1-21 15.1.54 30
 15-2-21 15.2.54 30
 15-3-21 15.3.54 30
 15-4-21 15.4.54 30
 15-5-21 15.5.54 30
 15-6-21 15.6.54 30
 15-7-21 15.7.54 30
 15-8-21 15.8.54 30
 15-9-21 15.9.54 30
 15-10-21 15.10.54 30
 15-11-21 15.11.54 30
 15-12-21 15.12.54 30
 15-1-22 15.1.55 30
 15-2-22 15.2.55 30
 15-3-22 15.3.55 30
 15-4-22 15.4.55 30
 15-5-22 15.5.55 30
 15-6-22 15.6.55 30
 15-7-22 15.7.55 30
 15-8-22 15.8.55 30
 15-9-22 15.9.55 30
 15-10-22 15.10.55 30
 15-11-22 15.11.55 30
 15-12-22 15.12.55 30
 15-1-23 15.1.56 30
 15-2-23 15.2.56 30
 15-3-23 15.3.56 30
 15-4-23 15.4.56 30
 15-5-23 15.5.56 30
 15-6-23 15.6.56 30
 15-7-23 15.7.56 30
 15-8-23 15.8.56 30
 15-9-23 15.9.56 30
 15-10-23 15.10.56 30
 15-11-23 15.11.56 30
 15-12-23 15.12.56 30
 15-1-24 15.1.57 30
 15-2-24 15.2.57 30
 15-3-24 15.3.57 30
 15-4-24 15.4.57 30
 15-5-24 15.5.57 30
 15-6-24 15.6.57 30
 15-7-24 15.7.57 30
 15-8-24 15.8.57 30
 15-9-24 15.9.57 30
 15-10-24 15.10.57 30
 15-11-24 15.11.57 30
 15-12-24 15.12.57 30
 15-1-25 15.1.58 30
 15-2-25 15.2.58 30
 15-3-25 15.3.58 30
 15-4-25 15.4.58 30
 15-5-25 15.5.58 30
 15-6-25 15.6.58 30
 15-7-25 15.7.58 30
 15-8-25 15.8.58 30
 15-9-25 15.9.58 30
 15-10-25 15.10.58 30
 15-11-25 15.11.58 30
 15-12-25 15.12.58 30
 15-1-26 15.1.59 30
 15-2-26 15.2.59 30
 15-3-26 15.3.59 30
 15-4-26 15.4.59 30
 15-5-26 15.5.59 30
 15-6-26 15.6.59 30
 15-7-26 15.7.59 30
 15-8-26 15.8.59 30
 15-9-26 15.9.59 30
 15-10-26 15.10.59 30
 15-11-26 15.11.59 30
 15-12-26 15.12.59 30
 15-1-27 15.1.60 30
 15-2-27 15.2.60 30
 15-3-27 15.3.60 30
 15-4-27 15.4.60 30
 15-5-27 15.5.60 30
 15-6-27 15.6.60 30
 15-7-27 15.7.60 30
 15-8-27 15.8.60 30
 15-9-27 15.9.60 30
 15-10-27 15.10.60 30
 15-11-27 15.11.60 30
 15-12-27 15.12.60 30
 15-1-28 15.1.61 30
 15-2-28 15.2.61 30
 15-3-28 15.3.61 30
 15-4-28 15.4.61 30
 15-5-28 15.5.61 30
 15-6-28 15.6.61 30
 15-7-28 15.7.61 30
 15-8-28 15.8.61 30
 15-9-28 15.9.61 30
 15-10-28 15.10.61 30
 15-11-28 15.11.61 30
 15-12-28 15.12.61 30
 15-1-29 15.1.62 30
 15-2-29 15.2.62 30
 15-3-29 15.3.62 30
 15-4-29 15.4.62 30
 15-5-29 15.5.62 30
 15-6-29 15.6.62 30
 15-7-29 15.7.62 30
 15-8-29 15.8.62 30
 15-9-29 15.9.62 30
 15-10-29 15.10.62 30
 15-11-29 15.11.62 30
 15-12-29 15.12.62 30
 15-1-30 15.1.63 30
 15-2-30 15.2.63 30
 15-3-30 15.3.63 30
 15-4-30 15.4.63 30
 15-5-30 15.5.63 30
 15-6-30 15.6.63 30
 15-7-30 15.7.63 30
 15-8-30 15.8.63 30
 15-9-30 15.9.63 30
 15-10-30 15.10.63 30
 15-11-30 15.11.63 30
 15-12-30 15.12.63 30
 15-1-31 15.1.64 30
 15-2-31 15.2.64 30
 15-3-31 15.3.64 30
 15-4-31 15.4.64 30
 15-5-31 15.5.64 30
 15-6-31 15.6.64 30
 15-7-31 15.7.64 30
 15-8-31 15.8.64 30
 15-9-31 15.9.64 30
 15-10-31 15.10.64 30
 15-11-31 15.11.64 30
 15-12-31 15.12.64 30
 15-1-32 15.1.65 30
 15-2-32 15.2.65 30
 15-3-32 15.3.65 30
 15-4-32 15.4.65 30
 15-5-32 15.5.65 30
 15-6-32 15.6.65 30
 15-7-32 15.7.65 30
 15-8-32 15.8.65 30
 15-9-32 15.9.65 30
 15-10-32 15.10.65 30
 15-11-32 15.11.65 30
 15-12-32 15.12.65 30
 15-1-33 15.1.66 30
 15-2-33 15.2.66 30
 15-3-33 15.3.66 30
 15-4-33 15.4.66 30
 15-5-33 15.5.66 30
 15-6-33 15.6.66 30
 15-7-33 15.7.66 30
 15-8-33 15.8.66 30
 15-9-33 15.9.66 30
 15-10-33 15.10.66 30
 15-11-33 15.11.66 30
 15-12-33 15.12.66 30
 15-1-34 15.1.67 30
 15-2-34 15.2.67 30
 15-3-34 15.3.67 30
 15-4-34 15.4.67 30
 15-5-34 15.5.67 30
 15-6-34 15.6.67 30
 15-7-34 15.7.67 30
 15-8-34 15.8.67 30
 15-9-34 15.9.67 30
 15-10-34 15.10.67 30
 15-11-34 15.11.67 30
 15-12-34 15.12.67 30
 15-1-35 15.1.68 30
 15-2-35 15.2.68 30

NEBEEDVILLE ROAD

LE4			
LE4-5-22		22 → 23	
BLS LE4-5-21 (J-13)		870.830	
FIS LE4-4-23 K-1		870.835	
BLS 00-20-20		870.840	
BSD 179-24-30		870.840	
BIS 02-14-25			
BLS 181-40-58			
BIS 72-12-30			
BSD 236-36-55			
BIS 00-20-15			
FIS 179-44-40	MA	1002426"	
LE4-5-22		22 → 24	
BLS LE4-5-21			
FIS LE4-4-24 (K-13)			
BLS 77-12-30			
BSD 236-36-00			
BIS 14-47-30			
BSC 174-14-20			
BIS 00-00-00			
BSD 179-23-30	MA	179°23'30"	
BIS 06-15-20			
BSC 185-38-50			
LE4-5-22			
BLS LE4-5-21		22 → 25	
FIS LE4-6-25			
BLS 00-20-00		1437.345	
BSD 179-07-10		1437.345	
BIS 02-16-25		1437.345	
BSC 181-23-30		1437.345	
BIS 72-12-30			
BSD 238-19-30			
BIS 00-20-05	MA	179°07'05"	
179-37-10			



LE4

T-3

T3N. 22E

9-6-00

1400' COMBED to SEC. 24 11

FOUND 1/2" BARE IN MON. BUC

IN 4 OF PREDEE PORT ON

LIVE WITH LEAVE to ALBERTA

4" STEEL POST + 1050' 11

350' WEST OF EXHUMED COVE

COVER IN FULL AREA ± 6' HAVE

THE CREEK - TRAVELER FOUND

COVER TO BE IN CLOSE ACORD

WITH J. McCREERY (CO. SINGAPORE

CO. 828. 2288) MANS NORTH

WEST. ACCEPTED POSITION

WATER FINDING WIL OF

G. ROSS WILNESSES CHINA

A. P.A. 132 STAGE 14 1999.

SET STATIONED PHOTO. DIST.

FO NOT 1700' E/S AP. HE 199°, 43.90

ED NOT 18053 3/5 22' W/CHER A. 170° 4000

ED NOT 17002 4/5 G. Post HE 125° 37.18


ED " " 5/5 " " HE 70° 32.75

ED NOT 17002 4/5 " " HE 230° 33.05

PHASES

LE4

7



LE4
 T-1 T-13
 - NORTH 1/4 CORNER SEC. 2
 SET NEW CORNER, ALL
 PERIODS P.A. 132 SUEWY'S
 APPEAR TO BE TIED TO T-13
 LOCKE TYP. TRIMERS
 DETERMINED THIS CORNER TO
 BE 9.85' EAST OF T-13, LOCKE
 TYP. SINCE NO P.A. 74 REM
 150' PULLEY BEHIND SET
 STANDS ON ONE TYP. DO.
 DIST. ON LINE BETWEEN
 T-13 & T-13 AT MID POINT
 BETWEEN T-1 & T-1
 CATH ROSEMAN'S HAD
 EXCAVATED 10-23-58 & FOUND
 A POINTED SHAPE ± 3.3' SOUTH
 OF T-13. EXCAVATED FOUND
 & DID NOT DEEM THIS A
 STONE MARKER FOR CORNER
 EXCAVATION WAS 10' WIDE
 & 13' ± EAST WEST OF T-13
 LOCKE.

10-2-00 LE4
 EHP5 8
 SET NEW CORNER 10' QJAS MARK
 W. H. 2000' 68.00'
 EXCAVATED EAST/SIDE 26' ONE
 11.44" 33.0' 34.89'
 SET N 1/2 T 9.10' TRAIL DIT.
 N. H. 81.0' 115.12'
 SET N 1/2 T 11.50' 11.50' QJAS MARK
 N. H. 115.0' 75.84'
 WEST 9.85' BEHIND QJAS
 T-13 - LOCKE TYP.

LA 9

SET 1700
J-13 COCOT TAIL, EZE

FD 1/8" BEAR AT LOCATION OF
OCEANIC P.C. WHILE AS SET
IN LINE 2, AS 55 OF 13000
BY D.ROSS AS NO. 13574
CORRECT AND BEEN EXAMINED
72 BY JAS D. CERN DEBARS
NOTED A FOUND POINTED SHINE
50.5° E. 3.28' FROM THE 1/8" BAR
FD NET W 310° 36' 18989 TON
FD NET SE/SIDE TRIPLE MARK
D/9 H/44
CORNER 1.5 ALBERTO F. ROAD
EXCAVATED HADEN 3.28 SOST
FROM 1/8" BAR & FOUND 5 BARS
(DOESNT APPEN A C. SURVIVE
MARKED) ACCEPHER
BAR AS CORNER FOR ROCKE MAP.
SET 741 FROM P.L. & C. DIST
ALL BBS OCEANIC BT GOVE

9.19.00
24/1/55
LEA 9

SET NET 1/510E 15' OCEANIC
W. AL. 118° 55.23'
SET NET 5/510E 18' TWIN WIDE
W. AL. 56° 134.57'
FD NET 18438 4/510E 35' INT
W. AL. 42° 39.90'
FD NET 19334 5/510E 15' OCEANIC
W. AL. 459° 39.69'
EAST 9.85 ENGLISH C. DIST
E. J-1, TAIL, EZE

LE-4
10

J-2 LEROY TBN ETC
ENTER 1/2 SEC. 2

FOUND 84" DEEP AS WITNESSED
BY G. BOSSIN L-5 P. 380 DISTANCE 4884
FOUND WITNESSES OF DULUPHOS 4884

024 North of Village 1.166005

At 56. 1.475011 50' 24" E 11' 28" N

(Bos) At 1030 37.24 50' 18" E 11' 28" N

At 244° 33.55 50' 18" E 11' 28" N

(Bos) At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

At 304° 25.13 50' 18" E 11' 28" N

9-19-00 LE-4
10

PA-15

FD 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

At 101 1034 10/5105 20' 1034

LE-4

(11)

J-3

43 P. 123 of COENERS

0.8055 SET 1/2" 110W. U & E BOND

302° E. 33.6' 4" STEEL POST IN COR.

370° E. 41.25' SW COR. OF 32' DGC WITH

N 50° W. 32.70' SP. 5/8" 14" CHERRY

1978 CETA FIELD NOTES

1/8" 30.65' WEST 1/2" EDGE 200C. BARGE

ON LINE WITH 50.75 YR FENCE LINE NORTH

P. 502° E. 33.25' CENTER OF 4" STEEL POST IN COR.

P. 570° E. 32.12' SW COR. of south white of color

HENDON

N 60° W. 41.24' 1/2" S/S 14" W. CHERRY

TO FENCE LINE NORTH PREVIOUSLY

STAMPING

CORNER LOCATED IN 1/4 E. 20° NORTH

FENCE LINE OCCUPYING SURE OF

CROSS

9-19-00 LE-4

(11)

EML