



Field Notes of			
+	Ht	-	Elev
1.75	813.72		871.97
8.34		2.59	871.13
4.54	879.47	11.63	868.84
	872.38	3.74	868.64
center of section			
FD 1/2 Bar	270°	in fence line	E-W
22.52	west	set NIT	IN N. face
2704	12 238°	set NIT	IN SE face
12.82	12 57°	" "	IN N. face
48.68	12 198°	" "	IN W. face
Topo	DVT	GBI	
Start @ 3500			
Top of Bank is	4' East	25' up	from
"	7' "	4.2 "	
"	9' "	4.6 "	
"	8' "	5.3'	
2.6	7'	4.7'	



12/27/04 (19)



NW COR
SEC. 6
T3N, R2E
FD. REMON B&C #41095

S 1/4 COR
SEC. 31
40.26' T3N, R2E
L 7, P. 164

S89°07'17"W

S87°39'43"E

1144.58' N 1/4 COR
SEC. 6
T3N, R2E
L 7, P. 164

2675.61'

NE COR
SEC. 6
T3N, R2E
L 7, P. 59

2228.83'
N02°01'24"W

2039.46'
N02°46'04"W

1767.54'
S01°49'54"E

W 1/4 COR
SEC. 6
T3N, R2E
CORNER NOT FOUND

S86°29'32"W

N89°30'34"E

2636.34'

(861.073)
.00961 M, 42.25.10N

E 1/4 COR
SEC. 1
T3N, R1E
FD. REMON B&C #41095

CENTER
SEC. 6
T3N, R2E
L 3, P. 87

E 1/4 COR
SEC. 6
T3N, R2E
L 3, P. 87

1171.27'

2525.78'
N01°52'24"W

2663.63'
N02°09'16"W

2667.99'
S01°49'54"E

S86°34'54"W

S86°34'44"W

1183.91'
SW COR
SEC. 6
T3N, R2E
FD. 1" SQUARE BAR

S 1/4 COR
T3N, R2E
L 3, P. 87

2621.21'

SE COR
SEC. 6
T3N, R2E
L 3, P. 87