

SOURCE: CORNER RECORDATION CERTIFICATE

TRANSCRIBED from ORIGINAL on file at REGISTER OF DEEDS
~~DUPPLICATE~~

LAND CORNER RECORDATION CERTIFICATE
FILE NO. 37123

FOR CORNER OF: LOCATED IN: CORNER CODE NUMBER
1. PUBLIC LAND SURVEY 24, 1/4, 3, R. 2, S. 3
2. PROPERTY CONTROLLING DIVISION IN SECTION: N. 2, E. 3
3. MISCELLANEOUS PROPERTY IN SECTION: N. 2, E. 3
4. LOT NO. RECORDED PLAT
5. PRIVATE CLAIMS

FILED
MAY 13 1 58 PM '74
REGISTER OF DEEDS
COUNTY OF INDIAN
MINUTES OF DEEDS BOOK AND
PAGE NUMBER

I, OSCAR BOSS, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above (identified with circles on index code diagram - over) were, in a field survey on April 17, 1974, established, re-established, monumented, re-monumented, recovered or restored as expressed below and in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a court of law. Furthermore, that the corner points mentioned in lines 1, 4 and 5 above were, in a field survey on April 17, 1974, found, recovered, ignored, established or re-established as expressed below and in conformance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of law:

A. Description of original monument and accessories and/or subsequent restoration:

K-7 Unknown
K-8 Unknown
L-8 Unknown
M-7 Unknown
M-8 Unknown
J-3 Unknown

B. Description of corner evidence found and/or method applied in restoring or re-establishing corner:

K-7 iron set (fd. old corner fence post)
K-8 3/8" rod
L-8 1/2" bolt
M-7 1" rod
M-8 3/4" bolt
J-3 1/2" iron set centerline road

C. Description of monument for corner and accessories established in perpetuity locating the position of the corner:

K-7 NW CORNER, Sec. 24
Due North 1.3 steel 4" fence post
N. 10° E. 15.5 Nail set W/S 36" tree
S. 50° E. 35.8 Nail set W/S 10" tree
L-8 CENTER SECTION, Sec. 24
S. 30° E. 63.60 Nail set W/S 12" tree
S. 15° E. 93.48 Nail set W/S 18" tree
S. 25° W. 67.57 Nail set W/S 12" tree
M-7 NE CORNER, Sec. 24
S. 70° W. 121.85 Nail set E/S 24" tree
S. 15° E. 105.26 Nail set W/S 50" tree
Due West 33.62 Pipe fd.
E 1/4 CORNER, Sec. 24
N. 80° W. 65.60 Nail set
S/S 12" tree
N. 75° W. 42.91 Nail set
S/S 20" tree
S. 55° E. 38.50 U.S.G.S.
B.M.
J-3 N 1/4 CORNER, Sec. 24
S. 70° E. 41.25 SM corner of bridge
wall, N. 50° W. 32.20 Sp. S/S 14"

SIGNED BY: Oscar Boss DATE: MAY 17, 1974

SURVEYOR'S MICHIGAN REGISTRATION NO. 12574

FOR STATE AND UNITED STATES AGENCIES:

SIGNED BY: DATE: MAY 17, 1974

APPROVED AND SIGNED BY: DATE: MAY 17, 1974

SURVEYOR'S MICHIGAN REGISTRATION NO. 12574

FORM APPROVED BY MICHIGAN STATE BOARD OF REGISTRATION, JAN. 22, 1971
REPLACES FORM 1-60, REVISED 1960

TRANSCRIBED from ORIGINAL on file at: REGISTER OF DEEDS
~~DUPLICATE~~

FILING REQUIREMENT OF ACT 74, MICH. P.A.1970

3 12 89

FOR CORNERS OF:-		LOCATED IN:-		CONVEY CODE NUMBER	
1. PUBLIC LAND SURVEY	13	3	N	2	10
2. PROPERTY CONTROL		N	E		
3. MISCELLANEOUS		N	E		
4. LOT NO.		N	E		
5. PRIVATE CLAMS		N	E		

RECORDED PLAT

DEPT. OF INTER. AFF.

1. Source Name _____ has been certified under assignment of P.A. 74, Michigan P.A. of 1970, to the concern points mentioned in lines 3 and 4 above (identified with circles on index code pattern - over) was, in a field entry on August 25 1972, established, re-established, monitored, re-monitored, recovered or recovered as expressed in and in accordance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management, by a decree of a court of law. Furthermore, the concern points mentioned in lines 3, 4 and 5 above was, in a field entry on August 25 1972, recovered, re-established or re-established as expressed in and in accordance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of Law.

- FBI FILE

FILED

A. Description of original monument and accessories and/or subsequent restoration:

K-5 Unknown
K-6 Unknown
L-5 Unknown
L-6 Unknown

APR 25 9 20 AM '74
REGISTER OF DEEDS
GAIL M. LIVING
INGHAM COUNTY, NICH

11. Description of corner evidence found and/or method applied in processing or re-establishing corner:

K-3 1" pipe fd.
K-4 1/4" blue fd.
L-3 sat 1/2" iron on fence K-4 & on fence line from center of sec. extending Northerly
L-6 sat 1/2" iron on fence line K-4-K-5

C. Description of monument for letters and accessories established to perpetuate locating the position of the corner:

E-SW Corner
 South 21.23 Nail E/S 24" Maple
 S. 47° W. 30.23 Nail N/S 14" Maple
 S. 22° E. 48.52 Nail N/S 10" Poplar

L-5 N 1/4 corner
 U.65°W. 32.98 N/S 20" Oak
 S.85°W. 64.33 N/S 20" Oak
 S.60°E. 56.48 W/S 8" Elm

K-6 W 1/4 corner
S. 58° W. 50.88 Mail N/S 12" Ash
S. 73° W. 91.88 Mail N/S 12" Ash
North 18.7d Mail E/S Tele Pole.

S. 45° 11' N. 12.19 10" Ash
N. 20° W. 27.08 8" Ash
N. 05° E. 2 x 2 angle iron corner post 8.15

SIGNED BY Quon Ross DATE 4-10-74

SURVEYOR'S MICHIGAN REGISTRATION NO. 13376

FOR STATE AND UNITED STATES AGENCIES:

SIGNED BY _____ DATE _____

APPROVED AND SIGNED BY [Signature] DATE 11/10/82

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

SURVEYOR'S MICHIGAN REGISTRATION NO. _____

FORM NO. 10-10729
REVISED 1964. © 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 26

LEROY

T 3 N. R 2 EW

K-6

p. 1 of 1

township

corner code attachment no.

SOURCE: CORNER RECORDATION CERTIFICATE

TRANSCRIBED from ~~ORIGINAL~~ ~~DUPLICATE~~ on file at REGISTER OF DEEDS

SEC 14, T3N, R2E INGHAM CO.
LAND CORNER RECORDATION CERTIFICATE
FILING REQUIREMENT OF ACT 74, MICH. P.A. 1970

FOR CORNERS OF:	LOCATED IN:	CORNER CODE NUMBER	LIBER
1. PUBLIC LAND SURVEY	T 3 N R 2 E	J-6	3 PG 607
2. PROPERTY CONTROLLING IN SECTION	12 T 3 N R 2 E	12	FILED
3. MISCELLANEOUS PROPERTY IN SECTION	T S. R. E		
4. LOT NO.	RECORDED PLAT		
5. PRIVATE CLAIMS			

AUG 12 4 34 PM '78
REGISTER OF DEEDS
Ingham County, Mich.
REGISTER OF DEEDS STAMP AND FILING NUMBER

I, Ronnie M. Lester, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were, in a field survey on August 3, 1976, established, re-established, re-monumented, recovered or restored as expressed below and in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a court of law. Furthermore, that the corner points mentioned in lines 3, 4 and 5 above were, in a field survey on 19 found, recovered, restored, established or re-established as expressed below and in conformance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of law:

A. Description of original monument and accessories and or subsequent restoration:

J-6 Center of Section 14, T3N, R2E
No record of corner being set in original government survey.

12 E 1/8 corner of S.W. 1/4 of Section 14.
No record of corner being set in original government survey.

B. Description of corner evidence found and/or method applied in restoring or re-establishing corner:

J-6 Center of Section 14, T3N, R2E
Found boatspike in monument box per M.D.S.H. records.

12 East 1/8 corner of S.W. 1/4 of Section 14
Set 1/2" bar and cap midway and on line between Center of Section and South 1/4 corner.

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

J-6 Center of Section 14 T3N, R2E.
S.E. corner of "1" beam guard rail post, W.N.W., 19.76'
S.E. corner of "1" beam guard rail post, W.S.W., 20.36'
S.W. corner of "1" beam guard rail post, E.N.E., 19.18'

12 East 1/8 corner of S.W. 1/4 Section 14.
Nail and tag in East side of 3" ash, N.W.W., 59.26'
Nail and tag in North side of 20" ash, E.N.E., 32.18'
Nail and tag in West side of 30" maple, S.S.E., 94.78'

DRAWN BY Ronnie M. Lester DATE AUGUST 3, 1976

SURVEYOR'S MICHIGAN REGISTRATION NO. 18998

FOR STATE AND UNITED STATES AGENCIES:


SIGNED BY _____ DATE _____

APPROVED AND SIGNED BY _____ DATE _____

SURVEYOR'S MICHIGAN REGISTRATION NO. _____

985

MAY PLACE SKETCH ON BACK OR ATTACHED SHEET



SOURCE: CORNER RECORDATION CERTIFICATE

TRANSCRIBED from ORIGINAL on file at REGISTER OF DEEDS
~~Duplicate~~

LAND CORNER RECORDATION CERTIFICATE

FILING REQUIREMENT OF ACT 74, MICH. P.A. 1970

LIBR 3 K 568

FILED

FOR CORNERS OF: LOCATED IN: CORNER CODE NUMBER

1. PUBLIC LAND SURVEY 11 T 3 N. R 2 E 1-4, 1-5, J-4, J-5

2. PROPERTY CONTROLLING IN SECTION T N. E. E.

3. MISCELLANEOUS PROPERTY IN SECTION T N. E. E.

4. LOT NO. , RECORDED PLAT

5. PRIVATE CLAIMS

Nov 17 1 15 PM '78
REGISTER OF DEEDS
LEROY
MICHIGAN COUNTY, MICH.

REGISTER OF DEEDS STAMP AND
PLAT NO.

I, Oscar Ross, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 3 above were, in a field survey on March 23, 1978, established, re-established, monumented, re-monumented, recovered or restored as expressed below and in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a court of law. Furthermore, that the corner points mentioned in lines 3, 4 and 5 above were, in a field survey on March 23, 1978, found, recovered, restored, established or re-established as expressed below and in conformance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of law:

A. Description of original monument and accessories and/or subsequent restoration:

I-4 Unknown
I-5 Unknown
J-4 Unknown
J-5 Unknown

B. Description of corner evidence found and/or method applied in surveying or re-establishing corner:

I-4 Rod in 1" Pipe
I-5 1/2" Iron set (fence intersection N-W-E)
J-4 1/2" Iron set (on line and split between N 1/4 Corner & S 1/4 Corner of Section 11).
J-5 Rod

C. Description of monument for corner and accessories established to perpetuate location of the corner:

I-4 W 1/4 CORNER, Sec. 11
N. 85°W. 17.69 N/W/S Twin Trunked Tree
N. 85°E. 28.79 N/S/S 22" Tree
N. 85°E. 15.84 Nail 1d. W/S Power Pole

I-5 SW CORNER, Sec. 11
N. 5°E. 7.51 N/S W/S 6" Tree
S. 10°E. 2.17 N/S dbl. Trunked 4" Trees
S. 60°W. 55.57 W/S W/S 40" Tree

J-4 CENTER, Sec. 11
103' South of Chestnut St. in centerline of Elm Rd.
N. 12°W. 97.0 N/S S/S 24" Tree
S. 25°E. 136.36 N/S W/S 18" Tree
N. 80°E. 67.9 NW Corner of House

J-5 S 1/4 CORNER, Sec. 11
N. 50°E. 73.35 SW Corner barn
S. 60°E. 44.84 N/W/S 34" Tree
S. 45°E. 47.00 top of Ang Iron corner post

SIGNED BY Oscar Ross DATE 5-11-78

SURVEYOR'S MICHIGAN REGISTRATION NO. 12734

FOR STATE AND UNITED STATES AGENCIES:

SIGNED BY _____ DATE _____

APPROVED AND SIGNED BY _____ DATE _____

SURVEYOR'S MICHIGAN REGISTRATION NO. _____



655

MAY PLACE SECTION ON BACK OF ATTACHED SHEET

LAND CORNER RECORDATION CERTIFICATE

FILING REQUIREMENT OF ACT 74, MICH. P.A. 1970

Leroy Township, Ingham County

FOR CORNERS OF—	LOCATED IN—	CORNER CODE NUMBER
1. PUBLIC LAND SURVEY—11, T. 3 N., R. 2 E.		J-5
2. PROPERTY CONTROLLING IN SECTION—T. S., R. E. W.		
3. MISCELLANEOUS PROPERTY IN SECTION—T. S., R. E. W.		
4. LOT NO. —, RECORDED PLAT—		
5. PRIVATE CLAIMS—		

LIBER 5 PG 87

FILED

Dec 14 4 03 PM '78

REGISTER OF DEEDS

Russ Johnson
INGHAM COUNTY, MICH.

REGISTER OF DEEDS STAMP AND FILING NUMBER

I, Ron Helsel, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were, in a field survey on AUGUST 25, 1978, established, re-established, monumented, re-monumented, recovered or restored as expressed below and in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a court of law. Furthermore, that the corner points mentioned in lines 3, 4 and 5 above were, in a field survey on _____, 19____, found, recovered, restored, established or re-established as expressed below and in conformance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of law:

A. Description of original monument and accessories and/or subsequent restoration:

J-5, Original monument obliterated.

B. Description of corner evidence found and/or method applied in restoring or re-establishing corner:

J-5, Found 3/4" iron pipe *iron witnesses of previous surveys*

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

J-5, South 1/4 Corner Section 11:
S55°E, 47.88 feet Nail & tag 18" butternut
S20°E, 138.64 feet Nail & tag 18" butternut
N65°E, 76.79 feet SW Corner Foundation of Barn

SIGNED BY *Ron Helsel* DATE 8-31-78


SURVEYOR'S MICHIGAN REGISTRATION NO. 18994

FOR STATE AND UNITED STATES AGENCIES:

SIGNED BY _____ DATE _____
CHIEF OF SURVEY PARTY

APPROVED AND SIGNED BY _____ DATE _____
MICHIGAN REGISTERED LAND SURVEYOR

SURVEYOR'S MICHIGAN REGISTRATION NO. _____



1474

FORM APPROVED BY MICHIGAN STATE BOARD OF REGISTRATION, JAN. 28, 1971
REVISED MAY 14, 1978

MAY PLACE SKETCH ON BACK OR ATTACHED SHEET

LAND CORNER RECORDATION CERTIFICATE

FILING REQUIREMENT OF ACT 74, MICH. P.A.1970

FOR CORNERS OF --:	LOCATED IN--:	CORNER CODE NUMBER
1. PUBLIC LAND SURVEY	T. _____ N. _____ E. _____ S., R. _____ W.	
2. PROPERTY CONTROLLING IN SECTION 22	T. 3 N. _____ E. _____ R. 2 W.	I-7
3. MISCELLANEOUS PROPERTY IN SECTION	T. _____ N. _____ E. _____ S., R. _____ W.	
4. LOT NO. _____, RECORDED PLAT _____		
5. PRIVATE CLAIMS _____		

REGISTER OF DEEDS STAMP AND
FILING NUMBER

I, Gary R. Boss, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were, in a field survey on 6-10, 1976, established, re-established, monumented, re-monumented, recovered or restored as expressed below and in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a court of law. Furthermore, that the corner points mentioned in lines 3, 4 and 5 above were, in a field survey on _____, 19____, found, recovered, restored, established or re-established as expressed below and in conformance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of law:

A. Description of original monument and accessories and/or subsequent restoration:

I-7: Unknown

B. Description of corner evidence found and/or method applied in restoring or re-establishing corner:

I-7: Fd. 3/4" Pipe at intersection of Alchin & Holt Roads.

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

I-7: NE Cor. Sec. 22 Leroy Twp.
3/4" Pipe
S45°E 44.91' Nail set SW/S tele.pole
S55°W 47.67' Nail set N/S 10" tree
S80°W 104.97' Nail Set N/S 36" tree

SIGNED BY

Gary R. Boss

DATE

6/21/78

SURVEYOR'S MICHIGAN REGISTRATION NO.

17022

(SEAL)

FOR STATE AND UNITED STATES AGENCIES:

SIGNED BY

DATE

APPROVED AND SIGNED BY

CHIEF OF SURVEY PARTY

MICHIGAN REGISTERED LAND SURVEYOR

DATE

(SEAL)

SURVEYOR'S MICHIGAN REGISTRATION NO.

CORNER RECORDATION CERTIFICATE

TRANSCRIBED from ORIGINAL on file at REGISTER OF DEEDS
DUPLICATE

FILING REQUIREMENT OF ACT 74, MICH. PA 1970

4 K 232

FILED

Jul 11 9 11 AM '78

05 11 03 05

IN CHAM COUNTY, MISS.

REGISTER OF GULLS STAGE AND ILLINOIS SCHEMATIC

A description of original monument and accessories and subsequent restoration.

I-7: Unknown

A description of where evidence found and the method applied in restoring or re-establishing record

I-7: Ed. 3/4" Pipe at intersection of Alchin & Holt Roads.

¹ Description of movement for corner and someone established to perpetuate including the position of the corner.

1-7: NE Cor. Sec. 22 Leroy Twp.
3/4" Pipe
\$45.1 44.31° Nail set SW/4 tele. pole
\$55.5 W 47.67° Nail set N/S 10" tree
\$80.0 W 164.97° Nail set N/S 30" tree

SIGNED BY Samuel J. Davis
SURVEYOR'S MICHIGAN REGISTRATION NO. 17022

DATE 6/21/78

FOR STATE AND UNITED STATES AGENTS

SIGNED BY _____
TITLE OF SIGNED PARTY _____

APPROVED AND SIGNED BY _____
MICHAEL HENRIKSON (LAND) SUPERVISOR

DATE . . .
PAGE . . .

SURVEYOR'S MICHIGAN REGISTRATION NO.

U.S. AIR FORCE
RECEIVED

NOV 1967

NOV 1967

1229

MAY PLACE SKETCH ON BACK OR AT ATTACHED SHEET.

LEROY
township

T¹³ N, R Z E

I-7 0
corner code attachment no.

p. (of (

INGHAM COUNTY

LAND CORNER RECORDATION CERTIFICATE

FILING REQUIREMENT OF ACT 74, MICH. P.A. 1970

LIBER

4 FC 148

FOR CORNERS OF --	LOCATED IN --	CORNER CODE NUMBER
1. PUBLIC LAND SURVEY	T. <u>3</u> N. R. <u>2</u> E.	J-7
2. PROPERTY CONTROLLING IN SECTION	T. <u> </u> N. S. R. <u> </u> E. W.	
3. MISCELLANEOUS PROPERTY IN SECTION	T. <u> </u> N. S. R. <u> </u> E. W.	
4. LOT NO. <u> </u> , RECORDED PLAT <u> </u>		
5. PRIVATE CLAIMS <u> </u>		

FILED

FEB 16 10 47 AM '78

REGISTER OF DEEDS

Paula Johnson
INGHAM COUNTY, MICH.

REGISTER OF DEEDS STAMP AND
FILING NUMBER

I, Ronnie M. Lester, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were, in a field survey on July 23, 1976, established, re-established, monumented, re-monumented, recovered or restored as expressed below and in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a court. Furthermore, that the corner points mentioned in lines 3, 4 and 5 above were, in a field survey on , 19 , found, recovered, restored, established or re-established as expressed below and in conformance with the rules of the Michigan State Board of Registration for Land Surveyors or, by a Decree of a Court of law:

A. Description of original monument and accessories and/or subsequent restoration:

J-7 Original monument and accessories obliterated.

B. Description of corner evidence found and/or method applied in restoring or re-establishing corner:

J-7 Found 1/2" bar and cap #19826 in monument box. Accepted as corner.

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

J-7 1/2" bar & cap in monument box as established by P. Benton, RLS #19826.

Centerline 2" iron post, East, 24.68'
Nail in S.W. side twin 12" ash, S.E., 56.47'
Nail in West side 8" walnut, N.E., 32.70'

SIGNED BY Ronnie M. Lester DATE 2/16/78


SURVEYOR'S MICHIGAN REGISTRATION NO. 18998

FOR STATE AND UNITED STATES AGENCIES:

SIGNED BY DATE

APPROVED AND SIGNED BY DATE

SURVEYOR'S MICHIGAN REGISTRATION NO.



1148

FORM APPROVED BY MICHIGAN STATE BOARD OF REGISTRATION, JAN. 28, 1971
REVISED MAY 14, 1975

MAY PLACE SKETCH ON BACK OR ATTACHED SHEET