


Town 3 N. Range 2 E.

Section No. 25



Section	Timber	Diam	Bearing	Links	Section	Timber	Diam	Bearing	Links
1	W. Oak	16	4.25 W	50	11	W. Oak	16	3.25 W	61
2	W. Oak	16	3.5 W	133	12	W. Oak	16	3.25 W	248
3	W. Oak	16	1.49 W	54	13	W. Oak	16	1.49 W	60
4	W. Oak	16	1.71 W	163	14	W. Oak	16	1.49 W	34
5	W. Oak	16	1.25 W	218	15	W. Oak	16	1.49 W	23
6	W. Oak	16	1.25 W	322	16	W. Oak	16	1.49 W	22
7	W. Oak	16	1.71 W	174	17	W. Oak	16	1.49 W	60
8	W. Oak	16	1.49 W	50	18	W. Oak	16	1.49 W	100
9	W. Oak	16	1.49 W	14	19	W. Oak	16	1.49 W	25
10	W. Oak	16	1.49 W	11	20	W. Oak	16	1.49 W	34
11	W. Oak	16	1.49 W	11	21	W. Oak	16	1.49 W	34
12	W. Oak	16	1.49 W	11	22	W. Oak	16	1.49 W	34
13	W. Oak	16	1.49 W	11	23	W. Oak	16	1.49 W	34
14	W. Oak	16	1.49 W	11	24	W. Oak	16	1.49 W	34
15	W. Oak	16	1.49 W	11	25	W. Oak	16	1.49 W	34
16	W. Oak	16	1.49 W	11	26	W. Oak	16	1.49 W	34
17	W. Oak	16	1.49 W	11	27	W. Oak	16	1.49 W	34
18	W. Oak	16	1.49 W	11	28	W. Oak	16	1.49 W	34
19	W. Oak	16	1.49 W	11	29	W. Oak	16	1.49 W	34
20	W. Oak	16	1.49 W	11	30	W. Oak	16	1.49 W	34

Run by the true meridian. Magnetic variation degrees 10 minutes W.

Surveyed the 26th day of August 1892 by

J. H. Allen, County Surveyor of Ingham County, Michigan.

Sec. 25 FS 39

Survey of section 26 of T. 3. N. of Range
 2. East (Leroy) made upon application of
 John H. Smith, Arlen Seals, John Cole, Frank Cole
 A. Mowal, Elizabeth Smith, Robt Cole, J. D. Wilson
 and Herman Peter by John M. Crumy Dep. County
 Surveyor Aug. 5, 6, 7, 8, & 9 1895 and recorded
 March 26th 1896 by Willkove Co. Surveyor


Magnetic Variation 10° E.

The position of lands, measurements &c are shown
 by the accompanying plat the scale of which is 18 1/2 ch per inch.
 The corners and witnesses are as follows

	Post	Number	Bearing	Links		Post	Number	Bearing	Links
A	Pin	W. Cole	16 S. 23 W	230	N	Buggy	Sugar	12 N 42 W	35
	Post	" "	20 N 5 W	455		Pin	Maple	2 S 23 W	45
B	Pin								
	Post	R. Cole	N 44 W	55 1/2					
	Stone	W. Cole	N 71 W	163					
C	Post	B. Hicks	26 S 73 E	220					
		Ask	24 S 39 E	322					
D	Stone	Sugar	16 N 71 W	124					
E	Stone	Ask	16 S 1 E	50					
F	OP. P.								
	Stone	no tree							
G	Stone	Ask	12 N 59 E	14					
H	Bar pipe	Bush	15 N 51 E	11					
I	Gas pipe	9 cr. cherry							
J	R.R. iron	Sugar	10 S 24 E	15 1/2					
	Stk	S. Ask	3 west	36					
K	Buggy	iron	17 S 24 W	61					
	Ask	Bush	15 S 21 E	243					
L	Buggy	S. Cole	15 N 43 E	415					
	Ask	Hicks	16 S 11 E	285					
M	Stone	no tree							

SOURCE: Record of County Surveyor Vol. 2 p.369 (1860)

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remon. Office



LEROY
township

T 3 N, R 2E


M.9
corner code attachment no.

p. 1 of 1

SOURCE:

Folder Set #1

p. 38-39

TRANSCRIBED from ~~ORIGINAL~~
DUPLICATEon file at Remonumentation officeTown 3 N. Range 2 ESection No. 25

Section	Timber	Dist.	Bearing	Links	Section	Timber	Dist.	Bearing	Links
X	W. Oak	35	S. 74° 48' W	186 1/2					
		43	S. 22° 30' W	10 1/2					
A	maple	12	S. 71° 10' W	6 1/2					
	oak	5	N. 81° 10' E	16					
B	W. Oak	34	S. 64° 32' E	106					
		22	S. 87° 30' W	61 1/2					
C	hick	23	S. 13° 10' W	11					
	hick	8	N. 80° 10' E	17					
*D	W. Oak	32	N. 46° 30' E	25					
	" "	26	N. 72° 30' W	99					
E	maple	9	N. 82° 42' E	21 1/2					
	W. Oak	24	S. 5° 40' E	34 1/2					
H	elm	15	S. 31° 30' W	8					
	ash	9	S. 80° 10' E	7					

Run by the true meridian. Magnetic variation 2 degrees 40 minutes W.Surveyed the 14 day of March 1886 byA. Jackson
County Surveyor of Ingham County, Michigan.

Sec. 25

FS# 3


(over)

LEROY
townshipT 3 N, R 2 EWL. 10
corner code5
attachment no.p. 1 of 1

SOURCE: Record of County Surveyor Vol. 4 p. 18-19 (1897)
TRANSCRIBED from ~~ORIGINAL~~ on file at Remonumentation Office
DUPLICATE

Town 3 North Range 2 East Leroy Sec 24

Survey No 1849



(over)

LEROY
township

T 3 N, R 2 E

M9
corner code

3
attachment no.

p. 1 of 2

Station	Monument	Bearing Tree	Diameter	Bearing of Compass	Sinker
A	Iron Post	16 Oak	30	N 16° W	147
"	and corking	16 Oak	14	N 51° 15' E	60
B	Iron Post	No Tree			
C	Iron Post	No Tree			
D	Wasp Post	Sugar	15	S 21° E	146
E	Post	16 Oak	8	N 44° W	55 1/2
F	Post	In marsh	No Tree		
G	Iron Post	16 Ash	16	S 23° W	230
"	"	16 Ash	20	N 5° W	455
H	Stone and	16 Ash	18	N 72° 45' W	163
"	anterior	Post High	20	S 73° E	228 1/2

~~ORIGINAL~~
DUPLICATE