

LESLIE TWP., T1N, R1W,


INGHAM COUNTY

SEC. NO.	VOLUME	PAGE	JACKET NO.
1	1 (1) 4 (3)	113 (112) 4 (199)	9 (21) 1 (35)
2	1 (1) 2 (1)	9 (10) 89 (252)	3 (4) 18 (45)
3	No Surveys		
4	1 (1) 3 (3)	14 (15) 141 (28)	3 (5) ✓ 19 (6) ✓
5	1 (1) (3) <i>PHED</i> 3 (2) 3 (3)	6 (7) (1) 72 (96) 141 (28)	2 (4) (2) ✓ 10 (17) ✓ 19 (6) ✓ <i>same</i>
6	2 (1)	198 (353)	25 (61)
7	1 (1) 5	10 (11) 1	3 (4) 4
8	2 (1) 2 (1) 2 (3) 2 (3)	93 (256) 199 (354) 335 (156) 362 (183)	18 (45) ✓ 25 (62) 8 (27) 10 (32)
9	1 (1) 2 (1) 2 (1) 3 (2)	1 (2) 131 (289) 133 (291) 128 (146)	2 (3) ✓ 20 (51) 20 (51) ✓ 17 (26) ✓
10	(2) 5	(259) 50	(45) ✓ 11 ✓
11	2 (1)	87 (250)	18 (44)
12	No Surveys		
13	2 (1) 3 (2)	213 (267) 146 (166)	26 (64) 20 (29)
14 <i>NO</i>	5	17	6
15	2 (1) 3 (2)	49 (217) 99 (121)	15 (39) <i>NO</i> 14 (22)
16	1 (1) 2 (1) 2 (1) 3 (2) 5	65 (66) 91 (254) 132 (290) 165 (186) 29	6 (14) 18 (45) 20 (51) 22 (32) 8

TRANSCRIBED from ~~ORIGINAL~~ on file at REMON. OFFICE

Town ☒ 4, Range ☒ 20.

L. 1. 1. 1.
Section No.



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
1	W. O.	5	N 7 W	70%	20	W. Oak	16	S 28 3 E	69 1/4
2	W. O.	10	N 4 1/2 W	51%	11	W. Oak	28	N 37 E	41 1/2
3	W. Oak	7	N 1 1/4 W	37	12	W. Oak	5	S 1 1/2 W	68
4	W. Oak	6	S 58 1/2 E	67%	13	W. Oak	12	S 84 6 E	32 1/4
5	W. Oak	16	S 77 21/2	37	14	Hickory	5	N 2 1/2 E	23 1/2
6	W. Oak	10	S 17 6	19	15	Hickory	5	S 72 E	16 3
7	W. Oak	12	S 7 W	44	16	W. Oak	26	N 41 1/2 W	44
8	W. Oak	12	N 67 1/2 W	83	17	Butternut	2	N 13 1/2 E	18
9	W. Oak	22	S 67 1/2	131	18	Whitewood	20	S 43 E	93
10	W. Oak	14	N 24 6 W	64 1/4	19	Whitewood	22	N 20 N	103
11	W. Oak	5	S 4 1/2 E	21 1/4	20	Ash	5	S 29 E	71
12	W. Oak	4	S 74 1/2 W	32 1/2	21	Hicks and stone		Below surface	
13	W. Oak	2	S 78 W	23					
14	W. Oak	2	S 36 W	38 1/2					
15	W. Oak	26	N 41 W	45 1/2					

Run by the true meridian. Magnetic variation — degrees — minutes. —

Copied
Employed the 21st day of February 1901 by

from new notes in
original notes.

Ed Calkins
County Surveyor of Ingham County, Mich.


LESLIE
township

T / N, R / ~~SW~~

E-3 15
corner code attachment no.

p. / of /

COUNTY SURVEYOR'S RECORD,

TOWN Clark NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Page No. 1 of Original Record Vol. 1

TOWN Clark NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1

Beck 24 N 45 1/4 W 31 lls
 24 Beck 22 S 82 W 76 lls
 Lym 16 N 70 E 10 lls
 25 Beck 16 S 53 1/2 W 24 lls

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

The corners are described as follows:

A a Post for a Butternut 6 in dia bears S. 21° E. 93 1/2 "

" " " " Sycamore 8 " " " N. 83 1/2° E. 128 1/2 "

→ B " " " " Birch 5 " " " S. 33 1/2° W. 18 "

" " " " Hickory 5 " " " N. 6 1/4° W. 11 1/2 "

C " " " " Red Elm 10 " " " N. 56 3/4° E. 34 "

D " " " " Maple 10 " " " N. 61 3/4° W. 55 1/2 "

E, F, G, H & I are spots without witnesses

J a stone for a White O 12 in dia bears N. 2 1/2° 16 1/2 "

K a Post " and Elm 9 " " " S. 59 1/4° E. 45 1/2 "

L " " " " Birch 10 " " " N. 60° W. 35 "

M " Stone " " Hickory 6 " " " N. 22 3/4° W. 131 "

" " " " and Elm 15 " " " N. 39° E. 82 3/4 "

O a Post " " " 10 " " " N. 23 1/4° E. 103 1/2 "

" " " " " Hickory 8 " " " S. 21° E. 138 "

P " " " " and Elm 6 " " " S. 73° E. 53 "

Q. Established by J. J. Brown April 25th 1873. see Page 70

R a post for and Elm 15 in dia bears S. 56 1/2° W. 21 1/2 "

" " " " " Birch 12 " " " N. 30 1/4° E. 10 "

S " " " " and Elm 9 " " " N. 38 1/2° W. 34 "

The corner K was reached by T. Jackson Nov 25th 1845

Run by the true meridian Vari 1° 52'


Surveyed Oct 21st & 22nd 1878

By A. P. Drake

Co. Surveyor

144

Town 1 N., Range 1 W. Section No. 4



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
A	Buller's	6	S. 21 E.	93	L	Beech	12	N. 12 W.	5
B	Sycamore	8	N. 8 3/4 E.	28 1/2	M	"	18	S. 6 W.	37
C	Beech	5	S. 33 1/2 W.	18	N	Elm	9	N. 66 W.	7
D	Hick	5	N. 6 1/4 W.	11 1/2	O	"	22	S. 44 1/2 W.	25 1/2
E	Red Elm	10	N. 56 3/4 E.	34	P	W. Oak	30	S. 3 E.	15 1/2
F	Maple	10	N. 61 3/4 W.	55 1/2	Q	"	40	N. 14 W.	15
G	Maple	10	N. 61 3/4 W.	55 1/2	R	W. Oak	18	S. 3 1/2 W.	37
H	Maple	10	N. 61 3/4 W.	55 1/2	S	Lynx	1.6	N. 20 W.	21
I	Maple	10	N. 61 3/4 W.	55 1/2	T	Thorn	12	S. 91 W.	4
J	Maple	10	N. 61 3/4 W.	55 1/2	U	"	13	N. 71 1/2 E.	37 1/4
K	Maple	10	N. 61 3/4 W.	55 1/2	V	Beech	6	S. 10 1/2 E.	13
L	Maple	10	N. 61 3/4 W.	55 1/2	W	Sugar	9	N. 45 1/2 W.	8 1/2
M	Maple	10	N. 61 3/4 W.	55 1/2	X	B. Oak	14	S. 21 E.	10
N	Maple	10	N. 61 3/4 W.	55 1/2	Y	"	16	N. 16 1/2 E.	12 1/2
O	Maple	10	N. 61 3/4 W.	55 1/2	Z	"	16	N. 16 1/2 E.	12 1/2
P	Maple	10	N. 61 3/4 W.	55 1/2					
Q	Maple	10	N. 61 3/4 W.	55 1/2					
R	Maple	10	N. 61 3/4 W.	55 1/2					

Run by the true meridian. Magnetic variation 1 degrees 52 minutes E.
 Surveyed the 21st & 22nd days of Oct. 1878. by

Veray corner is
 191 links E of "A"

A. P. Drake
 County Surveyor of Ingham County, Mich.

8

Folder Set 1 795

LESLIE
 township

T 1 N., R 1 EW

F-1
 corner code attachment no.


6
 p. 1 of 1

TRANSCRIBED from ~~ORIGINAL~~ on file at REMOV. OFFICE
DUPLICATE

1048
12.98
12.98
4.99
40.44

12987
4996 Town / N., Range / W.

Section No. 4.



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
11	Butternut	6	S. 21 E.	93	I	Beech	12	N. 12 W.	5
	Sycamore	8	N. 83 E.	128 1/2		"	18	S. 6 W.	37
	Beech	5	S. 33 1/2 W.	18		"	9	N. 66 W.	7
	Hick	5	N. 6 1/2 W.	11 1/2	K	Elm	22	S. 44 1/2 W.	26
	Red Elm	10	N. 56 3/4 E.	34	M	W. Oak	30	S. 3 E.	15 1/2
	Maple	10	N. 61 3/4 W.	65 1/2		"	40	N. 14 W.	15
	Box Elder	Boards only.			N	W. Oak	18	S. 3 1/2 W.	37
						Logan	16	N. 20 W.	21
						Flamm	12	S. 91 W.	4
						"	13	N. 71 1/2 E.	37 1/2
	Signe					Beech	6	S. 10 1/2 E.	13
	W. Oak	12	N. 22 1/2	162 1/2		Sugar	7	N. 43 1/2 W.	8 1/2
	Elm	9	S. 59 1/2 E.	45 1/2		Black	14	S. 21 E.	10 1/2
						"	16	N. 86 1/2 E.	12 1/2
	Beach	10	N. 60 W.	35		Sugar	14	corner tree	
	Stone Hick	6	N. 22 3/4 W.	131		Walnut	9	N. 6 1/2 E.	14
	Elm	15	N. 39 E.	83 3/4		"		S. 27 W.	4 1/2
		6	S. 73 E.	33					

Run by the true meridian. Magnetic variation / degrees 52 minutes E.

Surveyed the 21st & 22^d days of Oct. 1878 by

Vevay corner is
191 links E of "A"

R. P. Drake
County Surveyor of Ingham County, Mich.

8

T / N, R / NW


E-3 16
corner code attachment no.

p. / of /

SOURCE: Folder #1 Page 11
 TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
 DUPLICATE

Town 1 N., Range 1 W.

Section No. 5



Sec.	Timber.	Dist.	Bearing.	Links.	Sec.	Timber.	Dist.	Bearing.	Links.
2	Stone	12	N. 22 1/2 W.	162 1/2					
1	Stone	15	N. 22 1/2 W.	131					
1	Stone	15	N. 33 1/2 E.	82 1/2					
0	Rich.	10	N. 23 1/2 E.	103 1/2					
2	Post set by Brown.	8	S. 21 E.	138 1/2					
1	Stone	15	S. 26 1/2 W.	21 1/2					
1	Stone	15	N. 30 1/2 E.	10					
5	Stone	9	N. 28 1/2 W.	34					


Run by the true meridian. Magnetic variation 1 degrees 52 minutes E.

Surveyed the 21 & 22 days of Oct. 1878 by

A. P. Drake
 County Surveyor of Ingham County, Mich.

Town Y N., Range 12W

L. L.
Section No. 15



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
1	Y. O.	5	N 7 W	70 1/2	10	W. Oak	16	S 28 3/4 E	69 1/4
2	W. Oak	7	N 1 1/4 N	37	11	W. Oak	28	N 39 E	41 1/2
3	Y. Oak	6	S 58 1/2 E	67 1/2	12	W. Oak	5	S 4 3/4 W	68
4	W. Oak	16	S 74 W	37	13	W. Oak	12	S 84 E	23 1/4
5	W. Oak	10	S 17 E	19	14	W. Oak	5	N 24 E	23 1/2
6	W. Oak	12	S 7 W	49	15	W. Oak	26	N 41 1/2 W	44
7	W. Oak	22	N 67 1/2 W	83	16	W. Oak	2	N 13 1/2 E	18 1/2
8	W. Oak	14	S 67 E	131	17	W. Oak	20	S 42 E	93
9	W. Oak	5	N 24 1/2 W	64 1/2	18	W. Oak	22	N 20 N	102
10	W. Oak	5	S 4 1/2 E	21 1/4	19	W. Oak	5	S 29 E	71
11	W. Oak	4	S 74 1/2 W	32 1/2	20	W. Oak	2	S 36 W	38 1/2
12	W. Oak	2	S 78 W	23	21	W. Oak	26	N 41 W	45 1/2
13	W. Oak	2	S 36 W	38 1/2	22	W. Oak	2	N 41 W	45 1/2
14	W. Oak	26	N 41 W	45 1/2	23	W. Oak	2	N 41 W	45 1/2

Run by the true meridian. Magnetic variation. — degrees — minutes —
Copied the 21st day of February 1901 by


from notes in original notes. E. A. Galka
County Surveyor of Ingham County, Mich.

TRANSCRIBED from ~~ORIGINAL~~ on file at Remonumentation Project
DUPLICATE

SURVEYOR NO.

SECTION NO. 10

MAGNETIC VARIATION



Leslie
TOWNSHIP

T / N, R / W

H-3
CORNER CODE

1
ATTACHMENT NO.


P. 1 of 4

Vol 5, p. 50

SOURCE: Record of the Ingham County Surveyor Vol. 5, P. 50, Yr. 1907

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remonumentation Project

R. J. Robb, April 8-9, 1907 Section 10



Leslie
township

T 1 N, R 1 W

H-3
corner code

1
attachment no.

p. 2 of 4

SOURCE: Record of the Ingham County Surveyor Vol. 5, P. 50, Yr. 1907

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at Remonumentation Project

R.J. Robb, April 8-9, 1907 Section 10

Corner at 2 and C was established from the old 1860 survey

Centers of 4 Sections

d. State

Leslie
township

T 1 N, R 1 W

4-3
corner code attachment no.

p. 3 of 4

SOURCE: Record of the Ingham County Surveyor Vol. 5, P. 50, Yr. 1907

TRANSCRIBED from ~~ORIGINAL~~ on file at Remonumentation Project
DUPLICATE

R.J. Robb, April 8-9, 1907

Section 10

V.5 P.50

STATE OF MICHIGAN,

County of Ingham,

Do Heresby Certify that I did, on the application of

Carney Morgan

R.J. Robb

County Surveyor of said County.

Section

10

in the Township of

survey

Leslie

Town

North, Range

1 W

and the following persons acted as chainmen, first being duly sworn, to-wit:

Apr 8-9 1907

Carney

Morgan

John Decker

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

County Surveyor.

R.J. Robb

Leslie
township

T *1* N, R *1* W


H-3 corner code attachment no.

p. *4* of *4*

259

COUNTY SURVEYOR'S RECORD,

TOWN 1 NORTH, RANGE 1 west, MERIDIAN OF MICHIGAN



TOWN / NORTH, RANGE / 14 51 / , MERIDIAN OF MICH1

1

24

2

25

H-3 3 Stake.

4 Stake

5

6

7 Stake.

8

9

10

11 Stake.

12

H-4 13 1/2 ft. 16" 8 1/2" 8 1/2" 8 1/2" 8 1/2"

14 Stake.

H-4 15 1/2 ft.

16

17

18

19

20

21


22

23

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 5



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

24


25

Vol 3 PG 72

COUNTY SURVEYOR'S RECORD

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 9 53



TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

The corners are described as follows

Corner	Timber	Diame.	Bearing	lks.
1				24
2				25
3	Post	Beech 10	74 1/2 W	35
4	"	Original stump gone	good	
5				
6				
7				
8				
9				
10	Stone	Groovy 10	56 1/2 E	159
11	"	Hardwood 10	57 1/2 W	162
12	Stone	Cherry 15	86 1/2 E	159
13	"	Hickory 15	87 1/2 W	168
14				
15	Post	elm 5	S 15 1/2 E	46 1/2
16	"	Sugar 3	S 3 1/4 W	52 3/4
17				
18	Stone	Apple 8	75 3/4 E	95
19	"	elm 10	71 1/2 E	144 1/2
20				
21				

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of the east half of the east half of the north west quarter of section No Nine in Township No One North of Range No One West, as represented by the accompanying plat (drawn to a scale of 13 chains to one inch) in which the bearings and lengths of the lines surveyed, letters of reference to corners, the position of roads &c. are respectively given.

The corner (13) was established in the year 1852 (see Co Survey Vol 2 Page 131) but was lost and replaced the intersection of right lines joining the points (11) & (5) and the known corner (18) and the quarter lot (3)

Run by the true Meridian Variation $1^{\circ}58\frac{1}{2}'$ East.

Surveyed for W. Chase and A. F. Ingalls Mar 6th 1877

Recorded, Mar. 24th 1877


by A. P. Drake. Co. Surv. Eng. Co., Mich.

TRANSCRIBED from ORIGINAL on file at Remon. OFFICE
DUPLICATE

141

T. 1 R. 1 W.

Sections 495



141

Survey of the West half of Section No Four and the
North east quarter of Section No Five in Township
No One North of Range No One West as shown by the
Map, the scale of which is thirteen chains to one
inch. by which the names of corners, the bearings
and lengths of the lines surveyed and letters of
reference to the lines and corners are respectively given

LESLIE
township

T / N, R / EW

F-1

corner code attachment no.

p. 1 of 2

V 3, P. 141

1078 DRAKE

INGHAM COUNTY, MICHIGAN.


2

TOWN *Oriskany* NORTH, RANGE *Oriskany* West, MERIDIAN OF MICHIGAN.

Run by the true Meridian. Var $3^{\circ}20' E$.

Surveyed Dec 26th + 27-1958 and recorded the 29th by
A Jackson Co Surveyor for the County of Ingham

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.SEC. FourTOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

24

25


- A Sugar 15 S 81 W 27 1/2 lks
 " Beech 10 S 15 1/4 W 32 lks
 B Beech 12 S 17 E 17 lks
 " Beech 9 N 11 1/4 W 9 lks
 C W Oak 28 S 67 3/4 E 5 1/2 lks
 " Beech 10 N 41 1/2 W 26 lks
 D Beech 14 N 75 E 42 lks
 Beech 14 N 83 W 26 lks

INGHAM COUNTY, MICHIGAN.

TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var. $3^{\circ}15'E$
Surveyed and recorded by A Jackson County Surveyor for the
County of Ingham November 15th 1846

COUNTY SURVEYOR'S RECORD,

TOWN *One* NORTH, RANGE *One* West, MERIDIAN OF MICHIGAN.SEC. *Five*

Page 14 Vol 1

TOWN *One* NORTH, RANGE *One* West, MERIDIAN OF MICHIGAN.

- 1
2
3
4
5
6
7
8
9
10
11
12 Buck 9 N 66 W 7
13 Elm 22 S 44 1/2 W 25 1/2 F-2
14 Buck 12 N 12 W 5 1/2
15 do 18 S 6 W 39 E-2
16
17 Walnut 9 N 66 E 14
18 do 9 S 27 W 4 1/2
Sugar 14 corner line
19 Oak 14 S 21 E 10
20 do 14 N 80 1/2 E 12 1/2
Buck 6 S 10 1/2 E 13 1/2
21 Sugar 9 N 45 1/2 W 8 1/2 G-3
22 do 12 S 71 W 4
23 do 13 N 71 1/2 E 39 3/4
24 do 30 S 38 1/2 E 15 1/2
25 do 40 N 14 W 15 F-3


INGHAM COUNTY, MICHIGAN.

TOWN *Con* NORTH, RANGE *Om West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $3\frac{1}{2}^{\circ}$ E. Surveyed and recorded Nov 25th 1845
by A Jackson County Surveyor

SEC. 8

E-3



P 93 Vol 2

- N Ash 15 S 5 1/2 W 37
 c 1 Lynn 16 N 20 W 40
 Dam 8 S 45 E 20 1/2
 2 Do 10 N 45 W 3
 Bush 14 S 55 1/2 E 25 1/2
 a 3 Lynn 20 N 40 1/2 W 13

E-3

24

25

- 4
 5
 6
 7
 8
 9
 10 B Oak 30 S 55 1/2 W 23
 d 11 W Oak 15 N 27 E 25
 Bush 13 N 22 1/4 W 13
 E 12 Sugar 14 S 47 W 18
 Patch 11 N 55 E 16
 F 13 Do 15 N 55 W 45 1/2

14

15

16

17

18

19

20

21

INGHAM COUNTY, MICHIGAN.


TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Run by True Meridian $N 3^{\circ} E$
Surveyed by A. Jackson

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN

SEC. 9 F3



P 133 Vol 2

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN

- Buck 6 S 10 1/2 E 13
- B 1 Sugar 9 N 45 1/2 W 8 1/2 6 3
- 2 W Oak 30 S 3 E 15 1/2
- a 3 D O 40 S 14 W 15 F3
- 4
- 5
- 6
- 7
- 8
- 9 Sugar 9 S 89 E 14 1/2
- c 10 B Ash 10 N 4 E 17
- Buck 12 N 45 1/2 E 20
- H 11 W Ash 9 S 88 W 10 1/2

- 24
- 25 Buck 14 N 72 1/2 E 22 3/4
- d 26 Sugar 6 N 70 1/2 W 28
- W Oak 34 S 43 W 13
- e 27 Sugar 8 S 23 E 19
- Buck 12 S 27 W 20
- F 28 Sugar 16 N 73 E 11
- Buck 10 N 41 E 21
- G 29 Sugar 12 N 5 E 22 1/2

VOL 2, P 133

DEC. 22, 1852 A. JACKSON