

3 5/6° E

SECTION NO.

7

TINRIW

Sec 7

"A-3"

As for me

No 242

1803/4 1634/5

A Hickory 12 in S. 51 1/2° E. 13 lbs.
do 7 in S. 70° W. 38 1/2 lbs.

B. *Macrorhynchus* In marsh no trees

11. Oak 24 in. x 37 W 22. In.
11. Fir 10 in. x 24 x W 20 1/2 in.

(1) Heck Bay 1460 N 28 E 57 1/2 Miles
B.A. 1460 N 82 E 31 1/2 Miles

Run by the true meridian, Vari $3^{\circ}10' E$
 observed and corrected June 16-1843
 by A. Jackson Comd'ing

~~LESLIE~~
TOWNSHIP


T 1 N, R 1 EW

A-3
CORNER CODE

~~1~~
ATTACHMENT NO.

P. 1 of 1

TRANSCRIBED from ~~CONFIDENTIAL~~ on file at RENO OFFICE



County Surveyor of Ingham County, Michigan.


T / N, R / BW

p. / of /

6. 329.5442 802 1/4 1/6

Eggs - smallish - *(see Harvey)*

72 INGHAM COUNTY SURVEY AND REMONUMENTATION PROJECT
 TOWNSHIP LESLIE CORNER CODE C 3
 VOL. 3 P. 72. Yr. 1873
 Section 6



C-3

INGHAM COUNTY SURVEY AND REMONUMENTATION PROJECT
TOWNSHIP LESLIE CORNER CODE C3
VOL. 3 P. 72 Yr. 1873

Survey of a part of Section No. Five in Township No. One North of Range No. One West, as represented in the accompanying Plat the Scale of which is Thirteen chains to One inch; in which Plat the names of Owners, the No. of Acres owned by each, the bearing & distances of lines, letters of reference to lines & Corners, the position of Roads &c. are respectively given.

The Corners are described as follows

A = Cedar Post & stones below the surface = corner
B = a Post from which a Beech 10 inches diam. bears S. 40 $\frac{1}{2}$ ° W. 81 links
" " " " a Beech 12 " " " S. 53 $\frac{1}{2}$ ° E. 17 $\frac{1}{2}$ "
C = Post " " a W. Oak 28 " " " S. 67 $\frac{1}{2}$ ° E. 31 $\frac{1}{2}$ "
" " " " a Beech 10 " " " N. 41 $\frac{1}{2}$ ° W. 26 "
D = Post " " a Jam. 11 " " " S. 68 $\frac{1}{4}$ ° E. 34 $\frac{3}{4}$ "
" " " " a Jam. 10 " " " S. 8 $\frac{1}{2}$ ° W. 26 $\frac{1}{2}$ "
E = Post " " an Ash 9 " " " S. 9° W. 13 "
" " " " a Maple 5 " " " N. 8° E. 23 $\frac{3}{4}$ "
F " " no trees
G = Post " " an Elm 13 " " " N. 13 $\frac{1}{4}$ ° E. 134 "
" " " " Elm 13 " " " S. 14° E. 135 "
H = Post " " a Apple Tree 4 " " " S. 80 $\frac{1}{2}$ ° E. 72 "

Run by the true Meridian Magnetic Variation 1° 55' E.

Surveyed April 25th 1873 by

J. J. Brown County Surveyor for Ing. Co. Mich

NO WITNESSES FOR POST


Force #1 Page 1

RED from ~~ORIGINAL~~ on file at Remon. Office

Town Y N, Range 1 W.

Section No. 8

NORTH.



Sec.	Timber	Diam.	Bearing	Links	Sec.	Timber	Diam.	Bearing	Links
1	W. Oak	5	N 7 W	70%	10	W. Oak	16	S 28 E	69 1/2
2	W. Oak	11	N 14 W	37	11	W. Oak	28	N 37 E	41 1/2
3	W. Oak	6	S 88 E	69%	12	W. Oak	12	S 84 E	23 1/2
4	W. Oak	16	S 79 W	37	13	Hickory	5	N 23 E	23 1/2
5	W. Oak	18	S 17 E	19	14	W. Oak	26	N 41 W	44
6	W. Oak	12	S 72 W	49	15	Whitewood	20	S 42 E	93
7	W. Oak	22	S 67 E	131	16	Whitewood	22	S 20 N	103
8	W. Oak	14	N 28 W	64 1/2	17	W. Oak	5	S 22 E	71
9	W. Oak	5	S 46 E	21 1/2					
10	W. Oak	4	S 74 W	32 1/2					
11	W. Oak	2	S 78 W	33					
12	W. Oak	2	S 36 W	38 1/2					
13	W. Oak	26	N 41 W	44 1/2					

Run by the true meridian. Magnetic variation — degrees — minutes —

Surveyed the 21 day of February, 1901 by

From new notes in original notes

Ed. Walker
County Surveyor of Ingham County, Mich.

T 1 N, R 1 W

C-3

8

corner code attachment no.

p. 1 of 1

LESS 13 E 3 71 N 21 W