

SOURCE: G.L.O. MAPSh. # 8TRANSCRIBED from ~~ORIGINAL~~ on file at REMONUMENTATION OFFICE
DUPLICATE

SURVEYOR'S NAME _____

SURVEYOR NO. _____

DATE OF SURVEY _____


SECTION NO. 7MAGNETIC VARIATION 4°25' E.

NOTE: Distances between section corners and section $\frac{1}{4}$ corners are assumed to be 40.00 chs. unless a written distance is indicated.

Distances between $\frac{1}{8}$ corner and either a section corner or a section $\frac{1}{4}$ corner are assumed to be 20.00 chs. unless a written distance is indicated.

Distances to section centers can not be assumed and will not be shown since section centers were not set at this time.

Offsets if given will be indicated by a line perpendicular to the township line with a written distance above or below the line. Offsets will never be assumed and will come hand transcribed directly from our copies of the G.L.O. maps.

LESLIE
TOWNSHIPT 1 N, R 1 EWB-4
CORNER CODE3
ATTACHMENT NO.P. 1 of 1


SOURCE: G.L.O. MAP Sh. # 8
TRANSCRIBED from ~~ORIGINAL~~ on file at REMONUMENTATION OFFICE
DUPLICATE
SURVEYOR'S NAME _____ SURVEYOR NO. _____
DATE OF SURVEY _____ SECTION NO. 18
MAGNETIC VARIATION 4°25' E

NOTE: Distances between section corners and section $\frac{1}{4}$ corners are assumed to be 40.00 chs. unless a written distance is indicated.

Distances between $\frac{1}{8}$ corner and either a section corner or a section $\frac{1}{4}$ corner are assumed to be 20.00 chs. unless a written distance is indicated.

Distances to section centers can not be assumed and will not be shown since section centers were not set at this time.

Offsets if given will be indicated by a line perpendicular to the township line with a written distance above or below the line. Offsets will never be assumed and will come hand transcribed directly from our copies of the G.L.O. maps.




NOT TO
SCALE

T 1 N. R. 2 W. Onondaga Twp, Ingham County)

	Iron, stone, crockery Anch. post S. 34.1' 1-1/4" Iron N. 33.0'	Stone 44" Ash SE 47.93' 21" Ash SW 54.35' 20" Butternut NNE 82.55'	3/4" Iron 16" Maple 12" Elm 18" Elm 12" Elm
7		1-1/4" Iron, brick 24" Maple WNW 57.43' 22" Maple NW 86.6' 12" Elm SSW 102.65' Fence post NE 37.49'	8 Boat spit 19" Elm 14" Elm 8" Elm P.P.
	Stone, brick 7" Pine ENE 76.7' SW cor house NE 116.1' P.P. SE 53.9'	1" Bolt Anch. post N 27.3' Anch. post S 29.4'	Stone, brick 36" Sycamore NE 129.5' Anch. post NW 52.45' P.P. ESE 31.22' Anch. post NE 42.0' Hd wall WNW 60.74' 2653.18' Mon. Box Form pin Form pin Guard po Guard po
18			17 3/4" Iron T. P. 14" Elm 16" Elm
		Stone, crockery 20" Elm NE 31.5' Fence post N 33.24' P.P. NE 69.16'	Stone 14" Ash 22" Maple Fence post Fence post
19			20 1/2" Bolt, 20" Maple 40" Elm tw 22" Elm T. P.

		40	
	9	22.03 f	5 M
81.18		80.03 f	01
	9	66.61 (2.7)	21 X
		22.03 f	
60.7		96.03 f	x
	9	92.03	1.2 X



Original Plot

Station	Distance	Bearing	Station	Distance	Bearing
1	10.00	N 0° 0' E	11	10.00	N 0° 0' E
2	10.00	N 0° 0' E	12	10.00	N 0° 0' E
3	10.00	N 0° 0' E	13	10.00	N 0° 0' E
4	10.00	N 0° 0' E	14	10.00	N 0° 0' E
5	10.00	N 0° 0' E	15	10.00	N 0° 0' E
6	10.00	N 0° 0' E	16	10.00	N 0° 0' E
7	10.00	N 0° 0' E	17	10.00	N 0° 0' E
8	10.00	N 0° 0' E	18	10.00	N 0° 0' E
9	10.00	N 0° 0' E	19	10.00	N 0° 0' E
10	10.00	N 0° 0' E	20	10.00	N 0° 0' E
21	10.00	N 0° 0' E	31	10.00	N 0° 0' E
22	10.00	N 0° 0' E	32	10.00	N 0° 0' E
23	10.00	N 0° 0' E	33	10.00	N 0° 0' E
24	10.00	N 0° 0' E	34	10.00	N 0° 0' E
25	10.00	N 0° 0' E	35	10.00	N 0° 0' E
26	10.00	N 0° 0' E	36	10.00	N 0° 0' E
27	10.00	N 0° 0' E	37	10.00	N 0° 0' E
28	10.00	N 0° 0' E	38	10.00	N 0° 0' E
29	10.00	N 0° 0' E	39	10.00	N 0° 0' E
30	10.00	N 0° 0' E	40	10.00	N 0° 0' E
41	10.00	N 0° 0' E	51	10.00	N 0° 0' E
42	10.00	N 0° 0' E	52	10.00	N 0° 0' E
43	10.00	N 0° 0' E	53	10.00	N 0° 0' E
44	10.00	N 0° 0' E	54	10.00	N 0° 0' E
45	10.00	N 0° 0' E	55	10.00	N 0° 0' E
46	10.00	N 0° 0' E	56	10.00	N 0° 0' E
47	10.00	N 0° 0' E	57	10.00	N 0° 0' E
48	10.00	N 0° 0' E	58	10.00	N 0° 0' E
49	10.00	N 0° 0' E	59	10.00	N 0° 0' E
50	10.00	N 0° 0' E	60	10.00	N 0° 0' E

		70	5
		22.03	11
		80.08	10
81.18		66.61	9
		22.03	8
80.08		96.08	7
		22.03	6