


SOURCE:

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at

REMON. OFFICE



Point	Timber	Dist.	Bearing	Angle	Point	Timber	Dist.	Bearing	Angle
A	stone	10	N. 81° 12' E	196°	Q	Hick (junction)	18	N. 85° 36' E	33°
B	stone, upper	6	S. 20° 12' W	245°	M	Hick (junction)	6	S. 89° 2' E	6
C	walnut	10	S. 20° 48' W	37°	N	(junction)	7	N. 38° 10' W	10 1/4
D	B. cherry	15	S. 39° W	60°	O	Hick	7	S. 89° 2' E	52
E	stone, B. cherry	20	S. 18° 12' W	172°	P	Hick	10	N. 73° W	57 1/2
F	Walnut	2	S. 8° 12' W	45°	R	Hick	6	S. 79° 2' E	1.6
G	Red in center of 1. 1/2	7							
H	stone	5	S. 78° W	71°					
I	stone	2	N. 30° E	7°					
J	stone	9	S. 15° W	7°					
K	stone								

Run by the true meridian. Magnetic variation 1 degree 22 minutes W.
Surveyed the 11th day of March 1882 by

A. P. Drake
County Surveyor of Ingham County, Michigan.
Post to A. G. L. N. R. set by Jackson 1845

LESLIE township

T 1 N, R 1 W

B-9 corner code

attachment no. 7

p. 1 of 1


del 19 30

SOURCE: FOLDER #1 P. 38

TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

Town 1 N, Range 1 W.

Section No. 19



Section	Timber	Dist	Bearing	Links	Section	Timber	Dist	Bearing	Links
Line & Sect. Line		1	0 10 N	17					
White pointed stone & glass point									
A. Glass				6 1/2					
Pointed stone & wood									
B. No. 11									
C. Long stone, small stone									
D. Old W. Maple, good									
C-8 (E. O.P.F. & O.P.F.)									
O.W. b. hit long stone & small									
F. stone, near to black road bld.									
G. hit long blue stone &									
H. small stone. No 18 gr.									

This survey was to reestablish corners heretofore established but now lost.

Run by the true meridian. Magnetic variation 0 degrees 0 minutes

Surveyed the 12 day of June 1897 by

W. A. Rowe

County Surveyor of Ingham County, Michigan.

LESLIE
township

T 1 N, R 1 W

C-8
corner code attachment no.

p. 1 of 1

SOURCE: REG. CO. SURVEYOR

V.1 P12

TRANSCRIBED from ORIGINAL on file at REG. OF DEEDS
~~DUPLICATE~~


SURVEYOR'S NAME A. JACKSON

SURVEYOR NO. _____

DATE OF SURVEY APRIL 17, 1895

SECTION NO. 30

MAGNETIC VARIATION 3/4° E.



LESLIE
TOWNSHIP

T 1 N, R 1 W

A-10
CORNER CODE

1
ATTACHMENT NO.

P. 1 of 2

19
Sec 30

SOURCE: RECORD CO. SURVEYOR

V. 1 P. 12

TRANSCRIBED from DUPLICATE on file at REMONUMENTATION OFFICE

* Y. Oak 30 in	S 9 E	56 1/2	Elm 16 in	N 1 W	15 1/2
Elm 9	N 11 E	8	Deep Oak 12	N 84 1/2 E	29
B. H. Oak 26 in	S 88 E	49 1/2	W. Oak 26	S 3 W	44 1/2
do 14	S 76 W	45	no other trees		
do 24	S 20 W	7	W. Oak 18	S 35 E	68
do 20	N 13 E	47 1/2	no other trees		
Hick 11	N 61 W	6	W. Oak 28	N 36 E	13 1/2
W. Oak 15	S 8 1/2 E	53	do 12	N 88 E	179
Deep Oak 12	N 17 1/2 W	24	no bearing trees		
Elm 16	S 87 W	13 1/2	Run by the true meridian line 3 1/2		
B. Oak 26	N 11 E	15	Survey recorded Apr 17 1875		
do 12	S 51 E	3 1/2	by Jackson Co. Surveyor		

* At this corner is a stone stake by which an Elm 32 in from which an Elm 32 in bears N 32° W. 47 1/2 links June 3rd 1878 J. H. Drake

ac 19 30

INGHAM COUNTY, MICHIGAN.


TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by true Meridian Bar $3^{\circ} 1/4$ E Surveyed and recorded March 31 st 1895
by A Jackson County Surveyor

Vol 1 p 12
Sec 30
31

JUNY SURVEYOR *KL*,
TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

SEC. *Thirty*



Page 12 Vol 1

TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- 1 24 No. Bearing Tree
2 25
- 3 w oak 26 S 88° 6' 49" E 4 1/2
4 do 14 S 76° W 45' 1/2
5 oak 30 S 9° 5' 50" E 1 1/2
6 Elm 9 N 11° E 8' 1/2
- 6
- 7
- 8
- 9
- 10 w Oak 24 S 20° W 7
11 do 20 N 13° E 41' 1/2
12 w Oak 15 S 8° 1/4 E 53
13 s w p Oak 12 N 17° 1/2 W 24
14 Elm 16 S 87° W 15 1/2
15 do 12 S 51° E 2 1/2
- 16
17 s w Oak 12 N 84° 1/2 E 29
- 18 w oak 26 S 33° W 44 1/2
19 No other tree
20 w Oak 19 S 36° E 68
21 No other tree
22 w Oak 26 N 52° E 13 1/2
23 do 100° E 179

Vol 2 P. 13


Sec 30

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One West....., MERIDIAN OF MICHIGAN.

Run by the true Meridian $3^{\circ} 16' E$ Surveyed and recorded April 17th 1845 by
A Jackson County Surveyor

Note At 16 5 is an Iron stake from which an Elm 32 in diam N $32^{\circ} W$ 48 1/2 ft
June 3rd 1878 A J Drake Co Surveyor



Page 66 11/1

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19 W Oak 22 N 55 1/2 W 46
- 20 S. 1/2 15 N 80 3/4 E 59 1/2
- 21 W Oak 22 N 74 1/2 W 41
- 22 Do 30 S 33 1/4 E 16 3/4
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36

- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36

Vol 1 P 67
Sec 19

INGHAM COUNTY, MICHIGAN.

TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.


Run by the True Meridian Var 3 1/2 E
Surveyed and Recorded Nov 27th 1845 by A Jackson Co Surveyor

Vol 1 P 67
Sec 19

JUN 27 SURVEYOR'S RECORD,

TOWN *One* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

SEC. *24*



P. 194 712

TOWN *One* NORTH, RANGE *Two West*, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 *Myth 15 N 10 W 53*
- 11 *Iron 6 S 14 W 59*
- 12 *B 1 15 N 67 E 25 1/2*
- 13 *Do 13 S 57 W 55*
- 14
- 15
- 16
- 17 *Jan 10 S 24 1/4 E 62 3/4*
- 18 *Do 12 N 78 W 50*
- 19 *Rock 30 S 29 W 69 1/2*
- 20 *Do 14 S 47 1/2 E 65 1/2*
- 21 *elm 27 N 36 1/4 W 43 1/2. Drake*
- 22
- 23

V.I. P. 349
Sec 19c3

INGHAM COUNTY, MICHIGAN.

V. 1.


349.

TOWN One NORTH, RANGE Two West, MERIDIAN OF MICHIGAN.

Run by the true Meridian $N 2 \frac{1}{2} E$
Surveyed and Recorded April 8th 1854
By A Jackson Co Surveyor

At E 1021 I find the original section corner and deice are from stake June 3rd 1848
A. P. Dodge Co Surveyor

SEC. 19



P 247 Vol 2

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- | | |
|-------------------------------|----|
| 1 | 24 |
| 2 Sugar 14 S 89 1/2 E 16 | 25 |
| 3 B. wood 6 S 57 1/2 E 6 | |
| 4 Elm 12 S 85 51 | |
| 5 | |
| 6 | |
| 7 W Oak 24 S 86 1/2 E 31 1/4 | |
| 8 Elm 12 N 16 W 19 1/4 | |
| 9 Do 23 S 82 W 19 | |
| 10 Do 24 S 14 W 24 | |
| 11 Maple 12 S 59 E 61 1/2 | |
| 12 Do 9 N 81 1/2 E 77 1/4 | |
| 13 W Oak 17 S 7 W 17 | |
| 14 Maple 18 N 12 W 28 | |
| 15 B Oak 15 N 19 1/2 E 30 | |
| 16 Maple 7 N 58 1/2 W 10 1/4 | |
| 17 B Oak 12 S 82 E 6 | |
| 18 Do 12 S 56 1/4 W 28 1/2 | |
| 19 R Oak 18 N 83 1/2 E 33 1/2 | |
| 20 Cherry 7 S 24 1/2 W 37 1/2 | |
| 21 | |

VOL 2 P 397

52019


INGHAM COUNTY, MICHIGAN.

TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $2\frac{3}{4}^{\circ}$ E
Surveyed and Recorded Jan 21st 1855
By A Jackson Co Surveyor

Vol 7 P 397
Sec 19

COUNTY SURVEYOR'S RECORD,
TOWN Oshtemo NORTH, RANGE 4th West, MERIDIAN OF MICHIGAN.



TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

24
25

Vol 2 P 98
Sec 30

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of the east part of section No Thirty in Township No One North of Range No One West, as represented by the accompanying plat, in which the names of owners, and the amount of land owned by each, the bearings and distances of the lines, letters of reference to lines and corners, the position of roads &c are respectively given.

The corners are described as follows:—

(2)	Post from which a Hickory 8 m. diam. bears	S 73° 20' 180 3/4 ft
"	" " " " 12 " " " "	N 48 1/2° E 74 "
(1)	" " " " 24 Oak 30 " " " "	S 42 1/2° W 22 "
(26)	" " " " 10 " " " "	N 75° W 36 1/2 "
"	" " " " 4 Oak 8 " " " "	S 37° E 76 1/2 "
(27)	" " " " 4 Oak 3 " " " "	N 51° W 52 "
(12)	" " " " 3 " " " "	N 73° W 10 "
(10)	" " " " Maple 5 " " " "	S 40 1/2° W 48 "
"	" " " " 10 Oak 12 " " " "	S 84° E 33 1/2 "
(21)	" " " " 11 Oak 7 " " " "	S 88 1/2° W 48 "
19	Stone " " " " 3 " " " "	N 31° E 12 1/2 "

Run by the true Meridian Magnetic Var 1° 55' East.
 Surveyed May 16th 1873, by T. J. Brown, Co. Surv., for Ing. Co., Mich.

Vol 2 P 98
 Sec 30

26



TOWN-----NORTH, RANGE-----, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

24
25

Vol 2 P187
Sec 19

INGHAM COUNTY, MICHIGAN.

TOWN One North, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of Section No. ^{Five} ~~Fourteen~~ in Township No One North of Range No One West as shown by the plat, with the names of owners, the bearings and lengths of the lines and letters of reference to the corners described below. This section was subdivided by A. Jackson, Jan 21st, 1855 and the corners (9), (4), (14), (13), & (12) which he made at the time were readily found and the witnesses to some of the corners are good yet and are noted below.

The corners are described as follows.

- (4) A stone set for corner. No trees marked.
- (3) " " from a Sap. Oak 10 in. diam. bears $N 31\frac{1}{2}^{\circ} E$ 175 $\frac{1}{2}$ links
- " " " an Apple 6 " " " $S 20^{\circ} W$ 74 $\frac{1}{4}$ "
- (26) " post " a B. Walnut 10 " " " $S 20\frac{1}{4}^{\circ} W$ 37 "
- (2) " " " B. Cherry 15 " " " $S 39^{\circ} W$ 60 $\frac{1}{4}$ "
- (1) " Stone " " " 20 " " " $S 18\frac{1}{2}^{\circ} W$ 122 "
- " " " " B. Walnut 2 " " " $N 7^{\circ} W$ 42 "
- (10) " post in center of Highway No trees marked.
- (27) " " from an Elm 3 in diam. bears $S 78^{\circ} W$ 22 $\frac{1}{2}$ "
- (27) " " " 2 " " " $N 30^{\circ} E$ 2 $\frac{1}{2}$ "
- (28) " stone " a Buck 9 " " " $S 15^{\circ} W$ 7 "
- (29) " " No trees marked
- (14) " post " a R. Oak 18 " (Jackson) " $N 83\frac{3}{4}^{\circ} E$ 38 $\frac{1}{2}$ "
- (13) " " " a B. Ash 6 " (") " $S 82^{\circ} E$ 6 "
- (12) " " " " Maple 7 " (") " $N 38\frac{1}{2}^{\circ} W$ 10 $\frac{3}{4}$ "
- (11) " " " " Hickory 9 " " " $S 84^{\circ} 15'$ 41 $\frac{1}{2}$ "
- " " " " Double " 12 " " " $N 89^{\circ} E$ 32 "
- (30) " " " a " 10 " " " $N 73^{\circ} 10'$ 52 $\frac{1}{2}$ "

Run by the County Meridians Var. $1^{\circ} 22'$ East.

Surveyed Mar 11th and 12th 1880

by A. P. Drake

Recorded Apr 22nd 1880.

C. Surveyor.

V2 P 187
500 19


SOURCE: RECORD CO. SURVEYOR V. 2 P. 247

TRANSCRIBED from RECORD CO. on file at REMONUMENTATION OFFICE
DUPLICATE

SURVEYOR'S NAME A. JACKSON SURVEYOR NO. _____

DATE OF SURVEY JUNE 21, 1855 SECTION NO. 19

MAGNETIC VARIATION 2 2/3° E.



NOT TO
SCALE

SOURCE: RECORD CO. SURVEYOR

V. 2 P. 247

TRANSCRIBED from on file at REMON. OFFICE

A 16 868 12 6
 Elm 12 888 15 1
 Sugar 14 888 16
 18 16 888 16
 11 24 888 31 1/4
 Elm 12 16 18 1/4
 23 888 19
 26 888 21
 Beech 12 888 6 1/2
 8 16 18 1/4
 17 888 18
 Maple 18 12 28
 15 18 30
 Maple 7 18 10 1/4
 13 888 6
 12 888 28 1/2 B-8
 Oak 18 888 33 1/2
 Cherry 7 888 31 1/2
 Run by the true Meridian (Vern 2 1/2)
 Surveyed & Recorded June 21st 1883
 L. J. Jackson Co. Surveyors


SOURCE: RECORD Co. SURVEYOR V. 2 P. 247

TRANSCRIBED from DUPLICATE on file at REMON. OFFICE

- A. Aspin 16" S. 69° E. 26
Elm 12" S. 08° E. 51
- B. Sugar 14" S. 89° E. 16
Boxwood 6" S. $57\frac{1}{2}^{\circ}$ E. 6
- C. W. Oak 24" S. $86\frac{1}{2}^{\circ}$ E. $31\frac{3}{4}$
Elm 12" N. 16° W. $19\frac{3}{4}$
- D. Elm 23" S. 82° W. 19
do 26" S. 14° W. 24
- E. Beech 12" S. 59° E. $61\frac{1}{2}$
do 9" N. $81\frac{1}{2}^{\circ}$ E. $77\frac{3}{4}$
- F. W. Oak 17" S. 07° W. 17
Maple 18" N. 12° W. 28
- G. B. Ash 15" N. $18\frac{1}{3}^{\circ}$ E. 30
Maple 7" N. $38\frac{1}{2}^{\circ}$ W. $10\frac{3}{4}$
- H. B. Ash 12" S. 82° E. 6
do 12" S. $56\frac{3}{4}^{\circ}$ W. $28\frac{1}{2}$
- I. R. Oak 18" N. $83\frac{2}{3}^{\circ}$ E. $33\frac{1}{2}$
Cherry 7" S. $24\frac{1}{2}^{\circ}$ W. $37\frac{1}{2}$

B-8

Run by the true Meridian Vari. $2\frac{2}{3}^{\circ}$ E.
Surveyed & Recorded June 21, 1855
by A. Jackson, Co. Surveyor



SOURCE: RECORD CO. SURVEYOR

V. 3, B. 74

TRANSCRIBED from DUPLICATE on file at REMONUMENTATION OFFICE

SURVEYOR'S NAME: T. J. BROWN

DATE OF SURVEY: May 6, 1873

SECTION NO.: 30

MAGNETIC VARIATION: 01°55' E.

Survey on the East part of Section No Thirty in Township No One North of Range No One West, as represented by the accompanying Plat in which the names of Owners & the amount of Land owned by each, the bearings & distances of the lines, letters of reference to lines & Corners, the position of Roads &c. are respectively given.

The Corners are described as follows

A = Post	from which a Hickory 8 in. diam. bears S. 73° W. 180 1/2 link.
" " " "	a Hickory 12 " " " N. 48 1/2 E. 74 "
B = Post	" " a W. Oak 30 " " " S. 42 1/2 W. 22 "
C = Post	" " a W. Oak 10 " " " N. 75° W. 36 1/2 "
" " " "	a Yellow Oak 8 " " " S. 37° E. 76 1/2 "
D = Post	" " a Yellow Oak 3 " " " N. 51° W. 52 "
E = Post	" " a Yellow Oak 3 " " " N. 75° W. 10 "
F = Post	" " a Maple 5 " " " S. 43 1/2 W. 68 "
" " " "	a W. Oak 12 " " " S. 84° E. 33 1/4 "
G = Post	" " a W. Oak 7 " " " S. 83 1/2 W. 43 "
H = Stone	" " a W. Oak 3 " " " N. 30° E. 12 1/2 "

Run by the True Meridian May. Var. 1° 55' E.

Surveyed May 6th 1873 by

J. J. Brown County Surveyor for Indiana County, Mich.


3
VOL 74
p.

MAGNETIC VARIATION 1° 22" E

166

T. 1 N. - R. 1 W.

Sectvow 19



827.31

LESLIE
TOWNSHIP

T / N, R / EW

CORNER CODE

2
ATTACHMENT NO.

P. 1 of 3

SOURCE: RECORDS OF COUNTY SURVEYOR VOL. 3 P. 166TRANSCRIBED from ORIGINAL on file at REMEDIATION OFFICE
DUPLICATESURVEYOR'S NAME A. DRAKE

SURVEYOR NO. _____

DATE OF SURVEY MAR. 11, 12 1880SECTION NO. 19MAGNETIC VARIATION 1° 22' E

166

Survey of Section 10, Township 10 North, Range 10 East, as shown by the plat, with the names of owners, the bearings and lengths of the lines and letters of reference to the corners described below. This section was subdivided by A. Jackson, January 21st 1855 and the corners G, A, L, M, & N, which he made at that time were readily found and the witnesses to some of the corners are good yet and are noted below.

The corners are described as follows:

A =	a Stone	ref. for corner	no tree marked		
B =	" "	fw a	Swamp Oak 10 in. dia.	bears N. 31° E.	175 1/2 Links
" "	" "	an	Apple tree 6 "	" S. 20° W.	74 1/4 "
C =	a Post	" "	B. Walnut 10 "	" S. 20 1/4° W.	37 "
D =	" "	" "	B. Cherry 15 "	" S. 39° W.	60 1/4 "
E =	a Stone	" "	" 20 "	" S. 18 1/2° W.	120 "
" "	" "	" "	B. Walnut 2 "	" N. 7° W.	42 "
F =	a Post	in	centre of highway	no tree marked	
G =	" "	fw	an Elm 3 in. dia.	bears S. 78° W.	20 1/2 "
H =	" "	" "	" 2 "	" N. 30° E.	2 1/2 "
I =	a Stone	" "	Beech 9 "	" S. 15° W.	7 "
K =	" "	no	tree marked		
L =	a Post	fw	a Red Oak 18 in. (Jackson)	" N. 83 1/2° E.	33 1/2 "
M =	" "	" "	B. Ash 6 "	" S. 82° E.	6 "
N =	" "	" "	Maple 7 "	" N. 38 1/2° W.	10 1/4 "
O =	" "	" "	Hickory 9 " dia.	" S. 84° W.	41 1/2 "
" "	" "	" "	B. Oak 12 "	" N. 89° E.	32 1/2 "
" "	" "	" "	" 10 "	" N. 73° W.	50 1/2 "

LESLIE
TOWNSHIP

T 1 N, R 1 EW

C-8
CORNER CODE2
ATTACHMENT NO.

P. 2 of 3

SOURCE: RECORDS OF COUNTY SURVEYOR Vol. 3 P. 166

TRANSCRIBED from ~~ORIGINAL~~ on file at REMON. OFFICE
DUPLICATE

SURVEYOR'S NAME A. DRAKE

SURVEYOR NO. _____

DATE OF SURVEY MAR. 11-12, 1880

SECTION NO. 19

MAGNETIC VARIATION 1° 22' E

Run by the County meridian Variation 1° 22' East

Surveyed March 11th 10th 1880

By

A. Drake

Recorded April 22nd 1880

Co. Surveyor



NOT TO
SCALE

LESLIE
TOWNSHIP

T / N, R / EW

C-8
CORNER CODE

2
ATTACHMENT NO.


P. 3

STATE OF MICHIGAN,
COUNTY OF INGHAM,

Received for Record this 27th day of September, A. D. 1901, at 9:45 o'clock P. M.
J. A. Lester, Register of Deeds.

COPY OF MINUTES OF SURVEY.

SECTION 13, Town 1 North, Range 2 West Meridian of Michigan.



Post Q. W. L.

- 1
- 2 Stone 14 links South of Reelin stone
- 3 Set Stone with small stone f.w. bears, 10 N 76° 21' E 13 1/2 links
- 4 Stone f.w. bears W. Oak 11 20° E. 113 links
- * Set Stone f.w. bears W. Oak 11 20° E. 113 links
- 6 Old Post f.w. bears Butternut 6 N 68 1/2° E. 39 links
- 7 Set Stone f.w. bears Butternut 8 N 26 1/2° E. 64 3/4 links
- 8 Set Stone f.w. bears Sugar 10 N 66° W. 55 "
- 9 W. Oak 4 S. 54° W. 60 "
- 10
- 11
- 12
- 13 Set stone with stone around f.w. bears walnut 6. S 73 1/4° W. 19 links
- 14
- 15

N. S. pg 13

a
b
c
d
e
f
g
h

34 Feet on E. Line
Center of E. Section

Set Stone from base Whitewood 12. S. $10\frac{1}{2}^{\circ}$ E. 38 links.
B. Ash. 14. N. $2\frac{3}{4}^{\circ}$ E. 68 "

Magnetic Variation 10°

STATE OF MICHIGAN,

COUNTY OF INGHAM,

ss.

I, E. A. Callkins Deputy, County Surveyor of said County,
Do Hereby Certify that I did, on the application of E. Johnson, Will Ford and Roy Taylor

Survey East and South Section lines and part of N + S. $\frac{1}{2}$ line
of

Section 13, in the Township of Oshtemo, Town 1, North, Range 2 W.
on August 25th + 29th, A.D. 1900, and the following persons acted as chainmen, first being duly sworn, to-wit:

E. Johnson and W. Ford

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

E. A. Callkins Deputy, County Surveyor.