


FOLDER SET P. 47
 T. 1 N. R. 1 W. Sec 31.
 DUPLICATE ON FILE AT REMON. OFFICE



Station	Corner	Timber	Bearing	Links	Station	Corner	Timber	Bearing	Links
A	stake & stone				H		B.O. 24	N. 37 1/2 E	82
B		Cypress 11	N. 47 1/2 E	92	I		N.O. 14	N. 81 1/4 W	280
C		N.O. 24	N. 72 1/2 E	18			N.O. 16	N. 11 1/2 E	310
		" 17	N. 72 1/2 W	36					
D		" 12	S. 55 W	92					
E		Cypress 10	N. 3 E	11					
		N.O. 14	N. 10 W	27					
F		N.O. 8	N. 74 1/2 E	33					
G		N.O. 14	S. 26 1/2 E	78 1/2					
		" 18	N. 52 1/2 W	55 1/2					
		" 20	S. 92 W	40 1/4					
		" 28	N. 50 1/2 W	78 1/4					
H		" 20	N. 26 W	120					

R. J. Johnson County Surveyor.

Var. 2 3/4 deg. min. East


NO WITNESSES

Liber 2 Page 266

Aug 29th 1856

Dec 31

SOURCE: FOLDER SET #1 P. 54
 TRANSCRIBED from on file at REMON. OFFICE
 DUPLICATE



Sec.	Timber.	Diam.	Bearing.	Links.	Sec.	Timber.	Diam.	Bearing.	Links.
1	B. Oak	7	N 1/4 W.	39	1	W. Oak	15	N. 21 E.	13
2	"	20	N. 58 W.	13	2	"	19	N. 70 1/2 W.	—
3	"	22	N. 70 E.	39 1/2	3	"	20	N. 36 W.	120
4	"	18	N. 10 W.	27	4	"	24	S. 37 1/2 E.	82
5	"	18	N. 71 1/2 E.	23					
6	"	26	S. 47 E.	53					
7	"	18	S. 32 1/2 W.	40					
8	"	24	S. 58 E.	27					
9	"	24	N. 21 1/2 E.	48					
10	"	14	N. 35 1/2 W.	106					
11	"	18	N. 32 E.	27 1/2					
12	"	14	N. 81 1/4 W.	280					
13	"	16	N. 71 1/2 E.	370					
14	"	24	N. 72 1/2 E.	18					
15	"	17	N. 30 1/2 W.	26					
16	"	24	S. 87 1/2 W.	31					
17	"	18	S. 60 1/2 E.	111					

Run by the true meridian. Magnetic variation 2 degrees 15 minutes E.
 Surveyed the day of 1844 by

A. Jackson
 County Surveyor of Ingham County, Mich.

54


SOURCE: FOLDER #1

P. 56

TRANSCRIBED from DELETED on file at REMON. OFFICE

Town 1 N, Range 2 W.

Section No. 36



Section	Timber	Diam	Bearing	Links	Section	Timber	Diam	Bearing	Links
A	W. Oak	20	West	17					
	Do	12	S 77° E	9					
B	W. Oak	8	N 70° E	36					
	W. Oak	9	S 31° E	33					
D	Elm	8	S 78° W	18					
	W. Oak	10	S 9° W	11 1/2					
E	W. Oak	14	N 39° E	41					
	Do	16	S 40° W	39 1/2					
F	Do	12	N 2° E	36					
	Do	18	N 18° E	62 1/2					

Run by the true meridian. Magnetic variation 3 degrees 20 minutes E

Surveyed the 17 day of Aug 1889 by

A. Jackson
County Surveyor of Ingham County, Michigan.

Sec. 36

ONONDAGA
township

T 1 N, R 2 W


M-12
corner code attachment no.

p. 1 of 1

SOURCE: FOLDER SET #1 p. 57

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
DUPLICATE

Town 7 N. Range 2 W Section No. 31



Section	Timber	Area	Acres	Links	Section	Timber	Area	Acres	Links
A	Red. pines	11	4.49	42					
B	ash	24	4.92	18					
C	W. oak	17	4.92	26					
D	" "	12	3.55	96					
E	aspens	10	4.22	77					
F	W. oak	15	4.10	29					
G	" "	14	4.24	23					
H	" "	18	4.26	78					
I	" "	20	4.18	54					
J	" "	28	4.82	40					
	" "	20	4.62	78					
	" "	24	4.26	120					
	" "	24	4.30	62					
	" "	14	4.81	250					
	" "	16	4.71	380					

Run by the true meridian, Magnetic variation 2 degrees 40 minutes 2

Surveyed the 23 day of Aug 1888 by

NO WITNESSES
FOR CORNER

A. Jackson
County Surveyor of Ingham County, Michigan.

57


LESLIE
township

T 1 N, R 1 W

B-13
corner code attachment no.

p. 1 of 1

SEC. Thirty Two



Page 2 of original Record Vol 1

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- | | | |
|----|--------------------------------|----|
| 1 | | 24 |
| 2 | | 25 |
| 3 | W Oak 16 N 57 1/2 W 123 | |
| 4 | No other | |
| 5 | W Oak 28 N 56 E 15 1/2 lls | |
| 6 | do 12 N 98 E 179 lls | |
| 7 | W Oak 20 S 51 E 27 lls | |
| 8 | Burr Oak 6 N 22 W 7 lls | |
| 9 | P Oak 26 N 64 3/4 E 67 1/2 lls | |
| 10 | W Oak 14 N 38 3/4 W 81 lls | |
| 11 | P Oak 18 N 62 E 162 1/2 lls | |
| 12 | P Oak 20 S 55 W 106 lls | |
| 13 | W Oak 18 S 36 W 10 lls | |
| 14 | W Oak 22 S 56 1/2 W 51 lls | |
| 15 | No trees | |
| 16 | W Oak 24 S 87 1/2 W 31 lls | |
| 17 | do 18 S 60 1/2 E 111 lls | |
| 18 | | |
| 19 | | |
| 20 | | |
| 21 | | |
| 22 | | |
| 23 | | |
| 24 | | |
| 25 | | |
| 26 | | |
| 27 | | |
| 28 | | |
| 29 | | |
| 30 | | |
| 31 | | |
| 32 | | |

Vol 1 P 3

526 32

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

No 36 { Run by the true Meridian Var $5^{\circ}20'$ E. Surveyed March 1st 1839
and recorded the 19th following by A Jackson Co Surveyor for the County of Ingham
The foregoing is for survey No 36 for one block Page 2 of original record

No 128 { Run by the True Meridian Var $5\frac{1}{4}^{\circ}$ E Surveyed and recorded by A Jackson
County Surveyor for Ingham County Feb 1st 1841

No 236 { Run by the true Meridian Var $5\frac{1}{4}^{\circ}$ E Surveyed and Recorded by
A Jackson County Surveyor Nov 25th 1843

Note The foregoing surveys viz No 36, No 128 and No 236 all bear
Record on Page 2 of the original surveys by A Jackson in subdivision
of section 32 of Leslie Township. it will also be seen that they bear different
date and taken altogether it is rather a queer record John M. Cressy's note on exp.


V. I. P. 7

REG. OF DEEDS


SURVEYOR NO.

SECTION NO. 31

MAGNETIC VARIATION 3 1/4° E.



SEC. Thirty One



Page 7 Vol 1

TOWN Oak NORTH, RANGE One West, MERIDIAN OF MICHIGAN

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Oak 14 N 81 1/4 W 290 lks
 24 W Oak 15 N 71 1/2 E 370 lks
 W Oak 14 N 55 1/2 W 106 lks
 25 W Oak 8 in N 32 E 27 1/2 lks

- 10 W Oak 24 S 87 1/2 W 51 lks
- 11 do 18 S 60 1/2 E 111 lks
- W Oak 24 N 72 1/4 E 18 lks
- 12 do 17 N 80 1/2 W 26 lks
- 13 W Oak 18 N 10 W 27 lks
- 14 O Oak 8 N 74 1/2 E 23 lks
- W Oak 20 N 58 W 73 lks
- 15 W Oak 22 N 76 E 39 1/2 lks
- W Oak 24 S 58 E 27 lks
- 16 W Oak 24 N 21 1/2 E 48 lks
- W Oak 36 S 47 E 53 lks
- 17 W Oak 18 S 32 1/2 W 40 lks
- 18
- 19
- 20 W Oak 15 N 21 E 13 lks
- 21 do 19 N 75 1/2 W

Sec 31

VI P 2


INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

{ Surveys No 125 and 126 Was } Run by the true Meridian Var $3\frac{1}{4}$ E
Surveyed and recorded January 20th 1841 by A Jackson Esq Surveyor
for the County of Ingham

{ Survey No 202 Was } Run by the True Meridian Var $3\frac{1}{4}$ E
Surveyed and Recorded by A Jackson County Surveyor Nov 1

Vol 1 P 12



Page 11 Vol 1

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65
- 66
- 67
- 68
- 69
- 70
- 71
- 72
- 73
- 74
- 75
- 76
- 77
- 78
- 79
- 80
- 81
- 82
- 83
- 84
- 85
- 86
- 87
- 88
- 89
- 90
- 91
- 92
- 93
- 94
- 95
- 96
- 97
- 98
- 99
- 100

Vol 1 P 12
500 30

INGHAM COUNTY, MICHIGAN.

TOWN *One* NORTH, RANGE *One West*....., MERIDIAN OF MICHIGAN.

Run by true Meridian $30^{\circ} 16' E$ Surveyed and recorded March 31 st 1895
by A Jackson County Surveyor

Vol 1 p 12
Sec 30

SOURCE: REC. CO. SURVEYOR

V. 1 P. 12

TRANSCRIBED from ORIGINAL on file at REG. OF DEEDS

* Y. Oak 30 in S 9 E 56 1/2 ft Elm 16 in N 1 W 15 1/2
 Elm 9 N 11 E 8 S. Slope Oak 12 N 8 1/2 E 29
 W. Oak 26 in S 88 E 49 1/2 W. Oak 26 S 3 W 44 1/2
 do 14 S 76 W 45 no other trees
 do 24 S 20 W 7 S. W. Oak 18 S 35 E 68
 do 20 N 13 E 41 1/2 no other trees
 Hick 11 N 61 W 6 S. W. Oak 28 N 36 E 13 1/2
 W. Oak 15 S 8 1/4 E 53 do 12 N 88 E 179
 S. Slope Oak 12 N 17 1/2 W 24 no branching trees
 Elm 16 S 87 W 13 1/2
 Birch 26 N 11 E 15
 do 12 S 51 E 3 1/2
 Run by the true Meridian Van 3 1/2
 Survey recorded Apr 17 1845
 * At this corner is an iron stake by A. Jackson - Co Surveyor
 from which an Elm 38 in. bears
 N 32° W. 47 1/2 links
 June 3, 1878
 J. H. Discher


SOURCE: REC. CO. SURVEYOR V. 1 P. 12

TRANSCRIBED from ORIGINAL on file at REG. OF DEEDS
~~DUPLICATE~~

SURVEYOR'S NAME A. JACKSON SURVEYOR NO. _____

DATE OF SURVEY APRIL 17, 1895 SECTION NO. 30


MAGNETIC VARIATION 3/4° E.



Sec 30

JUNY SURVEYORS ~~RD.~~
TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. Thirty
NORTH



Page 12 Vol 1

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1 24 No. Bearing Tree
2 26
- 3 w oak 25 S 88 E 49 lks
4 do 14 S 76 W 45 lks
5 oak 30 S 7 E 55 1/2 lks
6 Elm 9 N 11 E 8 lks
- 6
- 7
- 8
- 9
- 10 w Oak 24 S 20 W 7
11 do 20 N 15 E 41 1/2
Hick 11 N 61 W 6
12 w Oak 15 S 8 1/4 E 53
- 13 S w P Oak 12 N 17 1/2 W 24
14 Elm 16 S 81 W 15 1/2
B Ash 26 N 11 E 15
15 do 12 S 51 E 2 1/2
- 16 Elm 16 N 11 W 15 lks
17 S w Oak 12 N 14 1/4 E 29
- 18 w oak 26 S 3 W 44 1/2
19 No other tree
W Oak 19 S 36 E 68
20 No other tree
w Oak 26 N 52 E 13 1/2
" " " " 179

DO 12 N 88 E 179

Vol 1 P 13
SEC 30
19
30
31

INGHAM COUNTY, MICHIGAN.

TOWN. *One* NORTH, RANGE. *One West*....., MERIDIAN OF MICHIGAN.

Run by the true Meridian $3^{\circ}16'$ E Surveyed and recorded April 17th 1845 by
A Jackson County Surveyor

Note At No 5 is an Iron stake from which an Elm 32 in. diam. N 32° W 47 1/2 ft. No
June 3rd 1878 A J Drake Co Surveyor


Dec 19
30
31

Vol I P13

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 31



CHS-0022

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

C 1 W Oak 28 N 58 1/2 E 15 1/2
D 12 N 88 1/2 E 17 1/2

24

2 Iron 7 S 89 1/2 E 60

25

B 3 Spruce 24 N 84 W 66

A 4 No Bearing lines

5

6

F 7 S 5 1/2 E + 6 Stone No lines
D 11 N 47 1/2 E 92

E 8 No other lines

9 W Oak 17 N 38 1/2 E 40

d 10 D 24 N 62 E 46

W Oak 24 S 87 1/2 W 31

H 11 D 18 S 60 1/2 E 111

12 W Oak 12 S 85 W 95

b 13 Aspen 10 N 2 E 77

14

15

16

17

18

19

20

21

Vol 1 P 216
Sec 31

INGHAM COUNTY, MICHIGAN.

TOWN *One* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the True Meridian Var 3° E
Surveyed and Reentered Feb 17, 1848
by A Jackson Co Surveyor

Vol 1 P 216
sec 31


SOURCE: RECORD CO. SURVEYOR V. 2 P. 48

TRANSCRIBED from RECORD CO. on file at REMONUMENTATION OFFICE
DUPLICATE

SURVEYOR'S NAME A. JACISSON SURVEYOR NO.

DATE OF SURVEY FEB. 17, 1848 SECTION NO. 31

MAGNETIC VARIATION 3° E.



NOT TO
SCALE

LESLIE
TOWNSHIP

T 1 N, R 1 W

B-12
CORNER CODE

1
ATTACHMENT NO.

P. 1 of 2

30
dec 31

SOURCE: RECORD CO. SURVEYOR

V. 2 P. 48

TRANSCRIBED from DUPLICATE on file at REMON. OFFICE


A no bearing line
B from 7 88 1/2 E 60 lbs
C from 24 84 1/2 W 66 -
D W Oak 28 N 8 1/2 E 13 1/2 in
E do 12 N 88 E 179 in
F do 18 N 38 1/2 E 40 in
G do 24 N 60 E 45 in
H A 11 N 44 1/2 E 92 in
I no other line
J. Stone and Stones to trees
K W Oak 12 S 85 W 95 in
L from 10 N 22 E 79 in B-12
M W Oak 24 S 87 1/2 W 31 in
N do 18 S 60 1/2 E 111 in
Run by the two measuring Van' 3' 8
Surveyed and Recorded Feb 17 1848
by A Jackson the Surveyor

V. 2 P. 260 yn. 18 SS

SURVEYOR NO.

SECTION NO. 31

MAGNETIC VARIATION 2 2/3° E.



NOT TO
SCALE

B-12
CORNER CODE

2
ATTACHMENT NO.

P. 1 of 2

Dec 31


SOURCE: RECORD CO. SURVEYOR V. 2 P. 260
 TRANSCRIBED from DUPLICATE on file at REMON. OFFICE

Stake & stones
 no bearing trees
 Aspen 11 1/2 ft 4 1/2 E 9 1/2 S
 no other trees
 W Oak 24 ft 7 1/2 W 18
 do 17 ft 1 1/2 W 20
 W Oak 12 ft 8 1/2 E 8 1/2 S
 Aspen 10 ft 2 E 37 B-12
 W Oak 14 ft 10 W 27
 Y Oak 8 ft 7 1/2 E 23
 W Oak 24 ft 20 1/2 W 78 1/2
 do 18 ft 7 1/2 W 58 1/4
 W Oak 24 ft 8 1/2 W 40 1/4
 do 28 ft 5 0 3/4 W 78 1/4
 W Oak 20 ft 26 W 120
 B Oak 24 ft 37 1/2 E 82
 Y Oak 14 ft 8 1/4 W 280
 W Oak 26 ft 2 1/2 E 320
 Run by the true Meridian Vari 2 1/3 E
 Surveyed & Recorded Aug 23rd 1855
 by A Jackson & Co Surveyor Jay Co Mo

COUNTY SURVEYOR'S RECORD,

TOWN East NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Section Thirty One



Page 7 of original record Vol 1

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- | | | | | | | |
|----|-----------|----|-------------|--------|-----|----|
| | Br Oak | 20 | N 58° W | 13 | lks | |
| 1 | W Oak | 22 | N 76° E | 39 1/2 | lks | 24 |
| | W Oak | 18 | N 10° W | 27 | lks | |
| 2 | Br Oak | 9 | N 74 1/2° E | 23 | lks | 25 |
| | Br Oakish | 5 | 47° E | 5-3 | lks | |
| 3 | W Oak | 19 | S 52° W | 40 | lks | |
| | W Oak | 5 | 58° E | 27 | lks | |
| 4 | W Oak | 24 | N 21 1/2° E | 48 | lks | |
| | W Oak | 14 | N 35 1/2° W | 106 | lks | |
| 5 | W Oak | 8 | N 32° E | 27 1/2 | lks | |
| | Br Oak | 14 | N 81 1/4° W | 280 | lks | |
| 6 | W Oak | 16 | N 71 1/2° E | 370 | lks | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| | W Oak | 24 | N 72 1/4° E | 18 | lks | |
| 10 | Do | 17 | N 80 1/2° W | 26 | lks | |
| | W Oak | 24 | S 57 1/2° W | 51 | lks | |
| 11 | Do | 18 | S 60 1/2° E | 111 | lks | |
| | W Oak | 15 | N 21° E | 15 | lks | |
| 12 | Do | 19 | N 73 1/2° W | — | | |
| | W Oak | 20 | N 86° W | 120 | lks | |
| 13 | Br Oak | 24 | S 37 1/2° E | 82 | lks | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |

Vol 3 p 2
ser 31

INGHAM COUNTY, MICHIGAN.

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey No 125 and 126 Was Run by the true meridian Var $3^{\circ}4'$ E
Surveyed and recorded Jan 20th 1841 by A Jackson County Surveyor for
for the County of Ingham

Survey No 262 Was Run by the true meridian Var $3^{\circ}4'$ E
Surveyed and recorded by A Jackson County Surveyor Nov 14th 1843


41-14

Vol 3 p2
sec 31

COUNTY SURVEYOR'S RECORD,

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Section 31



7260 vld2

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25
- A Stake & Stone No Bearing True
- B Again 11 N 47 1/2 E 92
- C No other True
- D Oak 24 N 72 1/4 E 18
- E D O 17 N 80 1/2 W 26
- F W Oak 12 S 85 W 95
- G Again 10 N 2 E 77
- H Oak 15 N 10 W 27
- I Oak 8 N 74 1/2 E 23
- J W Oak 14 S 26 1/2 E 78 1/2
- K D O 18 N 17 1/2 W 59 1/4
- L W Oak 26 S 82 W 40 1/4
- M D O 28 N 50 1/4 W 78 1/4
- N W Oak 20 N 26 W 126
- O B Oak 24 S 57 1/2 E 92
- P Oak 14 N 91 1/4 W 280
- Q W Oak 16 N 71 1/2 E 570

Vol 3 p 81
54C 31

INGHAM COUNTY, MICHIGAN.


81

TOWN One NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Run by the true Meridian Nair 2 3/4 E
Surveyed and Recorded Aug 25th 1855
By A Jackson Co Dunlap Ing Co Rn

Vol 3 P 81
Sec 31

COPY OF MINUTES OF SURVEY.
SECTION 37, Town 1 North, Range 1 East Meridian of Michigan.



Mill cylinder

1 Iron bar

2 Buggy axle in center of ditch

3

4

5 Elm stake

6

7

8 Both in Maple 18" N-E 77' also Oak 24" S-E 87"

9

10

11

12

13

14

15

16

Vol 5 P 61
Sec 32

MINUTES OF SURVEY (Concluded).

a
b
c
d
e
f
g
h
K Posts on X Lines.
Centers of X Sections.

Dug for N.W. cor of Sec 37 and found old stake
Set iron pin for corner Chained east on
North Sec. line at 79.94 chs found N.E. corner
of Sec 37. This corner was identified by an Elm
tree and Elm & Tamarack stumps Set Buggy wheel
with stake by side in center of ditch
Set 1 1/2" iron bolt for W 1/4 of Sec 37 where
old stake was found, 7. W. Maple 18" N.E. 72 chs, Oak 24' S-
47 chs.
Chained east on 1/4 line and found center of section
as old post. Set nail cylinder by side. Set numbers 8 and 9 at
half way and ran line between them

STATE OF MICHIGAN,

COUNTY OF INGHAM,

ss.

1.

R. J. Robt

County Surveyor of said County,

Do Hereby Certify that I did, on the application of

Ben Wood & Geo Prime

Section 37 survey N.W. 1/4, in the Township of Bunker Hill, Town 1 North, Range 1E

Ben Wood & Geo Prime and the following persons acted as chainmen, first being duly sworn, to-wit:

And I Further Certify that I have compared the foregoing copy with the original minutes made by me at the time of the survey, and that it is a full and true copy of the minutes of such survey, which minutes give the magnetic variation at the initial point of the survey.

R. J. Robt

County Surveyor.