

See Saw Map.

21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

Measurements of the Lake in Sec. 1304 p 556

T. N. R. 1 W. Min. Michigan
 Southw. Boundary 700 yds. N. 25' E.
 Set back corner of Township N. 10' S. 10' W.
 Range N. 10' S. 10' W. from which
 a R. 10 24 in. to S 49 1/2 W. 122
 as Elm 23 " N 54 W 127
 West on S boundary of Sec. 36
 to 79 Elm 16 in. diam.
 40.00 Set 1/4 Sec. post for
 W 0.7. N 68 E 40
 Dogwood 9 N 73 W 32
 46.43 Ash 11
 74.73 Do 11
 80.00 Set 1/4 cor to Sec. 35 & 36
 W. D. 17 in East 48
 ash 16 N 59 W 14
 Velly good Oak Sand. Thickly

N 13

L 13

K 13

West on S. boundy. See 311
 1.78 Jam. 9 in.
 32.96 Poplar 14 in.
 40.00 Set 1/4 Sec. P. fur.
 62
 B Oak 16 N. 78 W.
 Do 16 N. 2 E. 46 1/2
 42.50 Enter marsh.
 53.00 Left it
 54.00 B Walnut 12 in.
 60.00 a. Run 16 l. w. Course S. E.
 71.45 W. Oak 33 in.
 80.00 Set P. cor. Sec. 33 & 34
 W. Oak 15 N. 66 1/2 W. 26
 Do 18 N. 20 E 81
 Sound of Timber some on last mile

Jan, 21, 1824

West on S. boundy See 35
 36.9 Poplar 30 in. diam
 36.50 En Prairie
 40.00 Set 1/4 Sec. post for
 1.05
 57.00 No other tree near
 67.00 Left Prairie
 W. Oak 28 in.
 77.58 Do 18"
 80.00 Set P. cor. Sec 34 & 35
 100.10 N 41 1/2 W 51 1/2
 12
 90.6 N 77 W
 W Oak 16 N 74 1/2 W 90 1/2
 Sand Rolling Timber Oak

6

West on the S 1/4 Sec. 31

4.60 Enter Prairie

6.50 Left Prairie

13.24 W. Oak 12 in.

38.00 or Run 207 w corner S.

40.00 Set 1/4 Sec Post for

Aspen 11 in. N 44 1/2 W 113

45.64 B. Oak 17 in

80.00 Set Post cor. of Towns 181 N.

Rungs 142 W for

B. Oak 14 in. N 35 1/2 W 106

B Oak 8 N 32 E 27 1/2

Sound very thickets and rolling

Timber Oak Woodsgrowth Hard

Aspen Sassafras etc. etc.

East Boundary line by observation 4 25 58
North on the East boundary of Sec 36

9.00 Entered Marsh

14.18 East-Base line

33.05 Chm 9 in.

39.00 Left the Swamp

40.00 Set 1/4 Sec Post for

W. O. 16 S 62 W 57

B. O. 18 N 37 W 61

43.00 End of the Prairie

80.00 Set per Sec 25 & 36

N 11 W. O. 38 S 75 W 138

Do 36 N 29 W 154

Sound Prairie & Swamp.

Town 1 North Range 1 West 419

Sub Divisions
North Between sections 35 & 36

24.25 W Oak 20 in

K 12 40.00 Set 1/4 sec. front

W Oak 30 N 37 1/2 E 58 1/2

No. 30 S 79 1/2 W. 48

54.00 Enter tamarac swamp

65.00 Left do.

65.14 Aspin 18 in

80.00 Set front to cor. sec. 25, 26, 35 & 36

W Oak 16 N 41 W. 42

No. 6 S. 39 E. 47

L 11

Land gently rolling 1 1/2 mile

1st rate 2nd 1/2 mile. 2nd rate

Timber Oak, Hickory Aspin Tamarac

Under Oak, Hazel Sassafras & grapevine

East Between 25 & 36 on random

40.00 Set timber 1/4 sec. front

79.73 Intersected E. boundary 11 N.

Land gently rolling 1st rate

Timber Oak, Hickory, Elm, &c

Under same as East

West Corrected W between 25 & 36

23.10 Hickory 14 in

L 11 39.86 Set 1/4 sec. front

Cherry 12 N 52 W 55 1/2

W Oak 8 S 62 1/2 E 13

61.93 Hickory 12 in

79.73 Sec corner

24		25	
Notes on C.D. by Sec 17 1/2 W. 2 W.		Subdivisions	
9.74	B. O. 36 in. diam	Holes between Sects. 35 & 36 71.41 W	
24.62	B. Ash 24 in.	24.25	W.O. 20 in. diam
40.00	Set 1/4 Sec Post for	40.00	Set 1/4 Sec Post for
	Beach 20 in. S 60 W	K12	W.O. 30 W 33 1/2 E 58 1/2
	Do 7 W 17 W		Do. 30 S 79 1/2 W 48
46.67	Beach 9 in. diam	54.00	Enter from south
71.43	Elm 9 in.	65.00	Do "
80.00	Set a temporary Post	65.44	Station 18 in. diam
	Land level at 2nd Post	80.00	Set Post on level 25426
	In Oregon, Beach, Elm, Ash,	K11	W.O. 16 W 41 W 42
	Oak, Spruce, Hickory, etc.		Do. 6 S 39 E 47
	May 3 rd 1825 Var. 4' 30"	Land - gently rolling 100 ft. wide	
Surveyed by Joseph Thompson & John Bullitt D. C.		1st Post 2 1/2 miles 2nd Post	
		Timber Oak Hickory Ash Spruce	
		Windg th Oak huts saws & axes	

Feb 17, 1826
Harvey Porter D.S.

26

East on Road betn sec 25 & 36 T.1 N. R. 1 W.

40.00 Set 1/4 Sec post

79.73 Int. E. Boundary 11 Meters P.

Land gently rolling

and 1st water Timber Post.

Hick. Elm &c. Under # same.

as East mile

West on true line betn sec 25 & 36

23.10 Hickory 14 in diam.

39.86 1/2 Set 1/4 Sec Post on true line

V " Cherry 12 N 52 W 55 1/2

W. O. 8 S 62 1/2 E 13

61.93 Hickory 12 in diam.

79.73 To See Corner

27

North betn sec 25 & 26 T.1 N. R. 1 W.

20.00 W. O. 30 in diam.

40.00 Set 1/4 Sec Post for

B. Post 38 S 16 E 57 1/2

Do 20 N 69 W 58

61.31 W. Post 30 in diam.

80.00 Set Post on sec 23, 24, 25 & 26

Cherry 8 S 11 E 27

Lynne 17 N 9 E 48 1/2

Land & Co. same as last mile