


COUNTY SURVEYOR'S RECORD,

TOWN *Four* NORTH, RANGE *Three East*, MERIDIAN OF MICHIGAN.



TOWN *Four* NORTH, RANGE *Three East*, MERIDIAN OF MICHIGAN.

- Bush 8 S 44 W 25
- F 1 Sugar 20 N 58 E 40
- 2 Iron 5 N 40 E 18
- d 3 Sugar 16 S 51 E 23 F-11
- Maple 9 N 53 W 18 3/4
- C 4 Elm 11 N 55 E 42 1/2
- Sugar 8 S 58 W 15 1/2
- a 8 Bush 9 N 28 W 41 1/2 E-11
- 6
- 7
- 8
- 9
- 10 Bush 13 S 14 1/2 W 7
- F 11 Ash 8 N 46 E 38 1/2
- 12 Cherry 5 N 38 1/2 W 92 F-12
- Q 13 Cherry 16 S 27 1/2 E 106 1/2
- 22 Oak 22 N 41 1/2 E 69
- H 14 Sugar 17 Oak 52 N 75 3/4 E 67
- D Oak 17 S 3 E 15
- H 18 Iron 4 S 5 W 9 E-12
- Elm 16 N 17 E 61 1/4
- L 18 B Ash 8 S 20 E 50
- Bush 9 S 31 1/2 W 14 1/2
- H 17 D 0 20 N 62 W 67
- 18
- 19
- 20
- 21
- 22 Bush 10 N 84 E 57
- 0 23 Sugar 16 S 2 E 46

INGHAM COUNTY, MICHIGAN.

335


TOWN..... NORTH, RANGE....., MERIDIAN OF MICHIGAN.

Run by the true Meridian Van 2³/₄ E
Surveyed and Recorded Feb 1 st 1854
by H Jackson Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN *Iron* NORTH, RANGE *Iron* East, MERIDIAN OF MICHIGAN.SEC. *34*

6-12



G-13

H-13

1912 Nov 2

TOWN *Iron* NORTH, RANGE *Iron* East, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10
11
12

E 24 *Runch* 10 S 78° E 2 1/4
 D 0 14 S 30° W 4 1/4
 D 0 6 N 72° W 1 1/4
 F 28 D 0 10 N 78° E 3 1/4 G-13

12 W Oak 5 S 7 1/2° E 60 1/2
 C13 *Runch* 8 S 88 1/2° E 76 1/4 H-12
 W Oak 15 S 52 1/4° E 74 1/2
 B 14 *Singer* 9 S 8° E 70
Runch 13 S 14 1/2° W 7
 a 18 *Ash* 8 N 46° E 58 1/2 G-12

16
17
18
19
20
21
22
Singer 19 N 70° E 10
 D 23 *Mayer* 13 N 36° W 50 H-13

INGHAM COUNTY, MICHIGAN.

337

TOWN *Four* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $2\frac{1}{2}^{\circ}$ E
Surveyed and Recorded Feb 2nd 1854
by A Jackson Co Surveyor

NORTH

WEST

EAST

SOUTH

No 714
No 715
Black Chamberlain

Scale: 1 inch = 1 mile

I-11

P. 185 v. 2

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

1
2
3
4
5
6
7
8
9
10 Sugar 20 N 17 W 11
B 11 Bush 18 S 27 W 22
Bush 9 N 34 W 15
a 12 Do 11 S 34 W 47
13
14
15
16
17
18
19
20 Bush 16 S 49 E 155
F 21 No other trees cor is an R R Dam
W Oak 36 S 3 E 35 1/2
F 22 No other trees

INGHAM COUNTY, MICHIGAN.

338

TOWN Town NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $27^{\circ}00'$ E
Surveyed Feb 3rd 1854
by A Jackson

INGHAM COUNTY, MICHIGAN.

337


TOWN *Four* NORTH, RANGE *Two East*....., MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $2\frac{3}{4}^{\circ}$ E
Surveyed and Recorded Feb 2nd 1854
by A Jackson Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

Sec 34



Sec 34

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

- 24
- 25
- I-11
- A Mc Oak 36 S 3 E 36 1/2
- B Buck 19 S 48 E 15 5
- C chas 5 S 55 1/2 W 69
- D Buck 16 N 20 1/2 W 22
- E Sugar 9 S 22 E 3
- F Mc Oak 30 S 54 23 W 157 92
- G Rich 4 N 70 1/3 W 95 1/2
- H ch 30 N 88 W 13
- I-12
- I Buck 9 N 42 E 33

COUNTY SURVEYOR'S RECORD.

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

SEC. 35



TOWN Iron NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.
The corners are described as follows.

- 1 Stone C. Cherry 12 54 1/2 W 28 1/2
 " Sugar 8 85 1/2 E 63 3/4
 2 post Sup. 4 40 247 1/2 W 65 1/2
 3 " " 4 844 E 44
 4
 5 Pine R. R. Iron Elm 10 88 1/2 E 133
 6
 7
 8 post R. Elm. 4 844 W 11
 9
 10 Stone W. 3 249 W 75
 " Crabapple 3 376 W 106 1/2
 11 " B. 12 811 W 182 1/2
 " Sup. 8 544 1/2 W 59
 12 " Elm 10 213 1/2 E 21
 " Sup. 4 889 1/4 W 59
 13 " Elm 16 2136 E 21
 14
 15 Stone Burr Oak 3 278 1/2 E 106 1/2 I-12
 16
 17
 18 post Maple 4 512 3/4 E 12 1/2
 " " 6 581 1/4 E 39
 19
 20 Stone 20 at corner
 21 " set for corner
 22
 23 Stone N. 4 215 1/2 W 95 1/2
 " " 2 1/2 878 E 55 1/2

Survey of section No Thirty five in Township No Four North
of Range No Two East as shown by the plat being divided as here repres-
ented with letters of reference to the corners described below. The north
east corner and the east quarter last was gone and reestab-
lished by running the section line from the south east corner to
the east quarter post of section (24) (See below Plat)


Run by the true County Meridian
Surveyed Nov. 18th & Dec 2nd 1879

Was allowed 10 22'E
by

A. D. Drake
C. Sum.

Recorded Dec. 12th 1879.

COUNTY SURVEYOR'S RECORD,

TOWN *Four* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.SEC. *26*

Survey No. 929

I-11

N. Bucknell } Swam
C Harrington } Chamman.

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1 Stone & Brick at corner.

2

3 Post N. O. 3 N 7 E 24 3/4
 4 Stone B. Cherry 8 N 5 E 57
 5 R. Elm 6 S 58 E 70 1/2

6 Stone set for corner

7

8

9

10

11 Stone & cracking set at corner

12 " Sup. B 8 N 52 1/2 E 197

13 Stone Butter nut 12 N 18 E 32

14 " B. Cherry 12 N 76 3/4 E 82

15 " Elm 8 S 75 E 228

16 " Tawny cherry 6 S 53 W 76

17 " Walnut bark 6 N 37 1/2 E 121 1/4

18 " Sugar 6 N 86 3/4 E 156 1/2

19 " Buck 6 S 38 1/4 W 58 1/2

20 Stone Cherry 12 S 4 1/2 W 282 1/2

21 " Sugar 8 S 59 E 633 1/4

22 Stone & cracking set

23 " " 10 N 82 W 14

24 Stone Sup. B 1 1/2 N 86 W 29 1/2
 25 Stone B. Oak 15 N 77 E 20
 26 R.R. Iron Elm 10 S 85 E 133

I-11

INGHAM COUNTY, MICHIGAN.

182

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

Resurvey of Section No Twenty six in Township No. Four North of Range No Two East as shown by the plat, with the bearings and distances given of the lines surveyed and letters of reference to the corners described below.

It was a difficult matter to survey this section as the only original corner to be found was the ~~center~~ ^{center} to East (23). At N.W. corner (5) was a stone supposed to be the corner. (4)

was located was located by A. Jackson and perpetuated by Rayner. (1) the N.E. corner reestablished by measurement (see page 180) (11) reestablished by the ^{corners} (1) and (10)

For the (21) see N.E. corner of Section 35 Page 181 (15) was located equidistant and in a right line between the section corners (5) & (25)

The corners as established are described as follows (see below plat)

Run by the County Meridian Var. allowed 10 22' E
Surveyed Nov 25th, 26th, and 27th 1879

by
A. P. Drake,

Recorded Dec 17th 1879

C. Surveyor.

Aug. Co.

Mich.

The following was omitted in copying and added here
(3) was reestablished by Rayner See Page 39 Sec 23