


COUNTY SURVEYOR'S RECORD,

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

SEC. 36.




TOWN Four NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3 State Jackson's N. Oak 18 861 3/4 E 23
- 4 Old bearings " " 16 745 1/2 E 16 1/2
- 5 Stone crockery Cherry 14 94 1/2 W 282 1/2
- 6 Stone N. Oak 18 24 49 W 70
- 7 Long Square Crab Apple 7 376 W 14 1/4
- 8 State Hick 18 876 20 W 37
- 9 " Maple 15 876 1/2 E 25
- 10
- 11 State Sugar 2 833 1/2 E 64
- 12
- 13 Round Square N. Oak 48 245 W 1 1/2
- 14 Red Elm State R. Elm 16 772 1/4 E 47
- 15
- 16 State B. Oak 18 811 W 182 1/2
- 17
- 18
- 19
- 20
- 21
- 22
- 23 State Notes. K-13
- 24
- 25 Stone Lynn 18 868 3/4 W 31 1/3
- 26 State Notes
- 27 " crockery B. Oak 5 820 W 113
- 28 Stone Brick & Coal N. Oak 20 212 E 11
- 29 Stone crockery N. Oak 18 881 W 91 1/4
- 30 State N. Oak 18 866 W 37 1/4
- 31 State N. Oak 18 894 W 30 3/4
- 32 State N. Oak 18 894 W 30 3/4
- 33 State N. Oak 18 894 W 30 3/4
- 34 State N. Oak 18 894 W 30 3/4
- 35 State N. Oak 18 894 W 30 3/4
- 36 State N. Oak 18 894 W 30 3/4

COUNTY SURVEYOR'S RECORD,

TOWN 2nd NORTH, RANGE 2nd East, MERIDIAN OF MICHIGAN.

SEC. 27



I-11

TOWN 2nd NORTH, RANGE 2nd East, MERIDIAN OF MICHIGAN.

- | | |
|----|---|
| 1 | 24 |
| 2 | 25 |
| 3 | cherry S S 26 1/2 W 107 1/2 |
| 4 | C No other trees |
| 5 | Bush 12 S 11 W 25 1/4 Perpetuated by a Run Oak 3 in S 44 W 31 1/2 |
| 6 | D Sugar 14 N 29 W 4 1/2 Sept 14 in 1877 by A P Drake bounty |
| 7 | G Post from which S E corner of beam in N 43 W 99 lbs |
| 8 | H " Butternut 16 in S 38 50' E 95 lbs John M. C. berry bounty |
| 9 | |
| 10 | |
| 11 | Sugar 20 N 17 W 11 |
| 12 | Bush 19 S 27 W 22 |
| 13 | Bush 9 N 34 W 15 |
| 14 | 212 DO 11 S 3/4 W 47 |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | Bush 16 S 49 E 15 5' |
| 22 | No other trees cor in an R R Dam |
| 23 | No other trees |

I-11

INGHAM COUNTY, MICHIGAN.

TOWN *Four* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $27^{\circ}00'$
Surveyed Feb 3rd 1854
by A Jackson

INGHAM COUNTY, MICHIGAN.

337


TOWN ~~Four~~ NORTH, RANGE ~~Two~~ East, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var $2^{\circ} 45'$ E
Surveyed and Recorded Feb 2nd 1854
by A Jackson Co Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN *Four* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.

Sec 34




Sec 34

TOWN *Four* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

- 24
- 28
- I-11
- A Mr Oak 36 S 3 E 36 1/2
- B Bush 16 S 48 E 155-
- C chert 6 S 55 1/2 W 69
- D Bush 16 N 20 1/2 W 22
- E Sugar 9 S 22 E 3
- F Mr Oak 30 S 54 25 W 157 1/2
- G Rich 4 N 70 1/3 W 95 1/2
- H Ash 30 N 88 W 15
- I-12
- J Bush 9 N 42 E 33



Survey No. 929

N. Bucknell } Swam
C Harrington } Chamman.

K-11

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1 Stone & Brick at corner.
- 2
- 3 Post N. O. 3 N 7 E 2 3/4
Stone B. Cherry 8 N 5 E 57
R. Elm 6 S 55 E 70 1/2
- 4 Stone set for corner
- 5
- 6
- 7
- 8
- 9
- 10
- 11 Stone & crockery set at corner
- 12 " Sup. B 8 N 52 1/2 E 197
- 13 Stone Butternut 12 N 18 E 52
- 14 " B. Cherry 12 N 76 3/4 E 82
- 15 " Elm 8 S 75 E 228
- 16 " Tamar cherry 6 S 53 W 76
- 17 " Water Oak 6 N 37 1/2 E 121 1/4
- 18 " Sugar 6 N 86 3/4 E 156 1/2
- 19 " Birch 6 S 39 1/4 W 58 1/4
- 20
- 21 Stone Cherry 12 S 4 1/2 W 282 1/2
" Sugar 8 S 59 E 633 1/4
- 22 Stone & crockery
- 23 " " 10 North 34
" " 10 N 82 W 14
- 24 Stone Sup. B 1 1/2 N 84 W 29 1/2
- 25 R.R. Iron Elm 10 S 85 E 133

K-11

VOL 21 P 182

VOL 3, P. 160

DEAKE NOV-DEC 1879 A. DEAKE

Survey of section No Thirty five in Township No Four North
of Range No Two East as shown by the plat being divided as here repres-
ented with letters of reference to the corners described below. The north
east corner and the east quarter last was gone and reestab-
lished by running the section line from the south east corner to
the east quarter post of section (24) (See below Plat)

Run by the true County Meridian
Surveyed Nov. 18th & Dec 2nd 1879


Was allowed 10 22'E
by

A. D. Drake
C. S. S.

Recorded Dec. 12th 1879.

COUNTY SURVEYOR'S RECORD,

TOWN *Iron* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.



K-13


TOWN *Iron* NORTH, RANGE *Two East*, MERIDIAN OF MICHIGAN.
The corners are described as follows.

- 1 Stone C. Cherry 12 54 1/2 W 28 2 1/2
- 2 " " 8 85 1/2 E 63 3 1/4
- 3 post Sup. U 40 247 1/2 W 65 1/2
- 4 " " 4 844 E 4 1/2
- 5 Pine J. R. Brown Elm 10 88 1/2 E 133
- 6
- 7
- 8 post R. Elm. 4 Set W 11
- 9 Stone W. B. 3 714 1/2 W 75
- 10 " Oakapple 3 876 W 106 1/4
- 11 " B. B. 12 811 W 182 1/2
- 12 " Sup. 8 544 1/2 W 59
- 13 " Elm 10 88 1/2 E 21
- 14
- 15 Stone Burn Oak 3 778 1/2 E 106 1/2
- 16
- 17 post Maple 4 512 1/4 E 12 1/2
- 18 " " 6 814 1/4 E 39
- 19
- 20 Stone set at corner
- 21 " set for corner K-13
- 22
- 23 Stone N. B. 4 715 1/2 W 93 1/2
- 24 Stone B. Cherry 12 712 W 286 1/2
- 25 Stone Elm 4 85 E 69
- 26 " Bush 5 824 1/4 W 32 1/2
- 27 Stone " 14 838 1/4 E 74 1/2
- 28 " Dist. 9 850 W 168 1/2
- 29 post Elm 14 878 W 266 1/2
- 30 Stone set at corner
- 31 post in swamp
- 32 Stone set

COUNTY SURVEYOR'S RECORD,

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

SEC. 35

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.
The corners are described as follows.

- 1 Stone C. Cherry 12 54 1/2 W 28 1/2
- 2 " " 8 85 1/2 E 63 1/4
- 3 post Sup. 0 40 247 1/2 W 65 1/2
- 4 " " 4 844 E 44
- 5 Pine 7 R. Robinson Elm 10 88 1/2 E 133
- 6
- 7
- 8 post R. Elm. 4 Set W 11
- 9 Stone W. B. 3 714 W 75
- 10 " Crabapple 3 876 W 106 1/4
- 11 " B. Q. 12 811 W 182 1/2
- 12 " Sup. 8 844 W 59
- 13 " Elm 10 889 1/4 W 59
- 14
- 15 Stone Burn Oak 3 778 1/2 E 106 1/2) I-12
- 16
- 17 post Maple 4 812 1/4 E 12 1/2
- 18 " " 6 814 1/4 E 39
- 19
- 20 Stone ac at corner
- 21 " set for corner
- 22
- 23 Stone W. B. 4 715 1/2 W 95 1/2
- 24 " " 2 1/2 876 E 55 1/2
- 25 Stone B. Cherry 12 712 W 286 1/2
- 26 " Elm 4 85 E 69
- 27 " Bush 5 824 1/4 W 32 1/2
- 28 " " 14 838 1/4 E 74 1/2
- 29 " " 14 826 1/2 E 156 1/2
- 30 " Poston 9 850 W 168 1/2
- 31 post Elm 14 878 W 26 1/2
- 32 " " 15 710 W 88 1/2
- 33 Stone ac at corner
- 34 post in swamp
- 35 Stone ac

Survey of section No Thirty Six in Township No Four North
of Range No Two East as shown by the plat being divided as here repres-
ented with letters of reference to the corners described below. The north
east corner and the east quarter last was gone and reestab-
lished by running the section line from the south east corner to
the east quarter post of section (24) (See below Plat)


Run by the true County Meridian
Surveyed Nov. 18th & Dec 2nd 1879

Was allowed 10 22'E
by

A. D. Drake
C. Sur.

Recorded Dec. 12th 1879.

COUNTY SURVEYOR'S RECORD,

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.SEC. 26

Survey No. 929

I-11

N. Bucknell } Swam
C Harrington } Chamman.

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1 Stone & Brick at corner.

2

3 Red. N. D. 3 N 7 E 2 3/4
 4 Stone R. Cherry 8 N 5 E 57
 5 R. Elm 6 S 55 E 70 1/2

6 Stone set for corner

7

8

9

10

11 Stone to crockery set at corner

12 " Surf. D 8 N 52 1/2 E 197

13 Stone Butternut 12 N 18 E 52

14 " T. B. Cherry 12 N 76 3/4 E 82

15 " Elm 8 S 75 E 228

16 " T. B. Cherry 6 S 53 W 76

17 " Sugar 6 N 37 1/2 E 121 1/4

18 " Buck 6 S 38 1/4 W 58 1/2

19

20

21 Stone Cherry 12 S 42 W 282 1/2

22 " Sugar 8 S 59 E 63 3/4

23 Stone to crockery set at corner

24 " " 10 N 82 W 14

22 Stone Surf. D 1 1/2 N 86 W 29 1/2
 23 R. R. Elm 10 S 88 E 133

I-11

INGHAM COUNTY, MICHIGAN.

182

TOWN Four NORTH, RANGE Two East, MERIDIAN OF MICHIGAN.

Resurvey of Section No Twenty-six in Township No. Four North of Range No Two East as shown by the plat, with the bearings and distances given of the lines surveyed and letters of reference to the corners described below.

It was a difficult matter to survey this section as the only original corner to be found was the ~~corner~~ ^{to post} (23). ^{at} N.W. corner (5) was a stone supposed to be the corner. (4) was located by A. Jackson and perpetuated by Rayner. (1) the N.E. corner reestablished by measurement ^(see page 180) (11) reestablished by the use of ^{corners} (1) and (10)

For the (21) see N.E. corner of Section 35 Page 181
(15) was located equidistant and in a right line between the section corners (5) & (25)

The corners as established are described as follows (see below plat)

Run by the County Meridian Var. allowed 10 22' E
Surveyed Nov 25th, 26th, and 27th 1879

by
A. P. Drake,

Recorded Dec 17th 1879

C. Surveyor.

Aug. Co.

Mich.

The following was omitted in copying and added here
(3) was reestablished by Rayner See Page 39 Sec 23