


MEASURED RETIRED DISTANCE 23.03 FEET
EAST ALONG SEC. LINE. FOUND NO
EVIDENCE FOR CORNER AT H-1.

ESTABLISHED LOCATION. MEASURED
100.0 TO EAST TO CONC. MON.

REESTABLISHED OBLITERATED CORNER
BASED ON REMAINING WITNESSES AND
SECTION LINE MEASUREMENTS.

EAST	59.90	FOUND CONC. MON.
144°	50.55	SET NAT IN ONE FACE 15" BLACK
332°	63.97	FOUND REBS IN SW. FACE U. POLE
WEST	23.05	FOUND REBS IN CONC. CURB PIANO



H-1 Meridian Twp
22. SEP. 07
GMB DUU
SUNNY 60°


N
NO SCALE

GMB DUU 20-FEB-10

H-2

351°	94.27	SET NAT E. FACE	8" OAK
288°	21.69	FD REBS NAT IN	TOP OF WOOD
190°	101.28	FD LESTER NAT IN E. FACE	U. POLE
60°	69.47	FD LESTER NAT IN NW FACE	14" OAK
			SNAG HICK

H-2



I-1

TAN R-160


FD CLINTON CO. PIPE & PERSON CAP BOX IN MON

PERSON ALSO FOUND 1/2" BAR 41.70 FEET WEST (CLOSE TO G.D. FALLING). PT. IS IN GRAVEL RD.

RETRACED MONUMENTATION IN THE PLATS OF O.M. RANDALL SUB, + PLAT OF PERRY ROAD ADD. FD MONUMENTATION IN BOTH PLATS INDICATING A MONUMENT CALLED FOR IN THE CENTERLINE OF LAKE DRIVE & PERRY ROAD

67.57	N 15° E	FD NAT 25832 IN W. FACE 24"	COTTONWOOD
33.66		FD NAT #85832 IN	
36.72		W. FACE 2" STEEL POST	
19.28		"	
60.65	S 22° W	FD NAT 85832 IN W. FACE 16" WALNUT	
41.66		FD NAT 18039 IN E. FACE 24" WALNUT	
18.95		FD 1/2" BAR	

I-1



J-1


ACCEPTED FOUND PIPE & POST
AS BEST AVAILABLE & SET
STANDARD CORNER ON TWP LINE

FOUND PIPE	FOUND PIPE	FOUND PIPE	FOUND PIPE
326°	25.77	FO N4T # 39100 IN SW FACE 20" OAK	SET INCHAM CO. BAR & CAP 8' 0" SOUTH OF
60°	31.37	SET N4T IN SE FACE 24" SHAG HICK	
126°	19.70	SET N4T ABOVE FO N4T S FACE OF 14" OAK	
SOUTH	0.40	N. FACE OF 12" WOOD POST	
WEST	29.93	FO PIERSON N4T IN N. FACE 12" WOOD POST	

J-1


SEC. 2, MERIDIAN TWP.
9-OCT-2007

NO SCALE



FD 1 1/2 BAR CAP 0.4' SOUTH OF FENCE
IN CONC. MEASUREMENTS TO LOT CORNER
NORTH, WEST & EAST SHOWED THAT THE
FOUND CORNER WAS OUT OF POSITION
BY 0.08' NORTH & 0.61' ~~EAST~~ WEST
POSITION SOUTH & EAST. ADJUSTED

WEST	40.00	1/2" BAR IN DOWNED FENCE
NORTH	71.97	1/2" BAR + CAP IN FENCE LINE
EAST	100.00	1/2" BAR IN CONCRETE
100°	41.88	BOLDG COR. HSE. #1 CONC. FOM.
277°	17.83	SET NAT N. FACE TWIN 1/5" SWAG HURIC



J-3


FOUND A 1/2" BAR IN CONCRETE
IN A SWAMP AREA IS VERY WET
AND THE GROUND IS SOFT AND
SPONGY.

ACCEPTED LOCATION AS BEST
APPROXIMATE BASED ON PREVIOUS
RECOVERY OF STONE & STAKE BY
SURVEYOR CLIFFORD

250°	10.54	SET NAT IN 12" FACE 9" ASH			
144°	10.05	SET NAT S. FACE 8" ASH			
48°	26.21	SET NAT W. FACE 12" ASH			
08°	20.05	FD PICTURE NAT IN W. FACE 12" ASH			
301°	7.41	"	"	S. FACE 12" DEAD MAPLE	
283°	20.15	"	"	S. FACE 12" DEAD MAPLE	

00 00 00 180 00 08 87.09
79 36 17 259 36 33 149.36 ✓

GMB DJV
15-SEPT-07



LOCATING MONUMENTATION w/in
THE TRAILS AT LAKE LANSING


A hand-drawn map of a park area. At the top, a horizontal line is labeled "12100'". Below this, a wavy line represents a lake, with the word "LAKE" written inside it. To the right of the lake, there is a small area labeled "ORCHARD" and a larger area labeled "PARK". A path or road is shown with several points marked by circles and numbers: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100. The path leads from the lake area towards the bottom right, where it is labeled "Keb's". To the left of the path, there is a point labeled "1/2 Bos". Further left, there is a point labeled "1/2 Bos". At the bottom left, there is a point labeled "15. 3/4 Bos". The word "LAKE" is written vertically on the left side of the map. A small sketch of a person is at the bottom right.

I-3 MEANDER WEST
MERIDIAN TWP

SET STANDARD CORNER AT
PROPORTIONATE DISTANCE BETWEEN
I-3 & H-3

19-OCT-2007
24-OCT-2007


116°	23.60'	SET NAT IN SW FACE 36" COTTONWOOD	N
75°	21.44'		
374° 284°	18.43'	SET NAT IN NE FACE 14" MULBERRY	
200° 206°	107.67'	SET NAT IN SE FACE 36" OAK	
27° 359°	183.08'	SE CORNER BUILDING.	
	28' 23'	TO W. FACE OF SIDEWALK	
	78' 67'	TO E/WATER ALONG SEC. LINE	



I-4

SET AT PROPORTIONAL DISTANCE
BETWEEN I-5 & I-3 ALONG
THE MONUMENTED LINE AS
DETERMINED BY THE PLATS
ALONG SEC. 11

201°	109.40	NE BUILDING CORNER
220°	110.53	
321.50	77.74.85	SET N41° E. FACE 12" CHINESE TURN ELM
136° 140°	144.92	SET N41° W. FACE 14" ASH
ENE	124.38	
180°	105.62	EDGE OF ASPHALT LAKE DRIVE
	183.94	N. FACE CONC. L.P. BASE




62° 36' 02" 97.74'

I3 W.C. TO M.C.
MC-2

SET AT PROPORTIONATE DISTANCE
BETWEEN T-4 & T-3

156°	74.20	SET NUT IN SW FACE 18" COTTON
211°	63.88	SET NUT IN E FACE 8" WILLOW
227°	46.92	SET NUT IN W. FACE 14" COTTON
126°	17.18	SET NUT IN N FACE 16" ASPLAR
55W	3.87	EDGE OF ASPHALT



210°	44.88	RESET
		WEST TO E/ASPHALT
273°	44.88	SET PLASTIC MARKER 3' ENE
246°	48.50	SET NUT N. FACE 14" COTTON
09°	23.54	SET NUT N. FACE 16" ASPLAR
155°	38.30	SET NUT IN SW FACE 18" COTTON



19-OCT-07
GMB DUV

31-OCT-07
GMB DUV
NEV

1-2	00 00 00	180 00 13	132.87	132.87
1-3	15 56 19	195 56 34	118.47	118.47
1-4	183 00 35	03 00 42	187.74	187.74
1-5	198 49 13	18 49 19	226.70	226.70
1-6	184 10 13		161.41	
1-7	146 15 36	326 15 39	169.12	118.21
1-8		348 41 13		
1-9	06 31 18	186 31 33	286.68	286.67



McNORTH


SET FOR A PROPORTIONATE
DISTANCE BETWEEN I-1 & I-3

I-1

GMB DJV
11-05-79



PERRY ROAD




SET IN CIRCLE OF CONC. RUBBLE AT TOP OF BANK TO DITCH EAST		
122°	35.76	SET N47° S. FACE 14" MAPLE
12°	47.97	SET N47° E. FACE 8" GUARD RAIL POST
322°	27.32	SET N47° E. FACE TWIN 18" ELM
293°	25.12	SET N47° MULT. 8" ELM S. FACE
80°	7.0'	TOP 18" CONC. CULVERT
SOUTH	14'	E/WATER HIGH

MC #3

Meander corner falls in Deck of House #
 SET W.C. TO M.C. OLD TOP OF BANK
 for Lake conforms to M.C. location
 SET W.C. 80.00' WEST OF M.C.

204° 27.55
 40° 96.81
 72° 73.60
 WEST 5.0'
 140° 67.57

FD 3/4" PIPE (LOCATED w/ GPS)
 SET NAT IN W. FACE 15' OAK
 SET NAT IN N. FACE 12" OAK
 TO HIGH WATER MARK
 S.W. MOST CORNER WOOD DECK
 HSE # 5953 LAKE DRIVE




24 OCT 2007
 19 OCT 2007
 GMB DJV

N2 W.C.
LOT CORNER
M.C.S

SET 3/4" BAR & CAP AT THE
S.W. COR. OF LOT #1, CRESCENT
BEACH.

44°	44.71	SET N4T W. FACE	60"	WILLOW
15°	70.23	SET N4T W. FACE	48"	WILLOW
162°	54.69	SET N4T W. FACE	16"	COTTON
346°	65.55'	PF 1/2' PIPE		
146°	117.16'	BRYAN 84C		
520°E	3.33	FD 3/4" PIPE		

LAKE
LANSING



SM/B DJV
24-OCT-07


(MC-6)

SET MCLO (SPECIAL UNCLASSIFIED) CORNER
ON LINE BETWEEN J-1 & J-3
NORTH OF LAKE DRIVE

RD 30' CORNER
AT 62105 LAKE DRIVE

19-067-07

225°	29.12	E SANITARY MANHOLE	
323°	21.34	SET NUT N. FACE	14" EBY
310°	36.47	TOP BOLT ON E.	HYDRANT
SOUTH	7.2	E/ASPHALT	
74°	5.39	SET NUT S. FACE	8" WHITE ASH
107°	42.50	SET NUT IN N.	FACE 14" HICKORY
195°	61.32	SET NUT IN E.	FACE 24" SPRUCE
NORTH	1.0	PLASTICADE MARKER	



MULTIPLE SHOTS LOCATING
FOUND CARNER EVIDENCE

REF. PT.
 3/4" PIPE
 STEEL PIPE IN CONC.
 READING IN CONC.
 READING IN CONC.
 READING IN AIR
 READING IN CONC.
 SEC. 10
 SCHOOL ST.
 $M = 1223.38$
 $R = 1223.10$
 $R = 956.50$
 $M = 397$
 $R = 380$
 $C.S. =$
 $M = 463.91$
 SEC. 11
 FD PIPE
 MON ✓
 FD 1/2" BAR
 IN SQUARE CONC.
 FD 3/4" PIPE
 FD PIPE
 AT WALL
 FD PIPE

MC 4 NORTH

288°	24.70	SET			
315°	25.78	SET			
359°	14.07	SET			
12°	45.32				
106	19.90	TOP CEN 18" CONC. COLLECT			