

ORIGINAL SURVEYS

U. S. ARMY

ENGINEER

PROPERTY OF

ENGINEER

Original Receipt

S. 4 N. - P. 1 W

Mission

Property of

Inglisha

North On the East Boundary of Sec. 25.

4.12 Ash 10 in. diam.

40.00 Set $\frac{1}{4}$ Sec post for a

Be 3 in. N 36° W 34 1/2

Do. 4 in. S 19 1/2° W 18 in.

46.22 Maple 13 in. dia.

68.50 R. O. 13 in. "

72.78 Set a post at Masticess River for a

Ln 3 in. N 61° E 18 Ms.

Be 4 in. S 22 1/2° W 2 1/2 in.

74.72 Set post for W. O. 9 in. N 12° E 28 Ms. &

Iron'd 6 in. S 89° W 33 Ms.

80.00 Set post Cor of Sect. 24 & 25 for

ash

W. O. 8 in. N 31° W 68 Ms.

Do. 14 S 38 1/2° W 170 in.

Land & To same as last mile

North On the East Boundary of Sec. 24.

26.42 W. O. 23 in. dia.

38.50 En. Swamp

40.00 Set $\frac{1}{4}$ Sec post for a

W. O. 10 in. N 62° W 80 Ms.

Do 9 S 25 1/2° W 122 in.

48.50 6 Swp.

57.80 W. O. 9 in. dia.

55.00 A path leading N.E. & S.W.

67.50 En Swp.

69.33 Maple 7 in. dia.

80.00 Set post-Cor Sect. 13 & 24 for a

Tam. 2 in. N 37° W 21 Ms.

Do 2 in. S 58 1/2° W 22 in.

Land rolling with swamps Timber Oak

West - On the South Bound 2 Sec. 31

25.93 Be. 22 in. di.

40.00 Set gr See post for a

Sug. 8 in. N 72 W 37 Mo.

Ln. 8 " N 89 1/2 E 38 "

90.75 Set W Boundary 447 Mo. S. of

the temp & post for a

Be. 15 in N 80 1/2 E 25 Mo.

Sug. 13 in N 37 1/2 W 23 "

Land and Timber same as in last mile.

Lucius Lyon. D.S.

East - Boundary var. 4° 25' E

North - On the East Boundary of Sec. 36

9.48 Sug. 20 in di.

34.02 Be 15 " "

40.00 Set gr. See post for a

Be 10 in. N 42 1/2 W 22 Mo.

Do 6 " S. 57 1/2 W 39 "

46.62 Be 10 in di.

68.08 Do 15 " "

80.00 Set post Cor Sect 25 & 36 for

Be 5 in N 78 1/2 W 5 1/2 Mo.

Do. 7 S 52 1/2 W 16 "

Land Rolling and good; Timber Be.

Sug. Ln. Above. U.g. same.

West On the S. Boundary of Sec 33.

21.47 Be 9 in di.

40.00 Set yr. Sec post fur on
 Sugar 16 N 25° 20' W 90' ^{Set in 3 pieces for corner}
 Elm 9 in. N 46 1/2° E 682. McHenry
 Elm 10 in N 48° E 67 1/4 L New
 W. O. 11. N 53 1/4° W 18 1/2.

44.00 Ent. Marsh

61.00 Le. do.

63.50 Be. 20 in di.

80.00 Set post cor Sec 32 & 33 fur a

Be. 19 in. N 23° E 452.

B Ash 9 in. N 53° W 27."
 5 w 1/2 Oct. 8 5 19 1/2 33 1/2 new
 Land and Timber same as last mile.

West On the S. Boundary of Sec. 32

23.77 Lynn 10 in di.

40.00 Set yr. Sec post fur. a
 Sugar Maple 22 in 87° W 266 Boston
 Be 8 in N 52° E 251. gone
 Sugar Maple 12 in 8. 12° E. 286 Boston 1894
 Do 8 N 12° W 20. gone

64.80 W. O. 16 in. di.

69.60 A Brook 8 L. W. C. S. N.

80.00 Set post cor Sec 31 & 32 fur a

B Ash 17 in. N 38° E 666

Do 9 in. N 33° W 42.

Land & Timber same as last mile

West On the S. Boundary of Sec. 35

1 30 at Brook 20 W. w, C. N.E.

21.50 at Trail N.E. & S.W.

21.72 Be 12 in. di.

40.00 Set $\frac{1}{4}$ Sec. post f.w. a

Be 11 N 39 E 132.

Whitewood 35 37 $\frac{1}{2}$ E 60 $\frac{1}{2}$ N 10 W

W.O. 53 N 70 W 37.

60.70 Low. 22 in. diam.

67.60 at Brook 52 W. C. S.

80.00 Set post-cum seed 34 & 35 f.w. a

Sug. 22 N 80 E 402.

Be 11 N 62 W 18.

Land & Tr. same as last mile.

West On the S. Boundary of Sec. 34

19.09 W Ash 10 in di.

40.00 Set $\frac{1}{4}$ Sec post f.w. a

B Ash 7 in N 13 W 302.

B Ash 13 N 48 E 14.

60.59 Be 8 in. di.

65.50 Ent Sm.

72.50 Co. do

80.00 Set post on Sec 33 & 34 f.w. a

Be 9 in N 9 E 352.


Willow Elm N 6 E 31 $\frac{1}{4}$ N 10 W

Do 22. N 87 W 32.

Land & Tr. same as last mile

Section Map

See names on the lines refer to the place



Meanders of the South side of Cedar Creek

pages 86 to 89.

Meanders of the North side of Cedar Creek

pages 90 to 103.

Meanders of the North side of Cedar Creek

pages 103 to 115.

Township 44. North of Range 10 West, 10th Meridian

South Boundary var. 4° 25' E

West On the South Boundary of Sec. 36

{ S. B. con. S. 26. 36. 20
Beach 11 in. 1423 M.D.
At 4 7. S. 30 1/2 W. 11

29.67 Elm 18 in. di.

40.00 Set 1/4 Sec post for a

Be 8 in N 21 W 176.

Do 8 in N 57 E 48.

49.80 And Indians path Course N 28 W 33 W

72.00 A Stream 30 lks. W, C. N W

80.00 Set a post on Sect. 35 & 36

At 4 5 in N 12 W 242.

Be 20 N 76 E 71.

Land Rolling & 1/2 mile to Be. Sec. 36

At 4 Elm. & Undgt. same

North On the East Boundary of Sec. 13.

12.00 6 Swp

13.50 Elm 13 in. di.

40.00 Set $\frac{1}{4}$ Sec. post - for a

W.O. 13 S $18\frac{1}{2}$ W 57 $\frac{1}{2}$ M

Do. 12 N 60 W 170.

45.00 Ent - Swp

60.00 6 Swp

66.50 W.O. 48 in. diam

80.00 Set post Cor to Sec. 12 & 13 for a

W.O. 2 in. N 54 W 7 $\frac{1}{2}$ M.

Do. 2" S 53 W 29."

Thicketty Oak Land.

North-On East Boundary of Sec. 12.

5.00 6 Swp

9.03 Town 9 in. di.

40.00 Set $\frac{1}{4}$ Sec. post for a

Elm 7 in. N 32 W 16 M.

Maple 8. S. 89 W 50 M.

47.18 Elm 8 in. di.

63.00 6 Swp

80.00 Set post Cor to Sec. 12 & 13 for a

W.O. 8 in. N 34 W 31 $\frac{1}{2}$ M.

W.O. 2 8. S 35 W 54."

Land & Tim. same as last mile.

Old bearing lines some found old State

and stones and roots of Oak bearing and

roots of Hickory Where lines stood. Set new

Post and Stone New bearing line. Set Oak 105 S 84 W 54

NH Muncie

Feb 18th 1824

North On the East Boundary of Sec. 1

7 90 - Elm 11 in. di.

10.00 Elm Swp.

28.50 L do

38.00 Em. Town & Spruce Swamp

40.00 Set $\frac{1}{4}$ Sec post - few oSpruce 5 in. N 45 $\frac{1}{2}$ W 21 Ms.

Town. 7 in. S. 20 W 19.

66.50 Left Spruce Swamp

80.00 Set post cor to Towns 4 & 5 N.

Range 1 W few o

B. O. 11 in N 40 $\frac{1}{2}$ W 18 $\frac{1}{2}$ MsW. O. 6 in S 40 W 19 $\frac{1}{2}$ in.

Land & Timber same as last mile

Jos. Wampler D.S.

North Boundary var. 4° 25' E 13

West On the S. Boundary of Sec. 36, T. 5 N. R. 1 W.

21.95 W. O. 9 in. di.

40.00 Set $\frac{1}{4}$ Sec post - few o

W. O. 5 in. N 57 E 32 Ms

B. O. 16 in. N 81 $\frac{1}{2}$ W 27.

50.00 Em. Town Swp.

59.68 Town. 10 in. di.

80.00 Set post cor Secs 35 & 36 few o

Town. 6 in. N 65 E 9 $\frac{1}{2}$ Ms.

Do. 4 in. N 41 W 12.

Land Rolling and the 1 $\frac{1}{2}$ mile 2nd note2nd $\frac{1}{2}$ 3rd note Timber Township.

14

West On the S. Bound^y of Sec. 35 T 5 N R 1 W

00.50 To small pond

6.00 Left " "

16.00 Left Swamp.

20.00 B. O. 20 in. di.

40.00 Set $\frac{1}{4}$ See post-few a

W. O. 16 in. N 68 E 48 Ms.

Do 20 " N 64 W 43 "

46.00 Ent. Swamp. Swamp

56.66 Swamp. 8 in di.

59.50 Left Swamp.

80.00 Set post-Cor to Sect. 34 & 35 for a

W. O. 18 in. N 42 E 15 Ms.

B. O. 16 N 52 W 40 "

Sound Rolling & 2nd date. In Oak & Ironwood

15

West On the South B'd^y Sec. 34 T 5 N R 1 W.4.00 A peat^h leading N & S.

22.91 B. O. 15 in. di.

40.00 Set $\frac{1}{4}$ See post-few a

B. O. 11 in. N 30 E 44 Ms.

Do. 8 " N 66 W 53 "

66.22 B. O. 15 in. di.

90.00 Set post-Cor to Sect. 33 & 34 for a

Elev. 16 in. N 88 E ¹³³ 133 Ms.

W. O. 9 " N 55 W 168 "

Sound Rolling & 2nd date. In W. & B. Oak

West On the S. Boundary Sec. 33 T5 N14 W

20.23 B. Oak 16 in. di.

40.00 Set $\frac{1}{4}$ Sec post for a

W.O. 22 in. N40E 60 M

Do. 22 in. N59W 35 in

63.50 W.O. 14 in. di.

79.50 En Marsh & Town Loop

80.00 Set post cor to Sec. 32 & 33 for an

Aspen 15 in N70E 35 M

Town. 10 in. N26 $\frac{1}{2}$ W 216 in

Land & Timber same as last mile

West On the South Boundary Sec. 32 T5 N14 W

19.00 Lc. Swamp

19.88 W.O. 24 in. di

27.00 To Reenter Swamp

40.00 Set $\frac{1}{4}$ Sec post for a

Town. 8 in. N61E 98 M

Do 7 in. N88 $\frac{1}{2}$ W 149 in

71.42 Town. 6 in. di

80.00 Set post cor to Sec. 31 & 32 for a

Town. 6 in. N89 $\frac{3}{4}$ E 125 M

Do 5 in. N53W 28 in

Land level & 2 $\frac{1}{2}$ mile Tim. Tamarac.

West End South Boundary of Sec 31 T5 N. R. 1 W.

29.00 Left Marsh or Swamp

31.85 Red Oak 15 in. diam.

40.00 Left $\frac{1}{4}$ Sec post for an

Aspen 5 in. N 23 E 5 Ms.

Pine wood 7. N 66 W 35.

57.67 B. Oak 15 in. di.

59.50 Ent. Marsh

84.93 Int. the West Boundary 157 Ms. S. of p.

Town 16 in. N 89 $\frac{1}{2}$ E 22 33 Ms

No other trees near. Land Rolling
and 3^d rate Timber Tamarac.
and some Oak on the Dry ground

West Boundary var. by observation
North one p. 24 Sec 36 T 4 N R 2 W at beginning 4th E.
21.40 Lynn 16 in. di.

40.00 Left $\frac{1}{4}$ Sec. post for a

Log. 13 in S 14 W 34 Ms

Do 13. N 85 $\frac{1}{2}$ W 13 $\frac{1}{2}$ "

60.08 Bc 11. di.

80.00 To a Lynn 12 in. diam. En to Sec 25 R 36

Land Rolling & 1st rate Timber. Ash

Beech, Hornwood, Elm, Sugar & c. H. g.

same as last mile.

North On East B'd of Sec 25 T. 4 N. R. 2 W.

19.24 Be 20 in. di.

29.00 Ent. Swamp.

37.50 Left "

40.00 Set $\frac{1}{4}$ Sec. post for a

High. 6 in. S 6 W. 36 lbs

R.O. 20 N 22 $\frac{1}{2}$ W 45."

52.25 A Lynn wood 24 in diam.

54.70 Ent. Swamp.

50.10 Set post cor to Sec 24 & 25 for a

Swamp. 6 in. N 60 W 8 lbs

Do 5 in. S 14 W 25."

Land & Swamp. same as last mile & 1/2
Swamp.

North On East B'd of Sec 24 T. 4 N. R. 2 W.

16.22 W.O. 22 in di.

27.50 Ent. Swamp.

38.00 Left " "

40.00 Set $\frac{1}{4}$ Sec. post for a

W.O. 11 in N 41 W 22 lbs.

Do 12 S 6 W 26."

54.00 Ent. Swamp

60.00 Left "

61.06 W.O. 18 in di.

80.00 Set post cor to Sec 23 & 24 for a

Be 14 in. S 27 W 14 $\frac{1}{2}$ lbs

Do 14 in. N 52 $\frac{1}{2}$ W 16"

Land & Swamp similar to the last mile.

22

North On East Sides of Sec 13 T. 4 N. R. 2 W.

19.12 To a Stream Course W.

Set a fractional post on S^W side of

Ash 8 in S 37 E 5 1/2 lbs

Sug. 5 in N 86 W 16 in

20.94 To the North side of the Stream few in

Ash 7 in. N 77 E 25 lbs

Lynx 12 N 11 W 50 in

40.00 Set a qtz. post - few in

Ash 9 in S 30 W 37 lbs

Be 19 in. N 46 1/2 W 78

60.30 W.O. 20 in. dia

75.00 Ent - Sub

80.00 Set post in Sub. Post to Set. 124 1/3 ft. a

Journ. 6 in. S 3 W 195 lbs Do 10 in. N 19 W 53 lbs.

South of the River the land is 8 in. same as before

North of the Stream the land is 2 in. water. 2 in.

W. & B. Oak Bl. g. Grass a few.

23

North On the East B.N.H. Sec 12. T. 4 N. R. 2 W.

17.67 Journ. 8 in. dia

27.50 Left Sub.

33.50 A. post Course W

46.00 Set 1/4 sec post few in

Red Oak 11 in. S 40 W 28 lbs

Hack 7 in. N 43 W 38 in

44.00 Ent. Marsh

76.00 Left "

80.00 Set post - Post. Sec. 18 1/2 ft. a

W.O. 10 in. N 26 W 76 lbs

Do. 7 in. S 56 W 34 in

Land Rolling & 3 in. water mostly marsh.

North On the East Side Sec 1 T4 R2 W

21.84 Sug. 16 in di.

25.00 Ent Marsh without Timber

40.00 Set a 92 Sec post - few or

Tom Y. South - 1290 lbs

No other Trees near

80.00 Set ~~the~~ ^{the} ~~the~~ ^{the} post in Marsh

Land Except the Marsh is 2nd rate

Timber Birch Beech Ash Oak &c

Woods growth some

Surveyed by Lucius Lyon

D. S.

Subdivisions

North Between Secs 35 & 36 T. 4 N. R. 1 W.

12.10 A Creek 20 lbs wide Course W

23.95 Aspen 6 in. diam.

40.00 Set $\frac{1}{4}$ Sec post - few or

Be 20 in T 64 E 35 lbs

Maple 12 in. T 7 W 49 in

78.15 Set a post on the Bank of Cedar Creek few

Sycamore 24 in. T 52 W 32 lbs

Black Ash 5 in. T 69 E 21 in

79.28 Over the River and set a post few or

Maple 6 in. N 54 W 30 lbs Do. 12 in. N 17 E 57 lbs

80.00 Set post - Co to Sec 25. 26. 35 & 36. few

Sycamore 10 in. N 25 E 13 lbs

Maple 10 in. T 30 W 14 in

Land very fine and rich Timber, Sugar

Elm, Lymn &c. W. g. Hazle &c.

East on a Random line bet. Secs. 25 & 36

00.82 To the Bank of Cedar Creek Course South

2.40 Over Cedar Creek

7.60 A Creek again Course N.

8.95 Over the Creek

14.96 To Cedar Creek again Course South

21.98 Over the Creek

40.00 Set a temporary $\frac{1}{4}$ Sec post.

80.28 Int. the East Boundary 60th S. of p.

West Corrected the line between Secs. 25 & 36

40.14 Set the temporary $\frac{1}{4}$ Sec post at our dist on True line

Be. 8 in. S. 26 W 18 Ms.

Do. 9 in. N 46 E 22 in.

58.22 Set a post on the E Bank of Cedar Creek for a

Elm 4 in N 14 E 26 Ms.

Do. 9 in. N 26 E 18 in.

65.27 Set a post on the W. Bank of Cedar Cr.

B. Ash 18 in. N 29 E 25 Ms.

Thorn 4 in. S 62 W 11 in.

71.30 Set post on the E Bank Cedar Creek for a

Maple 5 in. N 69 $\frac{1}{2}$ E 25 Ms.

Do. 11 in. S. 6 E 17 in.

72.67 Set post on the W. Bank of Cedar Cr. for

Sugar 6 in. N 7 E 21 Ms.

Buttum 13 in. S 44 W 16 in.

78.28 Set a post on E. Bank of the Creek for

W. Ash 5 in. S 14 W 27 Ms.

B. Ash 8 in. N 61 E 29 in.

79.46 Set post on West Bk of Creek for a

Maple 12 in. N 29 W 32 Ms.

Do. 9 in. S 82 W 37 in.

80.29 To see where land very fence met.
Timber Sugar, Elm, Ash, Lym. etc.

North Between Sections 25-26

6.00 Ent-Willow Swamp

25.00 at Creek 101. w. corner S.E.

40.00 Set $\frac{1}{4}$ Sec post for a

Maple 4 in. N 88 W 42 N

13 Ash 8. S 76 E 18"

42.00 Left-Willow Swamp

60.80 W. O. 10 in. di

64.50 Ent. Tamar. Swamp.

78.00 Left " "

80.00 Set post cor. to Secs 23, 24, 25 & 26

W. O. 10 in. N 34 E 40 N.

Do. 9. N 46 W 26"

Found 2nd note. Timber mostly Oak.

East On a Random line between Secs. 24 & 25.

40.80 Set a temp $\frac{1}{4}$ Sec post.

80.03 Set. the East Boundary 9th S. of post

Good dry land, gently rolling. Timber

mostly Oak, not much blued'g $\frac{1}{4}$

West Corrected between Secs. 24 & 25.

40.01 Set $\frac{1}{4}$ Sec post at w. dist on True line

Cherry 14 in. N 4 $\frac{1}{2}$ E 13 N.

W. O. 20. S 14 E 28"

80.03 To Sec Corner. Thursday Jan 4 1897

North Between Sections 23 & 24.

19.00 Ent. Swamp.

21.70 Town. 6 in. di.

40.00 Set $\frac{1}{4}$ Sec post for a

Maple - 6 in. N 71 E 20 Ms

Town 9. S. 55 E 27.

46.00 Left. Swamp & Enter Oak. 40 in

80.00 Set - first Cor to Sect. 13. 14. 23 & 24

Cherry 9 in N 11 E 30 Ms

Ashes 4. N 51 W 58.

Land poor and Swampy.

East on a Random line between Secs 13 & 24.

6.00 Ent. Town Swamp.

40.00 Set Swamp $\frac{1}{4}$ Sec. post.

44.00 Left Swamp.

64.00 Ent. Swamp

79.88 Int. E. Boundary 32 Ms. North of post.

West Connected between Sect. 13 & 24.

39.94 Set $\frac{1}{4}$ Sec. post at end. on True line for

Town. 5 in. S 34 W. 21 Ms.

Do. 7. N 61 E 36.

44.41 Town. 6 in. di.

79.88 To Sec. Corner.

North Between Sections 13 & 14.

2.00 East. SwSp.

24.50 at Creek 10 l. w; Corner W.

40.00 Set a $\frac{1}{4}$ Sec post for a

Town 8 in. N 33 W 99 Mo.

Do. 7 in. S. 50 $\frac{1}{2}$ E 15 in.

53.25 Town. 7 in. down.

80.00 Set post for Sec. 11. 12. 13 & 14 for.

Town 9 in. N 59 E 42 Mo.

Do 12 in. N 89 W 5 in.

Land very swampy & bad.

East On a Random line between Sec 12 & 13.

40.00 Set a temp. $\frac{1}{4}$ Sec. post.

71.00 Left SwSp.

80.13 Set the E Boundary 19 Mo N of post.

Land nearly all Swamp.

West Connected the line bet. Sec. 12 & 13.

40.06 Set a $\frac{1}{4}$ Sec. post at av. d. on true line.

XX Town. 8 in. S 15 E. 45 Mo.

W Oak 20 S 54 W 2, 58

Maple 8 in. N 82 E 47 in.

80.13 To Sec. Corner

North Between Sections 11 & 12.

4.89 Town. 8 in di.

16.00 Left Swamp.

40.00 Set $\frac{1}{4}$ Sec post fur. a

B. Oak 9 in N 26 E 12 ft.

W. Oak 6 in N 32 W 18 in.

46.00 Ent. Swamp.

58.00 Left "

60.00 W. O. 14 in. di.

80.00 Set post on Sec. 12. 11 & 12 fur.

W. O. 8 in. N 72 W 18 ft.

Do. 8 in. S 82 E 21 in.

Land poor & Swampy.

East - On or near line between Sec. 7 & 12.

4.00 Ent. Town Swamp.

34.00 Left "

40.00 Set on tamp $\frac{1}{4}$ Sec post.

58.00 Enter Swamp again.

60.00 Left the Swamp.

79.91 Set the East Boundary 11 & 12 S. of post.
Land very poor & Swampy.

West Connected the line between Sec. 1 & 12.

39.95 Set the $\frac{1}{4}$ post at av. dist. on line fur.

White 8 in S 9 E 20 ft.

B. Oak 4 in N 61 E 9 in.

42.20 B. Oak 10 in. di.

79.91 To Sec Corner

Friday. 26th of Jan. 1827

North Between Sections 1 & 2.

1.00 East: Town: Sub.

17.00 Left " "

34.50 East Sub again

36.00 Aspen 6 in. diam.

40.00 Left post $\frac{1}{4}$ Sec. for a

Town: 6 in N 83 E 574 M

Apple 7 in N 49 W 45 in

54.00 Left Sub.

70.00 East: Sub.

79.90 Int: N. Bound 21 M E of post

Cor of Sec: 35436 752 N 12 W and

set post Cor. Sec 1 & 2 for a

Town 5 in S. 59 E 20 M

Do 6 in. S 65 W 17 in. Land

very bad & swampy Saturday 27 Feb 1827

North Between Sections 34 & 35

40.00 Set in $\frac{1}{4}$ Section post for a

Lynn 26 in N 68 W 21 M

Be 10 in S 72 E 43 in

60.72 Hick. 12 in. diam.

80.00 Set post Cor to Sec. 26, 27, 34 & 35

Be. 8 in. N 24 W 15 M

Sugar 22 in S 29 E 14 in

Land level & fine: Tim. Sugar

Beach, Lynn, M. g. Spies &c.

East On a Rand. line between Secs. 26 & 35

9.00 To Bank of Cedar Creek

11.33 Over the Creek

40.00 Set temporary $\frac{1}{4}$ Sec. post

80.00 Set N & S line 16 Mts N of post

Land very good Tim. Sug. Lynn &c.

West - Corrected the line between Secs. 26 & 35

40.00 Set $\frac{1}{4}$ Sec. post on stone line for a

W.O. 3 in. N 31 E 52 Mts

B.O. 8 in. S 43 E 26 in

68.68 Set a post on the E. Bank of Cedar Creek

White Ash 6 in N 21 W 22 Mts

Do. Do 5 in. S 86 E 11 in

71.00 Set a post on the W. Bank of the Creek

Lynn 18. S 25 E 16 Mts, B.O. 16 N 60 W 27 Mts

80.00 To Sec. Corner

North Between Sections 26 & 27.

12.74 Set a post on the South side of Cedar Cr.

W. Ash 10 in. S 34 W 27 Mts.

Snowwood 7 in. S 22 $\frac{1}{2}$ E 40 in

13.93 Set post on N. Bank of Cedar Creek for

Maple 7 in. N 71 E 16 Mts.

Lynn 12 in. N 36 W 46 in

40.00 Set $\frac{1}{4}$ Sec. post for a

W.O. 12 in S. 39 W 50 Mts.

Do. 20 in. S. 52 E 45 in

76.05 B.O. 24 in. di.

80.00 Set post Cor to Secs. 22, 23, 26 & 27

B.O. 26 in S 71 E 68 Mts

W.O. 24 in. N 71 W 58 in

Land good & dry. Thingly timbered with Oak.

not much U.g.

40

East - On a Random line between Sect. 23 & 26

38.00 Ent. Tamm. & Spruce Swamp

40.00 Set a trap $\frac{1}{4}$ Sec. post

06.00 Left the Swamp

80.14 Set the A & S line 14th N of post.

Land very poor & Swampy.

West - Corrected the line between Sect. 23 & 26

40.07 Marked the $\frac{1}{4}$ Sec. on a Tamarack line di.

42.60 A Tamm. 6 in. shown.

80.14 To Sec. Corner

41

North Between Sections 22 & 23

10.00 Ent. Swamp.

24.48 Tamm. 8 in. di.

38.00 Left Swamp.

46.00 Set a $\frac{1}{4}$ Sec. post - far onW.D. 20 in. S 85 E 77th M.Do. 14 in. S 13 W 15th.

64.90 W.D. 10 in. di.

76.00 Ent. Tamm. Swamp.

80.00 Set post on Sec. 14. 15. 22 & 23 far.

Tamm 9 in. S. 42 E 14th M.Do. 12 in. S 88 W 13th.

Sound poor & Swampy.

East- On d Random between Secs. 14 & 23.

16.40 A Creek 6 l.w; Course North.

30.00 Left Lasp.

40.00 Set the temp $2\frac{1}{4}$ Sec post.

57.00 A Creek 6 l.w; Course South.

80 21 Set the N & S line. 14 M at 7 post.

Land Swampy & very broken.

Sunday 28th Jan'y 1897

West Between Secs. 14 & 23 On the True line

40.10 Set $\frac{1}{4}$ Sec post at a dist few or

W.O. 24 in. S. 51 E 10 M.

Do. 24 in. N 40 W 49 in.

40.79 W.O. 12 in. di

80.21 To Sec. Corner.

$2\frac{1}{4}$ post found north of old bearings Set Stone

Back W. Ash 24 S 12 W 134
J. H. M. C.

North Between Secs. 14 & 15

8.00 Left Lasp.

26.53 W.O. 24 in. di

39.00 A Creek 12 l.w; Course S.

40.00 Set $\frac{1}{4}$ Sec. post few or

then 10 in N 52 E 86 M.

Do. 9 in N 24 W 106 in.

62.00 Enter Jam. S. Sp.

70.00 Aspen 9 in. di.

80.00 Set post Cor to Sec. 10. 11. 14 & 15 ft.

Jam. 4 in. S 29 E 49 M.

Do 7 in. S 33 W 44 M.

Land Swampy & broken

East On a Random line between Sect. 11 & 14.

15.00 Touched the North End of a small pond.

40.00 Set a trap $\frac{3}{4}$ Sec. post, in Swamp.

80.33 Set the N & S line 20.00 N. of post.

Sound bad and Swampy.

West Corrected Between Sect. 11 & 14

40.16 Set the $\frac{1}{4}$ Sec. post at no. dist on true line.

Tram. 5 in. S. 22 W 12 ft.

Do. 18. N 22 E 32.

80.33 To Sec. Corner.

North Between Sections 10 & 11.

6.00 Left Swamp.

6.30 Aspen 5 in. di.

38.00 East - Swamp.

40.00 Set $\frac{1}{4}$ Sec. post for an

elm 12 in. N 61 W 40 ft.

Tram 10. N 84 E 102.

48.40 Set a post on the South shore of a small lake.

Elm 6 in. S. 2 E 28 ft.

Do. 14. S 89 W 344.

80.00 Set post Cor. to Sect. 2.3. 10 & 11, in the Lake.

46 J. H. A. R. 1 W.

East. On a hand line between Sect. 2 & 11.

34.67 To the East shore of the Lake in Swamp.

40.00 Set a trap $\frac{3}{4}$ Sec. post.

78.00 Left Swamp.

79.97 Sub. the N & S line 13 $\frac{1}{2}$ Mi. N. of the post.

Land very poor & Swampy.

West Corrected Between Sect. 2 & 11.

39.94 Set a $\frac{1}{4}$ Sec. post at av. dist. on line line

Town. 12 in. N 52 W. 14 $\frac{1}{2}$ Mi.

Do. 12 in. S 52 $\frac{1}{2}$ E 16 in.

43.50 Town. 8 in. di.

45.30 Set post on the East shore of the Lake for

Maple 6 in S. 19 E 42 $\frac{1}{2}$ Mi.

W. A. H. 5 in N 71 E 32

79.97 To Sec. Corner.

J. H. A. R. 1 W.

47

Monday June 9 29th 1897

North Between Sections 2 & 3

65.09 Set a post on the North shore of the Lake for

Town. 6 in. N 82 E 14 $\frac{1}{2}$ Mi.

Aspen 6 in. N 78 W 69

79.41 Sub. the North Boundary 2 $\frac{1}{2}$ Mi. E. of post for

Sect. 34 & 35 T. 5 N. R. 1 W. and set a

post cor. to Sect. 2 & 3 for a

W. O. 18 in. S 11 W 36 $\frac{1}{2}$ Mi.

B. O. 20 in. S 72 E 49 in.

(Description of Town omitted & d.)

North Between Sections 33 & 34.

10.00 Ent. Yunnan

24.00 Left "

29.99 A Black 18 in di

40.00 Set $\frac{1}{4}$ Sec post for ans

Sonwood 6 in. S 41 W 22 Me

Base 10 S 79 W 10 1/2 Me

Color 26. " N 43 E 13. "

Elm 5. " N 60 W 2 3/4 Me

74.14 Lynn 20 in. Shown.

76.00 A Spring ^{Branch} Brook 5 l. w. Co. W. W.

78.50 To the same " " " East

80.00 Set post Co. Sec 27. 28. 33 & 34 for.

Be 10 in S. 13 E 22 Me.

Do, 9 " N 41 W 12 "

Land very good Timber Sugar, Elm, Lynn

Bush etc.

East. On a Random line between Sec 27 & 34.

00.86 A Brook 6 l. w. Corner North

40.00 Set temporary $\frac{1}{4}$ Sec post

80.28 Post the A & S. line 8 Me N. of post for

Land Rolling and very good Timber

Sugar, Elm, Lynn etc.

West Connected the line between Sec 27 & 34

40.14 Set $\frac{1}{4}$ Sec post at old ditch in line for.

Sonwood 6 in. S. 50 W 13 Me

Be 12. " N 72 E 27. "

44.82 Be. 12 in di

80.28 To Sec. Corner.

North Between Sections 27 & 28

40.00 Set $\frac{1}{4}$ Sec post for a

Bee 4 in N 21 E 6 $\frac{1}{2}$ ft

Maple 12 in S 81 W 17 in

44.36 Set post on the S. Bank of Cedar Creek for

W. Ash 12 in S. 19 E 35 $\frac{1}{2}$ ft

Bee 4 in N 74 W 18 in

52.15 Set post on N. Bank Cedar Creek

B. Ash 6 in N 69 E 19 ft

Lynx 10 in N 18 $\frac{1}{2}$ W 46 in

56.00 W.O. 12 in. di.

80.00 Set post Cor. Sec. 21. 22. 27 & 28 for

Bee 12 in. S 12 W 17 ft

Maple 7 in N 15 E 29 in

Land Rolling and very good. Timber

Sugar, Birch, Oak etc.

East On a Random between. Sec. 22 & 27

18.00 Ent Town Sump.

26.50 Left do. do.

46.00 Set stump $\frac{1}{4}$ Sec post

80.13 Set N & S line at the post

Land 2nd, note Timber mostly Oak

West Corrected Between Sec. 22 & 27

40.06 Set a $\frac{1}{4}$ Sec. post at cor. sect. on line line

Cherry 12 in. N 72 W 26 ft

W.O. 20 in. S. 8 $\frac{1}{2}$ E 60 in

80.13 To Sec. Corner.

Thursday Jan. 30th 1827.

North Between Sections 2/822

9.20 At Brook. 61 w. Corner W.

22.18 Hick. 14 in. di.

40.00 Set $\frac{1}{4}$ Sec. post for a

W.C. 20 in. N 48 E 17 Ms.

Hick 6 in. S 12 W 15 in.

52.00 Ent. Tann. Swp.

65.43 Tann. 9 in. di.

72.00 Left Swp.

80.00 Set post Cor. Sect. 15. 16. 2/822. fm.

W.C. 12 in. N 37 E 11 Ms.

Do. 8 in. S 67 W 19 in.

Land 2nd note Timber mostly Oak.

East On a Random line bet. Sect. 15 & 22.

35.00 Ent. Swp.

40.00 Set a temp. post $\frac{1}{4}$ Sec. in Swp.

80.09 Int. N & S line 17 Ms. S. of post

Land nearly all Swamps.

West Forested Between Sect. 15 & 22.

40.05 Set $\frac{1}{4}$ Sec. post out and in on line

Tann 6 in. S 35 W 26 Ms.

Do. 10 in. N 33 E 25 in.

42.19 Tann. 8 in. di.

80.09 To Sec. Corner.

North Between Sections 158/16

7.00 Exit Town. Swamp

24.00 Left "

25.40 W.O. 24 in. di.

36.00 A Creek 121 w. Course. west

40.00 Marked the $\frac{1}{4}$ Sec. Cor. over a B. Ash 5 in.

47.00 Ent. Swamp

59.11 Town. 8 in. di.

65.00 Left the Swamp

80.00 Set post Cor. Sect 9. 10. 158/16 for

Iron. 6 in. N 43 W 12 lbs.

W.O. 24" S. 62 E. 28"

Land very Swampy

East On a Random line Between Sect. 108/15

13.00 Ent. Swamp.

24.70 A Creek 8 l. w.; Course S.

40.00 Set a temporary $\frac{1}{4}$ Sec. post

42.00 Left Swamp.

74.00 Ent. Swamp again

80.07 Int. N 88 E. line 11 lbs South of post

Land very bushy & poor also Swampy

West Corrected Between Sect. 108/15

40.04 Set $\frac{1}{4}$ Sec. post at av. dist. for aB. Ash 3 in. S 40 $\frac{1}{2}$ E 51 lbs.

Iron. 6 in. N 18 E 69"

43.13 Iron 6 in. diam.

80.07 To Sec. Corner

Wednesday Jan. 31st 1827

North Between Sections 9 & 10.

22.00 White Ash 8 in. diam.
 40.00 Set a $\frac{1}{4}$ Sec. post from which a
 W. Arrow 8 in S 43 E 22 Ms.
 Hick 8.. S. 74 W 10..
 52.00 East- Marsh
 61.00 Left "
 63.00 W. C. 14 in di..
 80.00 Set post Cor to Sec. 3. 4. 9 & 10 f..
 W. C. 14 in. S. 58 E 40 Ms.
 Do. 8.. N 79 W 35..
 Land 2nd rate, & timbered with
 Oak & Hickory

East On a Random line between Sec. 3 & 10.

12.25 Ent- Sep.
 31.00 A Creek 121. w. Course South
 40.00 Set a limb $\frac{1}{4}$ Sec. post
 71.50 To the shore of the Lake
 79.87 Ent. the N. & S. line in the Lake.
 Land very Swampy
 West- Corrected Between Sec. 3 & 10.
 8.37 Set a post on the west shore of the Lake for
 S. W. P. per C. G. S. S. E. 22
 Willow 5 in N 62 W 78 Ms.
 Aspen 12. S 7 W. 117..
 39.94 Set $\frac{1}{4}$ Sec. post at our dist. on true line
 Elm 2 in. S 55 E. 9 Ms.
 Aspen 6" N 68 W 14"
 41.80 Tans. 5 in. di..
 79.87 To Sec. Corner.

North Between Secs. 3 & 4. Thursday Feb. 14 1827

2.00 Ent Lwp

26.00 Left "

26.67 B. Oak. 20 in. di.

40.00 Set a $\frac{1}{4}$ Sec post-few a

W.O. 24 in. Y 35 E 16 Ms.

Trunk 8. Y 24 W 30.

54.00 B.O. 12 in. di.

79.15 Int. N. Boundary 40 Ms East of post Cor.

of Secs. 3 & 4 J. 5 N 1 W. and set
post Cor. to Secs. 3 & 4 for a

W.O. 10 in. Y 32 E 78 Ms.

O.O. 24. Y 44 $\frac{1}{2}$ W 58.

Land broken & Swampy. Timber,

Oak, Tamarac &c. &c.

North Between Sections 32 & 33

21.57 Be 16 in. di.

40.00 Set a $\frac{1}{4}$ Sec post-few. a

Stake Sugar 8 S 53 $\frac{1}{4}$ W 15 $\frac{3}{4}$ N
for Be. 14 in. Y 53 W 4 Ms.

corner Sugar 12 S 47 E 55 McCreary
Cherry 24. Y 12 E 17.

44.00 Enter Willow Swamp

48.00 Left "

61.80 W Oak. 15 in. di.

80.00 Set a post Cor. Secs. 28, 29, 32 & 33

Be 9 in. Y 40 W 6 Ms.

Lynn 5. Y 87 E 16.

(Descriptions omitted - Ed.)

East On a Random line bet. Sect. 21 & 28

40.00 Set a temporary $\frac{1}{4}$ Sec post

61.50 To the Bank of Cedar Creek

63.09 Over the Creek

80.00 Into the N & S line 7 $\frac{1}{2}$ M S. of post

Land very good Timber Sug.

Beech &c

West Connected the line between Sect. 21 & 28

16.90 Set a post on the East Bank of Cedar Creek

Butternut 12 in. S 45 E 8 $\frac{1}{2}$ M.

Do 18 N 33 E 27"

19.50 Set a post on the West side of the Creek

Hick. 4 in. N 37 W 14 $\frac{1}{2}$ M.

W. Ash 6 in. S 3 E 5"

40.00 Set a $\frac{1}{4}$ Sec post on the true line for

Lyons 10 in. N 49 W 19 $\frac{1}{2}$ M. Aug. 12 in. S 52 W 16 $\frac{1}{2}$ M.

80.00 To Sec Corner Tuesday Feb. 2nd 1827

North Between Sections 20 & 21.

10.00 Left S. Sp.

24.63 Maple 14 in. dia.

36.00 A Creek 12 l. w. Course N. E.

40.00 Set $\frac{1}{4}$ Sec post for an

Elm. 7 in. S 73 W 11 $\frac{1}{2}$ M.

Do. 6 N 72 W 96"

48.00 A Creek 12 l. w. Course N. W.

58.00 Set a post on the South Bank of Cedar Creek

Elm 5 in. S 77 W 40 $\frac{1}{2}$ M.

Do 16 in. S 89 E 57"

59.26 Set a post on the North Bank of the Creek for

Willow 4 in. N 87 E 54 $\frac{1}{2}$ M.

Sycamore 15 in. N 43 W 70"

70.00 A Brook 13 $\frac{1}{2}$ M wide; Course S W.

80.00 Set post Cor. to Sect. 16. 17. 20 & 21 for.

East On a random line between Sec. 28 & 33

40.00 Set a trap. $\frac{1}{4}$ Sec. post

80.20 Int. the N. & S. line at the post.

Land dry and pretty good. Timber

Lignum Sagar, Beech etc.

West Corrected the line between Sec. 28 & 33

40.10 Set a gr. Sec. post at our d. on true line

Wash Gin. S 10 W 20 Ms

Thick 10.. At $2\frac{1}{2}$ W 19..

41.79 Lignum 10 in. di.

80.20 To Sec. Corner.

North Between Sections 28 & 29

22.52 Aspen 17 in. di

40.00 Set a $\frac{1}{4}$ Sec. post for a

Sec 27.. S 52 W 41 Ms

W. C. 20.. At 576 32..

45.00 Ent-Town Swamp.

57.00 Top " "

63.07 Maple 10 in. diam.

64.50 Ent-Town Swamp

80.00 Set post in Swamp. Cor to Sec. 20. 21. 28 & 29

Town. Gin. S 2 W 75 Ms

Do. 11.. S 68 E 103..

Land on the $1\frac{1}{2}$ mile poor. On the

last $\frac{1}{2}$ Swamp.

64 N Oak 10 N 29 E 12.2
Elev 6 N 50 W 37 84 meters

W Oak 9 in. N 72 E 13 Ms.

Lynx 7. N 38 W 17.

East On a Random line bet. Sect. 16 & 21.

8.50 A Creek 12 in. Course South

10.00 East Willow Swamp

40.00 Set a post $\frac{1}{4}$ Sec post.

60.00 Left Swamp

80.30 bet. N & E line 20 Ms South of post.

Land very bad and Swampy.

Went Corrected Between Sect. 16 & 21

40.15 Set $\frac{1}{4}$ Sec. post at end of on true line
S. Oak 20 N 20 E 4.76 84 meters
W. Oak 8 S 84 W 1.49
Elev 6 in. N 37 W 18 Ms

B. Oak 13. S 37 W 80.

78.13 Lynx 10 in. diam.

80.30 To Sec. Corner.

North Between Sections 16 & 17

65

27.16 W. O. 14 in. diam.

32.70 A Creek 5 in. w; Course S. E.

40.00 Set $\frac{1}{4}$ Sec. post fur.

B. Oak 14 in. N 70 E 4 Ms

Do. 12. N 28 W 34"

41.50 East Swamp.

75.70 Left "

80.00 Set a post Cor to Sect. 8. 9. 16 & 17. fur.

B. Oak 22 in. S 33 E 19 Ms

W. Oak 9. S 28 W 35"

Land on the 1st $\frac{1}{2}$ pretty good

Timber Beech Sugar Oak &c.

Last $\frac{1}{2}$ Swampy pt.

East On a Random between Secs. 9 & 16

31.00 East-Town. Swamp.

40.00 Set a trap 3/4 Sec. post.

73.00 Left Swamp.

80.14 Post. N. & S. line 5th Sec. south of post

Found very Swampy

West Connected between Secs. 9 & 16.

40.07 Set a 1/4 Sec. post at or. dist on Tr. line

Town. 12 in. diam. Marked for Cor.

42.00 Town. 7 in. diam.

80.14 To Sec. Corner.

Saturday Feb 23^d 1827

North Between Sections 8 & 9

22.63 W.O. 12 in. diam.

40.00 Set a 1/4 Sec. post for a

W.O. 12 in. S 63 E 17th Sec.

High. 4 S 86 W 28th Sec.

47.00 Ent. Swamp.

77.00 Left Swamp.

78.30 Appears 5 in. diam.

80.00 Set post Cor. Sec. 4. 5. 8 & 9. fur

B.O. 22 in. S 30 E 47th Sec.

S.E. Corner School House N 53 W 153th Sec.

W.O. 20th A 28 E 14th Sec.

Found on the 10 1/2 mile 2nd sect.

Timber mostly Oak. Lost 1/2
mile Swampy

68

East On a Random line between Sect. 4 & 9

40.00 Set a pump? $\frac{1}{4}$ Sec. post.

45.00 Ent. Swamp.

66.00 Left "

79.89 Int. A & S. line 8 $\frac{1}{2}$ M. S. of post.Land 2nd water Timber. Oak,

Brush, Sugar etc.

West On true line between Sect. 4 & 9.

39.95 Set $\frac{1}{4}$ Sec. post at av. d. on true line

B.O. 12 in. S 28 E 37 M.

Elev 6" N 18 W 27"

44.70 Be 10 in. diam.

79.89 To Sec. Corner.

69

North Between Sections 4 & 5.

7.98 B.O. 26 in. diam.

11.00 Enter Town. Swamp.

40.00 Set $\frac{1}{4}$ Sec. post f.w. own.

Aspen 14 in. S. 24 W 35 M.

W.O. 3 " S 49 E 40"

61.00 Left Swamp

62.80 B.O. 22 in. di.

79.10 Int. N. Boundary 37 M. East of post

Cor of Sect. 32 & 33 S. 5 N. R. 1 W. and

- set post - Cor to Sect. 4 & 5 f.w. own

Aspen 6 in. S 11 W 31 M.

Do. 5 " S. 53 E 11"

Land very poor and Swampy.

Sunday Feb 24th 1827

North Between Sections 31 & 32

- 7.00 Ent- Town, Swp.
 17.97 Town. 12 in. di.
 40.00 Set a $\frac{1}{4}$ Sec post - for a
 B. Ash 14 N 50 W 20 Ms.
 Elm 18 S 25 E 11"
 55.00 Left Swp.
 59.00 Bc 10 in. di.
 80.00 Set a post - Eve to Sec. 29. 30. 31 & 32.
 W. O. 18 in. S 79 W 19 Ms.
 Cherry 8. N 26 E 21"
 Land 3rd note. Timber Oak,
 Beech, Town & Coe.

East On a Random line between Sec 29 & 32.

- 10.00 Ent- Swp
 12.00 A Creek 12 Ms wide; Corner N.
 26.00 Left Swamp
 35.00 Ent-Swp again
 40.00 Set a temp. $\frac{1}{4}$ Sec post.
 50.00 Left the Swamp.
 80.17 Int. the N. & S. line 14 Ms South of post.
 West- Connected Between Secs 29 & 32
 40.04 Set $\frac{1}{4}$ Sec. post at arid. on Tree line
 Town. 13 in. S 198 E 35 $\frac{1}{2}$ Ms new
 Town 4 S 43 W 10 Ms.
 Town 10 in. S 46 $\frac{1}{2}$ W 24 $\frac{1}{2}$ Ms new
 Do 4 N 32 W 17"
 41.11 Town. 5 in. di.
 80.07 To Sec Corner.

72

North Between Sections 29 & 30

9.00 Enter Swamp

14.50 Left "

17.50 W. O. 28 in di.

36.00 Enter Swamp.

40.00 Set $\frac{1}{4}$ Sec. post - few. a

B. Ash 20 in S 57 E 24 W

Oo. 18" N 82 W 33"

45.00 Left Swamp.

62.96 Lymn 12 in di.

80.00 Set post - on Sec. 19. 20. 29 & 30. for

Be 8 in. S 4 E 3 W

Wood 6" N 59 $\frac{1}{2}$ W 19"

Land pretty good. Timber, Beech.

Lymn, Sugar etc.

73

East - On a Random line between Sec. 20 & 29

25.20 A Creek 12 Ws wide; Course N. E.

40.00 Set a temporary $\frac{1}{4}$ Sec. post.

44.00 Enter Swamp Swamp.

80.09 Set. N. & S. line 11 Ws North of post.

Lost $\frac{1}{4}$ mile Swamp. First $\frac{1}{2}$ mile good

Land. Timber Beech, Lymn, Sugar etc.

Corrected between Sec. 20 & 29.

West

40.04 Set $\frac{1}{4}$ Sec. post at old. on true line

Be 4 in. S 33 W 16 W.

Maple 22" N 47 E 8"

41.86 Be 7 in. di.

80.09 To Sec. Corner

 $\frac{1}{4}$ Post - Stone Line & Brick

Sugar 6 W 46 N 60

Do 6 W 79 S 1. L 2

74

Monday Feb 5th 1827

North Between Sections 19 & 20

20.59 Ironwood 6 in. diam.

40.00 Set $\frac{1}{4}$ Sec. post: few a

W.O. 26 in. S 43 E 9 Ms

Snow'd 4.. S 69 W 14..

60.81 Maple 14 in. di.

63.00 A Brook. 6 l. w. Course N.W.E

80.00 Set post on Sec. 17. 18. 19 & 20. fur

Be. 22 in. N 54 W 8 Ms

Do. 18.. S 55 E 25..

Land dry and good timber,

Sugar, Elm, Beech &c.

75

East On a Random Set. Sec. 17 & 20

6.18 To the South of Cedar Creek

8.26 Over the Creek.

40.00 Set a temp. $\frac{1}{4}$ Sec. post.

80.00 Int. N & S line 17 Ms N. of post-

Land very good. Timber Oak

Beech Sugar Spruce &c.

W.H. Corrected between Sec. 17 & 20.

40.00 Set $\frac{1}{4}$ Sec post at end. on true line.

W.O. 12 in. S. 45 E 17 Ms.

Do. 8.. N 19 W 35..

71.74 Set post on the East Bank Cedar Creek

Thorn 6 in. N 42 E 21 Ms, High 6 in. S 34 W 21 Ms.

73.82 Set post on the West Bank of the Creek. 6 in.

Spruce 6 in N 43 E 41 Ms. W.O. 5 in. S 83 W 30 Ms.

80.00 To Sec. Corner.

78 J. 4 N. R. 1 W.

North Between Sections 7 & 8.

27.53 B. Ash 20 in. diam.

40.00 Set a $\frac{1}{4}$ Sec. post for a

B. 24 in. S 75 W 17 Ms

W. Ash 6" S 80 E 25"

60.71 Hemwood 6 in. dia.

80.00 Set a post on to Sec 5. 6. 7 & 8. for

Elm 20 in. S. 46 W 33 Ms.

Lynx 26" N 80 E 21"

Land very good. Timber Sugar

Beech. Lynx &c. U. g. Spruce

J. 4 N. R. 1 W.

79

East On a Random between Sec 5 & 8.

31.00 Ent. Swamp.

40.00 Set a temp. $\frac{1}{4}$ Sec. post.

41.00 Left Swamp.

50.00 Enter ... again

72.00 Left the same

80.18 Set a S. line $\frac{1}{4}$ Sec. No. 7 post.

West On the Twelve line between Sec. 5 & 8.

40.09 Set $\frac{1}{4}$ Sec. post at end. for a

B. Ash 12 in. S 60 E 26 Ms

Elm. 6" N 33 E 40"

43.00 B. Ash 9 in. diam

80.18 To Sec. Corner.

North Between Sections 17 & 18.

- 11.37 Set a post on the South Bank of Cedar Creek
 Elm 4 in. N 70 W 18 in. B. 4 in S 53 E 22 in.
- 12.56 Set a post on the North Bank of Cedar Creek
 W. O. 4 in. N 21 W 11 in. W. 4 in 7 in. N 32 E 30 in.
- 26.06 B. O. 12 in. diam.
- 40.00 Set $\frac{1}{4}$ Sec post p.w. on
 Elm 14 in S 47 E 32 in.
- Thick. 9. N 58 W 14 in.
- 61.68 B. 18 in. diam.
- 80.00 Set post cor to Sect. 7. 8. 17818. fur.
- B. 12 in N 45 W 20 in.
- Iron'd 4. S 73 E 20 in.
- Land very good. Timber Oak,
 Buck, Sugar etc.

East On a Randon between Sect. 8 & 17.

- 25.00 Enter Swamp.
- 40.00 Set a trap $\frac{1}{4}$ Sec. post.
- 59.50 Lower Swamp and Enter high ridges.
- 71.00 Enter Swamp again
- 77.00 Left "
- 80.18 Int. N & S. line 12 the S. of post.
- Land very broken & Swampy.

West Connected Between Sect. 8 & 17.

- 40.09 Marked the $\frac{1}{4}$ Sec. cor. on a Tamarac.
- 42.21 Tam. 8 in. diam.
- 80.18 To Sec. Corner.

North Between Sections 546.

23.00 Be 12 in. di.
 38.00 Enter bad Town Swamp
 40.00 Set $\frac{1}{4}$ Sec post for cor.
 Appx 5 in. N 44 W 53 Ms.
 B. Ash 3. S 26 E 44."
 79.25 Int. North Boundary 41 Ms East of post
 Cor of Secs 34 & 32 T. 5 N. R. 1 W.
 and set a post cor of Secs 546 for
 Town. 5 in. S 80 E 55 Ms.
 Co. 4. S 55 W 33."
 Landed on the $1\frac{1}{2}$ mile good.
 Last $\frac{1}{2}$ bad & Swampy.
 Timber Sugar Lym. Elm &c.
 Wednesday Feb 7th 1827

West Between Sections 30 & 31.

2.00 Ent. Swamp.
 17.00 Left "
 20.30 Be 10 in. diam.
 40.00 Set a $\frac{1}{4}$ Sec post for cor.
 Be 7 in S 57 W 4 Ms
 Aug. 22. N 58 E 30."
 62.42 W. Ash 12 in. di.
 89.68 Int. the West Boundary 12 Ms S. of post
 cor of Secs 25 & 36. T. 4 N. R. 2 W.
 and set a post cor. Secs 30 & 31 for.
 Be 4 in. S 81 E 18 Ms
 Elm 24. N 67 E 43."
 (Descriptions omitted - C. D.)

West Between Sections 19 & 30.

40.00 Set a gr. Sec. post for a

W. Ash 6 in. S. $3\frac{1}{2}$ E 20 Ms

13. Ash 8 in. N 50 W 28.

48.00 East Willow Swamp

57.00 Left " "

64.00 Elm. 20 in. di.

70.00 East Tamm. Sap.

88.69 East. West Boundary 9 Ms South of post

Cor of Sec. 24 & 25 in T 44 R 2 W &

set post Cor. of Sec. 19 & 30. for a

Tamm 6 in. N 85 E 13 Ms.

Do. 4 in. S 39 E 14 in.

Laid on the 1st 1/2 very good, on

the last 1/2 Swampy & bad.

West Between Sections 18 & 19.

30.65 Elm 4 in. di.

40.00 Set gr. Sec post for an

Ironw'd on S. 78 E 18 Ms.

Be. 3 in. N 52 W 10 in.

65.73 Be. 7 in. di.

87.48 East. West Boundary 3 Ms N. of post

Cor of Sec. 13 & 24 T. 4 N. R. 2 W. and

set a post Cor. of Sec. 18 & 19 for. on

Be. 10 in. N 53 E 49 Ms.

Do. 9 in. S 54 E 60 in.

Land very good. Timber Sugar,

Beech, Lyrus & U. g. Spice

Thursday Feb. 8th 1827.

West Between Sections 7 & 18.

20.74 Sagon 22 in. di.

40.00 Set a $\frac{1}{4}$ Sec. post - for a

Be. 4 in. S. 31 E 15 Ms.

Sagon. 10 in. S 81 W 11 in.

61.40 Be. 12 in. di.

65.00 Enter Town. S. 1/2 p.

86.60 Set the West Boundary 15th S. of the
 post Cor. of Sect. 12 & 13, T. 4 N. R. 2 W.
 and set a post Cor. to Sect. 7 & 18 p.

Town. 14 in. N 45 E 53 Ms.

Do 16 in. S. 15 E 77 in.

Land on the 1 $\frac{1}{2}$ mile good, last $\frac{1}{2}$
 poor & Swampy.

Friday Feb. 9th 1827

West Between Sections 6 & 7.

26.79 Be 10 in. di.

40.00 Set a gr. Sec. post - for an

Ironw'd 6 in. S. 13 E 17 Ms.

Be. 6 in. N 34 W 27 in.

52.31 Sagon. 14 in. diam.

85.71 Set the West Boundary 24th S. of the
 the post Cor. of Sect. 18 & 12, T. 4 N. R. 2 W.
 and set a post Cor. to Sect. 6 & 7 for a

W.O. 5 in. N 41 E 41 Ms.

Be. 6 in. S 75 $\frac{1}{2}$ E 53 in.

Land on the first $\frac{1}{2}$ mile good. On the
 last $\frac{1}{2}$ 3rd note.

Meanders of the Lake in
 Sect. 23. 10 & 11. Beginning
 on the South side of the Lake
 at a post in line between Sect.
 10 & 11. Thence

S 57 E 1.50 In Sec. 11.
 S 41 E 6.00
 S 76 1/2 E 4.90
 N 61 E 3.50
 N 75 E 5.60
 N 49 E 3.50
 N 1 E 5.00
 N 37 W 4.00
 N 9 W 7.00

N 80 E 9.50
 N 78 E 5.80
 N 51 E 4.20
 N 24 E 4.00
 N 39 W 9.00
 N 33 E 4.60 To the line between Sect. 2 & 11.
 N 18 W 3.00 In Sec. 2
 N 37 E 4.00
 N 8 E 5.00
 N 29 E 5.50
 N 55 E 3.00
 N 88 E 6.50
 N 12 E 10.00
 N 17 1/2 W 15.00

J. 4. A. B. 1 W.

A 58 W 13.50

S 9 W 5.00

A 78 W 10.50

A 57 W 10.00

A 45 W 7.00

A 30 W 5.00

A 52 W 5.00

A 77½ W 4.05 To line between Sec. 2 & 3

S 87 W 7.50 In Sec. 3

S 74 W 7.00

S 60 W 8.00

S 48 W 8.00

S 28 W 8.00

S 1 E 4.50

J. 4. A. B. 1 W.

S 64 E 4.50 To outlet of Lake.

S 75 E 3.00

S 3 W 7.00

S 45 E 4.50

S 12 E 8.70

S 36 E 11.45

S 9 W 5.90

S 59 E 5.00

S 14 E 2.65 To the line between Sec. 3 & 10.

S 23 E 3.00 In Sec. 10

S 2 E 8.00

S 1½ W 6.50

S 34 E 3.00

S 18 E 9.00

S 42 E 4.26 To the place of Beginning.

T. 4 N. R. 1 W.

Meanders of Cedar Creek on the
South side. Beginning at Post
in the West Boundary of Township.
Thence up the South side of the Creek.

S 63 1/2 E

5.75 In Sec. 18

S 57 E

12.80

S 68 E

7.30

S 82 E

5.40

N 87 1/2 E

6.95

N 74 E

14.70

N 89 E

7.85

N 58 E

7.10

N 46 E

5.90

N 82 E

7.30

S 68 1/2 E

10.30

S 78 1/2 E 3.70 To the line between Secs. 17 & 18.

T. 4 N. R. 1 W.

S 73 E 5.00 In Sec. 17

S 43 E 1.70

S 16 E 5.75

S 5 1/2 W 2.00

S 47 1/2 W 1.62 To line between Sections 17 & 20.

S 39 W 2.95 In Sec. 20

S 27 E 2.30

S 66 E 4.70

S 30 1/2 E 4.44 To the mouth of a small Brook

S 57 E 5.40

N 86 E 7.35

S 75 E 5.50

S 61 E 3.60

N 84 E 6.50

J. 4. A. R. 1. W.

Y58E	1.35
Y37W	4.30
Y21E	2.30
Y63½E	8.60
Y83E	3.25
N64E	5.60
N71E	3.80
N57E	11.65
Y54½E	4.30
Y22E	2.00
Y41W	6.35
South	2.90
Y27E	2.85
Y58E	2.85

J. 4. A. R. 1. W.

N80E	5.10
N4E	2.70 To the Mouth of a Brook 12 links wide.
N39W	3.90
N5E	2.50
N72½E	2.77 To the line between Ys. 20 & 21.
N66E	6.00 In Sec. 21.
N77E	3.25
N66E	5.40
N86E	2.35
Y59E	3.50
Y37E	5.90
Y12E	4.70
Y7½W	8.90
Y60E	2.20

94

J. 4 A. B. 1 W.

Y81 E	3.50
Y69 E	1.90
Y44 E	6.20
Y28 E	6.60
Y4 1/2 E	5.50
Y14 W	12.30
Y19 W	4.20
Y5 1/2 E	2.50
Y37 E	2.60
Y74 E	3.40
N82 1/2 E	2.20
N69 E	4.25
N35 E	7.70
N19 E	4.00

95

J. 4 A. B. 1 W.

N53 1/2 E	6.10
N67 E	2.45
Y84 E	3.85
Y57 E	4.80
Y22 1/2 E	4.30
Y3 W	2.90
Y22 W	5.35
Y34 W	7.06 To the line between Sec. 21 & 22. Thence,
Y27 W	2.30 In Sec. 28
Y15 W	6.40
Y8 E	3.30
Y33 E	3.68
Y47 E	5.70
Y53 E	15.85
Y36 1/2 E	3.55 To the line between Sec. 27 & 28. Thence,

J. 4. A. B. 1 W.

Y22½	5.30	In Sec. 27
Y12	4.25	
Y35	5.15	A Spring Brook
Y52	3.60	
Y62½	6.00	
N88½	5.60	
N73	6.70	
N89	2.90	
Y74	7.80	
Y50	3.35	
Y19	4.30	
Y4	7.25	
Y33	5.35	
Y75	2.10	

J. 4. A. B. 1 W.

N73	9.92	
N80	3.50	
Y79	21.15	To line between Sec. 26 & 27.
N73	4.82	In Sec. 26
Y66½	1.30	
Y24	3.10	
Y9½ W	5.28	
Y4	2.30	
Y38	4.36	To line between Sec. 26 & 35
Y63½	3.20	In Sec. 35
Y77½	10.28	
N80½	2.35	
Y59	4.40	
N87½	3.70	
Y77½	3.30	

98

T 4 A. R. 1 W.

N 63 E	3.50
S 45 E	3.80
S 70 E	3.30
S 87 E	2.85
N 64 E	1.84
N 88 E	3.00 To the mouth of a Creek 25 l.w. of NW
S 62 E	2.00
S 29 E	2.60
S 89 E	2.20
N 45 E	3.10
N 61 E	1.55
S 60 E	1.50
S 13 E	3.18
S 27 E	2.30
S 56 E	2.25

99

T 4 A. R. 1 W.

N 79 E	2.56
N 14 1/2 W	3.30
N 57 1/2 E	3.22
N 13 1/2 E	2.50
S 88 E	3.60
N 26 E	2.25
S 32 E	2.31
N 4 1/2 E	1.56
East	2.77 To the line between Secs 35 & 36.
N 78 1/2 E	.90 In Sec. 36
N 34 1/2 E	2.06 To line between Secs 25 & 36
N 5 E	2.68 In Sec. 25
N 9 1/2 W	4.70
N 44 E	1.04
N 72 1/2 E	.90

J. 4. A. R. 1 W.

Y 56 E	4.38
Y 24 E	2.80
Y 15 E	3.61 To the same line.
Y 24 W	1.80 In Sec. 36
South	2.74
Y 38 E	2.40
Y 73 1/2 E	2.70
N 46 E	2.60
N 15 E	3.85
N 60 E	1.12
N 80 E	2.80
N 86 E	2.30
N 76 E	1.97 To the same line again.
N 25 E	2.20 In Sec 35
N 49 W	3.10

J. 4. A. R. 1 W.

N 6 E	1.94
N 37 E	2.95
N 4 E	3.40
N 26 E	7.00
N 65 E	1.62
S 77 E	4.08
N 33 1/2 E	2.35
N 4 E	2.26
N 54 E	3.70
N 80 E	2.10
S 78 E	2.00
S 47 E	6.90
S 19 1/2 E	6.20
S 84 1/2 E	1.60
N 41 E	1.90

T. 4. N. R. 1 W.

N 75 1/4 W	3.63
N 25 E	5.60
N 6 1/2 E	2.20
N 25 W	3.72
N 41 W	4.75
N 81 W	2.60
S 86 1/2 W	2.44
N 26 1/4 W	1.00
N 36 E	2.10
N 86 1/2 E	3.25
N 66 E	3.25
N 33 E	1.80
N 11 E	3.75
N 30 E	2.65

T. 4. N. R. 1 W.

N 57 E	2.80
N 78 E	6.60
N 72 1/2 E	12.50
N 44 E	5.60
N 8 E	10.45
N 11 W	6.60
N 32 1/2 E	3.14 To post in the East Boundary
Meanders of the North shore of Cedar Creek, Beginning at a post standing on N. bank of the River in West Boundary of the Township. Thence	
S 64 1/2 E	6.96 In Sec. 18
S 57 E	12.74
S 67 1/2 E	6.74
S 83 E	4.74

J. 4 A. R. 1 W.

N 86 1/2 E	5.96
N 74 E	13.33
N 80 1/2 E	5.00
S 84 1/2 E	3.67
N 77 E	2.07
N 60 E	4.88
N 49 E	5.00
N 69 E	3.75
S 81 E	2.85
S 68 E	13.00
S 71 1/2 E	4.85 To line between Sect. 17 & 18
S 74 E	5.49 In Sec. 17
S 47 E	3.37
S 23 E	2.32

J. 4 A. R. 1 W.

S 14 1/2 E	3.94
S 6 W	2.24
S 33 W	1.07 To line between Sect. 17 & 20
S 45 W	3.36 In Sect. 20
S 29 E	0.93
S 68 E	4.61
S 31 E	4.59
S 59 E	4.90
S 88 E	1.42
N 77 E	2.96
N 87 1/2 E	2.62
S 77 E	5.73
S 59 E	3.00
N 82 E	6.75
S 58 E	3.08

T. 4 N. R. 1 W.

S 10 W	2.43
S 2 1/2 W	1.96
S 21 E	1.66
S 66 1/2 E	5.20
S 72 E	3.53
S 87 E	1.87
N 59 E	4.69
N 70 E	4.45
N 56 1/2 E	3.17
N 44 E	5.34
N 61 1/2 E	4.29 mouth of Stony Creek 18 lbs wide
S 58 1/2 E	1.78
S 53 E	3.55
S 21 E	2.94
S 20 1/2 W	2.00

T. 4 N. R. 1 W.

S 47 W	4.53
S 1 W	2.52
S 25 E	2.19
S 57 E	2.16
N 82 E	4.20
N 2 W	1.10
N 36 W	3.33
N 11 W	1.83
N 17 E	1.88
N 57 1/2 E	1.87
N 83 E	2.05 To line between Sect. 20 & 21.
N 65 1/2 E	6.79 In Sec. 21
N 79 E	3.36
N 67 E	5.82
S 84 1/2 E	2.87

108

T. 4. N. R. 1 W.

Y 580	4.10
Y 360	6.08
Y 110	4.64
S 8 W	8.74
Y 660	1.46
Y 810	3.29
Y 63 1/2	2.78
Y 440	6.33
Y 280	7.02
Y 9 1/2	4.53
Y 11 1/2 W	3.19
Y 16 W	5.00
Y 11 W	4.37
Y 21 W	5.07
Y 20	1.50

109

T. 4. N. R. 1 W.

Y 340	2.10
Y 700	2.62
N 84 1/2 E	2.62
N 74 E	3.89
N 39 1/2 E	4.14
N 32 1/2 E	3.82
N 21 1/2 E	3.90
N 48 1/2 E	3.18
N 63 1/2	5.31
Y 850	5.61
Y 500	5.08
Y 21 1/2 E	5.09 Mouth of Brook 5 links wide.
Y 9 W	3.68
Y 24 W	4.73
Y 36 W	5.21 To line between Sec. 21 & 28

J. H. A. R. 1 W.

Y31 W	2.47 In Dec. 28
Y17 W	6.11
Y8 1/2 E	2.60
Y28 1/2 E	3.36
Y48 E	3.67
Y54 E	17.57
Y36 E	1.80 to line between Dec. 27 & 28
Y29 E	3.11 In Dec. 27
Y22 E	5.22
Y4 1/2 E	2.57
Y20 1/2 W	1.77
Y36 1/2 E	4.00
Y53 E	3.19
Y63 E	4.06
Y73 E	2.76

J. H. A. R. 1 W.

N85 1/2 E	2.76
N73 E	7.69
N82 E	2.66
Y76 E	9.24
Y48 E	4.47
Y18 1/2 E	4.85
Y9 E	6.57
Y31 E	4.53
Y72 1/2 E	1.07
N78 E	3.01
N72 E	6.52
N82 E	3.62
Y84 E	3.12
Y79 E	15.36
Y80 E	2.57 to line between Dec. 26 & 27

J. H. A. B. A. W.

N73E	500	In Sec. 26
S63E	2.11	
S27E	2.26	
S15½E	2.00	
S7½W	3.10	
S20W	2.29	
S2E	1.32	
S32E	2.27	
S46E	2.09	
S60E	1.85	to line between Sec. 26 & 35
S77½E	1.50	In Sec. 35
N85½E	2.26	
S72E	2.03	
S57½E	3.20	

J. H. A. B. A. W.

N89E	4.34
S74E	2.57
N65½E	4.20
S62½E	1.79
S33E	2.70
S67E	2.76
S80E	3.18
N66½E	2.00
N89E	4.20
S61E	2.88
S20E	2.12
S74E	0.88
N15½E	2.43
N45E	2.03
East	1.56

-116

J. 4. A. R. 1 W.

Y73 ♂	2.20
N45 ♂	1.56
N11 1/2 ♂	1.57
N19 ♂	1.94
N42 1/2 ♂	2.26 to line between Year 25236 again
N55 ♂	1.45 In Year. 36-2.5
Y74 ♂	2.07
Y88 ♂	1.78
N65 ♂	1.24
N30 ♂	0.96
N51 W	3.12
N5 ♂	2.75
N47 ♂	2.72
N5 1/2 ♂	3.46

117

J. 4. A. R. 1 W.

N29 1/2 ♂	4.54
N26 ♂	3.63
N6 1/2 ♂	1.70
Y86 ♂	1.74
Y74 ♂	2.80
N31 ♂	0.91
N5 ♂	1.86
N41 ♂	2.79
N66 ♂	2.23
N80 ♂	2.77
Y76 ♂	2.68
Y57 ♂	5.00
L36 ♂	3.53
Y15 ♂	2.11
Y4 1/2 ♂	1.69

T. 4. A. R. 1 W.

Y620	2.50
Y1218	3.92
Y280	1.56
Y540	2.00
N83 1/2 E	0.85
N14 1/2 W	2.85
N33 1/2 E	2.13
N87 1/2 E	2.30
N150	2.59
N610	1.38
Y850	3.02
N340	1.00
N29 W	2.15
N3 W	2.09
N42 E	1.75

T. 4. A. R. 1 W.

Y830	2.75
N71 1/2 E	0.50 to line between Sect. 35 & 36.
N50	2.58 In Sec. 36
N10 1/2 W	4.79
N27 1/2 E	1.69 mouth of Brook 11 links wide.
N74 1/2 E	2.33
Y590	4.43
Y750	2.96
Y530	2.00
Y2 W	1.48
Y34 W	4.20 to line between Sect. 25 & 36.
Y28 W	1.53 In Sec. 25
Y5 W	2.35
Y340	1.78

T. 4. N. B. 1 W.

N40E	0.81
N53E	0.67
N20W	1.67
N2W	2.11
N21/2E	1.67
N31E	3.574
N11E	1.63
N231/2W	3.04
N381/2W	4.04
N60W	1.53
N89W	3.74
N45W	1.68
N251/2E	2.39
N38E	1.95

T. 4. N. B. 1 W.

N88E	3.08
N64E	3.00
N361/2E	1.31
N14E	3.66
N32E	3.00
N531/2E	3.23
N791/2E	4.19
N741/2E	3.38
N36E	2.29
N10E	9.26
N70W	6.38
N211/2E	2.83
N441/2E	2.85 to the Meridian

Surveyed in 1827
by

Mugrove Evans Dep. Suror

J. 4 A. R. 1 W.

Defect Bin	182	10	21 E.
"	243	59	29 E.
"	384	85	40 E.
"	485	90	37 E.
"	586	75	41 E.
Spess	30831	9.68	12 S.
"	19830	8.69	9 S.
"	18819	7.48	3 A.
"	7818	6.60	15 S.
"	687	5.71	24 S.

695

15.3 21.4
2.3 8.4

measured in
same, head

36.7 SW
25 1/2 11 1/2 18 1/2
3' dia

8.5 M
5.4 1/2 in
the in