

PAGE

INDEX

DESCRIPTION

50

ABBREVIATIONS

51

FIELD PERSONAL, FIELD INFORMATION

K-1

52

L-1

53

M-1

54

M-3

55

L-3

56

R-3

57

RANGE CALIBRATION

58

K-2

59

L-4

60

AMMUNITION COVER K1

61

TRAVERSE TO M-4

62

SET L2 AND WITNESS

ABBREVIATIONS

RF = ROB FARRIER

KC = KEVIN CHRISTENSEN

NW = NORTHWEST

NE = NORTHEAST

SE = SOUTHEAST

SW = SOUTHWEST

N = NORTH

S = SOUTH

E = EAST

W = WEST

COR = CORNER

N3T = NAIL AND TAG

CL = CENTER LINE

IN = JERRY NORMUND

BW = BRIAN WAGNER

JS = JASON SPRAGUE

AZ = ADAM ZEEB

JF = JON FORIST

TRB = TOM R. BOVEN

JB = JEFF BREUKER


RF KC 3/14/01
42° clear

MP1-51

K-1 NW quarter section 1 T4N R1W
Found 4" STUBZ Post with PINCHED TOP
IN MARSH 10' ± E & DITCH OUTLET TO
MUD LAKE 17' E FENCE EXTENSION TO SOUTH
AND ON FENCE REMAINS E/W
Found REMOVED CORNER K-13 T5N R1W
13039 W 16.74
Found CAP AND TAG # 39100 W 16.74 N 10"
STUMP 110 (111) N 27.05
Found N 31 T 25832 W 16.74 N 10"
S 19 W 118.65
Found N 31 T 13039 E 16.74 N 10"
S 25 W 111.08
SET N 31 T KEYS E 16.74 N 10"
S 25 E 8.13
SET N 31 T KEYS S 16.74 N 10"
N 75 E 58.87

FIELD PERSONAL DATE


RF KC 3/14/01
RF KC 3/15/01
RF KC 3/21/01
RF KC 3/22/01
RF KC 3/23/01
RF IN BN KC 3/28/01
RF KC IS 4/3/01
RF KC JS 4/4/01



RF KC 3116101
35° OVERCAST, RAIN


ME 1-52

L-1 NORTH 114 CORNER SEE 1 TAN BWD
FOUND BAE AND CAP #18998 11' S COLEMAN
ROAD 1.2' DEEP
FOUND NBT 41616 W/SIDE 20" WALNUT
SOS W 21.43
FOUND NBT 13039 S/SIDE 20" OAK
STOE TO 27
FOUND NBT 25832 NE SIDE UTILITY POLE
N 50 W 100.20
FOUND PLAT MOVEMENT OF COVETIER PLAT
No. 1 S 50.14 BENT
RENOV DISK L-13 CLINTON COUNTY 13039 W 15.36
LIBER 60 PAGE 174
4 20" WALNUT E/SIDE SOS W 21.70
NO OTHER REMAINING WITNESSES
PRIVATE RECORDS LARRY BRYAN 87-B-86159
FOUND PLAT MOVEMENT OF COVETIER PLAT No. 1
SOUTH 50.14 BENT
FOUND RENOV CORNER W 15.32
4 20" WALNUT E/SIDE SOS W 21.70
NO OTHER REMAINING WITNESSES



RF KC 319101
OVERCAST 35°

NO EXCAVATION WAS PERFORMED
CLINTON COUNTY REMON COURIER IS A
3" PIPE WITH 4" BERRY CAP



MR1-53

M-1 NORTHEAST CORNER T4N 21W
FOUND CLINTON COUNTY REMON PIPE AND CAP
2' S/B BERRY 2' E & GREEN RD ON TREE LINE
FOUND PLANK E/SIDE 24" WALNUT S 50W 73.39
FOUND NAIL W/SIDE 10" BOX FLOOR N 40E 31.57
FOUND N 31T 13039 S/SIDE 8" WALNUT N 45E 42.01
FOUND POST AND POST REMAINS WITH TAG (NO #)
N 25E 31.50 ±

NO LIBERS TO VERIFY ABOVE WITNESSES
FOUND PLATMAN BONDIE MEADOWS
ESTATES #1 N 50.01

FOUND PLATMAN COURIER PLAT NO. 1
S 45W 70.85

FOUND STORIES N 31T S/SIDE 20" LOCUST
N 02W 43.33

NO ONE WITNESSES LIBERTY PG 258, 259

FOUND N 31T 25832 S/SIDE 40" WALNUT N 45W 51.07

FOUND N 31T 25832 S/SIDE 24" WALNUT S 50W
73.60

FOUND N 31T 25832 W/SIDE 16" APPLE S 45E 167.84
PERSONAL RECORDS LARRY BERRY 90-B-51606

FOUND N 31T 13039 NW/SIDE UTILITY POLE
S 100E 140.00

NO OTHER WITNESSES REMAIN FROM
L1 P4182, L2 P119, L2 P121, L7 P259, L6 P232

RF.KC
3/21/01
Spring 30°

ME1-54

M-3 Southeast Cor Sec 1 T4N R11W

Found 3/4" PIPE 7' N of SMOOTH TREE

LINE N 1/2 S Found 20" WALNUT N 15 E

Found 20" WALNUT N 45 E Found

20' WALNUT N 70 E PER L5 P 132

ACCEPTED 3/4" PIPE LOCATION AND

REPLACED WITH 3/4" X 24" STEEL FORM PIN

AND CAP 25832 UPON REMOVING 3/4" PIPE

FOUND PIPE TO BE BENT 16" BELOW SURFACE

AND IN A REMAINING MAN BOX RAISED

TO SURFACE AND SET 3/4" X 24" FORM

PIN AND CAP 25832 AT POINT WHERE

PIPE STRAIGHTENED UP.

FOUND NAT 11370 E SIDE 20" WALNUT N 15 E 29.54

FOUND NAT 11370 E SIDE 20" WALNUT N 45 E 39.40

FOUND NAT 16" E SIDE UTILITY Pole N 90 W 57.02

FOUND 1" BAE N 50 W 35.92

FOUND NAT 13100 E SIDE 20" WALNUT N 43 E 39.24

FOUND NAT 31900 N E SIDE 14" OAK S 25 E 33.71

FOUND BAE & CAP 12034 S 50 W 41.75 ±


FOUND STUMP N 50 W 34.00 ±

FOUND NAT & WALNUT E SIDE 20" WALNUT N 10 E 29.52

FOUND NAT & WALNUT E SIDE 20" WALNUT N 45 E 39.37

FOUND NAT & WALNUT S E SIDE 22" WALNUT N 70 E 92.26

FOUND 1/2" BAE IN MAN BOX S 20 W 9.53



RF KC
3/22/01
SOMER SS

MR1-SS

L-3 5'4 CORDED SECTION 1 TAN R/W

Found BOAT SPIKE IN MON BOX 2' d

SHOESMITH RD ON FENCE SOUTH FOUND

40" OAK S20W L2 P141 NO OTHER

REMAINING WITNESSES PERSONAL RECORDS

LARRY BRYAN: 20" OAK N10W 82.8-1134

87.8-116859, 90.8-45574 call for 40" OAK

N10W ACCEPTED BOAT SPIKE LOCATION

AND RESET WITH 3/4" X 24" FORM PIN AND

CAP PA 345

FOUND N10W 25832 SW/SIDE 40" OAK N10W 84.92


FOUND N10W 25832 SW/SIDE 40" OAK N10W 84.91

FOUND N10W 25832 SW/SIDE 40" OAK S20W 24.37

FOUND N10W 25832 E/SIDE UTILITY POLE N10E 78.61

TOP CENTRAL FIRE HYDRANT SSW 19.91

SET KEYS N10T SE/S 8" CEDAR NUSE 11.23



UTILITY
POLE

40" OAK

8" CEDAR

SHOESMITH

FIRE HYDRANT

40" OAK


4" PINEAPPLE FENCE

RF K
3/23/01
40° Survey

MR1-S6

K-3 SOUTHWEST CORNER SECTION 1 TYN RLD
Found 1/2" BAE 18" DEEP AT BASE & WERE
Back AND IN Pile of smaller Rocks
20' ± E of HIGH TENSION LINE 200' ± S of
RAILROAD TRACKS. Found TOWER LEG
S 80 W, Found 30" OAK S 65 W L2 P439
Accepted 1/2" BAE LOCATION AND
DEET WITH 3/4" x 24" FORM PIN AND
CAP #2583C

Found & Root on NE LEG TOWER S 80 W 1125
Found URT 39100 N/SIDE 30" OAK S 65 W 3810
Found BAE AND CAP 39100 E 86.86
Found PLAT MON "COUNTRY PLACE" E 99.93
Found & E BAE SE LEG TOWER S 30 W 2400
Found URT SLIDE 30" OAK S 65 W 3818
Found URT 39100 N/SIDE 10" OAK N 70 E 48.51



Nikon DTM-520	WILD TC-1010		
O-150M			
D 150.004	D	150.000	
R 150.004	R	150.000	
D 150.004	D	150.000	
R 150.004	R	150.000	
D 150.004	D	150.000	
R 150.004	R	150.000	
O-430M			
D 430.007	D	430.000	
R 430.008	R	430.000	
D 430.007	D	430.000	
R 430.006	R	430.000	
D 430.008	D	430.000	
R 430.007	R	430.000	

RFJN KC BW	3/27/01	20° OVERCAST	MR1	57
Nikon DTM-520	WILD TC-1010			
O-1213				
D 1213.402	D	1213.378		
R 1213.395	R	1213.378		
D 1213.393	D	1213.378		
R 1213.396	R	1213.379		
D 1213.396	D	1213.378		
R 1213.398	R	1213.378		

RF KC JS 4/4/01

MP1 58

K-2 West 1/4 corner SECTION 1 T4N R1W

Found 3/4" PIPE 30" LONG LYING ON GROUND

Found made S45E, FOUND TRAIL ALLEY S40E

Found made S50W CROSSED IN REMAINING

WITNESSES FOR EXCAVATION SITE SITE

FELL ON E/W FENCE REMAINS

EXCAVATED A AREA 3' X 3' IN SWAMP BOTTOM

HIT WATER 3'-4" BELOW SURFACE, FOUND THE

BOTTOM 4" OF WOOD LATHE AT A DEPTH OF 6'-8"

12" OF BLACK DEBT FORM SURFACE AND 16" OF

SUB-STRATE CLAY WAS REMOVED. NO EVIDENCE

WAS RECOVERED, ACCEPTED POSITION FROM

REMAINING WITNESSES AND SET 3/4" X 24"

FORM PW WITH ALUMINUM CAP AT 345 258332

INSIDE 3/4" PIPE AND SET 8" ABOVE WATER

LEVEL

Found N 1/4 T 19003 N 1/4 S 1/4 E 18" MADE S45E 20 31

Found N 1/4 T 19003 N 1/4 S 1/4 E 16" CIRCULAR S40E 24 47

SET "KEE'S" N 1/4 S 1/4 E 28" MADE (AT SCAR LOCATION)

S50W 32.28

SET "KEE'S" N 1/4 S 1/4 E 12" 22M N 1/4 S 1/4 E 20 26

Found 3/4" PIPE AND CAP "19003 N 219.75

Found POST MON SOUTH 630"

PIPE AND CAP
19003
L3 P. 1175

12" 22M

DRUMMED FENCE

STANDARD FENCE

18" made
DUE WAS DOUBLE

POST REMAINS

16" TAPED CREEPER

28" made

SWAMP LINE

DRUMMED FENCE
AND POSTS

MON

PLAT TRAIL AT LAKE

LANDING #3

CHAD 1839

MRI 59

N

20"
elm12"
elm60"
oak16"
good
elm


JS JF 6/8/01 75° Sunny MRI 59

L-4 CENTER OF SECTION 12 74N RIW
 FOUND PREVIOUS REMON 3/4" x 24" FORM PIN
 ALUMINUM CAP PAST 25832 IN CENTER
 OF 4' DIA ROCK PILE
 EXCAVATED 4' x 4' x 18" HOLE AT ABOVE LOCATION
 REMOVED 6" OF TOPSOIL 12" OF CLAY
 SUBSTRATE HIT WATER 10" DOWN. FOUND
 2 PIECES OF HISTORIC CERAMIC, 1 HISTORIC
 BRICK, 1 ROCK WITH POSSIBLE "T" ENGRAVED
 ON TOP, 1 PIECE OF MILLED LUMBER WITH
 NAIL, MANY HISTORIC NAILS - ASSORTED
 IRON PIECES. ALL OF ABOVE FOUND B/W
 6" & 18" DEEP, BASED ON LOCATIONS OF
 REMAINS, ACCEPTED ROCK WITH "T" MARK
 AS BEST MEETING COUNTY SURVEYOR
 NOTES OF 1901. REMOVED PREVIOUS REMON
 AND RESET AT LOCATION OF CHISELED
 ROCK.

FOUND N/T 25832 NE/SIDE 60" OAK N70°W 6.00'
 FOUND N/T 25832 NE/SIDE 12" ELM N45°W 32.87'
 FOUND N/T 25832 N/SIDE 16" OAK ELM S80°E 39.47'
 SET N/T 25832 E/SIDE 20" ELM N25°E 45.69'

(60)

50' clow



MRI (60) REF TUB JB 10/22/01

K1 Ammended corner

SET 2" BLACK WATER PIPE 0.62' S OF
6" PUNCH PIPE 11' EAST & DITCH. PIPE
IS SET AT A SLIGHT ANGLE DUE TO CORRE-
CTE AROUND ORIGINAL PUNCH PIPE KIND
FALLING IN 3' OF WATER. PULLED
ALUMINUM CAP STAMPED PA 345 25832
ON PIPE

FOUND NIT 39100 W/SIDE 10" STAMP N 27.62
FOUND KEBS NIT S/SIDE 6" ELM N75E 59.0
FOUND KEBS NIT E/SIDE 4" ELM S20E 7.78
CLINTON COUNTY REMON CORNER WEST 16.75 (13039)
6" PUNCH PIPE N 0.62

MEI 41 REF TRB FA 10/23/01

MEI (64)

50 OVERCAST

ACCEPTED CORRECTION

NEW MEI - 61 - 200 - m - 4

MEI - 41 - 3

MEI - 42 - 4



me14225	TAB	10/24/01
---------	-----	----------

$$\pi = m\psi - 73-78$$

$B_6 = m_2 u - 73.77$

IS-MD-02-202-12

00 00 00

A 95/5/15

BSR 160 00 05

8157942 N

00 00 00 00

D
95 45 36

RSR 190 00 65

22 27 57 62

9529

$$\bar{X} = med - 73 = 78$$

27-202-29-100-53

10

567

47.998

2

7999

666. F7

RAIN / OVERCAST 40°

7121-62

me4-73-78

MR4-73-77

27-262-L2

SET CENTER

SECTION 1 MEETING

SET 3/4" X 24" BORE WITH ALUMINUM CAP 20' # 2
S OF 6110 FENCE

SET KEYS NAIL AND TALS WEST SIDE 6" MADE

N 45 E	4.70
--------	------

Set	Repts	Back and	Tw Vest	Tw Vest	Tw Vest
1	1	1	1	1	1
2	1	1	1	1	1
3	1	1	1	1	1
4	1	1	1	1	1
5	1	1	1	1	1
6	1	1	1	1	1
7	1	1	1	1	1
8	1	1	1	1	1
9	1	1	1	1	1
10	1	1	1	1	1
11	1	1	1	1	1
12	1	1	1	1	1
13	1	1	1	1	1
14	1	1	1	1	1
15	1	1	1	1	1
16	1	1	1	1	1
17	1	1	1	1	1
18	1	1	1	1	1
19	1	1	1	1	1
20	1	1	1	1	1
21	1	1	1	1	1
22	1	1	1	1	1
23	1	1	1	1	1
24	1	1	1	1	1
25	1	1	1	1	1
26	1	1	1	1	1
27	1	1	1	1	1
28	1	1	1	1	1
29	1	1	1	1	1
30	1	1	1	1	1
31	1	1	1	1	1
32	1	1	1	1	1
33	1	1	1	1	1
34	1	1	1	1	1
35	1	1	1	1	1
36	1	1	1	1	1
37	1	1	1	1	1
38	1	1	1	1	1
39	1	1	1	1	1
40	1	1	1	1	1
41	1	1	1	1	1
42	1	1	1	1	1
43	1	1	1	1	1
44	1	1	1	1	1
45	1	1	1	1	1
46	1	1	1	1	1
47	1	1	1	1	1
48	1	1	1	1	1
49	1	1	1	1	1
50	1	1	1	1	1
51	1	1	1	1	1
52	1	1	1	1	1
53	1	1	1	1	1
54	1	1	1	1	1
55	1	1	1	1	1
56	1	1	1	1	1
57	1	1	1	1	1
58	1	1	1	1	1
59	1	1	1	1	1
60	1	1	1	1	1
61	1	1	1	1	1
62	1	1	1	1	1
63	1	1	1	1	1
64	1	1	1	1	1
65	1	1	1	1	1
66	1	1	1	1	1
67	1	1	1	1	1
68	1	1	1	1	1
69	1	1	1	1	1
70	1	1	1	1	1
71	1	1	1	1	1
72	1	1	1	1	1
73	1	1	1	1	1
74	1	1	1	1	1
75	1	1	1	1	1
76	1	1	1	1	1
77	1	1	1	1	1
78	1	1	1	1	1
79	1	1	1	1	1
80	1	1	1	1	1
81	1	1	1	1	

CHERRY 112512 89-21



SET KEYS NAIL AND TAB EAST SIDE 10" PINE

MSF 5

SET KEYS NAIL AND TAG SOUTH WEST SIDE


10" OAK SW E 12.55

105° mostly sunny ME2-30



JS	ME	DO	W/20/01
ME4-64-31	ME2-30-40		
ME4-64-44	ME4-64-31		
ME2-30-40	ME2-30-41		
BSO	0 00 00	BSO	0 00 00
D	13 11 01	D	179 47 42
BSL	180 00 00	BSL	179 59 59 40
R	193 11 00	R	359 47 41
BSO	0 00 00	BSO	0 00 00
D	13 11 04	D	179 47 37
BSL	179 59 59 34	BSL	179 59 55 34
R	193 11 02	R	359 47 30
	13 11 02		179 47 40
ME4-64-31	ME2-30-40		
ME2-30-40	ME2-30-41		
1125.348	1216.431		
1125.351	1216.424		
1125.348	1216.431		
1125.351	1216.424		

TS AZ. DO	6/24/01
TI = ME2-30-41	TI = ME2-31-42
BS = ME2-30-40	BS = ME2-30-41
FS = ME2-31-42	FS = ME2-31-43
BSD 0 00 00	BSD 0 00 00
D 292 00 00	D 178 50 02
BSE 180 00 00	BSE 179 59 57
R 112 00 01	R 358 50 00
BSD 0 00 00	BSD 0 00 00
D 290 00 05	D 178 49 57
BSE 179 59 50	BSE 180 00 02
R 112 00 02	R 358 50 04
<u>290 00 03</u>	<u>178 50 01</u>
TI = ME2-30-41	TI = ME2-31-42
FS = ME2-31-42	FS = ME2-31-43
H.D.	H.D.
353.627	261.562
353.627	261.569
R	R
353.627	261.562
353.627	261.569



60° mostly sunny

MEZ 32

10/20/01

$\pi = \text{MEZ-31-43}$
 $\text{BS} = \text{MEZ-31-42}$
 $\text{FS} = \text{MEZ-32-50}$


BSO 0 00 00
 D 119 29 12
 BSE 179 51 53
 R 199 29 13

BSO 0 00 00
 D 119 29 10
 BSE 180 00 02
 R 199 29 30

119 29 18

$\pi = \text{MEZ-31-43}$
 $\text{BS} = \text{MEZ-31-42}$
 $\text{FS} = \text{MEZ-32-50}$

H.D.
 806 045
 806 045
 R
 806 045
 806 045




MEZ 33

65° mostly sunny

TS	MEZ 50	0120/01	
TS	MEZ 32-51	TS=MEZ 33-52	
BS	MEZ 32-50	BS=MEZ 32-57	
FS	MEZ 32-52	FS=MEZ 33-53	
BS	0 00 00	BS 0 00 00	
D	218 21 37	D 243 45 52	
BS	180 00 01	BS 179 59 57	
R	38 01 33	R 03 45 50	
BS	0 00 00	BS 0 00 00	
D	218 21 39	D 243 45 47	
BS	179 59 58	BS 179 58 55	
R	38 21 30	R 03 45 32	
	218 21 34	243 45 47	
TS	MEZ 32-51	TS=MEZ 33-52	
FS	MEZ 33-52	FS=MEZ 33-53	
	H.D.	H.D.	
	028.238	083.063	
	028.239	084.062	
	R	R	
	028.237	083.065	
	028.238	083.061	




	IS	AZ	DO	6/20/01	
$\pi =$	MR2-33-53			$\pi = \text{MR2-34-54}$	
$\text{BS} =$	MR2-33-52			$\text{BS} = \text{MR2-33-53}$	
$\text{FS} =$	MR2-34-54			$\text{FS} = \text{MR2-34-55}$	
BSL	0 00 00			BSL 0 00 00	
D	204 53.14			D 115 52.42	
BSL	180 00 01			BSL 180 00 03	
R	24 53 01			R 295 56 55	
BSL	0 00 00			BSL 0 00 00	
D	204 53.08			D 115 52.42	
BSL	179 59 54			BSL 179 59 58	
R	24 53 06			R 295 56 31	
	204 53 08			115 56 38	
$\pi =$	MR2-33-53			$\pi = \text{MR2-34-54}$	
$\text{FS} =$	MR2-34-54			$\text{FS} = \text{MR2-34-55}$	
	41.0.			41.0.	
	344.857			316.035	
	344.861			316.035	
	R			R	
	344.857			316.035	
	344.860			316.036	



JS	AZ	DO	4/20/01
T = ME2-34-55		T = ME2-35-50	
BS = ME2-34-54		BS = ME2-34-55	
FS = ME2-35-50		FS = ME2-35-57	
BSO	0 00 00	BSO	0 00 00
D	137 02 23	D	216 06 39
BSL	180 00 01	BSL	179 59 59
R	317 02 24	R	30 00 39
BSO	0 00 00	BSO	0 00 00
D	137 02 30	D	216 06 44
BSL	180 00 07	BSL	180 00 02
R	317 02 26	R	30 00 41
137 02 23		216 06 41	
T = ME2-34-55		T = ME2-35-50	
BS = ME2-35-50		BS = ME2-35-57	
H.D.		H.D.	
294 218		417 755	
294 215		417 755	
R		R	
294 218		417 751	
294 215		417 755	

65° mostly sunny ML2-35

ML2-35-57




ML2-35-50

ML2-34-55

ML2-34-54

JS 122 00	10/24/01	
T=M02-35-57	T=M02-36-58	
BS=M02-35-54	BS=M02-35-57	
FS=M02-36-58	FS=M02-36-59	
BSD 0 00 00	BSD 0 00 00	
D 110 37 31	D 178 53 26	
BSL 179 59 58	BSL 180 00 03	
R 290 37 31	R 358 53 24	
BSD 0 00 00	BSD 0 00 00	
D 110 37 35	D 178 53 25	
BSL 180 00 01	BSL 179 59 58	
R 290 37 35	R 358 53 17	
110 37 32	178 53 21	
T=M02-35-57	T=M02-36-58	
FS=M02-36-58	FS=M02-36-59	
H.O.	H.O.	
841.534	365.860	
841.520	365.950	
R	R	
841.535	365.865	
841.520	365.950	




TS	RT	DO	W	DO
T=MRZ-36-59			W	MRZ-37-60
BS=MRZ-36-58			BS	MRZ-37-59
FS=MRZ-37-60			FS	MRZ-37-114-K2
BSD	0 00 00		BSD	0 00 00
D	203 50 05		D	213 31 52
BSL	179 59 59 ⁶³		BSL	179 59 59 ⁶³
R	23 50 00		R	33 31 54
BSD	0 00 40		BSD	0 00 00
D	203 50 09		D	213 31 47
BSL	180 00 3 ¹³		BSL	179 59 55 ⁶³
R	23 50 01 ¹³		R	33 31 57 ⁰
	203 50 03			213 31 54
T=MRZ-36-59			T=MRZ-37-60	
FS=MRZ-37-60			FS=MRZ-37-114-K2	
H.D.			H.D.	
122.787			167.788	
122.793			167.789	
R			R	
122.787			167.789	
122.793			167.788	

65° MOSTLY SUNNY MRZ-37

SEE WITNESSES


MRZ-58

MRZ-37-114-K2



SET 1/2" BAC IN WOODS

IN WOODS




SET 1/2" BAC IN

WOODS OFF TRAILS

AT LAKE CROSSING P&W

(32)

MR-4 BF IW
50° OVERCAST



BF SW 3/20/01
50° OVERCAST

(32)

M-5 FOUND REMOVAL CAP #25832 PA 245
IN MON BOX 10' E & MERIDIAN RD
ON FENCE LINE WEST

FOUND 30" OAK S13E, FOUND POWER PDL
580 W, FOUND 2 W 10.00
L3 P270

FOUND 12" POPLAR N15E, SE CORNER HOUSE N73W
SE CORNER BARN N28W

L10 P79

ACCEPTED REMOVAL CAP 25832 IN MON BOX

FOUND NBT 25832 N15 POWER PDL 580 W 60.75

FOUND NBT 11370 S150E POWER PDL 580 W 60.91

FOUND NBT 25832 W150E 30" OAK S13E 76.07

FOUND NBT 25832 W150E 14" QUERCUS MADE
N 35 E 62.78

FOUND NBT W150E 10" POPLAR N13E 99.16

SE CORNER HOUSE FOUNDATION #5503


N 73 W 117.60

SE CORNER BARN FOUNDATION N28W 157.92

(33)

ME-4

N

RF SW 05° OVERCAST
3/20/01

(33)

L-5 SOUTH 1/4 CORNER SECTION 12

T4N R1W FID 1/2" REBAR INSIDE 4"

CONCRETE MONUMENT SE CORNER LOT

78 BIRD'S STRAWBERRY ESTATES NO 2

ON SPACE N/S TREE LINE FENCE N 66

W FENCE W 66 N

FOUND CONCRETE MARK W, FOUND 10" OAK S

FOUND 14" made, FOUND 20" made N 18 E

L 10 P 87

ACCEPTED PLAT MON AS REMON CORNER

3" STEEL CORNER POST N 45 W SE FACE 0.84

4" MON AND REBAR SW COR LOT 78 BIRDS

STRAWBERRY FARM ESTATES NO 2 W 115.16


FOUND N 31° 25' 32" W SIDE TRIPLE 14" OAK S 41.4

FOUND N 31° 25' 32" W SIDE 14" made N 30 E 42.71

FOUND N 31° KEYS SE SIDE 14" made N 30 E 42.94

FOUND N 31° KEYS SE SIDE 20" made N 18 E 55.21

③
me-1



RF TO 00°
320/01 ORANGE

③4

K-5 SOUTHWEST CORNER SECTION 12

T4N R1W FOUND ALUMINUM

REMOVAL CAP #25832 PA 345 ON

EXTENSION WIRE FENCE EAST. EAST OF

DITCH & ON ENTERED N 22' EAST OF

HIGH TENSION TOWER LINE 20'

FOUND 3 1/4" PIPE SHOW. FOUND 14" CHERRY E,

FOUND WOOD ANCHOR POST S. FOUND 18"

TRUNKABLE S20 E L16 P96

ACCEPTED LOCATION AND WITNESSED

FOUND 3 1/4" APE S45 W 2.58

FOUND POST 25832 N/SIDE 14" CHERRY E 22.47

FOUND NOT KEBS W/SIDE 18" TRUNKABLE S20 E 62.87

FOUND NOT UNDERGROUND W/S WOOD ANCHOR POST

S 9.34

SET KEBS NOT W/SIDE 3" x 3" POST N 23.54

35

PAGE 34 INDEX CONTINUED

PAGE 34 K-5 SOUTHWEST CORNER
SECTION 12 T4N R1W

PAGE 35 INDEX CONTINUED

PAGE 36 K14 W1/4 CORNER SECTION 12
T4N R1W

PAGE 38 M-4 E1/4 CORNER SECTION
12 T4N R1W EXCAVATION


PAGE 37 RANGE CALIBRATION

PAGE 39 M-4 EXCAVATION

PAGE 40 L-3 EXCAVATION
WITNESSES MRL PAGE 55

PAGE 41-73 TRAVERSE NOTES
SEC 1 AND SEC 12 MECHANICAL

30 ME.4



RF KC survey 30°
3127101

30

K-4 W 1/4 CORNER SECTION 12 T4N R1W
Found 3 1/4" PINCHED PIPE AT INTERSECTION
SOUTH AND EAST TREE LINES, 24' ± E
4 HIGH TENSION TOWER LINE

Found NE CORNER BUILDING N50W
Found HYPONAST S85W. Found POWER POLE
S45W. Found 14" MAPLE E
L2 P 435 L6 P 358

Accepted 3/4 PINCHED PIPE IN THIS LOCATION
AND RESET WITH 3 1/4" X 24" FORM PIN
AND 2 1/2" ALUMINUM CAP # 25832
While REMOVING 3/4" PINCHED PIPE FOUND
SEVERAL 3"-5" SIZED ROCKS AROUND PIPE
EXCAVATED TO A DEPTH OF 1.0' DEEP

NE CORNER BUILDING N50W 230.39
TOP CENTER OF LEADING FIRE HYPONAST S85W 124.79
Found PK. N11 N1/2 SIDE POWER POLE S45W 155.08
Found same N1/2 SIDE 14" MAPLE E 590.7
Found N1/2 39100 S1/2 SIDE 14" MAPLE E 540
Found N1/2 39100 W1/2 SIDE 8" MAPLE S10E 9.31
NW CORNER FOUNDATION FRAME BAR N35E 86.48

(37)

ME-4

RF-JN KC

3/27/01

20°

RANGE CALIBRATION

NIKON DTM - 520

0 - 150 m

D 150.004

R 150.004

D 150.004

R 150.004

D 150.004

R 150.004

0 - 430 m

D 430.007

R 430.008

D 430.007

R 430.006

D 430.008

R 430.007

NIKON DTM - 520

0 - 1213 m

D 1213.402

R 1213.395

D 1213.393

R 1213.394

D 1213.396

R 1213.398

WILD TC1010

D 1213.380

R 1213.378


D 1213.378

R 1213.379

D 1213.378

R 1213.378

MR 4



30" Hickory

TREE LINE

RF KC 3/28/01 45° OVERCAST

(38)

M-4 E 1/4 CORNER SECTION 12 T4N R1W

Found 1 1/2" BAR AND CAP (UNREADABLE)

13" ± E & ON N 1/3 DITCH ON BANK

ON TREE LINE EXTENSION TO WEST, ON

OLD N 1/3 FENCE LINE AND 1/2 MERIDIAN

ROAD EXTENDED TO SOUTH FOUND 30" HICKORY

570E L4 P 497

EXCAVATED A 4' x 3' HOLE AT BAR AND CAP

LOCATION FOUND STUMP AND ROOT REMAINS OF

APPLE TREE N 5 W 16" DEEP FROM L4 P 497

ASLO FOUND NAIL AND TAG LYING BESIDE STUMP

FOUND YELLOW FLAGGING REMAINS TO A DEPTH

OF 4.5 FEET. EXCAVATION DEPTH OF 5.5'

(3' OF TOP SOIL & DITCH SOIL 2.5' SUB-STRATE

CLAY) NO OTHER EVIDENCE OR REMAINS

RECOVERED NO E/W FENCE FOUND

ACCEPTED BAR AND CAP LOCATION AND REPLACED

WITH 3/4" x 2 1/2" FORM PIN AND ALUMINUM CAP

PA 349 25832

1 1/2" PIPE N 25.53



SET "KEPS" NAIL AND TAG N 1/2 SIDE 4" APPLE N 30E 32.28

SET "KEPS" NAIL AND TAG N 1/2 SIDE 4" APPLE N 40E 22.30

FOUND NAIL AND TAG "NO NUMBER" N 1/2 SIDE 30" HICKORY

570E 312.28

(39)
ME-4



(39)

RF KC 3/28/01 Overcast 45°

M-4 Found 1 1/2" Pipe 0.5 West of N/S
Fence 13' E & Ditch 25' N Tree
Line Extension to West on & Meridian
Road Extension to South
No Surrogate Witness Found

Excavated 2' x 2' Hole at 1 1/2" Pipe Location
12" Topsoil and Ditch Spoil 3' of Sub-Strate
Clay Excavation Depth Reached 4' with
No Evidence of Remains Found
No E/W Fence Recovered during Excavation

Repaired 1 1/2" Pipe and Witnessed A
3 1/4" x 24" Base and Aluminum Cap Stamped RBS P3K
Set "KERS" W/SIDE 12" Elm N 13 94
Set "KERS" NW/SIDE 4" Apple N70E 15 88
Set "KERS" NW/SIDE 4" Apple S70E
E 1 1/4 Corral Section 1 TYN R/W S 25 53

40
me-4

2F KC 3/28/01 OVERCAST 45°

(40)

L-3 EXCAVATION

REMOVED BOAT SPIKE FROM MAN BOX
EXCAVATED THROUGH MAN BOX TO DEPTH OF 4'
STILL IN IRON BED SAND, ONLY SAND REMOVED
MAN BOX WILL NEED TO BE REMOVED TO

EXCAVATE FURTHER. TERRAIN ON NORTH AND SOUTH
SIDES OF ROAD ARE CONSTANT WITH d
SIDEWALK ELEVATIONS. NO DITCHES PRESENT
NO EVIDENCE WAS FOUND

ACCEPTED BOAT SPIKE LOCATION AND
REPLACED WITH 3/4" X 24" FORM PIN AND
ALUMINUM CAP PA 345 2883Z
SEE BOOK ME1 PAGE 55 FOR WITNESSES

(41)

MR 4 JS AZ TDD

K = MR4-41-1

BS = MR4-41-105 44

FS = MR4-41-2

BSD

0 00 00

D

150 46 08

BSR

180 00 00

R

330 46 11

BSD

0 00 00

D

150 46 11

BSR

180 00 01

R

330 46 07

150 46 09179 23 11

K = MR4-41-1

BS = MR4-41-2

HD

HD

509.367

509.364

R

509.368

509.369

K = MR4-41-1

BS = MR4-41-105 44

324.311

324.311

R

324.311

324.311

(41)

6/11/01 80° sunny

1/2" ISAR REC AS L-4 MR4-41-207

MR4-41-105 LH

MR4-41-3

MR4-41-1

Demand Change

SEE MR4-59

FOR WITNESS

Set 1/2" 300 IN ORN FIELD

MR4-41-2

Set 1/2" BARE

EAST SIDE OF

TRENCH SOUTHEAST

OF MID

K MR4-41-1

BS MR4-41-207

FS MR4-41-2

BSD 0-00-00 00-00-00

K MR4-41-2

D 150-43-16

FS MR4-41-3 BSR 180-00-01 180-00-03

HD

R 230-43-16

1849.720

1849.721

K MR4-41-1

FS MR4-41-207

D 330.18

330.18

R 330.18

330.18

(43)

80° sunny

(43) med

JS

A2 PD

6/11/01

T = med-42-4

BS = med-41-3

FS = med-43-1005-M5

BSO 0 00 00

D 178 14 25

BSL 80 00 00²

R 358 14 18

BSO 0 00 00

D 178 14 24

BSL 80 00 00²

R 358 14 18

178 14 21

T = med-42-4

FS = med-43-1005-M5

H.D.

1245 549

1245 551

Z

1245 550

1245 549

T = med-42-4

BS = med-43-1005-M5

FS = med-43-5

BSO 0 00 00

D 91 55 17

BSL 180 00 00

R 271 55 17

BSO 0 00 00

D 91 55 15

BSL 179 59 58^M

R 91 55 17

91 55 17

T = med-42-4

FS = med-43-5

H.D.

1862.568

1862.561

Z

1862.555

1862.559

med-41-3

med-43-5

med-42-4

WITNESSES

PAGE med-32

med-43-1005-M5

(44)

80 sunny

6/11/01

(44) m24 JS AZ DO

$\pi = m24 - 43 - 5$
 $BS = m24 - 42 - 4$
 $FS = m24 - 44 - 6$


$BSD \quad 0 \quad 00 \quad 00$
 $D \quad 178 \quad 29 \quad 00$
 $BSE \quad 180 \quad 00 \quad 00$
 $R \quad 358 \quad 29 \quad 00$

$BSD \quad 0 \quad 00 \quad 00$
 $D \quad 178 \quad 29 \quad 02$
 $BSD \quad 179 \quad 59 \quad 59''$
 $R \quad 350 \quad 29 \quad 58$
178 29 00

$\pi = m24 - 43 - 5$
 $FS = m24 - 43 - 6$
 HD

756.652
 756.650
 R
 756.649
 756.651

$\pi = m24 - 43 - 6$
 $FS = m24 - 43 - 7$
 HD
 332.494
 332.494
 R
 332.495
 332.494



$\nabla \quad m24 - 44 - 7$
 $Set \ 1/2'' \ BAE$


75

80° Sunny

SET 1/2" BAR
1.5' NORTH of
18' WEST of
main-box 481



SET 1/2" BAR AT
BACK OF SIDEWALK
EAST PROPERTY LINE
#5000 STRAW-
BERRY FARMS



met-45-101-LS

SET 1/2" BAR
AT 5' EDGE DIST
3' EAST OF BACK
OF SIDEWALK 7'
S OF 121st 5516
STRAWBERRY FARMS

JS AZ DD

TS= met-44-7

BS= met-44-10

FS= met-45-8

BSO 0 00 00

D 134 47 20

BSR 179 58 57

Z 314 47 17

BSO

D 134 47 24

BSR 180 00 03

Z 314 47 20

134 47 20

TS= met-44-7

FS= met-44-8

HD

1057.307

1057.327

R

1057.350

1057.341

6/4/01

TS= met 44-7

BS= met-45-8

FS= met-45-9

BSO 0 00 00

D 48 50 57

BSR 180 00 03

Z 260 00 00

BSO

D 48 50 50

BSR 180 00 00

Z 260 00 00

48 50 50

TS= met-44-7

FS= met-45-9

HD

825 542

825 546

R

825 548


825 546

40

JS	AZ	DO	U	11	01
$\pi = m\bar{e}4-45-8$			$\pi = m\bar{e}4-45-9$		
$\bar{e}s = m\bar{e}4-44-7$			$\bar{e}s = m\bar{e}4-44-7$		
$FS = m\bar{e}4-45-101-LS$			$FS = m\bar{e}4-46-10$		
BSD	$0\ 00\ 00$		BSD	$0\ 00\ 00$	
D	$90\ 21\ 49$		D	$172\ 35\ 30$	
BSE	$180\ 00\ 02$		BSE	$180\ 00\ 01\ 31$	
R	$270\ 21\ 49$		R	$352\ 35\ 38$	
BSD	$0\ 00\ 00$		BSD	$0\ 00\ 00$	
D	$90\ 21\ 45$		D	$172\ 35\ 30$	
BSE	$179\ 59\ 59$		BSE	$179\ 59\ 59\ 32$	
R	$270\ 21\ 50$		R	$352\ 35\ 27$	
	$90\ 21\ 48$				
$\pi = m\bar{e}4-45-8$			$172\ 35\ 31$		
$FS = m\bar{e}4-45-101-LS$					
UD			$\pi = m\bar{e}4-45-9$		
153.741			$FS = m\bar{e}4-46-10$		
153.741			UD		
R			$1147\ 433$		
153.741			$1147\ 433$		
153.741			R		
			1147.433		
			1147.433		

$80^\circ = 20000$

40



(47)

JS AZ DD

6/11/01

$\pi = \text{MR4-46-10}$
 $\text{BS} = \text{MR4-45-9}$
 $\text{FS} = \text{MR4-47-11}$

$\text{BSD } 0 \ 00 \ 00$
 $\text{D } 122 \ 31 \ 19$
 $\text{BSR } 180 \ 00 \ 04$
 $\text{R } 302 \ 31 \ 15$

$\text{BSD } 0 \ 00 \ 00$
 $\text{D } 122 \ 31 \ 18$
 $\text{BSR } 179 \ 59 \ 58$
 $\text{R } 302 \ 31 \ 21$

$122 \ 31 \ 18$
201 32 05

$\pi = \text{MR4-46-10}$
 $\text{FS} = \text{MR4-47-11}$

HD
 982.540
 982.541
 R
 982.541
 982.542

HD
 338.664
 338.663
 R
 338.662
 338.663

80° SUNNY

MR4-45-9

MR4-46-10

Set 11/2" Bore in Field

MR4-47-11

Set 11/2" Bore in Field

MR4-47-102 K5

WITNESS ON PAGE MR4-34

48

80° sunny


48	MR4	JB	AZ	DD	6/11/01	-
	T=	MR4-46-10			T=	MR4-48-12
	BS=	MR4-47-11			BS=	MR4-46-10
	FS=	MR4-48-12			FS=	MR4-46-13
	BSD	0 00 00			BSD	0 00 00
	D	137 25 53			D	151 45 55
	BSE	179 59 59			BSE	179 59 55
	R	317 25 55			R	331 45 55
	BSD	0 00 00			BSD	0 00 00
	D	137 25 52			D	151 45 51
	BSE	179 59 51			BSE	179 59 59
	R	317 25 48			R	331 45 52
		137 25 54				151 45 55
	T=	MR4-46-10			T=	MR4-48-12
	FS=	MR4-46-12			FS=	MR4-48-13
	HD				HD	
	461 262				622.345	
	461 259				622.340	
	R				R	
	461.258				622.340	
	461.259				622.347	

MR4-48-13

MR4-48-12

MR4-46-10


MR4-47-11



49

80° sunny

49 MR4 JS AZ DD	6/1/01	
π = MR4-48-13	π = MR4-49-14	
BS = MR4-48-12	BS = MR4-48-13	
FS = MR4-49-14	FS = MR4-49-103 K4	
BSD 0 00 00	BSD 0 00 00	
D 176 08 34	D 253 25 14	
BSL 179 59 57	BSL 180 00 00	
Z 350 08 32	Z 73 25 10	
BSD 0 00 00	BSD 0 00 00	
D 176 08 30	D 253 25 10	
BSL 179 59 59	BSL 179 59 59	
Z 350 08 27	Z 73 25 10	
176 08 32	73 25 10	
π = MR4-48-13	π = MR4-49-14	
FS = MR4-49-14	FS = MR4-49-103 K4	
HD 392.170	HD 417.602	
392.170	415.604	
Z 392.170	Z 417.605	
392.170	417.604	



(50)

80° sunny

ME4-50-16

Set 1/2" Bore West


Side Group 20.2'

Across Board N. side Entrance

To New Vault

ME4-48-13

ME4-49-14



(50)

ME4

IS AZ DO

W. 101

T = ME4-48-13

BS = ME4-49-14

FS = ME4-50-15

BSD 0 00 00

D 82 13 18

BSE 175 9 52 33

R 262 13 18

BSD 0 00 00

D 82 13 25

BSE 180 00 02

R 262 13 19

82 13 21

T = ME4-48-13

FS = ME4-50-15

HD

1434.062

1434.061

R

1434.059

1434.060

T = ME4-50-15

BS = ME4-48-13

FS = ME4-50-16

BSD 0 00 00

D 181 28 22

BSE 180 00 04

R 128 22

BSD 0 00 00

D 181 28 20

BSE 179 59 59

R 128 17 11

181 28 19

T = ME4-50-15

FS = ME4-50-16

HD

2445.506

2445.507

R

2445.507

2445.505

(5D)

80 Summary

SDME4 T= AZ DO

T= ME4-50-16

BS ME4-50-15

FS ME4-51-107-L3

BSO 0 00 00

D 31 27 43

BSR 179 59 55

Z 54 27 48

BSO 0 00 00

D 34 27 43

BSR 179 59 51

Z 54 27 42

334 27 43

T= ME4-50-16

FS= ME4-51-107-L3

H.D.

BSO 0 00 00

D 31 27 46

Z

391 2410

391 2416

6/12/10

T= ME4-50-16

BS= ME4-50-15

FS= ME4-51-17

BSO 0 00 00

D 235 08 52

BSR 179 59 50

Z 55 08 54

BSO 0 00 00

D 235 08 52

BSR 180 00 00

Z 55 08 51

235 08 53

T= ME4-50-16

FS= ME4-51-17

H.D.

1242.222

1242.222

Z

1242.222

1242.222

ME4-51-19

MR1-55

WITNESS ME4-40

ME4-51-107-L3

ME4-51-17

ME4-50-16

SET 1/2 BOX 1.0

S of BACK OF CURB

@ MIDPOINT SE CORNER

GREEN & SUBSEMIT

ME4-50-16

ME4-50-15

T= ME4-50-16

BS= ME4-51-17

FS ME4-51-115

BSO 0 00 00

D 31 27 43

BSR 179 59 55

Z 42 01 13

BSO 0 00 00

D 31 27 46

BSR 180 00 00

Z 42 01 13

222 01 12

T= ME4-50-16

FS= ME4-51-115

H.D.

21.977

21.977

Z

21.977

(53)

85° SWAY

ME4-52-106-M3

WITNESSES

ME1-54

ME4-52-18

ME4-53-80

SET 11/2 BAR IN FIELD

(53)

JS A2 DD

6/12/01

 $\pi = \text{ME4-52-18}$ $\text{BS} = \text{ME4-52-17}$ $\text{FS} = \text{ME4-52-117}$

BSD 0 00 00

D 175 08 31

BSR 179 59 57

R 355 08 28

BSD 0 00 00

D 175 08 31

BSR 179 59 54

R 355 08 31

175 08 32

49 03 13

 $\pi = \text{ME4-52-18}$ $\text{FS} = \text{ME4-52-117}$

4 D

180.206

180.206

R

180.206

180.206

 $\pi = \text{ME4-52-18}$ $\text{BS} = \text{ME4-52-106-M3}$ $\text{FS} = \text{ME4-53-80}$

BSD 0 00 00

D 49 03 12

BSR 179 59 59

R 229 03 12

BSD 0 00 00

D 49 03 10

BSR 179 59 56

R 229 03 15

 $\pi = \text{ME4-52-18}$ $\text{FS} = \text{ME4-53-80}$

4 D

325.396

325.399

R

325.396

325.399

55

90 sunny

M24-54-81

M24-54-82

M24-55-83
SET 1/2" BNC
IN FIELD

M24-55-84

SET 1/2" BNC IN FIELD

M24-42-104-m4


WITNESSES AND ENCLOSURES

NOTES M24-38

BS M24	TS	AZ	DD	6/14/01
T=M24-54-82		T=M24-55-83		T=M24-55-84
BS=M24-54-81		BS=M24-54-82		BS=M24-55-83
FS=M24-55-83		FS=M24-55-84		FS=M24-42-104-m4
BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00
D 180 27 21	D 205 57 25	D 205 57 25	D 205 57 25	D 205 57 25
BSR 180 00 00	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57
R 0 27 25	R 25 57 23	R 25 57 23	R 25 57 23	R 25 57 23
BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00
D 180 27 15	D 205 57 18	D 205 57 18	D 205 57 18	D 205 57 18
BSR 180 00 00	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57
R 0 27 21	R 25 57 18	R 25 57 18	R 25 57 18	R 25 57 18
180 27 21	205 57 21	205 57 21	205 57 21	205 57 21
T=M24-54-82	T=M24-55-83	T=M24-55-84	T=M24-55-84	T=M24-55-84
FS=M24-55-83	FS=M24-55-84	FS=M24-55-84	FS=M24-55-84	FS=M24-55-84
BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00
D 180 27 15	D 205 57 18	D 205 57 18	D 205 57 18	D 205 57 18
BSR 180 00 00	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57
R 0 27 21	R 25 57 18	R 25 57 18	R 25 57 18	R 25 57 18
180 27 21	205 57 21	205 57 21	205 57 21	205 57 21
T=M24-54-82	T=M24-55-83	T=M24-55-84	T=M24-55-84	T=M24-55-84
FS=M24-55-83	FS=M24-55-84	FS=M24-55-84	FS=M24-55-84	FS=M24-55-84
BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00
D 180 27 15	D 205 57 18	D 205 57 18	D 205 57 18	D 205 57 18
BSR 180 00 00	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57
R 0 27 21	R 25 57 18	R 25 57 18	R 25 57 18	R 25 57 18
180 27 21	205 57 21	205 57 21	205 57 21	205 57 21
T=M24-54-82	T=M24-55-83	T=M24-55-84	T=M24-55-84	T=M24-55-84
FS=M24-55-83	FS=M24-55-84	FS=M24-55-84	FS=M24-55-84	FS=M24-55-84
BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00	BSO 0 00 00
D 180 27 15	D 205 57 18	D 205 57 18	D 205 57 18	D 205 57 18
BSR 180 00 00	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57	BSR 179 59 57
R 0 27 21	R 25 57 18	R 25 57 18	R 25 57 18	R 25 57 18
180 27 21	205 57 21	205 57 21	205 57 21	205 57 21

50

90° sunny



51065 Smith
E.D.

med-51-17

med-51-16

6/14/01

AZ

med

med-51-16

med-51-17

med-56-19

med-56-20

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-51-16

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

med-56-19

(57)

90° sunny

(57) med JS AZ

6/14/01

π = ME4-56-20
BS = ME4-56-19
FS = ME4-57-21

π = ME4-57-21

BS = ME4-56-20

FS = ME4-57-22

BSD 0 00 00
D 176 54 02
BSL 179 59 59
R 356 54 06

BSD 0 00 00

D 180 53 19

BSL 179 59 56

R 0 53 27

BSD 0 00 00
D 175 53 57
BSL 179 59 58
R 356 54 04

BSD 0 00 00

D 180 53 24

BSL 179 59 59

R 0 53 15

176 54 03

180 53 22

π = ME4-56-20
FS = ME4-57-21

π = ME4-57-21

FS = ME4-57-22

H.D.

818.471

818.467

R

818.470

818.467

H.D.

851.377

851.360

R

851.377

851.360

ME4-57-22

ME4-57-21


ME4-56-20

ME4-56-19



(58)

90° SW



(58) ME4	JS	AZ	6/14/01	
π = ME4-57-22			π = ME4-58-23	
BS = ME4-57-21			BS = ME4-57-22	
FS = ME4-58-23			FS = ME4-58-24	
BSD	0 00	00	BSD	0 00 00
D	207 18	44	D	129 17 57
BSR	180 00	03	BSR	179 59 51
R	27 18	38	R	309 17 53
BSD	0 00	00	BSD	0 00 00
D	207 18	38	D	129 17 52
BSR	180 00	00	BSR	179 59 54
R	27 18	41	R	309 17 50
	207 18	39		129 17 55
π = ME4-57-22			π = ME4-58-23	
FS = ME4-58-23			FS = ME4-58-24	
H.D.			H.D.	
498.589			375.114	
498.587			375.117	
R			R	
498.590			375.114	
498.580			375.117	

(59)

ME4

TS

AZ

6/14/01

PI=ME4-58-24

PI=ME4-59-25

BS=ME4-58-23

BS=ME4-58-24

FS=ME4-59-25

FS=ME4-59-108-M1

BSO 0 00 00

BSO 0 00 00

D 167 31 03

D 327 04 54

BSO 179 59 00

BSO 179 59 50

R 347 31 00

R 147 04 58

BSO 0 00 00

BSO 0 00 00

D 67 31 09

D 327 04 51

BSO 19 59 53

BSO 180 00 01

R 347 13 01

R 147 05 00

167 31 05

327 05 00

PI=ME4-58-24

PI=ME4-59-25

FS=ME4-59-25

FS=ME4-59-108-M1

H.D.

H.D.

552.905

20.722

552.905

20.722

R

R

552.905

20.722

552.904

20.722

(59)

90° SWIMY

SET 1/2" Bore 4" N
Coleman By sideWITNESS M1
IN ME1-53


ME4-59-25

COLEMAN
RDME4-59-108-M1
INGHAM COUNTY
CORNERGREEN
RD

ME4-58-24


ME4-58-23

(600) ME4	IS AZ	4/14/01	
TI = ME4-59-25		TI = ME4-60-26	
BS = ME4-58-24		BS = ME4-59-25	
FS = ME4-60-26		FS = ME4-60-110-L4	
BSD 0 00 00		BSD 0 00 00	
D 93 12 00		D 182 01 05	
BSL 179 59 54		BSL 179 59 59	
R 273 12 08		R 2 01 10	
BSD 0 00 00		BSD 0 00 00	
D 93 12 07		D 182 01 00	
BSL 179 59 58		BSL 180 00 05	
R 273 12 01		R 2 00 59	
93 12 06		182 01 02	
TI = ME4-59-25		TI = ME4-60-26	
FS = ME4-60-26		FS = ME4-60-110-L4	
H.D.		H.D.	
1350.673		1278.93	
1350.670		1278.936	
R		R	
1350.673		1278.930	
1350.679		1278.930	



(61)

90 Survey




ME4-61-109-L13 ME4-59-25

CLINTON COUNTY CORNER

ME4	IS	AZ	6/14/01
T=ME4-60-26			T=ME4-61-109-L13
BS=ME4-59-25			BS=ME4-60-26
FS=ME4-61-109-L13			FS=ME4-61-32
BSD 0 00 00			BSD 0 00 00
D 182 00 18			D 216 05 28
BSE 179 59 59			BSE 179 59 54
R 2 00 11			R 36 05 21
BSD 0 00 00			BSD 0 00 00
D 182 00 29			D 216 05 20
BSE 180 00 09			BSE 180 00 07
R 2 00 15			R 36 05 32
182 00 16			216 05 24
T=ME4-60-26			T=ME4-61-109-L13
BS=ME4-61-109-L13			FS=ME4-61-32
H.D.			H.D.
1294.274			1087.366
1294.289			1087.304
R			R
1294.274			1087.304
1294.286			1087.303

(62)

80 clear sunny




62 MR4	JS 02 00	6/15/61	
T = MR4-56-20		T = MR4-62-27	
BS = MR4-56-19		BS = MR4-56-20	
FS = MR4-62-27		FS = MR4-62-28	
BSO 0 00 00		BSO 0 00 00	
D 30 53 36		D 174 17 40	
BSL 179 59 53		BSL 179 59 58	
R 210 53 24		R 304 19 40	
BSO 0 00 00		BSO 0 00 00	
D 30 53 28		D 174 17 50	
BSL 179 59 57		BSL 180 00 08	
R 210 53 28		R 304 17 40	
30 53 29		174 17 41	
T = MR4-56-20		T = MR4-62-27	
FS = MR4-62-27		FS = MR4-62-28	
N.D.		H.D.	
387.00		667.646	
387.000		667.646	
IC		IC	
387.00		667.646	
387.007		667.642	

(U3)

TS	AZ	DO	W/S/b1
$\pi = m\ell 4-62-28$			$\pi = m\ell 4-63-29$
$BS = m\ell 4-62-27$			$BS = m\ell 4-62-28$
$FS = m\ell 4-63-29$			$FS = m\ell 4-63-30$
BSD	0 00 00		BSD 0 00 00
D	178 34 08		D 180 45 51
BSE	180 00 01 ⁵⁹		BSE 179 59 59
R	358 34 12		R 0 45 51
BSD	0 00 00		BSD 0 00 00
D	178 34 02		D 180 45 52
BSE	179 59 55		BSE 180 00 00
R	358 34 10		R 0 45 54
	<u>178 34 08</u>		<u>180 45 52</u>
$\pi = m\ell 4-62-28$			$\pi = m\ell 4-63-29$
$FS = m\ell 4-62-29$			$FS = m\ell 4-63-30$
H.D.			H.D.
888.428			1329.002
888.427			1329.003
R			R
888.427			1329.002
888.428			1329.005


(U3)

80° clear/sunny

m ℓ 4-62-27m ℓ 4-62-28m ℓ 4-63-29m ℓ 4-63-30

(64)


80° clear/sunny



(64) ME4	TS	AZ	DO	4/15/61
TS = ME4-63-30		TS = ME4-64-31		TS = ME4-64-44
BS = ME4-63-29		BS = ME4-63-30		BS = ME4-64-31
FS = ME4-64-31		FS = ME4-64-44		FS = ME4-64-113-K3
BSO 0 00 00		BSO 0 00 00		BSO 0 00 00
D 179 28 42		D 167 06 20		D 143 20 20
BSL 179 59 54		BSL 180 00 03		BSL 179 59 54
R 359 28 42		R 347 06 21		R 308 20 21
BSO 0 00 00		BSO 0 00 00		BSO 0 00 00
D 179 28 35		D 167 06 15		D 143 20 21
BSL 180 00 03		BSL 180 00 07		BSL 179 59 54
R 359 28 39		R 347 06 18		R 323 59 30
179 28 42		167 06 15		143 20 20
TS = ME4-63-30		TS = ME4-64-31		TS = ME4-64-44
FS = ME4-64-31		FS = ME4-64-44		FS = ME4-64-113-K3
H.D.		H.D.		H.D.
995.218		445.618		171.215
995.214		445.615		171.215
R		R		R
995.218		445.619		171.216
995.218		445.615		171.215

(65)

75° Most, cloudy



ME4-61-109-63


CLINTON COUNTY

COWENEC

(65) med	TS	AZ	6/12/01
T=ME4-61-32			T=ME4-65-33
BS=ME4-61-109-63			BS=ME4-61-32
FS=ME4-65-33			FS=ME4-65-34
BSD 0 00 00			BSD 0 00 00
D 183 38 48			D 160 09 15
BSE 180 00 04			BSE 180 00 01
R 03 38 40			R 340 09 15
BSD 0 00 00			BSD 0 00 00
D 183 38 42			D 160 09 11
BSE 179 59 58			BSE 179 59 52
R 03 38 47			R 340 09 18
183 38 43			160 09 15
T=ME4-61-32			T=ME4-65-33
FS=ME4-65-33			FS=ME4-65-34
H.D.			H.D.
732.181			1220.751
732.176			1220.751
R			R
732.180			1220.748
732.181			1220.751


(60)

75° mostly cloudy



MR4-66-35 — Coleman Rd

MR4-65-34



MR4-65-33

PRIVATE GRAVEL
DRIVE


MR4-66-36

(60) MR4	JF AZ DO	4/18/01	
T=MR4-65-34		T=MR4-66-35	
BS=MR4-65-33		BS=MR4-65-34	
FS=MR4-66-35		FS=MR4-66-36	
BSD	0 00 00	BSD	0 00 00
D	156 58 54	D	103 33 58
BSL	179 59 57	BSL	179 59 59
R	336 55 54	R	283 33 58
BSD	0 00 00	BSD	0 00 00
D	156 55 51	D	103 33 51
BSL	180 00 02 ¹⁰	BSL	179 59 57 ⁸
R	336 55 56	R	283 33 58
156 55 53		103 33 58	
T=MR4-65-34		T=MR4-66-35	
BS=MR4-66-35		FS=MR4-66-36	
H.D.		H.D.	
1017.843		645.727	
1017.841		645.734	
R		R	
1017.844		645.724	
1017.843		645.723	

(60)


75° mostly clear

(60) ME4	JS	AZ	DD	6/18/01
T=ME4-66-36				T=ME4-67-37
BS=ME4-66-36				BS=ME4-66-36
FS=ME4-67-37				FS=ME4-67-38
BSD	0 00 00		BSD	0 00 00
D	138 08 34		D	197 52 07
BSE	180 00 02		BSE	180 00 03
R	318 08 33		R	7 52 04
BSD	0 00 00		BSD	0 00 00
D	138 08 31		D	197 57 10
BSE	180 00 00		BSE	180 00 10
R	318 08 35		R	17 52 07
	138 08 31			197 52 04
T=ME4-66-36			T=ME4-67-37	
FS=ME4-67-37			FS=ME4-67-38	
H.D.			H.D.	
247.069			311.474	
247.069			311.474	
R			R	
247.069			311.474	
247.070			311.474	



(68)

75° mostly cloudy



(68)

ME4

TS

AZ DO

6/18/01

T=ME4-67-38

BS=ME4-67-37

FS=ME4-68-39

BSO 0 00 00

D 210 15 59

BSL 180 00 02

R 30 15 55

BSO 0 00 00

D 210 15 53

BSL 179 59 59

R 30 15 59

BSO 0 00 00

D 210 15 53

BSL 179 59 54

R 30 15 59

BSO 0 00 00

D 210 15 53

BSL 179 59 54

R 30 15 59

BSO 0 00 00

D 210 15 53

BSL 179 59 54

R 30 15 59

BSO 0 00 00

D 210 15 53

BSL 179 59 54

R 30 15 59

BSO 0 00 00

D 210 15 53

BSL 179 59 54

R 30 15 59

BSO 0 00 00

D 210 15 53

BSL 179 59 54

R 30 15 59

(69)

75° mostly clayey

W18101

T=me4-68-39

BS=me4-67-38

FS=me4-68-112 K1

BSO 0 00 00

D 90 00 58

BSO 180 00 01 56

E 270 00 50

BSO 0 00 00

D 90 00 59

BSO 179 59 57

E 270 00 53

90 00 50

T=me4-68-39

FS me4-68-112-141

H.D.

950.554

950.552

R

950.550

950.552

BSO 0 00 00

D 90 00 58

BSO 180 00 01 56

E 270 00 50

BSO 0 00 00

D 90 00 59

BSO 179 59 57

E 270 00 53

90 00 50

T=me4-68-39

FS me4-68-112-141

H.D.


950.554

950.552

R

950.550

950.552




me4-69-70

me4-63-29

me4-63-30

⑦

85° close/survey



⑦

ME4	IS	AZ	DD	6119101
IT=ME4-69-70			IT=ME4-70-71	
BS=ME4-63-30			BS=ME4-69-70	
FS=ME4-70-71			FS=ME4-70-72	
BSO	0 00	00	BSO	0 00 00
D	100 52	21	D	129 42 43
BSL	180 00	03	BSL	179 59 59
R	380 52	27	R	309 42 40
BSO	0 00	00	BSO	0 00 00
D	100 52	17	D	129 42 33
BSL	179 59	57	BSL	179 59 58
R	380 52	28	R	309 42 40
100 52	23			129 42 39
IT=ME4-69-70			IT=ME4-70-71	
FS=ME4-70-71			FS=ME4-70-72	
HD			HD	
97.224			191.645	
97.228			191.648	
R			R	
97.229			191.641	
97.227			191.649	

70

35° clear

① med 55 12 00 6/19/01

T=med-70-72 T=med-71-73

BS=med-70-71 BS=med-70-72

FS=med-71-73 FS=med-71-74

BSO 0 00 00 RSO 0 00 00

D 293 54 30 D 169 43 45

BSL 179 59 58 BSL 179 59 53

R 113 54 40 R 349 43 45

BSO 0 00 00 BSO 0 00 00

D 293 54 35 D 169 43 41

BSL 180 00 01 BSL 180 00 01

R 113 54 40 R 349 43 45

293 54 36 169 43 45

T=med-70-72 T=med-71-73

FS=med-71-73 FS=med-71-74

H.D. H.D.


262 683 206 541

262 680 206 536

R 206 541



262 683 206 536

262 680 206 536



72

85° close



MD-71-73

ALL POINTS ARE
SET IN NEEDS

72

MD-71-74

MD-72-75

MD-72-76

MD-72-77

MD-72-78

MD-72-79

MD-72-80

MD-72-81

MD-72-82

MD-72-83

MD-72-84

MD-72-85

MD-72-86

MD-72-87

MD-72-88

MD-72-89

BS=MD-71-74

FS=MD-72-75

BS=MD-71-73

FS=MD-72-76

BS=MD-71-72

FS=MD-72-77

BS=MD-71-71

FS=MD-72-78

BS=MD-71-70

FS=MD-72-79

BS=MD-71-69

FS=MD-72-80

BS=MD-71-68

FS=MD-72-81

BS=MD-71-67

FS=MD-72-82

BS=MD-71-66

BS=MD-71-65

FS=MD-72-83

BS=MD-71-64

FS=MD-72-84

BS=MD-71-63

FS=MD-72-85

BS=MD-71-62

FS=MD-72-86

BS=MD-71-61

FS=MD-72-87

BS=MD-71-60

FS=MD-72-88

BS=MD-71-59

FS=MD-72-89

BS=MD-71-58

FS=MD-72-90

BS=MD-71-57

BS=MD-71-56

FS=MD-72-91

BS=MD-71-55

FS=MD-72-92

BS=MD-71-54

FS=MD-72-93

BS=MD-71-53

FS=MD-72-94

BS=MD-71-52

FS=MD-72-95

BS=MD-71-51

FS=MD-72-96

BS=MD-71-50

FS=MD-72-97

BS=MD-71-49

FS=MD-72-98

BS=MD-71-48

BS=MD-71-47

FS=MD-72-99

BS=MD-71-46

FS=MD-72-100

BS=MD-71-45

FS=MD-72-101

BS=MD-71-44

FS=MD-72-102

BS=MD-71-43

FS=MD-72-103

BS=MD-71-42

FS=MD-72-104

BS=MD-71-41

FS=MD-72-105

BS=MD-71-40

FS=MD-72-106

BS=MD-71-39

BS=MD-71-38

FS=MD-72-107

BS=MD-71-37

FS=MD-72-108

BS=MD-71-36

FS=MD-72-109

BS=MD-71-35

FS=MD-72-110

BS=MD-71-34

FS=MD-72-111

BS=MD-71-33

FS=MD-72-112

BS=MD-71-32

FS=MD-72-113

BS=MD-71-31

FS=MD-72-114

BS=MD-71-30

BS=MD-71-29

FS=MD-72-115

BS=MD-71-28

FS=MD-72-116

BS=MD-71-27

FS=MD-72-117

BS=MD-71-26

FS=MD-72-118

BS=MD-71-25

FS=MD-72-119

BS=MD-71-24

FS=MD-72-120

BS=MD-71-23

FS=MD-72-121

BS=MD-71-22

FS=MD-72-122

BS=MD-71-21

BS=MD-71-20

FS=MD-72-123

BS=MD-71-19

FS=MD-72-124

BS=MD-71-18

FS=MD-72-125

BS=MD-71-17

FS=MD-72-126

BS=MD-71-16

FS=MD-72-127

BS=MD-71-15

FS=MD-72-128

BS=MD-71-14

FS=MD-72-129

BS=MD-71-13

FS=MD-72-130

BS=MD-71-12

BS=MD-71-11

FS=MD-72-131

BS=MD-71-10

FS=MD-72-132

BS=MD-71-09

FS=MD-72-133

BS=MD-71-08

FS=MD-72-134

BS=MD-71-07

FS=MD-72-135

BS=MD-71-06

FS=MD-72-136

BS=MD-71-05

FS=MD-72-137

BS=MD-71-04

FS=MD-72-138

BS=MD-71-03

BS=MD-71-02

FS=MD-72-139

BS=MD-71-01

FS=MD-72-140

BS=MD-71-00

FS=MD-72-141

BS=MD-71-99

FS=MD-72-142

BS=MD-71-98

FS=MD-72-143

BS=MD-71-97

FS=MD-72-144

BS=MD-71-96

FS=MD-72-145

BS=MD-71-95

FS=MD-72-146

BS=MD-71-94

BS=MD-71-93

FS=MD-72-147

BS=MD-71-92

FS=MD-72-148

BS=MD-71-91

FS=MD-72-149

BS=MD-71-90

FS=MD-72-150

BS=MD-71-89

FS=MD-72-151

BS=MD-71-88

FS=MD-72-152

BS=MD-71-87

FS=MD-72-153

BS=MD-71-86

FS=MD-72-154

BS=MD-71-85

BS=MD-71-84

FS=MD-72-155

BS=MD-71-83

FS=MD-72-156

BS=MD-71-82

FS=MD-72-157

BS=MD-71-81

FS=MD-72-158

BS=MD-71-80

FS=MD-72-159

BS=MD-71-79

FS=MD-72-160

BS=MD-71-78

FS=MD-72-161

BS=MD-71-77

FS=MD-72-162

BS=MD-71-76

BS=MD-71-75

FS=MD-72-163

BS=MD-71-74

FS=MD-72-164

BS=MD-71-73

FS=MD-72-165

BS=MD-71-72

FS=MD-72-166

BS=MD-71-71

FS=MD-72-167

BS=MD-71-70

FS=MD-72-168

BS=MD-71-69

FS=MD-72-169

BS=MD-71-68

FS=MD-72-170

BS=MD-71-67

BS=MD-71-66

FS=MD-72-171

BS=MD-71-65

FS=MD-72-172

BS=MD-71-64

FS=MD-72-173

BS=MD-71-63

FS=MD-72-174

BS=MD-71-62

FS=MD-72-175

BS=MD-71-61

FS=MD-72-176

BS=MD-71-60

FS=MD-72-177

BS=MD-71-59

FS=MD-72-178

BS=MD-71-58

BS=MD-71-57

FS=MD-72-179

BS=MD-71-56

FS=MD-72-180

BS=MD-71-55

FS=MD-72-181

BS=MD-71-54

FS=MD-72-182

BS=MD-71-53

FS=MD-72-183

BS=MD-71-52

FS=MD-72-184

BS=MD-71-51

FS=MD-72-185

BS=MD-71-50

FS=MD-72-186

BS=MD-71-49

BS=MD-71-48

FS=MD-72-18

73

OS close


73 me4 JS 12 DO 6/19/01
 T=me4-72-76
 BS=me4-72-75
 FS=me4-73-77

BSO 0 00 00
 D 139 16 35
 BSL 179 59 59
 R 319 16 30

BSO 0 00 00
 D 139 16 27
 BSL 179 59 53
 R 319 16 33

139 16 33
 T=me4-73-77
 FS=me4-73-78

H.D.
 423.969
 423.969
 R
 423.969
 423.969



78

6-20-01 JS, DD



WATER

6" MAPLE



24" WILLOW



8" ASH

4" MON

6" MAPLE

SWAMP

6-20-01 JS, DD SUNNY 69° (78)

M-2 MARAUDER

FOUND 3/4" PIPE W/ CAP #25832

4.7' NORTH OF 4" CONCRETE

MONUMENT IN SWAMP LIBER 4

OF CORNERS PAGE 319

4" CONCRETE MONUMENT RECORDED

AS CORNER IN LIBER 4 OF CORNERS

PAGE 104

FOUND NIT #25832 N/S 6"

MAPLE 570°E 40 66'

FOUND NIT #25832 N 6 8" ASH,

SOUTH 56.20'

FOUND NIT #18998 IN NELS

24" WILLOW, 545°E, 43.82

FOUND NIT #18998 IN NELS

6" MAPLE, 545°W, 30.00'

ALL NIT ADDRESS IS MAPLE

THOSE IN LIBER 4 OF CORNERS

PAGE 319.