

I hereby certify that I have resurveyed a parcel of land containing 15 acres in Section 12, Meridian Township, surveyed by Max F. Rogers in September 1957 and fessel the original corner stakes in place and correct and indicated with distances on abstch thus. I then divided the parcel of 15 acres in two parcels and lettered as A & B and described as Parcel A: The Mast 6 acres of the Vest 15 acres of the Mortheast 1/4 of the Mortheast 1/4 of Section 12, The, RIM, Meridian Township, Ingham County, Michigan.

Parcel B: in Ameribed as the Next 9 acres of the West 15 acres of the Mast 30 acres of the Mortheast 1/4 of Section 12, ThM, RIM, Meridian Township, Michigan.


Houvert Kins From

Istared Civili Engineer #7015

MECORDED

MONTER OF HEAD





The state of the s

8,

Property Survey, Parts of the EZ 1/4 of Section 11, TON, RIV

LEGAL MERCRIPTION

ol A - That past of the North 1/2 of the SE 1/4 of Section 11, T4M, RIM, lian Ternship, Ingham County, Michigan, described as follows: Commercing point \$80°07'17"E along the Bast and Mest 1/4 line 79% feet from the center extien 11; thence continuing along said East and Mest 1/4 line 292.92 feet; to \$80°52'43"M, 363.85 feet; thence \$82°07'12"M, 66.46 feet thence \$2°06'13"M, to feet, to the centerline of Heslett Road; thence REF'II'02"M along the riise of Meslett Road, 219.60 feet; thence \$80°35'28"E, \$52.48 feet to the cell beginning. ALSO DESCRIBED AS:

Part of the SE 1/4 of Section 11, T4H, RIW, Meridian Tunnship, machine Capity, Michigan, described as: Beginning at a point on the macrisms of Maslett Read which is \$87.08 Sout South and 1688.27 feet, 10.00 and MSS*43'18'W, 90.60 feet on the centerline of Maslett Read; 12'02'E, \$82.83 feet to a point on the E-W 1/4 line of Section 12: themse \$88*07'17'E, 292.56 feet on the E-W 1/4 line of Section team; 12'02'E, \$82.83 feet to a point on the E-W 1/4 line of Section team; 12'02'E, \$82.83 feet to a point on the E-W 1/4 line of Section team; 13'40'C feet; \$89*07'17'E of the center of said to the section that the section is themse \$88*07'17'E, 292.56 feet on the E-W 1/4 line; thence 10.00 feet; themse MSS*03'38'W, 66.60 feet; thence 193.00 feet to the point of beginning. (3.42 Acres).

ting at a paint on the centerline of Haslett Read, said point foot and HSP⁰18'W, 1527.72 foot of the Heat 1/4 post of Section Section Temphas Country, Hickigan, these H2°50'H, 193.0 foot; these S2°50'W, 193.0 foot to centerline of the temphase S2°10'H, 170.0 foot to the place of beginning.

gible of the SE 1/4 of Section 11, TAM, RIM, Meridian Demokip, which are the conterment of the SE 1/4 of Section 11, TAM, RIM, Meridian Demokip, which are the conterment of the section 11; thence 1519.27 float, 1888035 35°W, 170.00 float on the section 11; thence 180803'35°W, 170.00 float on the section 11; thence 180803'35°W, 170.00 float on the section 1270.00 float; thence 20183'02'W, 193.00 float to the point of 180803' float we have surveyed the property herein described; that the section is the section of the section of

that we have surveyed the property herein described; that the property as shown and are entirely lines; and that there are no visible encreasiments upon the management, except as shown hereon. or market and

Shoot 2 of 2

Learned, HoGinty & Rose P. O. Best 1446 East Leasing, Michigan


516 |

Cherles O. Wilkens Estate

Mas lett, Michigan

Legal Buerrigities: Commencing on the North and South quarter line of Section 11 at a point 450 feet North of the conterpost of said Section, themce 589°07'17"E, "15 feet; thence North parallel to North and South quarter line to South right-of-way line of Grand Trunk Railroad; thence Southwesterly along said right-of-way to North and South quarter line; thence South along quarter line to point of beginning, being part of the SEE quarter of Section 11, TOM, RIW, Northian Township, Ingham County, Nichigan.

Hore particularly described as: That part of the HE 1/4 of Section 11, TeM, RIM, Heridien Temeship, Ingham County, Hichigan, described as: Beginning at a point on the H-6 1/4 line of said Section 11, 450.0 feet HOOP21'43"E of the center of Section 11, TeM, RIM, thence 889*07'17"E, 735.0000) thence HOOP21'43"E of the center of Section 11, TeM, RIM, thence 889*07'17"E, 735.0000) thence HOOP21'43"E, 1132.65 feet parallel with Nhe H-6 1/4 line, to the South right-of-way line of Grand Trunk Reilzend; thence 858*55'33"W, 861.41 feet on the gight-of-way line of Grand Trunk Reilzend; thence 800°21'43"W, 676.76 feet on the H-6 1/4 line to the point of beginning. (15.26 Acres).



RECORDED


CERTIFICATE OF SURVEY

Duame Bone 5890 M. Hagadorn East Lansing, Michigan HAY 23 9 36 MM '73
REGISTER OF DEEDS

Legal Description: That part of the NW 1/4 of Section 12. T4N, RIM, Meridian Township, Inghas County, Michigan, lying West of the centerline of Green Road, described as:


PANCEL A - Beginning at a point on the centerline of Green Road S89057'38"E, 540.24 feet on the E-W 1/4 line, and N32°35'30"E, 1731.95 feet on the centerline of Green Road from the West 1/4 corner, Section 12, T4N, R1W; thence N57°24'30"M, 200.00 feet on the Northerly line of Fairway Subdivision to the NM corner of Lot 17; thence M32°50'36"E, 200.00 feet; thence S57°24'30"E, 200.00 feet; thence S32°50'36"W, 200.00 feet on the centerline of Green Road to the point of beginning. Containing (.918) Acres. Subject to an easement for sanitary sever described as: 10 feet on both sides of a line 40 feet Mesterly and parallel to the centerline of Green Road.

PARCE B - Beginning at a point on the centerline of Green Road S89°57'38"E, 840.24 Gest on the E-W 1/4 line, and N32°35'37"E, 1931.95 feet on the centerline of Green Road, from the West 1/4 corner, Section 12, T4N, RIM, thence M57°24'30"M, 200.00 feet; thence M32°50'38"E, 200.00 feet; thence S57°24'30"M, 200.00 feet; thence S57°



513

WALL



Description:

LEGAL MESCRIPTION:

That part of the NW 1/4 of Section 12, T4N, RIW, Meridian Township, Ingham County, Michigam, East of the conterline of Green Road, described as: Segiming at the Morth 1/4 corner of Section 12, T4N, RIW, thence S00°51'40'E, 2636.00 feet on the N-5 1/4 line of said Section 12, to the conter of Section; thence M80°57'38'W, 2138.84 feet on the E-W 1/4 line of Section 12, TGH, RIW, to a point on the centerline of Green Road, 540.26 feet, S80°57'38'E of the West 1/4 corner of Section 12; thence M32°55'30'E, 1731.95 feet and M32°50'38'E, 1398.67 feet on the centerline of Green Road to the Morth line of Section 12; thence S80°56'29'E, 407.74 feet on said Morth line of Section 12 to the point of beginning. (77.35 Asses)


We hereby energify that we have fully couplied with the requirements of Section 3, Pricis Act 132 of 1970, and that the ratio of error of cleans of this survey is no greater than 1/5000.

We further country that we have surveyed the property herein described.

Process SET AT S72-1111

Ron Helsel, R.L.S. Ro. 1884 Survey No. 731026 Bate: May 3, 1973





1 161170 LIBER

Property Servey on part of NW 1/4 and NE 1/4 of Section 12, Meridian Township, Ingham County, Michigan.

Legal Description

Legal Description

Part of the North 1/2 of Section 12, T4N, RIW, Meridian Township, Ingham County, Michigam, described as: Beginning at the North 1/4 corner of Section 12, thence along the N-S 1/4 line of Section 12, S00°51'40"E, 208.75 feet; thence N89°52'30"E, 208.75 feet; thence N00°51'40"M, 208.75 feet to the Morth line of said Section 12; thence along said North line N89°52'30"E, 200.77 feet; thence S00°51'40"E, 713.81 feet; thence S89°59'54"W, 1288.65 feet to the centerline of Green Road; thence along said centerline N32°50'38"E, 848.99 feet to the North line of Section 12; thence along said North line S89°56'29"E, 407.74 feet to the North 1/4 corner of said Section 12, said corner being the point of beginning.

Containing 18.24 Acres.

We hereby serify that we have surveyed the property herein described.

We further serify that we have fully complied with the requirements of Section 1 Malic Act 132 of 1970, and that the ratio of error of closure of 1/2 survey is no greater than 1/5000.

FRED MHITE ENGINEERING COMPANY 2300 North Grand River Avenue

Lansing, Michigam 48906

Phone: 517 AC 371-1111


Phone: 517 AC 371-1111

Phone: 517 AC 371-1111

Ron Helsel, R.L.S. No. 18994 Survey No. 731636 Date: June 18, 1973


Rek 1-15-74





Legal Description:

Commencing at a point on the North-South 1/4 line distant N 00° 23' 45" E 1602.12 feet from the S 1/4 corner of Section 11, T4N, R1W, Meridian Township, Ingham County, Michigan; thence continuing along said N-S 1/4 line N 00° 23' 45" E 90.00 feet; thence S 89° 04' 11" E 255.89 feet; thence S 00° 23' 55" W 90.00 feet; thence N 89° 04' 11" W 255.88 feet to the point of beginning. The above described lands contain 0.52 Acre and are subject to the rights of the public over the Easterly 33.00 feet of Cornell Road and all other easements and restrictions of record, if any.




CLIENT . SMITH


EMERY AND PORTER, INC.


CONSULTING ENGINEERS AND LAND SURVEYORS

3750 WOOD STREET
LANSING, MICHIGAN 48508 - PH. 517-487-3789

SCALE: (". 5-28-75 DATE .







umer 2 16 502

CERTIFICATE OF SURVEY

Fred Scheiterlein 1180 Haslett Road Haslett, Michigan

LEGAL DESCRIPTION:

Parcel A
A parcel of land in Section 11, ThN, RIW, Meridian Township, Ingham County, Michigan
the boundary of said parcel described as: Commencing at the Center of said Section 11;
thence 889°07'17"E along the E-W 1/4 line of said Section 11 a distance of 735.12
feet to the POINT OF BEGINNING of this description; thence continueing 889°07'17"E
along said E-W 1/4 line 292.56 feet; thence S00°ho·h2"W 91.00 feet; thence M69°07'15"W
292.09 feet; thence N00°32'02"E 91.00 feet to the Point of Beginning; said parcel
containing 0.611 acres more-or-less; said parcel also subject to all easements and
restrictions of record.

Parcel B
A parcel of land in Section 11, ThN, RIW, Meridian Township, Ingham County, Michigan the boundary of said parcel described and Commencing at the Center of said Section 11; thence 889°07'17"E along the E-W 1/h line of said Section 11 a distance of 735.12 feet; thence 800°32'02"W 91.00 feet to the POINT OF BEGINNING of this description; thence 889°07'15"E 292.00 feet; thence 800°49'h2"W 91.00 feet; thence 889°07'1h"w 291.61 feet; thence 800°32'02"E 91.00 feet to the Point of Beginning; said parcel contains 1010 acres more-or-less; said parcel also subject to all essements and

in Section 11, Tan, Rlw, Meridian Township, Ingham County, Michigan than it said parcel described as; Commencing at the Center of said Section 11; feet; thence 800°32'02"w 182.00 feet to the POINT OF BEGINNING of this description; thence 800°07'1h"E 291.63 feet; thence 800°49'42"w 91.00 feet; thence 800°713"w 291.16 feet; thence 800°32'02"E 91.00 feet to the Point of Beginning; said parcel containing 0.609 acres more-or-less; said parcel also subject to all easements and restrictions of record.

Parcel D
A percel of land in Section 11, T4N, RIW, Meridian Townchip, Ingham County, Michigan the boundary of said parcel described as: Commencing at the Center of said Section 11; thence 889°07'17"E along the E-W 1/4 line of said Section 11 a distance of 735.12 feet; thence 800°03'02"W 273.00 feet to the POINT OF BEGINNING of this description; thence 889°07'13"E 291.16 feet; thence S00°49'42"W 91.00 feet; thence W88°03'38"W 66.60 feet; thence 801°53'02"W 193.00 feet to a point on the centerline of Hasiett Road; thence W88°03'38"W along said centerline 120.00 feet; thence W88°3'18"W along said centerline 120.00 feet; thence W88°3'18"W along said centerline 99.60 feet; thence N00°32'02"E 279.83 feet to the Point of Beginning; said parcel containing 1.574 acres more-or-less including more-or-less olded acres presently in use as public right-of-way in Haslett Road; said parcel subject to all easements and restrictions of record.

		ST OF MICHE
KYES ENGINEERING & ASSOCIATES, INC., COMMUNITHS EMBHISSES AND SURVEYORS	drawn	MARVIN
4473 000100 00100 Po dos 191	planted	F. FOUTY
m (317) 307-307	computed	SURVEYOR O
Moum Louter	11d. survey <u>158</u>	18969
MARYIN F POUTY, BLS fig time	- d _ 3	White State of the

2 1 503 LUER






CERTIFICATE OF SURVEY

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels at the direction of said parties a tract of land previously described as: Part of the SE 1/h of Section 11, Thn, Rlw, Meridian Township, Ingham County, Michigan, described as: Beginning at a point on the centerline of Haslett Road which is 587.08 feet South and 1689.27 feet, N88°03'38"W of the East 1/h corner of said Section 11; thence N88°08'38"W 120.00 feet and N88°\18"W, 99.60 feet on the centerline of Haslett Road; thence N00°\32'02"E, 552.83 feet to a point on the E-W 1/h line of Section 11, said point being 735.12 feet, S9°\07'17"E of the Center of said Section 11; thence S89°\07'17"E, 202.56 feet on the E-W 1/h line; thence \$800°\03'\38"W, \text{in.00} feet; thence \$193.00 feet; thence \$193.00 feet; thence \$193.00 feet; thence \$193.00 feet to the point of beginning. (3.\text{12} acres) and that we have found or set as noted hereon permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions are as designated hereon.

This survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

SOCIATES, INC.





CERTIFIED BOUNDARY SURVEY

LEGAL DESCRIPTIONS

PARCEL As A parcely of the parcel being described by Mich. RLS#18998 as commenting at the boundary of said being described by Mich. RLS#18998 as commenting at the S 1/4 Corner of said Section 11; thence MOO*34*00"E along the N-S 1/4 Line of said Section 11; 40:23 Lifthe point of beginning of this description; thence MOO*34*00"E along said N-S 1/4 Line, 90.00; thence S89*26*00"E perpendicular to said N-S 1/4 Line, 220.00; thence SOO*34*00"M parallel to said N-S 1/4 Line, 90.00; thence NOO*34*00"M, 220.00 to the point of beginning; said parcel containing 0.455 acres more-or-less including 0.068 acres more-or-less presently in use as public right of way.

PARCEL B:
A parcel of land in Section 11, T4N, R1W, Meridian Township, Ingham County, Michigan; the boundary of said parcel being described by Mich. RLS#18998 as commencing at the S 1/4 Corner of said Section 11; thence NOO*34'00"E along the N-S 1/4 Line of said Section 11, 1030.23' to the point of beginning of this description; thence NOO*34'00"E along said N-S 1/4 Line 90.00'; thence S89*26'00"E perpendicular to said N-S 1/4 Line, 220.00'; thence S00*34'00"M parallel to said N-S 1/4 Line, 90.00'; thence NOO*34'00"M, 220.00' to the point of beginning; said parcel containing 0.455 acres more-or-less including 0.068 acres more-or-less presently in use as public right of way. PARCEL B:

PARCEL C:
A parcel of land in Section 11, T4N, R1W, Meridian Township, Ingham County, Michigan; the boundary of said parcel being described by Mich. RLS#18998 as commencing at the S 1/4 Corner of said Section 11; thence N00°34'00"E along the N-S 1/4 Line of said Section 11, 1186.23' to the point of beginning of this description; thence N00°34'00"E along said N-S 1/4 Line, 125.00'; thence S88°57'52"E, 183.01'; thence S00°34'00"W parallel to said N-S 1/4 Line, 123.50'; thence N89°26'00"W perpendicular to said N-S 1/4 Line, 183.00' to the point of beginning; said parcel containing 0.522 acres more-orless including 0.095 acres more-or-less presently in use as public right of way.

WITNESSES TO U.S. PUBLIC LAND CORNERS:

W 1/8 Corner of SE 1/4 of Section 11, T4N, R1W nail and tag in north side of 8" Pine; WSW, 36.92' nail and tag in north side of 6" Ash; WNW, 30.82' 1/2" bar and cap; East, 33.00'

S 1/4 Corner of Section 11, T4N, R1W (Rec. L1, P263) nail and tag in 8" Cottonwood; N43°W, 52.23' nail and tag in 5" Cottonwood; N31°W, 69.35' nail and tag in utility pole; N50°E, 61.10'

CERTIFICATE OF SURVEY:


POLARIS


I hereby cartify to the parties named hereon that we have surveyed parcels of land within:


The N 250 feet of E 683 7 feet of W 1100.7 feet of W 1/2 of NE 1/4 of Section 14, T4N, R1W, wiso the W 1100.7 feet of SW 1/4 of SE 1/4 except a parcel in SW corner, 420 feet E & W by 300 feet N & S. Section 11, T4N, R1W, Meridian Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcels shown hereon and that the more particular legal descriptions of said parcels are as designated hereon.

This surpay could be said that the more fact that the more particular legal descriptions of said parcels are as designated hereon.








LOER 21. 341 CERTIFICATE OF SURVEY Sheet 2 of 2 LIMIL SECURIOR.

MIRCEL A, SECORDING to Survey No. 1314, as recorded in Liber 2 on Pages 346 & 841 of the Certified Survey Maps in the Megister of Deeds Office, Indham County, Michigan, and Further described as;

beginning at the North X corner of Section 12, Thin, RIV, Meridian Townering, Ingham County, Michigan; thence N89° 38135° E along the North Section LineSs. Of ft.; thence SOO° 31105° V parallel with the N-S X Line 267 ft.; thence SSO° 3313° V 264 ft.; thence SOO° 31105° V 806.05 ft. to the centerline of Piper Road; thence S89° 28110° V 200° At to an old fenceline; thence NOO° 83150° V 200° ft.; thence S89° 28110° V 200° ft. to an old fenceline; thence NOO° 83150° V 200° At to the point of beginning; cantaining 10.015 acres more or less;

elses the right of ingress and earess over a 16 ft. Vide strip of land, the centerline of which is described as; beginning on the centerline of piper Road N89° 28110° 532 ft. from a point on the N-S X Line which is SOO° 31803° V 107° 24 ft. from the North ½ corner of Section 13, said point the Description of the centerline of the centerline of Piper Road and the N-S X Line; thence NOO° 31° 03° E 260° ft.; thence N45° 31° 05° E 132.63° ft.; thence NAS° 31° 05° E 132.63° ft. cortified Survey No. 1314 , as recorded cortified Survey Maps in the Register in Inglish and further described assistants of the Survey Michigan; thence SOO-3; containing to the point of beginning; containing to the point of beginning; Walong the REQUIREMENTS OF PUBLIC ACT 192 OF 1870. IN THAN 1 PART IN SPACE AND THAT THE SIG . 4164 00; AN G.A. STEADMAN & SOR, INC. LAND SURVEYING & ENGINES 3236 W. ST. JOSEPH ST. LANSING, MICHIGAN 48817 Dilard W. Stands

100



W Line 3 1 43 TERRIDO CERTIFICATE OF SURVEY LEGAL DESCRIPTION: A parcel of land in Section 13, T4N, R1W, Meridian Township, Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan R.L.S. #18998 as commencing at the Northwest corner of said Section 13; thence \$88*22'08"E along the North line of said Section 13. 813.54 feet to a point on the canterline of Vanatta Road; thence \$03*56'25"M along the Centerline of Vanatta Road, 1525.32 feet to the point of beginning of this description; thence \$81°13'37"E, 200.00 feet; thence \$81°13'37"E, 330.00 feet; thence \$03*51'21"M, 400.00 feet; thence \$81°13'37"M, 530.00 feet to the centerline of Vanatta Road; thence N03*43'20"E along the centerline of Vanatta Road; 200.00 fee; to the point of beginning; said parcel containing more or less 0.152 acres presently in right of way; said parcel subject to all easements and of record. parties named hereon this lying East of Vanatta Road and South of Piper Road all in Section 13, T4N, RIM.
Meridian Township, Ingham County, Michigan
and the have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that it were particular legal description of said parcel is as desired an account of the parcel is as desired and the complete with the requirements of P.A. 132 of 1970.

The large complies with the requirements of P.A. 132 of 1970. The second performed with an error of closure no greater than a WITHERSES TO GOVERNMENT CORNERS: MOTTIMESE TO FOVERNMENT CORNERS:

Northwest Corner Section 13, T4N, R1M
Found 1/2" Dar in place of 6"/ 8"x 18" post as recorded in Liber 4,
page 7, at linham County Records.

Na11 & 100 in East side 10" cherry, North 25.07'
Na1 & 100 in North side 10" cherry, East 21.61'
Na12 & 100 in North side 10" cherry, East 21.61'
Na13 & 100 in North side 10" cherry, East 21.61'
Na14 & 100 in North side 10" cherry, East 21.61'
Na15 & 100 in North side 10" cherry, East 21.61'
Na16 & 100 in Northwest 2.74'
P.I. of Centerline of Vanatta Road to South
Na16 & 100 East side 24" oak, S.W., 26.46'
Na16 & 100 East side 24" oak, N.W., 29.41'
North in Corner Section 13, T4N, R1W
Founds it on Machine part (mower pitman) from survey dated 7/24/76 by
Rounds it on Machine part (mower pitman) from survey dated 7/24/76 by
Rounds it on Machine part (mower pitman) from survey Records.

" apple 102 E 24.12'
Nood anchie post \$20 W, 1.55'
" out. South 41.55'
1/2 Sham is recorded for corner in Liber 2, page 437 is 1.40' South

Rounds in Machine Part (Machine Part Registered Land Surveyor 18998) Ronnie M. Lester Registered Land Surveyor \$18998 in m. bath 9/9/77 No. 18998 PLAND 1591 TJ 9.9.77 Sec. 13 RL 98.77 E: BP 9.8.77 Sec. 2 TAN HIW COMPUTED

2 PC 998 Liber CERTIFICATE OF SURVEY Pox and Associates 4000 W. Michigan Avenue Lansing, Michigan David L. Burke 3609 North East Street Lansing, Michigan (SEE ATTACHED) - W 4 Cor. Sec. 12 (Loser 2- 74, 435) N POWER FEE STRIP 1-300 10 ton 114

2 R 997 Lock RECORDED Mar 9 10 36 AM '77 CERTIFICATE OF SURVEY Fox and Associates 4601 W. Saginaw Lensing, Michigan RECISTER OF DEEDS David L. Burke 3609 North East Street Lansing, Michigan INGHAM COUNTY, MICH. Logal Description: That part of the West 1/2 of the SW 1/4 of Section 12, T4N, RIW. Meridian Township, Ingham County, Michigan, described as: Parcel A - Beginning at the SW corner of Section 12, T4N, RIW; thence N00°00'20"E. 248.62 feet on the West line of said Section 12; thence S86°27'24"E, 828.43 feet to a point on the center of Vanatta Road; thence S03°32'36"W, 221.00 feet on the center of Vanatta Road to the South line of said Section 12; thence N88°22'08"W, 813.54 feet on the South line of said Section 12 to the point of beginning. Containing Parcel B - Beginning on the West line of Section 12, T4N, RIW, at:a point 248.62 feet, R00°00'20"E of the SW corner of Section 12, T4N, RIW; thence N00°00'20"E.

200,38 feet on the West line of said Section 12; thence S86°27'24"E, 840.80 feet to a point on the center of Vanatta Road; thence S03°32'36"W, 200.00 feet on the center of Vanatta Road; thence S03°32'36"W, 200.00 feet on the center of Vanatta Road; thence S86°27'24"W, 828.43 feet to the point of beginning. Containing 3.032 acres.

**Table 1 C - Commencing at the SW corner of Section 12, T4N, RIW; thence S88*22'08"E.

**Table 6 feet on the South line of said Section 12 to the center of Vanatta Road;

**Table 6 feet on the South line of said Section 12 to the center of Vanatta Road;

**Table 6 feet on the South line of said Section 12 to the center of Vanatta Road;

**Table 6 feet on the center of Vanatta Road to the point of the ining of the following described parcel; thence N86*27'24"W, 200.00 feet:

**N03*32'36"E, 200.00 feet; thence S36*27'24"E, 200.00 feet to the center of Vanatta Road; thence S03*32'36"W, 200.00 feet on the center of Vanatta Road to Soint of beginning. Containing 0.918 acres. Lattel E - Beginning on the West line of Section 12, T4N, RIW, at a point 885.86 feet, MOn°00'20"E of the SW corner of Section 12, T4N, RIW, said point being in the center of the Jeffries Drain on the West line of said Section 12; thence NOU'00'20"E, 1150.08 feet on the West line of said Section 12 to a point in the of Haslett Road; thence SM7*09'43"E, 40.69 feet on the center of Haslett chance Southeasterly 157.14 feet on a curve to the right on the center of Haslett Road, said curve having a central angle of 43°38'16", a radius of 206.32 and a long chord of 153.37 feet and hearing S65°20'35"E, thence S43°31'27"E, thence S43°31'27"E, thence S43°31'27"E, the center of Haslett Road to the center of Figure 18"E, and S58°17'34"W, 422.39 feet along the center Drain to the point of beginning. Containing 10.425 acres. Prain to the point of beginning. Containing 10.425 acres.

Commencing at the SW corner of Section 12, TAM, RIW; thence 888°22'08"E, et on the South line of said Section 12 to the center of Vanatta Road; 13'32'36"E, 849.00 feet on the center of Vanatta Road to the point of the secribed parcel; thence N86°27'24"W, 200.00 feet; thence N03°32'36"E, etc: thence 586°27'24"E, 200.00 feet to the center of Vanatta Road; thence S86°37'24"E, 200.00 feet to the center of Vanatta Road; thence Containing 0.918 acres.

Association of the center of Vanatta Road to the point of beginning.

Containing 0.918 acres.

Association of the center of Containing of Section 3, Public 1.22 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.22 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.22 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.22 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.22 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.23 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.23 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.23 of 1.970, and that the ratio of error of closure of this survey is no greater than of Section 3. Public 1.23 of 1.970, and that the ratio of error of closure of this survey is no greater than 1.23 of 1.970. THE STATE OF THE S rtify that we he Fred H. White, P.E. a. Survey No. 778820 -R Date: January 19, 1977 BOGINEERING COM Grand River Ave State Chigan 48906 SURVEYOR No. 12034 7 AC 371-:111 TO THE SALE 140 Sheet 1 of 2

3 16 Ultri 1 CERTIFIED SURVEY RECORDED Ser 21 11 25 AM 977 ALL THE DEEDS PARCEL A 23.57 Acres Gross 0.36 Acres R.O.W. MARCEL B 2.89 Acres Gross 0.22 Acres R.O.W. NE Corner Sec. I T4N, RIW Previously Recorded N 23.21 Acres Net 1278.68 \$71°54'46"E 357.62" SLP PARCEL 500°12'19"W 299.84" N 00°12'19'E Section Line PARCEL A N7783446 W 7228.69 POB. PARCEL A NOO"12'19"E 389°43'41° W. 2649.28' 660.00 3A" Pipe with Cap RLS # 11370 in Mon. Box SE Corner Sec. I T4N, RIW Meridian Twp. SHOESMITH ROAD SLE INDICATES SET MON PIPE FILE INDICATES FOUND IRON PIPE LAND ABOVE PLATTED AND /OR DESCRIBED ON SERVICE OF THE UNADJUSTED FIELD OBSERVATIONS OF SURVEY WAS 1/ SERVE OF 1970 HAVE BEEN COMPLED CLIENT : ALICE WILSON EMERY AND PORTER, INC.

CONSULTING ENGINEERS AND LAND SURVEYORS

3780 WOOD STREET

LANSING, MICHIGAN 48906 - Ph. 517-467-3769 A. PORTER SCALE: 1": 400" SHEET _LCF _2_ NO THE PARTY OF

*

3 1 2 Libb.

Legal Description Furnished this Office:

Commencing at a point 584 1/2 feet N. and 660 feet W. of the S.E. Corner of Sec. 1, T.4 N., R. 1 W., Meridian Township, Ingham County, Michigan, and running thence Wly. 1750 feet to the centerline of Green Road at a point N. 32° 45' E. 1353 feet from the intersection of said road with the S. line of said Sec. 1, thence N. 32° 45' E. in the center of Green Road 759 feet, thence Ely. to a point 808 feet N. of the point of beginning, and thence S. 808 feet to the place of beginning, containing 28 acres, more or less.

The undersigned registered land surveyor hereby certifes to Alice Wilson that he has surveyed and divided the above lands into two parcels, A & B, more particularly described as follows: Parcel A

Beginning the spoint distant S89°43'41" M 660.00 feet and M00°12'19" E 584.50 feet from the SE Corner of Section 1. 74N, R1M, Meridian Township, Ingham County, Michigan; thence M71°54'46" M 3228369 feet; thence N00°12'19" E 299.84 feet; thence N1°54'46" M 357.62 feet to the centerline of Green Road, as now located; thence N32°47'00" E along said centerline of Green Road 464.00 feet; thence S73°25'51" E 1313.05 feet; thence S00°12'19" M 808.00 feet to the point of beginning.

The above described lands contain 23.57 Acres and are subject to the rights of the public over the easterly 33.00 feet of Green Road, and all other easements and restrictions of record, if any.

Parcel B


Beginning at a point distant S89°43'41" W 660.00 feet, N00°12'19" E 584.50 feet and N71 54'46" W 1228.69 feet from the SE Corner of Section 1, T4N, RIW, Meridian Township, Ingham County, Michigan; thence continuing N71°54'46" W 524.53 feet to the centerline of Green Road. as now located; thence N32°47'00" E along said centerline of Green Road 295.00 feet; thence S00°12'19" E 299.84 feet to the point of beginning. The above described lands contain 2.89 Acres and are subject to the rights of the public over the easterly 33.00 feet of Green Road and all other easements and restrictions of record, if any.


James A. Porter, R.L.S. Michigan No. 19003



CLIENT : ALICE WILSON EMERY AND PORTER , INC. COMBULTIME ENGINEERS AND LAND SURVEYORS
3750 WOOD STREET
LANSING, MICHIGAN 48906 - PM 517-487-3789 PROJECT NO. 142-7 SCALE: I's DATE 7-15-77 SHEET 2 OF

1569





31 207 ! ::

CERTIFICATE OF SURVEY

FOR: HDI. Inc.

LEGAL DESCRIPTIONS

Parcel B: A parcel of land in Section 11, T4N, RIW, Meridian Township, Ingham County, Michigan the boundary of whach is described as: Commencing at the South 1/4 corner of said Section 11; thence NOI 25'40"F along the N-S 1'4 line of said Section 1311.33 feet to the W 1/8 corner of the SE 1/4 of said Section; thence S88'03'00"E 346.50 feet; thence NOI 26'30"E 591.83 feet; thence S87'55'14"F 167.52 feet; thence S02'50'00"E 37.00 feet; thence S87'52'00"E 40.00 feet; thence S02'50'00"E 40.00 feet; thence S87'52'00"E 170.14 feer to a point on the centerline of Haslett Road; thence S87'52'00"E along said centerline 90.05 keet; thence S02'50'00"E along the West line of Wilkshire Subdivision as recorded in Liber 19, of Plats, Page 45 Ingham County Records 170.14 feet to the SM corner, of said Wilkshire; thence 187'52'00"W 90.65 feet to the Point of Beginning; containing 0.35 acres more or less; the North 33 feet of said parcel subject to the rights of the public in Haslett Road; said parcel also subject to easements and restrictions of record if any.

I hereby certify to the parties named hereon that we have surveyed at the direction of said parties parcels of land within that tract of land described as:

"Commendia" at a point 346.5 feet est of the west 1/8 post of the Southeast 1/4 of serion 11. Town 4 North. Roge 1 West, Meridian Township, Ingham County, Indigen, thence North 010 130"East 591.83 feet; thence South 67052"

East 17.6 feet, thence South 205 West 40 feet, thence South 87 52" East 127 feet; thence North 2050" East 10 feet to the centerline of Haslett Road, thence with 87 52" East 189.84 feet along said centerline of Haslett Road, thence with 2050" West 170 feet, sance South 87 10" East 335 feet, thence South 87 10" East 115 feet, thence South 87 10" East 115 feet, thence South 15 37" East 33.26 feet, thence South 2050" West 170. West 100 feet, thence South 2050" West 170. West 100 feet, thence South 2050" West 170. West 100 feet, thence South 2050" West 170. West 170. West 100 feet, thence South 2050" West 170. We

This survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.


1668		Secretary Maria
COMMUNITIES BROWNING A ASSOCIATES, INC. AND STRUCTURE BROWNING AND SOCIATES, INC. AND STRUCTURE BROWNING AND SOCIATES, INC. AND STRUCTURE BROWNING AND STRUCT	drawn	TARREST AND ADDRESS OF THE PARTY OF THE PART

" HANGE GAL

3 m1252 LTER

CERTIFICATE OF SURVEY

RIW, Meridian Township, Ingham County, Michigan, further described as: Beginning at the NE corner of Section 12, T4N, RIW; thence S00°41'06"E, 1321.65 feet on the East line of said Section 12; thence S89°57'15"W, 330.00 feet on the South line of the NE 1/4 of the NE 1/4 of said Section 12; thence N80°41'06"W, 1321.19 feet to a point on the North line of said Section 12; thence N89°52'30"E, 330.00 feet on the North line of said Section 12; thence N89°52'30"E, 330.00 feet on the North line of said Section 12 to the point of beginning. Containing 10.01 acres.



property, except as shown hereon

that we have fully compiled with the requirer at 132 of 1970, and that the ratio of error may is no greater than 1/5000


red N. White, P.E. & P.L.S.

Politt Construction Company 4425 Rodeo Trail Wil'iamston, Michigan FRED WHITE ENGINEERING COMPANY, INC.
2300 NORTH GRAND RIVER AVENUE
LANSING, MICHIGAN - 48906
PM: 323-2311 D

PH: 321-7111 R.H. DATE January 18, 1980

FIELD DRAWN SURVEY NO. 800064 CHECKED SHEET | OF R.H.





CERTIFICATE OF SURVEY LEGAL DESCRIPTION: LIBER 7 PC 517

A parcel of land in the North 1/2 of Section 11, T4N, R1W, Meridian Township, Ingham County, Michigan; the surveyed boundary of said parcel being described by Michigan R.L.S. #25832 as commencing on the East line of Hickory Island Plat at the North line of Hickory Street; thence N87° 03' 24"E along the extended North line of Hickory Street 200.10 feet to the point of beginning of this description; thence N87° 03' 24"E continuing along said extended North line 154.00 feet to the existing centerline of Lake Drive; thence along said extended line on a curve to the Northeast a distance of 2.38 feet, said curve being concave to the Southeast and having a radius of 1910.00 feet, a chord of 32.38 feet bearing N49° 00' 02"E; thence S87° 03' 24"W 178.26 feet; thence S00° 35' 41"W 20.00 feet to the point of beginning; said parcel containing 0.07 acre more or less including 0.02 acre more or less presently in use as public right-of-way; said parcel subject to all easements and restrictions of record.

CERTIFICATE OF SURVEY!

I hereby certify to the parties named hereon that I have surveyed a parcel of land within:

Commencing at a point on the North line of Hickory Street extended N87° 03' 24"E 200.10 feet from the East line of alley of the Plat of Hickory Island, thence continuing along said North line of Hickory Street extended N87° 03' 24"E 154.00 feet to the centerline of Lake Drive, as now located, thence along the arc of a curve to the right, and distance N50° 45' 37"E 150.08 feet, a distance of 1910.00 feet, long chord bearing and distance N50° 45' 37"E 150.08 feet, a distance of 150.12 feet, to the P.C. of the curve, thence N36° 59' 17"W 33.00 feet to a point on the North right of way line of lake Drive, thence N38° 30' 57"W 208.04 feet to the point of beginning of a meander point of ending of the meander line, thence S00° 35' 41"W 283.46 feet to the point of beginning. The above described lands contain 1.30 Acres, are subject to the rights of restrictions of record, if any. The area indicated above is to the meander line, however ownership extends to the waters edge.

and that I have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as designated hereon.

All bearings are derived from said extended North line of Hickory Street as recorded in a survey by Emery and Porter, Inc., project No. 116-7.

Sarry A. Bryan J-8-80 Larry A. Bryan Date: Registered Land Surveyor #25832



LARRY A. BRYAN LAND SURVEYS


6057 Redondo Dr.

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY DAB SEC. II, TAN, RIW FLD. SURVEY BY RCG JOB NUMBER: SHEET 2 80-B-373 OF 2

4606

RECORDED



LEGAL DESCRIPTION FURNISHED THIS OFFICE:

The Southwest 1/4 of the Southwest 1/4 of Section 1 and the Southeast 1/4 of the Southeast 1/4 of Section 2 and the Southwest fractional quarter of the Southeast 1/4 of Section 2, except the West 24 acres of last described parcel, all in T4N, R1W, except lands lying South of Grand Trunk Railroad right of way and except railroad right of way, Meridian Township, Ingham County, Michigan. Also excepting the East 150 feet of the SW 1/4 of Said Sec. 1, North of the 50 foot Consumers Power Company Right of Way and subject to all easements and restrictions of record, if any.


MORE PARTICULARLY DESCRIBED AS FOLLOWS:


Commencing at a point on the South Section Line, distant S 89° 16' 18" E, 811.99 feet from the S 1/4 Corner, Section 2, T4N, R1W, Meridian Township, Ingham County, Michigan; thence N 00° 40' 18" E, 1292.91 feet to a point on the South Line of Sunset Cove Subdivision; thence N 89° 58' 29" E, 554.94 feet along said Subdivision Line to the Southeast Corner of said Subdivision; thence N 89° 47' 57" E, 1284.54 feet to the S 1/8 Corner on the Line common to Sections 1 and 2 of said Township, thence S 89° 01' 48" E, 1168.93 feet along the South 1/8 Line of said Section 2 to a point 150.00 feet West of the Interior 1/8 Corner of the S.W. 1/4 of said Section 1; thence S 01° 11' 04" W, 274.38 feet to the North Line of a 50 foot Consumers Power Right of Way; thence S 59° 03' 54" W, 1379.24 feet along said Right of Way Line to the Line common to said Sections 1 and 2; thence continuing S 59° 03' 54" W, 605.30 feet to the South Line of said Section 2; thence N 89° 16' 18" W, 1315.60 feet along said South Section Line to the Point of Beginning. The above described lands contain 70.27 Acres and are subject to the rights of the public over the Right of Way of Lake Drive and all other easements and restrictions of record, if any.




Don Ceiffe

3128







41-

CERTIFICATE OF SURVEY:

7 rc 567 LIBER

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a tract to land previously described as:

The Southwest 1/4 of the Southeast 1/4 of Section 12, Town 4 North, Range 1 West, Township of Meridian, except the North 4 rods thereof (Haslett Rd); also except beginning 2 rods South of the Northeast corner of said Southwest 1/4 of the Southeast 1/4; thence South to Southeast corner of said Southwest 1/4 of the Southeast 1/4; thence West 422.8 feet on the Section line common to Sections 12 and 13; thence North to a line which is 898 feet South of the centerline of Haslett Road; thence West along said line 300 feet; thence North 650 feet; thence East 35.8 feet; thence North 248 feet to the centerline of Haslett Road; thence East 687 feet to the point of beginning.

and that we have found or set, as noted hereon permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 14,092.

All bearings are derived from said South line of Section 12 which is recorded to bear N89° 38' 35"E in Liber 2, page 840 of surveys of the Ingham County Records.

- 10-8-80

Date: eyor No. 25832

Revised 7-22-82 Revised 10-17-84

LARRY A. BRYAN -078 EDSON ST.

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY DAB SEC. 12, T4N, RIW FLD. SURVEY BY RCG

SHEET 3 OF 3 80-8-325

JOB NUMBER:

... : John Janes

4 m 496 FOR: Bill Opland CERTIFIED SURVEY MAP E-W# LWE, 980.12 644 COR. SEC. R. TAN, ENN. E-W/B LINE, 3E14, SEC. 12 388°54'10°E HASLETT BO. 509'54'10'E 200.00 000 31 or W 2620.00 N89°54'10"W 100.00 12 ±1.244 ACRES LINE, SEC. N-51/8 LINE, 961/4, 56C. 12 1 5-11 DATE 7-16-81 JOB NO. 329

4 rc 497 FOR: Bill Opland CERTIFIED SURVEY MAP IBER

LEGAL DESCRIPTION: A parcel of land in the SE½ of the SE½ of Section 12, T4N. RlW, Meridian Township, Ingham County, Michigan the boundary of which is described by Michigan Registered Land Surveyor No. 18989 as: Commencing at the S½ corner of said Section 12; thence N89°12'55"E 1306.39 feet along the South line of said Section; thence N0°18'08"W 769.38 feet along the N-S 1/8 line of said SE½ of Section 12 to the POINT OF BEGINNING of this description; on the South right of way line of Haslett Road; thence S89°54'10"E 200.00 feet along said right of way line; thence S00°18'08"E 77.00 feet; thence N89°54'10"W 100.00 feet; thence S00°13'03"E 383.57 feet; thence S83°34'31"W or less; said parcel subject to easements and restrictio. of record if any.

I hereby certify to the parties named hereon that we have surveyed a parcel of land within that tract of land described as: "The Southeast 2 of the Southeast 2 of Section 12, except the north 4 rods thereof, in T4N, RlW, Meridian Township, Ingham County, Michigan", and that we have set 2" bars with identification caps bearing the legend "RLS 13980" at all corners of said parcel. I further certify that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

WITNESSES:

Center o Section 12, T4N, R1W
Fd. 3/4" bar in Northeast side of 42" Oak, Liber 2, page 441
Fd. nail North side 42" Oak, N85°W, 1.65'
Fd. triple 3" Maple, S85°E, 45.08'

South Corner Section 12, T4N, R1W
Fd. 1" bar lence intersection, Liber 2, page 437
Fd. nail 130" Oak, South, 224.67'
Fd. nail tence post, West, 12.40'

Souther Pd. Section 12, T4N, R1W R.L.S. #11370 10 East of centerline of road, Liber 5,

3. #11370 West side 30" Oak, S13°E, 76.40° LLS. #11370 West side 14" Willow, N12°E, 114.15° ole, S80°W, 60.8'

East 1 C. . . Section 12, T4N, R1W, Pd. 1 Cap
Pd. nail a dag R.L.S. #11370 West side 5" apple N5°W 13.38'
Pd. nail a dag East side 8" apple N1°W 0.70'
Pd. nail a dag North side 24" walnut S85°E 312.00'


MARVIN E. FOUTY, P.C. 25:30

DATE 7-16-81

JOB NO. 329

SHEET ZOFZ

LRER 5 PG 144



Legal Description:

Commencing at a point on the E-W 1/4 line distant N89°47'06" W 1317.49 feet from the West 1/4 Corner Section 1. T4N, R1W, Meridian Township, Ingham County, Michigan; thence N89°25'51" W 228.68 feet to the centerline of Lake Drive; thence along a curve to the left having a delta angle of 22°13'01", a radius of 114.90 feet, a length of 44.55 feet, and a long chord of 44.27 feet bearing N54°28'17" W; thence N65°34'47" H 136.50 feet; thence along a curve to the right having a delta angle of 11°20'13", a radius of 1432.50 feet, a length of 283.44 feet, and a chord of 282.98 feet bearing N59°54'41" W; thence S89°25'51" E 637.52 feet; thence S89°47'06" E 1317.49 feet to the west line said Section; thence S89°04'33" E 1170.51 feet; thence S01°05'24" W 220.00 feet; thence S23°16'08" E 362.36 feet; thence S25°33'10" H 363.54 feet; thence S01°11'04" W 661.01 feet; thence N89°01'48" W 1168.93 feet; thence N01°09' 22" E 454.67 feet along the west line said Section to the North right of way line of Hardy Avenue; thence along said right of way line N80°14'10"! 1297.4C feet to the East line of Sunset Cove Subdivision; thence along said Subdivision line N00° 14'21" W 831.26 feet to the point of beginning.

The above described lands contain 76.89 Acres and are subject to the rights of the public over the easterly 33.00 feet of Lake Drive and all other easements and restrictions of record, if any.

This description supercedes description of 3/26/79


Daiel L. Clifford

LAND -CA K0 2583/ 200 1111 3127

Sinel Environmental Group	1120 May Street Lenning, Michigan 48706 (517) 374-6800
PROJECT NO. 11168A	BCALE: 1"
DATE 11/13/61	- SHEET 2 OF 2

LTER 4 no 807

/像事



Legal Description Parcel "A"

Commencing at the Northeast Corner, Section 1, T4N, RIW, Meridian Towrship, Ingham County, Michigan; Thence S01°07'51"W, along the East line of said Section 1, 1322.06 feet to the East 1/8 corner of the Northeast 1/4 of said Section; Thence N80°5'47"W, along the Northerly 1/8 line of said Section 1, 808.24 feet to the point of beginning of this description; Thence S31°35'15"W, 159.52 feet; Thence S58°24'45"E, 230.00 feet to the centerline of Green Road; Thence S31°35'15"W, along the centerline of said road, 207.53 feet; Thence N57°26'42"W, 242.00 feet; Thence S33°30'318"W, 200.00 feet; Thence S57°27'C4"E, 240.14 feet to the centerline of Green Road; Thence S33°35'17"W, along the centerline of said road, 70.00 feet; Thence N56°56'50"E, 237.60 feet to the centerline of Green Road; Thence S33°35'18"W, along the centerline of said road, 70.00 feet; Thence N56°56'50"E, 237.60 feet to the centerline of Green Road; Thence S33°35'18"W, along the centerline of said road, 205.78 feet; Thence N56°20'28"W, 326.50 feet; Thence N75°49'58"W, 175.00 feet; Thence S25°52'32"W, 299.49 feet; Thence S25°52'32"W, 299.49 feet; Thence S25°52'32"W, 299.49 feet to the East West 1/4 line of said Section 1; Thence S89°04'33"E, along said 1/4 line, 299.90 feet to the Northerly line of a Consumers Power Company Right-of-May; Thence 18.36 along a curve to the left on said Right-of-May; Said curve having a delta angle of 00°06'30", a radius of 9689.82 feet and a Long Chord of 18.36 feet hearing 559°07'38"W; Thence S59°03'54"W, continuing along said Right-of-May, 3006.08 feet; Thence N01°01'04"E; 935.39 feet; Thence N23'16'11"W, 362.36 feet to a point on the East-West 1/4 line of Section 1; Thence N01°05'25"E, parallel with the West 1/8 line of Section 1; 1325.29 feet to the North 1/8 line of Section 1; 1326.00 feet; Thence S89°14'33"E, 1169.97 feet from the West 1/4 line of Section 1; Thence S89°14'30'E, along the North-South 1/8 line of Section 1; 1324.19 feet to a point on the North-South 1/4 line of Section 1; Thence S89°14'32"E, along the

Legal Description Parcel "B"

Commencing at the East 1/4 Corner Section 1, T4M, RIW, Meridian Township, Ingham County, Michigan, Thence 189°04'33"W, along the East-West 1/4 line of said Section 1, 1263.27 feet to the Southerly Right-of-Way line of the Grand Trunk and Mestern Railroad; Thence 375.11 feet along said railroad Right-of-Way on a curve to the right, said curve having a delta angle of 02°13'46", a radius of 9539.82 feet and a long chord of 375.08 feet bearing 161°45'31"E; Thence 162°52'24"E, continuing along said Right-of-Way, 1063.08 feet to the East line of Section 1; Thence S01°07'51"W, along said Section line, 682.72 feet to the point of beginning. The above described lands contain 10.00 acres and are subject to all easements and restrictions of record, if any.



John R. Snell CLIENT . Snell Environmental Group 1120 May Street Lensing, Michigan (517) 374-4800 11809A

2741

SCALE. I". DATE November 17, 1983 SHEET 2 OF T


25 C

CERTIFICATE OF BURVEY

uer 4 n 677

Township, Ingham County, Michigan, thence Mest, 408.00 feet on the South line of said Section 1 to the center of Green Road; thence M32°47'East, 2555.15 feet along the center of Green Road to the point of beginning of the following described parcel: thence M57°13'00"W, 227.86 feet to the Southeasterly right of way line of the Grand Trunk Railroad; thence M58°11'00"E, 531.34 feet along said railroad right of way to the center of Green Road; thence S32°47'00"W, 480.00 feet along the center of Green Road.

Green Road.



19

-.


FOR: Jay Forsberg


CERTIFIED SURVEY MAP

6 pc 812 LIBER

LEGAL DESCRIPTION: A part of the Southwest & of Section 12, T4N, R1W, Meridian Township, Ingham County, Michigan, described as commencing at the West & corner of Section 12; thence S00*00'00"E 588.98 feet to the centerline of Haslett Road; thence S87*12'38"E 40.67 feet along said centerline; thence Southeasterly 72.35 feet along the arc of a 205.98 foot radius curve to find the Southeasterly 84.80 feet along said centerline to the curve to find the Southeasterly 84.80 feet along the arc of a 205.98 foot radius point of 52.33 feet more bord bears S55'17'30"E 84.20 feet along said centerline; thence S43°29'46*22.33 feet ung said centerline; thence S19°39'37"W 221.99 feet; thence N72°17'45"W 85.00 feet; thence N05°50'48"E 292.38 feet to the point of beginning; containing. 0.695 acres more or less; said parcel subject to the rights of the public in Haslett Rd.

I hereby certify to the parties named hereon that we have surveyed the above described parcel of land and that we have set ½" bars with identification caps at all points marked "o". I further certify that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.





Sheet 2 of 2 ORIGINAL CERTIFICATE OF SURVEY Hacker Company 260 East Saginaw East Lansing, Michigan 48823 AND Gerald T. Campbell PROPERTY LEGALLY DESCRIBED AS A part of the Southwest 1/4 of Section 12, T4N. RIW, meridian Township, Ingless County, Michigan, described as commencing at the West 1/4 corner thence S00°00'00'E 588.90 feet; thence S00°00'58"E 191.10 500'00'20'W 91.90 feet; thence S72°17'45"E 10.50 feet to the wife of beginning; thence S72⁰17'45'E 159.50 feet; thence N19⁰39'37'E 221.99 feet to the centerline of Haslett Road; thence S43°29'46'E 177.45 feet along said centerline; thence S19°39'37'W 261.52 feet thence N72°17'45'W 273.77 feet: thence NOO 00 20 E 131.21 feet to the point of beginning, containing 1.500 acres of land. more or less and is subject to the right of way of Haslett Road and to a Sanitary Sewer

WITNESSES

West 1/4 corner, Section 12, T4N, RIW 1 1/2" from pipe witnessed by:

Northeasterly correr of building Top of hydrant Power pole

N50°W 230.33 feet. S85°W 124.70 feet. S45°W 155.19 feet.

Easement on the Southwesterly 15 feet in width of the Northeasterly 48 feet in width there i.

described parcel also being subject to any other rights of way or easements of record.

NOTE: The bearing of the East line of WILKSHIRE NO. 1 as platted and recorded in Liber 21 of Plats on Page 48, Ingham County Records was used as the bearing orientation for this survey.



This survey complies with the requirements of Section 3, P.A. 132 of 1970.

THE BURGET LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SET THIS ON OF THE PROPERTY SHAWN.

THE PROPERTY SHAWN.


PION STANS

Contraction 25

2831

EAST DASSING, MICHELAND DRIVE BUTTE 1/2
EAST DASSING, MICHELAND, 48827, PHONE (9/17) 361-2574
BY LICENSED LAND SURVEYOR NO.

DATE 11-21-04 DRAWING NO. L-17223



4 -1272 CERTIFICATE OF SURVEY LEGAL DESCRIPTIONS: In Section 13, T4N, RIM

County, Soundary of said parcel being dest

Said Section 13; thence SOO"31'05"W along the centerline of Piper Road:

13 a distance of 1074.24 feet to the centerline of Piper Road:

13 a distance of 1074.24 feet to the Centerline of Piper Road:

14 a long the centerline of Piper road 622.91 feet to the point of this description; thence continuing 189 collows along the centerline of Piper Road:

13 a distance of 217.84 feet; thence 589 28'10"W parallel to the North-South 1/4 line of said parcel containing more on less 1.000 acre; said parcel subject to the point said parcel containing more on less 1.000 acre; said parcel subject to the point said parcel containing more on less 1.000 acre; said parcel subject to the point said parcel containing more on less 1.000 acre; said parcel subject to the point of the public across Piper Road; said parcel subject to all easements and record.


Tel of land in Section 13, 741, RIM, theriuian Township, Ingham County, surveyed boundary of said parcel being described a commencing at the first of said Section 13; thence SOO 31'05"W along the North-South 1/4 line of said section 13; thence SOO 31'05"W along the North-South 1/4 line of this description; thence continuing 189 28'10"E along the centerline of Piper Road 100.00 feet; thence SOO 31'05"W parallel to the North-South 1/4 line of saids and parcel containing more or less 2.000 acres; said parcel subject to the point of the public across Piper Road: said parcel subject to all easements and restrict to the public across Piper Road: said parcel subject to all easements and parcel of land in Section 13, 148, PM, theretal subject to all easements and parcel of land in Section 13, 148, PM, theretal subject to all easements and parcel of land in Section 13, 148, PM, theretal subject to all easements and parcel of land in Section 13, 148, PM, theretal subject to all easements and parcel of land in Section 14, 148, PM, theretal subject to all easements and parcel of land in Section 14, 148, PM, theretal subjec Parc | arcel of land in Section 13. T4N, RIW, Meridian Township, Ingham County, Mic | surveyed boundary of said parcel being described as commencing at the Nort | her of said Section 13; thence 500 31'05"W along the North-South 1/4 like | dissection 13 a distance of 1074.24 feet to the centerline of Piper Road; dissection 13 a distance of Piper Road 1092.91 feet to the point of the description; thence continuing N89 28'10"E along the centerline of Piper Road; distance on a curve to the right along the septerline of Piper Road; said curve having a radius of 165.00 feet, a cord of 174.85 feet bear | L8"E; thence S00 31'05"W partiled to the North-South 1/4 line of said Section 3 distance of 342.99 feet, thence 589 28'10W, 200.00 feet; thence parallel to the North-South 1/4 line of said Section 3 a distance of 335 | to the point of beginning; said percel containing to or less 1.909 accessed to the point of beginning; said percel containing to or less 1.909 accessed to the point of public across Piper Road; said parcel subject to the rights of the public across Piper Road; said parcel subject to the rights of record. WITNESSE TO GOVERNMENT CORNERS: North Corner Section 13, T4N, RIW, Liber 3, Page 43, Found iron.

Nail is 5, on North side 6" ash, East, 24.8"

Nail rd 60 Gn, West side 8" cherry, North, 20.8'

Nail rd 60 Gn West side 6" cherry, North, 19.7'

Nail rd 65 on West side 6" oak, South, 41.8' 3625 3081 Holt Road Mason, Michiga PO fld. survey Apr 86 | Sec. 13 . T 411 RL 517/676-3630 48854 SURV drawn RL Co. Ingham 2 of 3 Ora ng number sheet A-4044 All the 31



CERTIFIED BOUNDARY SURVEY 7 m 258 LIBER LOCATION MAP FOR JOHN CASTORA 1/2" BAR & CAP NO. 25837 RECORDED Jun 17 8 25 AH '94 RECISTER OF DEEDS THEHAM COUNTY MICH. 1/2" BAR & CAP -NO. 25837 · 10' ±0.77 ACRE 1/2" BAR & CAP NO. 25837 NORTH E GREEN RD. NORTHEAST CORNER SECTION I, T4N, RIW SOUTHEAST CORNER SECTION I, T4N, RIW 0 SOI *07'5! *W EAST LINE OF SECTION I -LEGEND BRYAN LAND SURVEYS, P.C. - SET 1/2" BAR WITH CAP 6019 Marsh Road - FOUND IRON AS NOTED HASLETT, MICHIGAN 48840 - SURVEY BOUNDARY LINE Ph. (517) 339-1014 - DISTANCE NOT TO SCALE SECTION I, T4N, RIW DRAWN BY ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF. JOB NUMBER: FIELD WORK BY GLV 4482 86-B-12047 SHEET | OF 2

THE REAL PROPERTY.

.

CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

LIBER 7 PC 259

I hereby certify only to the parties named hereon that we have surveyed, at the direction of said parties, the following described parcel of land, and that we have found or set, and noted hereon, permanent markers to all corners of said parcel and that all visible encroachments of a permanent nature upon said parcel are as shown on this survey.

Starting at the intersection of North 1/8 line with the center of Green Road, Section 1, T4N, R1W, Meridian Township, Ingham County, Michigan, thence Southwesterly along the centerline of Green Road 295 feet, thence Northwesterly at right angles to Green Road, 230 feet, thence Northwesterly parallel to Green Road approximately 150.8 feet to the North, thence East 290 feet to point of beginning.

WITNESSES:

Northeast Corner Section 1, T4N, R1W

Found 1/2" bar in centerline Green & Coleman Roads,

**Liber 2, Page 145

Found Stephens nail & tag in South side 12" Locus, North 42.25'

Found Stephens nail & tag Southeast side 36" Walnut, N50°W, 50.00'

Found Stephens nail & tag Northwest side utility pole, S60°E, 52.80'

Southeast corner Section 1, T4N, R1W
Found 3/4" pipe in monument box 6' North of centerline of Shoesmith
Road, Liber 5, Page 132
Found nail & tag #11370 in East side 18" Walnut, N14°E, 29.09'
Found nail & tag #11370 in Southeast side 16" Walnut, N40°E, 39.00'
Found nail & tag #11370 in South side 18" Walnut, N70°E, 92.25'

All bearings are derived from the East line of Section 1, which is recorded to bear S01°07'51"W in Liber 4 of surveys, Page 807, of the Ingham County Records.

This survey was performed with an error of closure no greater than a ratio of 1 in 5,000.

Larry A. Bryan Licensed Land Surveyor No. 25832



BRYAN LAND SURVEYS, P.C.


6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1

SECTION 1, T4N, RI GJW FIELD WORK BY JOB NUMBER: GLV 86-B-12047 2 OF 2

4482

ATTIC STREET, AND ASSESSED.



CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

7 PG 269 LIBER

I hereby certify only to the parties named hereon that we have surveyed several parcels of land between:

Beginaing inicentereofoVanAttauRoadmatma point: 440 feet South of Intersection with center of Piper Road, thence South in center of VanAtta Road 200 feet, thence South 85°25"East 554.00 feet, thence North 200 feet, thence North 85°25" West 554 feet to point of beginning, Section 13, Town 4 North, Range 1 West, Meridian Township, Ingham County, Michigan

Section 13, Town 4 North, Range 1 West, Meridian Township, Ingham County, Michigan

That part of the West 1/2 of the Northwest 1/4 of Section 13, TAN, RIW, Meridian Township, described as commencing at the intersection of the center lines of Vanhatta Road and Piper Road, thence Southerly in the center of Vanhatta Road 440 feet, thence East to the West 1/8 line of Vanhatta Road 440 feet, thence East to the West 1/8 line of Vanhatta Road; and Piper Road, thence Northwesterly in the office of Piper Road to beginning, except easement to the Senter of Piper Road to beginning, except easement to the Senter of Piper Road to beginning, except easement to come to




BITAN LAND SURVEYS, P.C.


6019 Marsh Road


HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY G J W	SECTION 13, T4N, RIW
FIELD WORK BY M M	JOB NUMBER:
SHEET 2 OF 3	86-8-12818



A SECTION OF THE





This survey was performed with an error of closure no greater than a ratio of 1 in 5,000.

/2-24f(
Larry A. Bryan
Licensed Land Surveyor No. 25832




BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY			SL	SECTION 13, TAN, RIW	
FIELD WORK BY		GV	JOB NUMBER		
SHEET	2	OF	2	86 - B - 12818-1	



5 m 270 LEER CERTIFICATE OF SURVEY

LEGAL DESCRIPTION.

Parcel A: A parcel of land in Section 13, T4N, R1W, Meridian Township, Ingham County, Michigan; the surveyed boundary of said parcel being described as commencing at the North 1/4 Corner of said Section 13; thence S00°31'05"W along the North-South 1/4 line of said Section 13 a distance of 1074.24 feet to the centerline of Piper Road; thence N89°28'10'E along the centerline of Piper Road 492.91 feet to the point of beginning of this description; thence continuing N89°28'10"E along the centerline of Piper Road 200.00 feet; thence S00°31'05"W parallel to the North-South 1/4 line of said Section 13 a distance of 435.68 feet; thence S89°28'10"W parallel to the centerline of Piper Road 200.00 feet; thence N00°31'05"E, 435.68 feet to the point of beginning; said parcel containing more or less 2.00 acres; said parcel subject to the rights of the public across Piper Road; said parcel subject to all easements and restrictions of record. restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

North 1/4 Corner Section 13, T4N, RlW, Liber 3, Page 43, Found iron. Hail and tag on North side 6" ash, East, 24.8'
Hail and tag on Mest side 8" cherry, North, 20.8'
Hail and tag on Mest side 6" cherry, North, 19.7'
Hail and tag on Mest side 8" oak, South, 41.8'

Center of Section 13, T4N, RlW, L5, Page 131, Found 1" pipe.
Nail and tag in wood post S15°W, 15.30'
Nail and tag in fence post S70°W, 16.75'
Nail and tag in fence post S45°W, 7.00'

CERTIFICATE OF SULVEY:

I hereby certifies the parties named hereon that I have surveyed a parcel of land out of the Sources 1/4 of Section 13, T4N, RlW, Meridian Township, Indian County, Michigan 1/4 of Section of said parties and have set permanent markers to all corners at the more particular description of said parcel is as designat 1/4 survey supersedes Parcel A of a survey as record in Liber 1/4 of Ingham County Survey Records.

than accuracy of greater than 1 in 90,000 b d upon This

The require .A. 132 of 1970 have been complied with.

Ronnie M. Lester Licensed Land Surveyor #18998

of Elcaps LESIER SURVEYOR

3/31/87

POLARIS

Macon, Michigan 46654 SURVEYING CO 13 7/676-3630

fid. survey RL Mar 87 Sec. 13 , T 4N , R 1W RL Mar 87 Co. Ingham drawn Drawing number A-4075


CERTIFIED SURVEY MAP


FOR: J. B. Development Co.

LIBER 5 PG 571

LEGAL DESCRIPTION: That part of the SE 1/4 of the SW 1/4 of Section 12, T4N, RlW, Meridian Township, Ingham County, Michigan described as: Beginning at the South 1/4 corner of said Section 12; thence S89°50'39"W 1319.62 feet along the South line of said Section 12 to the South 1/8 corner of said SW 1/4; thence N01°13'43"W 1267.18 feet along the N-S 1/8 line of said SW 1/4 to a point on the centerline of Haslett Road; thence N89°16'36"E 1326.22 feet along said centerline to a point on the N-S 1/4 line of said Section 12; thence S00°55'31"E 1286.21 feet along said N-S 1/4 line to the point of beginning; containing 38.679 acres more or less and subject to the rights of the public in Haslett Road.

I hereby certify to the parties named hereon that we have surveyed the above described parcel and that we have set 1/2" bars with identification caps at all points marked "•". I further certify that there are no encroachments of physical improvements either way across property lines and that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.





CERTIFIED SURVEY MAP

5 m 587 LIBER

FOR: JB Development Co. & Capitol Federal Savings Bank

This parcel is not affected by the 100 Year Flood Plain

LEGAL-DESCRIPTION That part of the SE 1/4 of the SW 1/4 of Section 12,

**TAN RIW Metridian Township, Ingham County, Michigan described as:

**Commercing at the South 1/4 corner of said Section 12, thence S89°50'39"W

1319.62 feet along the South line of said Section 12 to the South 1/8 corner of said SW 1/4; thence N01°13'43"W 295.00 feet along the N-S 1/8 line of said SW 1/4 to the POINT OF BEGINNING of this description; thence N01°13'43"W 972.18 feet along said 1/8 line to a point on the centerline of Haslett Road; thence N89°16'36"B 770.03 feet along said centerline; thence S01°14'19"E 195.00 feet; thence N89°16'36"B 31.18 feet parallel with said centerline; thence S00°56'00"B 216.00 feet; thence N89°16'36"B 95.00 feet parallel with said centerline of Haslett Road; thence S19°13'36"E 82.49 feet; thence S09°19'00"E 260.40 feet; thence S00°55'31"B 519.41 feet; thence S89°16'36"W 376.00 feet; thence N00°55'31"W

180.00 feet; thence S89°16'36"W 406.44 feet; thence N57°30'22"W 208.02 feet to the point of beginning; containing 23.377 acres more or less and subject to the rights of the public in Haslett Road.


I here the parties named hereon that we have surveyed a parcel of land within the SW 1/4 of the SW 1/4 of Section 12, T4N, R1W, Meridian Township, Ingham County, Michigan and that we have set 1/2" bars with identification caps at all points marked "o". I further certify that there are no encroachments of physical improvements either way across property lines except as shown hereon and that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater that a ratio of 1 in 5000

Note: The point of beginning was revised 2-25-88.



DATE -10-26-17 SCALE: F . MAN JCP SHEET 2 OF 2

MARVIN E EDLTY, P.C.



CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

6 m 358

I hereby certify only to the parties named hereon that we have surveyed, at the direction of said parties, the following described parcels of land, and that we have found or set, as noted hereon, permanent markers to all corners of said parcels and that all visible encroachments of a permanent nature upon said parcels are as shown on this survey.

PARCEL "A" PARCEL "A"
Beginning at a point on the centerline of Green Road S89°57'38"E, 540.24
Feet on the E-W 1/4 line, and N32°35'30"E, 1731.95 feet on the
centerline of Green Road from the West 1/4 corner, Section 12, T4N, R1W,
Meridian country, Michigan; thence N57°24'30"W, 200.00
feet of the ortherly line of Fairway Subdivision to the NW corner of
Lot 17; thence N32°50'38"E, 200.00 feet; thence S57°24'30"E, 200.00
feet; thence S32°50'38"W, 200 feet on the centerline of Green Road to
the point of beginning; except the Northeasterly 80.00 feet thereof.

PARCEL "B" PARCEL "B"

The Northeasterly 80.00 feet of the following description: Beginning at a point on the centerline of Green Road S89°57'38"E, 540.24 feet on the E-W 1/4 line, and N32°35'30"E, 1731.95 feet on the centerline of Green Road from the West 1/4 corner, Section 12, T4N, R1W, Meridian Township, Ingham county, Michigan; thence N57°24'30"W, 200.00 feet on the Northerland of Fairway Subdivision to the NW corner of Lot 17; thence N32°50 (0.00 feet; thence S57°24'30"E, 200.00 feet; thence S32°50 (0.00 feet) of feet on the centerline of Green Road to the point of beginning

WITNESSES to SECTION CORNERS:

West 1/4 Corner Section 12, T4N, R1W.
Found 1/2 pipe, Liber 4, Page 234.
Top of Fire Hydrant, S85°W, 124.83'
Found "bt whall in Northwest side power pole, S45°W, 155.15'
Found "bt" nail in North side 5" Maple, East, 5.57'

This substitutes performed with an error of closure no greater than a ratio of 15.5000.

C-/S-88

Larry A. Dryan Date:
Licensed Land Surveyor No.25832



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road


HASLETT, MICHIGAN 48840 Ph. (517) 339-1014


DRAWN BY SL - MT JA

METEN 12, TAN, RIW

FIELD WORK BY

SHEET 2 OF 2 8-B-20686





Welling William

CEROUS PORTEY:

LBER

6 m 338

I hereby certify only to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a parcel of land previously described as:

A parcel of land in the NE 1/4 of the NE 1/4 of Section 13, T4N, R1W, Meridian Township, Ingham County, Michigan, the boundary of which is described as; Beginning at the NE corner of said Section 13, thence running along the East line of said Section S00°24'06"W 512.19 feet; thence parallel with the South line of the NE 1/4 of the NE 1/4 of said Section S89°57'50"W 300.00 feet, thence N88°54'00"W 736.57 feet; thence parallel with the West line of the NE 1/4 of the NE 1/4 of said Section N00°27'34"E 491.78 feet to the North Section line: thence running along said North line N89°38'35"E 1036.10 feet to the Point of Beginning; said parcel containing 11.992 acres of land, more or less, subject to the right of way of Meridian Road and any other rights of way or easements of record.

and that have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as follows:

Parcel
A parcel or land in the Northeast 1/4 of Section 13, T4N, R1W,
Meridian Township, Ingham County, Michigan; the boundary of said parcel
described as commencing at the Northeast corner of said Section 13;
thence 500.24'31"W along the East line of said Section 13 a distance of
210.00 feet to the point of beginning of this description; thence
S00.24'31"W continuing along said East line 302.11 feet; thence
S89.57'49"W parallel with the South line of the Northeast 1/4 of said
Northeast 1/4 a distance of 300.00 feet; thence N88.54'20"W 736.54 feet;
thence N00.27'47"E parallel with the West line of the Northeast 1/4 of
said Northeast 1/4 a distance of 491.78 feet to the North line of said
Section 13) thence N89.38'35"E along said North line 826.10 feet; thence
S00.24'31"W parallel with said East line 210.00 feet; thence N89.38'35"E
parallel with said North line 210.00 feet to the point of beginning;
said parcel containing 10.97 acres more or less including 0.22 acre more
or less presently in use as public right of way; said parcel subject to
all easements and restrictions if any.

Parcel "B"...
A parcel of land in the Northeast 1/4 of Section 13, T4N, R1W,
Meridian Township, Ingham County, Michigan; the boundary of said parcel
described as beginning at the Northeast corner of said Section 13;
thence S00.24'31"W along the East line of said Section 13 a distance of
210.00 feet; thence S89°38'35"W parallel with the North line of said
Section 13 a distance of 210.00 feet; thence N00°24'31"E parallel with
said Fast line 210.00 feet to said North line; thence N89°38'35"E
along said forth line 210.00 feet to the point of beginning; said parcel
containing of lacres more or less including 0.15 acre more or less
presently fluse as public right of way; said parcel subject to all
cases.

BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWH BY	SL - MT	SECTION 13, T4N, RIW	
FIELD WORK BY	RS	JOB NUMBER:	
OF	1	88-B-21310	

CERTIFIED BOUNDARY SURVEY

WITNESSES TO SECTION CORNERS:

6 m 339 1 INFR

Northeast 1/4 corner Section 13, T4N, R1W, Liber 5, Page 130. Found pipe & cap #11370 in monument box 10' East of centerline Meridian rd. Set nail & tag in West side 12" Cottonwood, N15°E, 99.05' Set nail & tag in West side 40" Oak, S13°E, 76.25' Set nail & tag in North side power pole, S80°W, 60.8'

East 1/4 corner Section 13, T4N, RlW, Liber 4, Page 144. Found 1/2" bar in centerline of Meridian Road. Set nail & tag in North side 36" Oak, East, 36.62' Found nail & tag in North side fence post, S85°W, 33.65' Set nail & tag in West side 36" Oak, S20°E, 64.0'

Center of Section 13, T4N, R1W, Liber 5, Page 131. Found pipe & cap #11370. Found nail & tag in wood fence post, S15°W, 16.30' Found nail & tag in wood fence post, S45°W, 7.00' Found nail & tag in wood fence post, S73°W, 16.75'

North 1/4 corner Section 13, T4N, R1W, Liber 3, Page 43. North 1/4 corner Section 13, T4N, R1W, Liber 3, Page 43.
Found mower pitman.
Found nail & tag in East side 3" Apple, N02°E, 24.12'
Found nail & tag in West side 8" Oak, South, 43.31'
Found nail & tag in West side 6" Cherry, North, 18.22'

This survey was performed with an error of closure no greater than a ratio of 1 in 184,218.

All bearings derived from the North line of Section 13, which is recorded to be 1.889°38'35"E in Liber 2 of Surveys, Page 840 of the Ingham County records. which is

7-27-88

eyor No. 25832



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840 Ph. (517) 339-1014

DRAWN BY	SL - MT	SECTION 13, T4N, RIW
FIELD WORK BY	RS	JOB NUMBER:
SHEET 3 OF	3	88-B-21310

5 m1050 LIBER ORIGINAL CERTIFICATE OF SURVEY Forsberg & Anderson 201 Ferguso Lansing, Michigan 48912 Lansing, Michigan 48912

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Southwest ½ of Section 12,
T4N, RIW, Meridian Township, Ingham County, Michigan, commencing at the West
2 corner of said Section 12; thence SOO^OOO'OO'W 588.90 feet to the Northwest
County Records; thence along the plat boundary the following two courses
SOO^OOO'58'E 191.10 feet; thence SOO^OOO'2O'W 91.90 feet; thence along the North
thence continuing S72^O17'45'E 93.34 feet to the point of beginning;
of Haslett Road; thence along said senterline S43^O29'46'E 142.94 feet; thence perpendicular
to said centerline S46^O30'14'W 235.00 feet to the Northerly line of Lot 3 of said Brookshire
thence N43^O29'46'W 109.88 feet to the point of beginning, subject to the right of way of
Haslett Road and any other rights of way or easements of record, described parcel containing

West ½ cor. Sec. 12, T4N, RIW

SW cor. Sec. 12, T4N, RIW West & cor. Sec. 12, T4N, R1W la inch iron pipe witnessed by: SW cor. Sec. 12, T4N, R1W Concrete post witnessed by: NE'ly corner bldg. N50°W 230.33' Top Hydrant S85°W 124.70' Power Pole S45°W 155.19' 15" Wild Cherry Tree S80°E 73.0 ft. 24" Wild Cherry Tree N40°E 138.5 ft. The North line of the plat of BROOKSHIRE, recorded in Liber 43 of Plats, pages 44 & 45, was used as the bearing orientation for this survey. Consumers Power Co. right of way, Liber 13, M.R., page 34, does not effect No evidence could be found of any executed and/or recorded easement for the 15 foot sanitary sewer easement identified on a land survey recorded in Liber 4, Page 954, as shown below. E HASLEY. MAY 10 1 09 TH SOME CONTENT MICH 36.98 88' MY eo 1 01 YAM LISSAN, SEMER ESANT (SEE NOTE) \$72°17'45"E C. Bel ACRE. BROOK SHIRE CROWN 76.66 540 30 1A OF SECINIALS · (P3 PACKS PA A PS OF MICHIGAN JAMES E. STEPHENS SED LAND S SCALE: 1" 00 This survey complies with the requirements of Section 3, P.A. 132 of 197().

THE UNDERSTAND LICENSED LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED AT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND RATIO OF Closure: 1:500()

STEPHENS. KYES & ASSOCIATES, INC.

107 EAST LANSING DRIVE, SUITE 112


EAST LAYSING, MICHIGAN 18020 — PHONE 1313 351-2814 STEPHENS-KYES & ASSOCIATES, INC.

907 EAST LANSING ORIVE, SUITE 112

EAST LANSING, MICHIGAN 48020 — PHONE (SVI) 351-2819 18thes LICENSED LAND SURVEYOR NO. _

38 19

16053



CERTIFIED SURVEY MAP

LIRER 6 ps 819

FOR: Altman, Peterson, and George

Legal Description (*Proposed Peterson Parcel*) That part of the SW 1/4 of Section 12, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Commencing at the of said Section 12 to the South 1/8 corner of said Section 12 to the South 1/8 corner of said SW 1/4; thence N01°13'43"W 1267.18 feet along the N-S 1/8 line of said SW 1/4 to a point on the centerline of Haslett Road; thence N01°25'04"W 33.00 feet along said N-S 1/8 line to a point on the North right of way line of Haslett Road, said point lying S01°25'04"E 27.00 feet from the SE corner of Lot 26 of Wood Ridge as recorded in Liber 41 of Plats, Pages 13, 14, 15 Ingham County Records; thence N89°16'36"E 200.00 feet along said North right of way line to the POINT OF BEGINNING of this description; thence N01°25'04"W 31.50 feet parallel with said N-S 1/8 line; thence N64°50'18"E 375.68 feet; thence S06°20'00"E 187.82 feet to a point on said North right of way line; thence S89°16'36"W 360.00 feet along said North right of way line to the point of beginning; containing 0.897 acres more or less.

Legal Description (*Proposed George Parcel*) That part of the SW 1/4 of Section 12, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Commencing at the South 1/4 corner of said Section 12; thence S89°50'39"W 1319.62 feet along the South line of said Section 12 to the South 1/8 corner of said SW 1/4; thence N01°13'43"W 1267:18 feet along the N-S 1/8 line of said SW 1/4 to a point on the centerline of Haslett Road; thence N01°25'04"W 33.00 feet along said N-S 1/8 line to a point on the North right of way line of Haslett Road, said point lying S01°25'04"E 27.00 feet from the SE corner of Lot 26 of World Ridge as recorded in Liber 41 of Plats, Pages 13, 14, 15 Ingham County Records; thence N89°16'36"E 560.00 feet along said North right of way line to the POINT OF N66'55'9"E 593.54 feet; thence N89°02'04"E 234.46 feet to a point on the N-S 1/4 line of said Section 12 and the point of ending of said proposed South Property line; said point of ending 15 ing N00°55'31"W 1718.62 feet from said South 1/4 corner of Section 12; thence S00°35'31"E 225.41 feet along said N-S 1/4 line; thence S89°16'36"W 222.00 feet parallel with said North right of way line of Haslett Road; thence S00°55'31"E 180.00 feet parallel with said N-S 1/4 line to a point on said North right of way line; thence S89°16'36"W 222.00 feet parallel with said N-S 1/4 line to a point on said North right of way line; thence S89°16'36"W 244.56 feet to the point of beginning; containing 5.026 acres more or less.

I hereby certify to the parties named hereon that we have surveyed the above described


I hereby certify to the parties named hereon that we have surveyed the above described parcels of land for the purpose of exhanging deeds among parties to establish agreed upon property lines. I further certify that there are no encroachments of physical improvements either and a cross property lines except as shown hereon and that this survey complies with the requirements of public act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.



PEGISTERED CHIE STRVEYOR NO. 18989

MARVIN F. FOUTY, P.C.

1551 Haslett Road P.O. Box 707 Haslett, Michigan 48840 Phone: 517, 339–1263



101218

LEER 6 PC 4

CERTIFIED SURVEY MAP

FOR: J.B. Development Co.

Legal Description: That part of the SE 1/4 of the SW 1/4 of Section 12, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Beginning at the South 1/4 corner of said Section 12; thence S89°50'39"W 365.04 feet along the South line of said Section 12; thence N00°55'31"W 10.49 feet to the SE corner of Lot 50 of Bird Strawberry Farm Estates as recorded in Liber 43 of Plats, Pages 17, 18, 19, 20, and 21, Ingham County Records; thence on the following 7 bearing courses along the East boundary of said Bird Strawberry Farm Estates; N00°55'31"W 519.41 feet; N09°19'00"W 260.40 feet; N19°13'36"W 82.49 feet; S89°16'36"W 25.00 feet parallel with the centerline of Haslett Road; N00°56'00"W 216.00 feet; S89°16'36"W 31.18 feet; N01°14'19"W 195.00 feet to a point on the centerline of Haslett Road, said point also being the NE corner of said Bird Strawberry Farm Estates; thence N89°16'36"E 556.19 feet along said centerline to a point on the N-S 1/4 line of said Section 12; thence S00°55'31"E 1280.21 feet along said N-S 1/4 line to the point of beginning, containing 12.558 acres, more or less, and subject to the rights of the public in Haseltt Road.

I hereby certify to the parties named hereon that we have surveyed the above described parcel of land and that we have found or set 1/2" bars with identification caps at all points marked " " except as noted hereon. I further certify that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in

Witnesses to South 1/4 corner Sec. 12, T4N, R1W

Set 1/2" bar in 4" concrete monument 36" long Nail and rag in S side 8" maple S80°E 25.13' Nail and rag in W side 10"oak S05°E 41.04' Nail and rag in W side 8" cherry N05°E 18.74'




FROM NO. 10 CONTROL 1-18-90 SCALE: 1" = FELD FY CONTROL OF A SHEET 2 OF 2

REGISTERED NO. URVETOR NO. 18989

MARVIN F. FOUTY, P.C.

1551 Hastett Road P.O. Box 707 Hastett, Michigan 48840 Phone: 517-339-1263



Land Surveying and Planning Specialists

807 Kerns Rd., Suite 101, Mason, Mich. 48854 Phone 517-676-1580

FIELD RH/MP 1.24.12 MIE SEPT. 29. 1992.

SURVEY NO. 92.3810

SHEET (OF:

SAM BIRD 630 PIPER ROAD

HASLETT, MICHIGAN

DRIWN - P 9.28.92

CHECKED PH

RON HELSEL

LAND SURVEYOR


No. 18994

LAN

LEGAL DESCRIPTION

TAN

NORTH



Series de la companya della companya della companya de la companya de la companya della companya

950002503 Liber7

Page 676 . 4

CERTIFICATE OF SURVEY

PROPERTY DESCRIPTION: That part of the East ½ of the NW ¼ of Section 13, T4N, R1W, Meridian Township, Ingham County, Michigan, lying North of the centerline of Piper Road described as BEGINNING at a point on the N-S ¼ line of said Section 13, 509.61 feet, S 00°15'38" W from the North ¼ corner of Section 13; thence contimuing S 00°15'38" W, 563.33 feet along said N-S ¼ line to the centerline of County Roadway Piper Road; thence along said centerline of Piper Road the following three (3) courses; S 89°12'43" W, 38.13 feet; 378.95 feet along a tangent curve to the right, said curve having a radius of 1273.24 feet, a central angle of 17°03'10" and a chord of 377.55 feet bearing N 82°15'42" W; N 73°44'07" W, 353.59 feet; thence N 16°15'53" B, 233.00 feet; thence N 73°44'07" W, 657.24 feet to a point on the West line of the East ½ of the NW ¼ of said Section 13; thence N 00°17'33" E, 343.32 feet along said West line of the East ½; thence S 73°44'07" B, 1171.75 feet; thence S 87°21'41" E, 193.51 feet to the point of beginning, containing 14.292 acres, more or less, and subject to the rights of the public over the Southerly 33 feet thereof for use as public right of way.

Government Corners, Accessories and Witnesses

N'4 Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

Remonmented as part of Bird Strawberry Farm Estates No. 2 (L. 45, Pgs. 31-33)

Prof. Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

Remonmented as part of Bird Strawberry Farm Estates No. 2 (L. 45, Pgs. 31-33)

Prof. Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

Remonmented as part of Bird Strawberry Farm Estates No. 2 (L. 45, Pgs. 31-33)

Prof. Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

Remonmented as part of Bird Strawberry Farm Estates No. 2 (L. 45, Pgs. 31-33)

Prof. Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

Remonmented as part of Bird Strawberry Farm Estates No. 2 (L. 45, Pgs. 31-33)

Prof. Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

Remonmented as part of Bird Strawberry Farm Estates No. 2 (L. 45, Pgs. 31-33)

Prof. Corner Sec. 13, T4N, R1E (L. 5, Pg. 133)

(SW cor. of plat) - S 89°50'39" W, 365.04'

(CN KIH (L4, Pg. 7)

Discrete 6" x 8" x 18" post recorded in Liber 4, Page 7 of It.

Line: was found to be in accord with the plat of Bird Strawber 42 and 43 of Ingham County Records.

Line: wide 10" cherry - North, 25.07'

Tim Norm side 10" cherry - East, 22.47'

Tim Norm side wooden fence corner post - South, 9.23'

root sar: Southwest, 2.74'

Sec. 14N, RIW (L. 5, Pg. 131)

1/1. Un pipe

1/2. Line: post - S15°W, 15.20'

1/3. Line: post - S45°W, 7.60'

1/4. Line: post - S45°W, 7.60'

1/4. Line: post - S73°W, 17.39'

200



reveyed the property herein deser; that the ratio of clost

; and that there ap, ears to be no encroachmen. We further certify that we have fully complied with the r than 1/ ct 132 of 1970 in performing this survey.



3-2-94 Date

C Copyright 1994, Stept

SED LAND



Stephens Consulting Services, P.C ENGINEERING • SURVEYING • PLANNING


P.O. Box 708, Haslett, MI 48840 • (517) 339-8692

Location: Sec. 13, T4N, R1W, Meridian Twp., Ingham Co., M1					
Drawn by:	TW		9413SV1		
Field wk. by:	TW/AC				

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION (AS SURVEYED): THAT PART OF THE NORTH 1/2 OF SECTION 13, T4N, R1W, MERIDIAN TOWNSHIP, INCHAM COUNTY, MICHIGAN DESCRIBED AS FOLLOWS: BEGINNING AT A POINT ON THE N-S 1/4 LINE OF SECTION 13, 834.41 FEET, S 00°31'05" W FROM THE NORTH 1/4 CORNER OF SECTION 13; THENCE CONTINUING S 00°31'05" W, 38.50 FEET ALONG SAID N-S 1/4 LINE; THENCE N 89°28'10" E, 19.56 FEET PARALLEL WITH THE CENTERLINE OF PUBLIC CENTER IN SAID CURVE TO THE RIGHT, SAID CURVE HAVING A RADIUS OF 1273.24 FEET, A CENTRAL ANGLE OF 06°12'59" AND A CHORD OF 138.08 FEET BEARING N 87°25'20" W; THENCE N 00°45'50" W, 23.101 FEET; THENCE N 89°28'10" E, 181.30 FEET TO THE POINT OF BEGINNING, CONTAINING 1.070 ACRES NORE OR LESS INCLUDING 0.152 ACRES OF PUBLIC RIGHT OF WAY FOR PUBLIC ROAD OVER THE SOUTH 33 FEET OF THIS PROPERTY AND SUBJECT TO EASEMENTS AND RESTRICTIONS OF RECORD, IF ANY.

RECORDS








TW/AC

Sheet 1 of

Field wk. by:







CERTIFICATE OF SURVEY 390 AS PROVIDED

THAT PARTING THE HORT HYPEST 1/4 OF SECTION 13, TOWN 4 NORTH, RANGE 1 WEST, MERIDIAN TOWNSHIP, INCHAM

COUNTY MICHICAN LORS PARTICULARLY DESCRIBED AS FOLLOWS: BEGINNING AT A POINT ON THE NORTH-SOUTH

1/4 ILNE OF SECTION 3.5 SAID, POINT BEING SOUTH 00°15'38" WEST A DISTANCE OF 509.61 FEET FROM THE NORTH

1/4 ILNE OF SECTION 3.5 MEST A 181.30 FEET; THENCE SOUTH 01°01'17" EAST, 231.01 FEET ALONG SAID NORTH-SOUTH 1/4 LINE;

THENCE SOUTH 50.51 2/3 WEST A 181.30 FEET; THENCE SOUTH 01°01'17" EAST, 231.01 FEET ATOTHE CENTERLINE OF

COUNTY ROADY, A PET A 181.30 FEET THENCE SOUTH 01°01'17" AND SAID COUNTY ROADY, A PET A 181.30 FEET ALONG A NON-TANGENT CURVE TO THE RIGHT AND SAID

CENTERCLINE OF 1.5 FER ROADS AND CURVE HAVING A RADIUS OF 1273.24 FEET A CENTRAL MOLESOFTO'S 50'10".

AND A 2 CHARLES OF THE PARTING NORTH 79°09'12" WEST; THENCE NORTH 73°44'07" WEST 353.59 FEET

NORTH 73.44'07 WEST 657.24 FEET TO THE WEST LINE OF THE EAST 1/2 OF THE NORTHWEST 1/4 OF SECTION

13; THENCE NORTH 100°17'33" EAST, 343.32 FEET ALONG SAID EAST LINE; THENCE SOUTH 73°44'07" FAST,

1171.75 FEET THENCE SOUTH 87°21'41" EAST, 193.52 FEET TO THE POINT OF BEGINNING. AS SURVEYED:

THAT PART OF THE NORTHWEST 1/4 OF SECTION 13, TOWN 4 NORTH, RANGE 1 WEST, MERIDIAN TOWNSHIP, INGHAM COUNTY, MICHIGAN MORE PARTICULARLY DESCRIBED AS FOLLOWS; COMMENCING AT THE NORTH 1/4 CORNER OF SAID SECTION 13; THENCE SOUTH 00°15'38" WEST, 737.72 FEET ALONG THE NORTH-SOUTH 1/4 LINE OF SECTION 13 TO THE POINT OF BEGINNING OF THIS DESCRIPTION; THENCE CONTINUING ALONG SAID NORTH-SOUTH LINE SOUTH 00°15'38" WEST, 98.69 FEET; THENCE SOUTH 89°12'43" WEST, 181.30 FEET; THENCE NORTH 89°12'43" EAST, 183.47 FEET TO THE POINT OF BEGINNING, CONTAINING 0.40 ACRES, MORE OR LESS, AND SUBJECT TO EASEMENTS, RESTRICTIONS, AND RESERVATIONS OF RECORD OR USE, IF ANY. MORE OR LESS, AND SUBJECT TO EASEMENTS, RESTRICTIONS, AND RESERVATIONS OF RECORD OR USE, IF ANY.

REMAINDER: 10.18 MORE MORTHWEST 1/4 OF SECTION 13, TOWN 4 NORTH, RANGE 1 WEST, MERIDIAN TOWNSHIP, INGHAM COUNTY, MICHIGAN MORE PARTICULARLY DESCRIBED AS FOLLOWS: BEGINNING AT A POINT ON THE NORTH—SOUTH 1/4 LORGED OF SECTION 13, SAID POINT BEING SOUTH 00°15'38" WEST, A DISTANCE OF 509.61 FEET FROM THE NORTH—THENCE SOUTH 89°12'43" WEST, 223.47 FEET; THENCE SOUTH 30°16'07" WEST, 179.27 FEET; THENCE NORTH—SOUTH 1/4 LINE; WEST, 61.01 FEET; THENCE SOUTH 16°15'53" WEST, 139.56 FEET TO THE CENTERUNE OF COUNTY ROADWAY PIPER ROAD; 233.00 FEET; THENCE NORTH 16°15'53" WEST, 139.56 FEET TO THE CENTERUNE OF COUNTY ROADWAY PIPER ROAD; 233.00 FEET; THENCE NORTH 16°15'53" EAST, 139.56 FEET TO THE WEST LINE OF THE EAST 1/2 OF THE NORTH 16°15'53" EAST, 143.32 FEET ALONG SAID EAST LINE; THENCE NORTH 16°15'53" EAST, 144.07" WEST, 350.95 FEET; THENCE NORTH 16°15'53" EAST, 243.32 FEET ALONG SAID EAST LINE; THENCE SOUTH 73°44'07" EAST, 1171.75 FEET; THENCE NORTH 00°17'33" EAST, 193.52 FEET TO THE POINT OF BEGINNING. N 1/4 CORNER SEC. 13, T4N, R1E (L. 5, P. 133)

REMONUMENTATED AS PART OF BIRD STRAWBERRY FARM ESTATES No. 2 (L. 45, P. 31-33)

3" APPLE - NOZE, 24.12'

5" OAK IN CLUMP - SOUTH, 41.55'

4" DIA. CONC. MON. (SW COR. OF PLAT) - S 89'50'39" W, 365.04'

CENTER OF SEC. 13, T4N, R1W (L. 5, P. 131)

FND. 3/4" IRON PIPE

WOOD FENCE POST - S15'W, 15.20'

WOOD FENCE POST - S73'W, 17.39' BASIS OF BEARINGS IS RELATIVE TO THE NORTH-SOUTH 1/4 LINE OF SECTION 13, TAN, RIW AS RECORDED ON SIEPHENS CONSULTING SERVICES, P.C. SURVEY RECORDED IN UBER 7, PAGE 373 OF INGHAM COUNTY RECORDS. CERTIFICATION

We hereby certify that we have surveyed the property herein described; that the ratio of closure of this survey is no greater than 1/ 50.000; and that there appears to be no encroachments upon this property except as shown. We further certify that we have fully compiled with the requirements of Public Act 132 of 1970 in performing this survey. STEPHENS CONSULTING SERVICES, P.C. by Terry L. Wiegman (agent)
Chief of Surveys, P.S. No. 39100 Stephens Consulting Services, P.C.

Stephens Consulting Services, P.C.

SURVEYING • PLANNING

Baset 2 of 2 12-31-98 Date: September 1 Field work by: Sheet 2 of 2 Date of field work Drawn By RR 1005 No. 94135V4 SEPT 98 C Copyright 1998, St