

TOWN NORTH, RANGE....., MERIDIAN OF MICHIGAN.

4
5
6
7
8
9
10
11 Iron shaft four feet long at corner
12
13 Piece of R.R. Iron at corner
14 stone 73 Walnut 3 742 E 119 1/2
" Sugar 4 522 E 117 1/2
15 post Black 24 538 E 68 1/2
16
17
18 Corners Not witnessed.
19 " " "
20 post Elm 8 517 1/2 E 197
21 Iron Cherry 9 56 E 410
" Elm 10 978 1/4 W 168 1/4
22 corners Not witnessed
23 Stone B. Walnut 3 766 E 167
" " " 2 758 E 64

INGHAM COUNTY, MICHIGAN.

TOWN Four NORTH, RANGE 24 WEST, MERIDIAN OF MICHIGAN.

Survey of the south half of section No Thirty-six in Township No Four North of Range No One West, divided as shown by the plat with letters of reference to the corners described below as follows (See below plat)

~~The North half of the section was divided and staked down but no witnesses taken consequently it is not laid out on the plat~~

Run by the true Meridian Variation $1^{\circ}52'$ East.
 Surveyed for those named in the plat June 5th & 16th 1879
 by A. P. Drake
 Co. Surveyor.

THIS WOULD INCLUDE

L-11 ——— M-11

L-12 ——— M-12

SOURCE: RECORD CO. SURVEYOR V. 3 P. 150

TRANSCRIBED from DUPLICATE on file at REMON. OFFICE

150

T. 4 N. R. 1 W.

Section 26

(K-II)

L-II

M-II

N. Cook
v
Dilco Williams } Section chairman

19.94 ch

19.94 ch

N^o 1634

N^o 1633

Thomas Williams
N^o 1632

N. Cook

L. O. Williams

N^o 1635

N^o 1635

Harold McCarty
N^o 1636

17.96 ch

17.96 ch

17.96 ch

17.96 ch

17.96 ch

17.96 ch

SOURCE: RECORD CO. SURVEYOR V.3 P.150

TRANSCRIBED from DUPLICATE on file at REMON. OFFICE

150

Survey of the South half of Section 10 Thirty six in town
ship No Four North of Range 1 One West divided as
shown by the plat with letters of reference to the cor-
ners, described below as follows:

Corner	Timber	Dia.	Bearing	Length	Corner	Timber	Dia.	Bearing	Length
A = Post	Beech	8	S. 26° W.	18	G = Stone	Buttanust Thorn	1	S. 19 1/4° W.	4 1/2
B = Iron	Elm	9	N. 46° E.	22	H = Iron	Elm	4	N. 55° E.	58
C = Iron shaft 4 ft. long at corner	"	15	S. 44° W.	54 1/2	I = Stone	"	10	N. 79° E.	15 3/4
D = Piece of R. L. Walnut at corner	"	4	N. 84° W.	38	L = Iron	B. Walnut	3	N. 66° E.	107
E = Stone	"	3	N. 62° E.	119 1/2	M = Post	"	2	N. 30° E.	68
F = Post	Sugar	4	S. 20° W.	117 1/2	"	Elm	8	S. 6° E.	410
	Beech	11	S. 38° E.	68 1/2		"	10	S. 28 1/2° W.	163 1/2
							8	S. 77° E.	197

The A. C. W. of this section was divided and stakes driven
but no return taken consequently it is not laid out
on the plat.

Run by the true meridian. True 150° E.


Surveyed for this range in the first
July 1880

By A. R. Smith

Co. Surveyor

(CONT)

84 5, 4 N. (W. 1 20. Sec 26
north



A Original Quarter Port gone
while Cont. 15 S. 29 W. 39 L.

W Cont. 16. N 22 W 66.

B. Elm 16 inches W 15 L

C Original corner

D Original 1/4 Port

E Maple 14 S. 11 L

F. W. Cont. 15 S 41 W 119 L

Run by the true meridian
Variation 3. 30 East

Surveyed and Re-surveyed April 15th 1859


By David D. Patton County Surveyor

SOURCE: FOLDER # 1 P. 2

TRANSCRIBED from ORIGINAL DUPLICATE on file at REMON. OFFICE

Town 4 N., Range 1 W.

Section No. _____



M-10

K-10

M-9

Sec.	Timber	Diam.	Bearing	Links	Sec.	Timber	Diam.	Bearing	Links
1	Elm	10	N 45 E 1/2	1/2	9	O.A. & Elm 0.17 6	5	S 45 E 1/2	1/2
2	Elm	10	N 45 E 1/2	1/2	10	W Oak	8	S 45 E 1/2	1/2
3	Elm	10	N 45 E 1/2	1/2	11	O.A. & Elm 0.17 6	5	S 45 E 1/2	1/2
4	Elm	10	N 45 E 1/2	1/2	12	W Oak	8	S 45 E 1/2	1/2
5	Elm	10	N 45 E 1/2	1/2	13	O.A. & Elm 0.17 6	5	S 45 E 1/2	1/2
6	Elm	10	N 45 E 1/2	1/2	14	W Oak	8	S 45 E 1/2	1/2
7	Elm	10	N 45 E 1/2	1/2	15	O.A. & Elm 0.17 6	5	S 45 E 1/2	1/2
8	Elm	10	N 45 E 1/2	1/2					

Run by the true meridian. Magnetic variation _____ degrees _____ minutes.

Surveyed the _____ day of _____ 1901 by
14 - found O.A. 107 ft. from corner
and found O.A. 107 ft. from corner
Survey of John B. Baring
Pittsburg, Mo. 1-1897
County Surveyor of Ingham County, Mich.
found private ruling of John Mallett.

MERIDIAN
township

T 4 N, R 1 W

M-10
corner code attachment no.

p. 1 of 1

CALKINS FOUNDER 1
PAGE 2