



4N R. 1 W Meridian TWP SEC. NO. 23
33151A



DESCRIPTION

Found 1 1/2" Iron for section corner
sections 23, 24, 25, 26 Meridian TWP
Ingham County.




WITNESSES
4" Hickory Due N 19.80
6" W. Cherry Due E 41.13
Base NW Leg Tower # 9820
S24W 51.60

C.E. Smith April 1967

MICHIGAN STATE HIGHWAY DEPARTMENT SURVEY CHIEF DATE

CO. Ingham TWP. Meridian

T. 4 N. R. 1 W. SEC. NO. 23 RECORDED: 2/23/93 (Date) 7 (Libre) (Page) 346



DESCRIPTION

Found: 1 1/2" Square Iron Bar
Set: Standard Cast Iron
Monument Box over
Bar.

WITNESSES

East: 32.50' Concrete Plat Monument
West: 32.85' Concrete Monument
West: 44.36' Power Pole (Nail S. Side)
S. 10° E: 40.63' 27" Oak (Nail E. Side)
West: 5.40' & Pavement (Cornell Road)




Survey Chief J-9 REG. NO. 25860 DATE 12-22-92

T. 4 N R. 1 W

33151 R

SEC. 23



REMARKS



1/4 Corner common to Sections 23, 26.
Meridian Township, Ingham County.
1 1/8" Iron

WITNESSES

9" Oak S10E 40.40
5" Oak S60E 8.20
8" Oak N85E 21.10
Iron property point, East, 33.0'


C. Smith 5-25-59 J-9

X



280 (5/79) GOV'T. MONUMENT WITNESSES RECORD

CO. Ingham TWP. Meridian
T. 4 N R. 1 W SEC. NO. 22 RECORDED: 2/23/93 7 315
(Date) (Libre) (Page)



DESCRIPTION
FOUND: concrete Plat Mon-
ument at Chain Link
Fence Corner. (Fences
Going E, W & S.
SET: Nothing; Used as is.


WITNESSES
N. 47° W. 21.30' 26" Oak (Nail N.E.)
NORTH 25.41' 27" Oak (Nail W.)
N. 65° E. 14.79' 20" Oak (Nail N.W.)
WEST 0.36' Fence Corner Post



Thomas Mann 25860 12-22-92
SURVEY CHIEF I-9 REG. NO. DATE

LANSENG TWP. SEC. NO. 11

DESCRIPTION
1/2" IRON IN Coolidge Rd, 3 inches
BELOW SURFACE AT N.E. SECTION
CORNER IN &




WITNESSES
23" MAPLE N 85° W 34.50' 23" MAPLE N 75° E 42.84'
20" MAPLE S 60° E 43.36' 20" MAPLE N 75° E 42.84'
20" OAK N 75° E 42.84'

C.E. Smith 9-3
SURVEY CHIEF DATE

MICHIGAN STATE HIGHWAY DEPARTMENT

T. 4 N R. 2 W LANSENG TWP. SEC. NO. 11




DESCRIPTION
3" CONC. MON. WITH 1" IRON
PIPE NORTH 1/4 SEC. 11

WITNESSES
DUE EAST 26.32 14" WAL. 4" MAPLE
N 83° W 2.81 4" MAPLE
S 10° W 9.37 P. POLE
DUE EAST 26.32 14" WAL. 3" CONC. MON. WITH 1" IRON
P. POLE

C.E. SMITH 9-3
SURVEY CHIEF DATE


MICHIGAN STATE HIGHWAY DEPARTMENT



WITNESSES

14" Oak	N40W	52.23
P.P.Pole	Due W	44.20
10" Oak	S65E	8.26
Conc Mon.	Due E	33.00

DESCRIPTION
Found a 1 1/2" Iron 10' East of center
Line Cornell road for the south
A corner sections 23 & 26 Meridian
TWP Ingham county.




C.E. Smith April 1967

DATE 5-1
SURVEY CHIEF

MICHIGAN STATE HIGHWAY DEPARTMENT


T. 4 N R. 1 W Meridian Twp. 33151A SEC. NO. 25



WITNESSES

N 50 W	39.34	4" Oak
N 22 E	39.63	4" Maple
N 75 E	56.02	6" Maple


DESCRIPTION Found 1" gas pipe;
W $\frac{1}{4}$ corner Sec. 25, T4N, R1W, Meridian Twp.




MICHIGAN STATE HIGHWAY DEPARTMENT

Phil Wetosky 7-10 April 1967
SURVEY CHIEF DATE

K-10



J-9



X

T. 4 N R. 1 W

SEC. 25

Sec. 25	

REMARKS

Section Corner common to Sec. 25-26-35-36
Ingham County, Meridian Township.
Found 2" Wooden Stake, replaced with 1" Iron, fence post.

WITNESSES

S.E. Leg Consumers Power Tower
N28W 130.91'
Rivers Edge May 11, 1959
Due East 32.0'

C. Smith 5-25-59 K-11

CO. INGHAM

TWP. MERIDIAN

T. 4 N R. 1 W SEC. NO. 34

DESCRIPTION

3	4

WITNESSES

N 45°E - 49.11 - T Pole
S 45°W - 73.48 - P Pole

GOV'T. MONUMENT WITNESSES RECORD
(Form 280 (Rev. 11/67))

STATE OF MICHIGAN
DEPARTMENT OF STATE HIGHWAYS

Arden S. Pierson 13039 June 16, 1970

SURVEY CHIEF

REG. NO.

DATE T-13

Form 280
(Rev. 3/60) GOV'T. MONUMENT WITNESSES RECORD


T. 4 N R. 1 W Meridian Twp. 33151A SEC. NO. 36

Sec 36	

WITNESSES

N21E 28.25 T. Pole
N78W 78.05 E. end North
bridge rail
S78W 78.31 E. end South
bridge rail

DESCRIPTION SW corner Sec. 36;
T4N, R1W, Meridian Twp. (1" iron)



C.E. SMITH


SURVEY CHIEF

March 1967

MICHIGAN STATE HIGHWAY DEPARTMENT

DATE


4 N R. 1 W Meridian Twp. 33151A SEC. NO. 26



WITNESSES.

N 13 W 135.50 SE leg Power Tower #
N 78 E 49.12 9" Box Elder
S 80 E 53.50 9" Maple
S 35 E 35.48 12" Twin Box Elder


DESCRIPTION Found 1 1/4" gas pipe for Section corner common to Secs. 25, 26, 35, 36 Meridian Twp., Ingham CO.



Phil Metoskey RLS 1-11 April 1967
SURVEY CHIEF DATE

MICHIGAN STATE HIGHWAY DEPARTMENT


T 4 N R. 1 W Meridian Twp. 33084 C SEC. NO. 35



WITNESSES

N 25 E 54.70 P. Pole
N 04 E 29.65 End Fence Post
S 40 E 44.15 22" Butternut
S 50 W 51.05 End Post on Cyclone Fence


DESCRIPTION Found Small Boatspike for S 1/4 Cor. Sec. 35, T 4 N, R 1 W, Meridian Twp., Ingham Co.



C. E. SMITH 1-19 March 1967
SURVEY CHIEF DATE

MICHIGAN STATE HIGHWAY DEPARTMENT

T. 4 N R. 1 W



WITNESSES

22" Butternut S 60 E 44.07
28" Elm N 50 E 33.74
7" Elm N 65 W E 56.03

33151 R


SEC. 35

REMARKS

1/4 Corner, South of Section 35, Meridian Township, Ingham County.
Iron in center of Cavanaugh Rd.


C. Smith 5-25-59

J-13 102



K-11

N 4



J-13

SOURCE: Road Commission Map Sh. 10

TRANSCRIBED from ~~ORIX&XMAX~~
DUPLICATE on file at Remonumentation Office

K-11

1 1/4" Pipe (M.D.S.H. 1967)

S.E. leg, power tower N.13°W. 135.50'

9" Box Elder N.78°E. 49.12'

9" Maple S.80°E. 53.50'

12" tw. Box Elder S.35°E. 35.48'

written distance K-11 to L-11: 2605.10'

SOURCE: Consumers Power Co. Sh. 1 # 3
TRANSCRIBED from ~~ORIGINAL~~ Sh. 1 #21
DUPLICATE on file at Remonumentation Office

K-11
N.E. Corner Sec. 35
Hub. Stake
S.E. Leg Tower 29.38 N.13°20'W. 135.5'
See #21

#21
N.E. Corner Sec. 35
Set 1 1/4" x 30" Gas Pipe
15' E. of Line of towers N. #2937
S.E. Leg of tower #2938 N.13°20'W. 135.5'
FB 740P ~~115~~ /15

SOURCE: NOTHSTINE NOTES

P. 20

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
DUPLICATE

Township: Meridian
Section: 35

U - plow point J-12 UNRECORDED
14" elm $N 2\frac{1}{2}^{\circ} W$ 97.1
SE leg C.P. Co. Tower # 2946 - $N 67^{\circ} W$

K-11 [1 - 2" wood stake K-11 UNRECORDED
SE leg C.P. Co. tower # 2938 - $N 13^{\circ} 20' W$ 135.5'

4 - Iron
19" elm $S 40^{\circ} E$ 40.03' K-13 RECORDED
T.P. $N 70^{\circ} E$ 63.70'
S.E. Corner of bridge pipe railing
 $S 70^{\circ} W$ 50.77' (5/25/59)

C. Iron
26" Butternut $S 60^{\circ} E$ 44.07' J-13 RECORDED
28" elm $N 50^{\circ} E$ 38.74'
7" elm $N 65^{\circ} E$ 56.03'

K-11 [1 - 'T' Iron fence post
S.E. Leg Consumers Power Tower K-11
 $N 28^{\circ} W$ 130.91' UNRECORDED
Rivers Edge May 16, 1959
Due East 320' (5/25/59)

SECTIONS 26 & 35
MERIDIAN TOWNSHIP
T4N - R1W
MICHIGAN COUNTY
MICHIGAN

Field Work 1993

1

ABBREVIATIONS

conc. = concrete
mon. = monument
NW = Northwest
NE = Northeast
SW = Southwest
SE = Southeast
cor. = corner
N = North
S = South
E = East
W = West
C = Centerline
Sub. = subdivision
Ed. = road
C.P.C. = Consumers Power Company

FIELD PERSONNEL

Larry A. Ryan LS # 25832
Anthony Edmunds
Randy Seabrook
Dave Fitzgerald
Mike Stowell
Rold Funkhouser

1

2

2

9-14-93
Anthony Bonetucci
Dave Fitzgerald
Overcast 70°

3

M R 1

I-9, NW COR SEC 26, T4N, R1W

FOUND SOUTHWEST CORNER WITH "REMARK ON FENCE TO WEST, ON OLD

WITNESSES: FENCE TO EAST, 09' EAST OF FENCE SOUTH

FOUND STEPHENS #16053 nail & tag NW side 20' oak, N 65° E, 14.80'

FOUND STEPHENS #16053 nail & tag W side 32" oak, North, 25.42'

FOUND POLANS #11624 nail & tag NE side 30' oak, N 50° W, 21.28'

FOUND STEPHENS #16053 nail & tag N side 10' Maple, East, 15.85'


Brush pile East along old fence, 99.50'

9-14-93
A. BUNSTEAD
R. CITZGERARD

OVERCAST
70°

3

I-9



4

MR 1

I-9, N¹/₄ Cor Sec 26, T4N, R1W

Found 1 1/2" square eye in monument box East edge of

road, Cornell Road, 9.5' East of

WITNESSES:

Found dead 14" Oak with scar & very deep
tag # 7, S65°E, ± 8.3'

Found plat monument, East, 32.90'

Found concrete monument, West, 32.79'

24" Oak N40°W ft distance but no sign of

neil & tag, reset neil & tag # 25032 E. side, 52.10'

Found MSHD neil & tag S. side utility pole, West, 44.36'

Found 20" Elm, S50°E, ± 55.6' to face, no sign neil

& tag

Found 14" neil & tag E. side 27" oak, S10°E, 40.63'

Found Banded # 11053 117.7' N of West monument

from 25032 of surveys

Set neil & tag # 25032 E. side 30" oak, N50°E, 114.51'

9-14-93


A: BUNSTRAD

D: FILLERD

OVERCAST

70°

4



5

MR 1

K-9, NE 10E SEC 26, T4N, R1W

FOUND 1" SQUARE BAR ON FENCE TO NORTH OF AGAINST
WALL POINTED STOVE

WITNESSES:

Found nail & tag #25832 N. side 12" Cherry, East, 41.02'

NW CORN GARAGE FOUNDATION, base #955. N 65° E, 159.20'

NE Leg of Consumers Power Transmission Tower


at ground level, S 150° W, 47.49', NW Leg =

Found cut 8" Oak S 75° E, tag in log on ground

#25832, measured 20.0 to center of stump

Set nail & tag #25832 S. side 8" Cherry, S 65° E, 37.33'

SW Bolt of satellite dish, N 30° E,



9-16-93
A. BUNSTED
P. FINGERBOLD

5

9-16-93

Anthony Bunsted
Dave Fingerbold
Clack, 65°

6

MR 1

K-11, SE COR SEC 26, T4N, R1W

FOUND 1 1/4" PIPE EAST EDGE OPEN RAIL-OF-WAY FOR CONSUMERS POWER LINE

WITNESSES:

Found Septans and dog N side dead 10" Box Elder,

N 78°E, 49.10'

Found MSHD nail & dog N side dead 10" Box

Elder, N 78°E, 49.10'

Found deer on 14" maple, no head, S 80°E, reset

nail & dog # 25832 N side, 53.50'

Found twin 14" Box Elder, S 35°E, no sign nail & dog,

set nail & dog # 25832 E side of E. trunk, 35.40'

Base of SE leg of Consumers Power Tower, N 32°W, 135.45'

West edge Red Cedar River, East, ± 64'

Consumers Power wires, West, ± 45'

Set nail & dog # 25832 N side 14" Ash, S 80°W, 111.34'

Set nail & dog # 25832 W side of trunk twin 14" Ash, N 30°E, 77.45'

Found "T" iron fence post, N 50°E, 29.85', measured

from it to the tower ± 130'


Dug 1.5' down around back monument, found

no other evidence

9-16-93
A. Burns
D. Fitzgerald

cloudy
65°

6



三ノ一

J-10, CENTER OF SECTION 24, T4N, R1W

FOUND $\frac{1}{2}$ " BAR 2' WEST OF E OF CORNELL RD

7.2' NORTH OF 9 HATCH RD

WITNESSES:

Found talons - 18995 nail & egg in S side 30" stump,

505 E, 25.92'

centerline at the hydant, 5330 E, 61.82

Centerline of concrete light pole, 30' W 48.10'

concrete movement, $f = 135$, 41.72

issue 673, 01 to a movement to test to movement

North of it

NAME	INDEPENDENT, LTD.	FROM	SARAH WOODS
------	-------------------	------	-------------

1-2-7 2000-1413-28

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----


#

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

15-1-1960

[illegible]

8

MR 1

J-11, S 1/2 Cor Sec 20, T4N, R1W

Found 1 1/2" P.P.E. on Fence to South of

WEST (WIRE)

WITNESSES

Found Stephens 16053 nail & tag in East face of

20" Cherry, N 82° W, 14.42', road nail & tag 58325 side, 15.09'

Found Stephens 16053 nail & tag in North face 16"

Ash, S 24° E, 36.65', road nail & tag 55832 W. side, 37.04'

Found Stephens 16053 nail & tag W. side to Oak, N 48° E, 33.15'

Set nail & tag 25832 W. side W. front turn 8" Oak, N 12° W, 37.15'

Found monument NE corner Lot 148 "The Shoals No 2" &

monument 90.05' East from same subdivision, measured

North from S 1/4 Cor Sec 20 to intersection with line between

above monuments 131.87', RECORDED 130.96 ON

"THE SHOALS #2" SUB, RECORDED 131.02 ON

"THE SHOALS #3 & #5" SUBS.


9-16-93

A. BUMSTEAD

D. FITZGERALD

J-11

MON [] 90.05' [] MIN



8

9

MEI

I-10, W 1/4 Cor Sec 20, T4N, R1W

Found 1/2" BAR & CAP # 1' NORTH E HATCH RD
± 49' EAST OF E GREENWOOD DR. TO NORTH

WITNESSES:

Found Stephens #1053 nail & top E side of E trunk

Found 10" Oak, N05°N, 26.11'

E utility pole, North, 38.1

40" Oak, N75°E, 68.4' to 4, no deep

Concrete monument, South, 43.00'

Busted up monument, N40°W, 48.14'

Found Stephens #1053 nail & top 1" deep S side 18" Oak, 44.38'

reset nail & top #10532 S side, N65°E, 44.34'

Found Stephens #1053 nail & top N side 45" Oak, 50.1'N, 42.36'

Found Pater #1803 nail & top W side utility pole, South, 30.10'

E Fire hydrant, N45°N, 52.20'

Instrument #1010 T-1000

ERM #1010 DE 1051 DISCONNECT

X1 243° 58' 54"

180° 06' 09"

63° 59' 05"

∴ 243° 58' 56"

X2 89° 59' 19"


180° 00' 05"

269° 59' 24"


∴ 89° 59' 19"

9-16-93
A. BUNSTED
A. FINDER
Cloudy
65°

9



SET 3/4" BAR & CAP PAST 25532 WITH MON
Box in Place of 1/2" BAR



10

MR 1

10

10-02-93

Anthony Burnstead

Mrs Stone 11

Sunny 63°

11

MR 1

T-11 SN Core Sec 20, NW Cor Sec 35, T4N 12W

Found 4" SQUARE MONUMENT WITH 1/2" BAR TIES EAST OF

TREE LINE

WITNESSES:

Two 10" Elm with "beep" from locator, dug square 1.5"

but could not reach set nail & log #25832 E. 300,

38.52', N150W

Found nail & log #18939 West side 16" Walnut, S14°N, 123.14'

Found nail & log #14053 N side 10" Elm, S45°W, 48.11'


Set nail & log #25832 W side 8" white line, 201.79'

Concrete monument, South, 144.36'

10-02-93
A. BUNSTED
M. STUBBS

2001
63°

11



12

MR 1

I-12, N⁴ COR SEC 35, T4N, R1W

Found "SQUARE CORK MONUMENT WITH 1/2" BAR 1" NORTH OF
E-W FENCE, 15' WEST OF END POST, END POST WINDS IS
OLD CORNER POST

WITNESSES:

Found nail & tag #18998 N side fence post, S85°N, 6.38'

Found nail & cap #16053 N side 12" E-W, S16°W, 61.53'

Top bkt on E face of SE leg of CR Tower, N89°W, 78.62'

Found nail & cap #16053 N face of End Post, S75°E, 1.74'

Set nail & tag #25832 N.E. side 12" A-W, S35°E, 95.37'

1/2" Pipe in old fence N, 132.2' (Flagged)

1/2" BAR & CAP 12' EAST OF OLD FENCE, NORTH, 132.6'

(Flagged)

Rail pipe, in old fence, South, 137.30', Appears
to be NE corner of 28' of "Hawthorne Park" Sub

10-02-93
A. BUNSTED
M. STEVENSON
SUNNY
63°

I-12

1/2" BAR & CAP
#18998

1/2" PIPE
#132.6

CR TOWER

T4N
R1W

78.62'

6.38'

1.74'

95.37'

132.30'

132.6'

12' E-W
CR TOWER
137.30'

N

12

13

MR1

I-12, CENTER SECTION 35, T4N, R1W

Found A 1/2" x 2" IRON BAR (IRON ROD) WITH A 1/2" BAR

ALONGSIDE IT ON EAST EDGE OF ROCK PILE, ± 0.5'

EAST OF 300 WIDE FENCE, TRUE DOWN 10" AROUND IT

± FOUND NORTH-106.

WITNESSES:

SET Nail # 109, # 25832 W. SIDE 10" Oak, 510°E, 43.70'

Found Nail # 109, # 25832 E side Multiple Resound North, 121.73'

15' SOUTH OF E OF TOWERS

Found nail # 109 posted up W side 10" timber, set

nail # 109, # 25832 above it N 20°W, 111.23'

Top half on E. Face of SE leg of Tower, N 87°W, 208.25'

10-02-93
A. BUNSTED
M. STUBBS

SUNNY
63-


13

J-12

12" multiple Resound

DRY TOWER

DRY TOWERS



14

MRI

I-13, SW COR SEC 35, T4N-R1W

Found 3 1/4" pipe with threaded cap on top in main box
6666 ft on wood line North

WITNESSES:

Found 1/2" bent cap # 21565 bent over, North, 38.00'

Found MDSH nail # 109 NW side utility pole, N45°E, 49.11'

Found MDSH nail # 109 SE side utility pole, S45°W, 73.48'

Found 3/4" pipe in monument box in E utility Rd, West, 50.16'

Set nail # 109 # 25832 S side 16" Maple, N50°W, 69.25'

Set nail # 109 # 25832 S side 16" Elm, N80°E, 110.47'


Concrete Monument, SE cor "SIERRA VISTA ESTS No. 3".

Sub, North, 60.00'

10-03-93
A. BUNSTED
M. STANWELL

SWUT
630

14



Σ 70

I.	Lo	W	E	Lo	Lo	M	M	D
----	----	---	---	----	----	---	---	---

10-5-93
Anthony Bunstead
Pete Finkhouser
Sunny 65°

16


MR1

K-12, EAST 1/4 COR SEC 35, T4N, R1W
 FOUND SPIKE AT WEST BASE OF 3" STEEL
 CORNER POST IN FENCE SOUTH & EAST
 WITH A CUPPLE 26" POINTED BACKS
 AROUND. DUG A 1' DIAMETER CIRCLE AROUND
 POST BUT FOUND NOTHING BUT ROCKS.
 WITNESSES:
 Found nail & tag # 25832 South side 20" Maple at
 160', 15" Tag, 15' 12" tag # 25832 South
 side, N85W, 16.10'
 Found Stephens nail & tag # 16053, South side (160')
 48" twin paper, North, 29.75', set nail & tag
 # 25832 West side, 30.22'
 Found busted up tag South side 16" Ash,
 N85E, 35.45', 15' 12" tag # 25832
 South side, 35.34'
 Found stump & cutting trunk of 22" Paper,
 S43°N, + 32' to stump
 24" Triple Oak stump, 1 trunk still standing,
 S23°E, + 26'
 Set nail & tag # 25832 Northwest side 12" Maple,
 S20°W, 16.51'
 Replaced spike with 3/4" x 24" bar end cap

10-05-93
 A. BUNTEAD
 P. FUNKENHUSEN

SUNNY
 65°

K-12



16

17

MR 1

K-10, EAST 1/4 COR SEC 26, T 4N, R 1W

FOUND 1" PINE 10 8" TILE 10 SWAMP WITH

WANT UNDER EAST LINE OF CH WILDS

WITNESSES:

Found Stephens " 16053 nail 4 to NW side from 10' Hickory,

N 60° E, 76.21'

Found Stephens " 16053 nail 4 to by busted up North

side 12" Maple, N 75° E, 55.84', west nail 4 to


" 25832 N side, 55.84'

Base of Consummation Power Tower SE 1/4 SE 1/4, N 3° N, 97.80'

Set nail 4 to " 25832 South side 8" Oak, N 40° N, 96.88'

10-05-93
A. BUNSTRA
P. FUNKENHAUSER
SUND
650'

17



18

MR1

18

10-22-93

Larry Bryan

Anthony Buntsted

Randy Seppala

Sunny 60°

20

MR1

J-13, S $\frac{1}{4}$ Cor Sec 35, T4N, R1W

FOUND BOAT SPIKE IN E. NO. 100Y ROAD

EXCAVATED DOWN 1' & FOUND NO. 100Y BASE

WITNESSES:

Found nail & tag #18713 North side Tulp 24"

Tree, S40°E, 43.77'

Found 1188V nail & tag Southeast side utility pole

N35°E, 54.72', also unnumbered tag in N. side, 54.67'

End post on cyclone fence, S50°N, $\pm$ 51.0'

Set nail & tag #25832 North side 14" Cherry

S55°N, 58.70'

SW corner West leg Brown telephone switch-

box N15°N, 45.70'

Good keep in park, N41°E Sec 2 T3N, R1W

West, 53.8.4'

10-22-93

L. BRAD

A. BUNSTED

R. SEAGROVE

SUNNY

100°

20

