


COUNTY SURVEYOR'S RECORD,

TOWN *Deer* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.



P. 81 Vol 2

TOWN *Deer* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

E 1 Original corner of Sections 28 + 29 + 32 + 33

F 2 W Ash 15 S 51 E 71

J 3 Original Dr Post

4

5

6

7 Elm 7 S 22 1/2 E 30

K 8 Beech 10 N 8 1/2 W 16
W Ash 26 N 57 W 52

J 9 Beech 14 N 43 1/2 W 5
W Ash 22 S 8

D 10 Lym 20 N 31 E 37

C 11 original Dr Post

12 Beech N 65 E 15 X

L 13 S Schell 6 N 65 W 3 of Brown

14

15

16

17

Spruce 24 N 21 W 22

M 18 White Maple 18 S 21 1/2 E 22

19

Beech 16 N 17 E 13

B 20 D 0 12 S 13 E 17

A 21 Original Section cor. 32 + 33

22

Spruce 22 S 78 W 26

N 23 D 0 12 S 12 E 28

28 Beech 14 S 21 W 8
H 29 Spruce 7 N 32 E 9
Beech 8 N 72 W 10
G 27 White Maple 28 N 32 1/2 E 22

VOL 2, P 82

INGHAM COUNTY, MICHIGAN.

TOWN *Four* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

248


Born by the true Meridian Variation 3° 30' East

Surveyed and Recorded Feb 24-1879 Lewis D. Truster Surveyor

COUNTY SURVEYOR'S RECORD,

TOWN Flora NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Section 32



D 357 rd 2

TOWN Flora NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

1	24
2	25
3	A cherry 10 N 26 E 21 1/2 ch NW Oak 18 S 74 W 14' grubbed
4	B Iron rock 13 S 16 1/2 E 35 3/4 ch Do 10 S 46 1/4 W 24 3/4
5	C Ironwood 6 N 45 W 28 1/2 ch Black 10 N 65 E 15
6	D Black 16 N 50 W 20 ch Elm 22 S 25 E 11
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	

INGHAM COUNTY, MICHIGAN.

TOWN *Flora* NORTH, RANGE *One* West, MERIDIAN OF MICHIGAN.


Born by the line Meridian Var 2 1/4 E

Norris Morrison	} Ghamman
Amos Dapham	

Designed and Recorded March 5th 1858 by J J Brown Co Surveyor

TOWN Four NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 31



13 Jan. 27 1878
Surveyed June 10 1879
A. P. Drake

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

1. Pepperidge 6 56474 E 124 1/2
S.E. 2 5774 N 40 W 184
Apple 4 71474 N 70
2. " 2. S 20 E 70 1/2
Main 6 77574 N 24 1/2
3. Sugar 4 736 W 22 1/2
Sugar 56474 703 E 80
4. W 10 1 72147 27 E 80
Elm 18 W 27 1/2 86 E 86 E 80
5. Willows 10 7477 1/2 E 39 1/2 E 80

- B. Cherry 7 5 11 9/4 W 182 1/2 N
 24 Elm 6 7 5 11 1/2 W 176 1/2 N
 N. E. C. 7 S. H. 1 5 4 1/4 W 153 1/2 N
 25 Birch 6 5 in 7 2 5 1/2 W 99 1/4 N
 31 Sugar 18 5 8 0 W 92 N
 Birch 18 7 5 8 W 55 N
 30 Maple 3 7 5 1/4 W 47 N
 27 Birch 7 7 5 6 E 3 1/4 N
 28 Elm 10 7 3 2 1/4 W 22 N

- 8 B.O. 26 N 33 W 2 1/2
- 9 H
Buck 24 S 55 W 1 1/4
- 10 " 26 N 55 W 7 2/2
- 11 Original quarries lost
Ely 3 S 47 W 1 1/2
- 12 Buck 4 S 83 E 97
B. Ash 3 S 4 E 2-7
- 13 Mellow 3 N 29 E 8
- 14 Sugar 12 S 47 E E 60 } new Simms creek fault
Buck 17 S 55 W 41 } N. tree (much)
- 15 Elm 7 in S 56 1/4 E 8 1/2
Buck 11 S 60 1/2 E 7 1/8

- | | | | | |
|----|-----------|------|------------|--------|
| 20 | Willow | 1 in | N 32 1/2 W | 72 |
| 21 | elm | 4 " | N 94 W | 143 |
| | Bucke | 4 in | N 70 W | 47 |
| 22 | | | | |
| 23 | B. cherry | 3 in | N 3 1/2 W | 06 chs |
| | B. whiteb | 1 in | S 16 1/4 E | 46 |

INGHAM COUNTY, MICHIGAN.

TOWN Low NORTH, RANGE Five West, MERIDIAN OF MICHIGAN.

Survey of section 31 in Township No. 10 North of Range 5 West
 West. I established the government corners as shown
 made the other corners to correspond. The lines represented in the
 plat are represented with the corners and distances.

The government witnesses to corners represented in section
 were entirely gone so I established them by measurements
 was established from a station just south. All the measured
 lines are written the others were run but no measurements were made.


B. M. S. 10/10/10

Surveyed and recorded by J. H. Rayner Registered 10/10/10 E
 June 10th, 1897

COUNTY SURVEYOR'S RECORD,

TOWN Four NORTH, RANGE One East, MERIDIAN OF MICHIGAN.

SEC. 32



L3, P. 175

TOWN _____ NORTH, RANGE _____, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21

- 24
- 25

DRIVE 9-2-1880

INGHAM COUNTY, MICHIGAN.

194

TOWN *Four* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Survey of the North west-quarter of Section No. Thirty two in Township No. Four North of Range No. One West as shown by the plat with the names of owners, the distances measured and letters of reference to the corners described below.

This quarter was surveyed by T. J. Brewer Mar. 15th 1859 (see Index Page 357) and the distances as then measured do agree with the present survey, probably owing to the distance difference of chainmen or condition of the surface.

Corners Described.


- | | | |
|--|-------------|-----------|
| (3) an arrow fr. S.E. cor. of Sch. House | bears N40 W | 184 links |
| " " " " a fopperage 6 in diam. | " S64 3/4 E | 129 1/2 " |
| (4) " stone and crockery | | |
| (3) " post No trees near | | |
| (23) " stone " a Maple 8 " | " S15 E | 11 " |
| (14) " post " N. Oak 48 " | " S68 E | 19 1/4 " |
| (15) " " trees gone | | |

Run by the County Meridian Vari 10 22' East
Surveyed May 5th 1880

Recorded Sep 2nd 1880 by A. P. Drake,
Co. Surveyor.

COUNTY SURVEYOR'S RECORD,
TOWN *Four* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

SEC. 19



TOWN *Four* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- 1 Iron Stake Birds *pe*
- 2
- 3 Red 4 in square corner with coal tar
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11 *Post & Butternut* 5 774 W 5 1/2 New Grove
Brick Butternut 5 886 E 6 5 1/2 5 1/2 Brick Maple 12' N 50° E 4 5 1/2 lks.
- 12
- 13 *Stakes* Sugar 7 1/2 S 72 W 12 1/2
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21 *Maple 10' S 55 1/2 E 5 1/2 lks.*
Stone & Brick S.E. cor of Brick House 4 5 1/4 W 17 1/2
- 22
- 23 Stone & Brick Sup 6 7 1/2 2 1/4 E 40

INGHAM COUNTY, MICHIGAN.

TOWN ~~Four~~ NORTH, RANGE ~~One~~ West, MERIDIAN OF MICHIGAN.

Survey of the east half of section No Nineteen in Township No Four North of Range No One West, as shown by the plat, in which the names of the owners, the bearings and distances of the lines surveyed the relative position of Rail Roads and Highways and letters of reference to lines and corners described below are respectively given.

The south east corner (24) was lost and re established at the intersection of the right lines joining the quarter posts north and south & East and West of 16.

(See below plat)

Application for this survey was made by S. W. Mack Isaac Parker and S. W. Mack was duly sworn as Chain men.

Run by the County Meridian Variation 10° 20' E.

Surveyed May 3rd and 4th 1882

Recorded May 12th 1882 by A. P. Drake, Co. Surveyor.

Survey on S. E 1/4 of Section 19 T. 4 N. R. 1 W. for Thomas Wood to divide the property owned by S. W. Mack, N 1/2 & N 1/2 of S 1/2 of S E 1/4, into two 440 acres and 880 acres.


Corners 11, 21 and 23 were found as recorded above by A. P. Drake. I found distance 11-21 as 40.00 chains and made 11-28, 10.00 chs; 27-28, 20.00 chs and 21-27, 10.00 chs. Found distance 13-23 as 39.90 2/3 chs and made 23-26 as 9.97 chs; 26-29 as 19.95 chs; 13-29 as 9.97 chs. Bearing of East Section line 70° 30' W.

H. H. Hills } Sworn
Fred J. J. J. } Chainmen.

P. J. Robb
Co. Surveyor.

SOURCE: FOLDER SET #1 p. 46
 TRANSCRIBED from ORIGINAL on file at Remon. Office
DUPLICATE

Town 4 N. Range 2 W. Section No. 32




Section	Timber	Dist	Bearing	Links	Section	Timber	Dist	Bearing	Links
1	Aspen	1.0	8.84° 50' W	39.84	2	Aspen	1.0	8.84° 50' W	39.84
3	Aspen	1.0	8.84° 50' W	39.84	4	Aspen	1.0	8.84° 50' W	39.84
5	Aspen	1.0	8.84° 50' W	39.84	6	Aspen	1.0	8.84° 50' W	39.84
7	Aspen	1.0	8.84° 50' W	39.84	8	Aspen	1.0	8.84° 50' W	39.84
9	Aspen	1.0	8.84° 50' W	39.84	10	Aspen	1.0	8.84° 50' W	39.84
11	Aspen	1.0	8.84° 50' W	39.84	12	Aspen	1.0	8.84° 50' W	39.84
13	Aspen	1.0	8.84° 50' W	39.84	14	Aspen	1.0	8.84° 50' W	39.84
15	Aspen	1.0	8.84° 50' W	39.84	16	Aspen	1.0	8.84° 50' W	39.84
17	Aspen	1.0	8.84° 50' W	39.84	18	Aspen	1.0	8.84° 50' W	39.84
19	Aspen	1.0	8.84° 50' W	39.84	20	Aspen	1.0	8.84° 50' W	39.84
21	Aspen	1.0	8.84° 50' W	39.84	22	Aspen	1.0	8.84° 50' W	39.84
23	Aspen	1.0	8.84° 50' W	39.84	24	Aspen	1.0	8.84° 50' W	39.84
25	Aspen	1.0	8.84° 50' W	39.84	26	Aspen	1.0	8.84° 50' W	39.84
27	Aspen	1.0	8.84° 50' W	39.84	28	Aspen	1.0	8.84° 50' W	39.84
29	Aspen	1.0	8.84° 50' W	39.84	30	Aspen	1.0	8.84° 50' W	39.84
31	Aspen	1.0	8.84° 50' W	39.84	32	Aspen	1.0	8.84° 50' W	39.84

Run by the true meridian. Magnetic variation 2 degrees 15 minutes W.
 Surveyed the 8 day of Sept 1888 by
E. O. Brown
 County Surveyor of Ingham County, Michigan.

Sec. 32

SOURCE: FOLDER #1 PAGE 44

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
DUPLICATE



Section	Timber	Diam	Bearing	Links	Section	Timber	Diam	Bearing	Links
A	2 in. Populus	6	S 64 1/2 E	12 1/2					
	S. 2. in. Oak	10	N 40 1/2 W	18 1/2					
B	stone overhang								
C	Post. no. 11								
D	4 in. 1/2	8	S 15 1/2 E	11					
E	W. Oak	44	S 68 1/2 E	19 1/2					
F	Post. no. 11								

Run by the true meridian. Magnetic variation ... / degrees 2 2 minutes E

Surveyed the 5 day of Nov 1882 by

A. P. Drake
County Surveyor of Ingham County, Michigan.

Sec. 32

44

MERIDIAN
township


T4 N, R 1 W

C-12
corner code attachment no.

p. 1 of 1

SOURCE: FOLDER #1 PAGE 40

TRANSCRIBED from ORIGINAL DUPLICATE on file at REMON. OFFICE



Section	Timber	Diam	Bearing	Links	Section	Timber	Diam	Bearing	Links
1	elm	15	N 77° W	56	17	elm	7	N 56° E	39
2	elm	12	N 42° E	43	18	elm	6	N 60° E	48
3	elm	10	N 36° W	39	19	elm	5	N 55° W	44
4	elm	8	N 31° W	32	20	elm	4	N 50° W	39
5	elm	6	N 26° W	25	21	elm	3	N 45° W	34
6	elm	4	N 21° W	18	22	elm	2	N 40° W	29
7	elm	3	N 16° W	11	23	elm	1	N 35° W	24
8	elm	2	N 11° W	6	24	elm	1	N 30° W	19
9	elm	1	N 6° W	1	25	elm	1	N 25° W	14
10	elm	1	N 1° W	1	26	elm	1	N 20° W	9
11	elm	1	N 0° W	1	27	elm	1	N 15° W	4
12	elm	1	N 0° W	1	28	elm	1	N 10° W	1
13	elm	1	N 0° W	1	29	elm	1	N 5° W	1
14	elm	1	N 0° W	1	30	elm	1	N 0° W	1
15	elm	1	N 0° W	1	31	elm	1	N 0° W	1
16	elm	1	N 0° W	1	32	elm	1	N 0° W	1
17	elm	1	N 0° W	1	33	elm	1	N 0° W	1
18	elm	1	N 0° W	1	34	elm	1	N 0° W	1
19	elm	1	N 0° W	1	35	elm	1	N 0° W	1
20	elm	1	N 0° W	1	36	elm	1	N 0° W	1

Run by the true meridian. Magnetic variation 11 degrees 41 minutes W.

Surveyed the 4 day of June 1887 by


County Surveyor of Ingham County, Michigan.

Sec. 31 40

SOURCE: FOLDER #2 PAGE 28

TRANSCRIBED from ORIGINAL on file at REMON. OFFICE
DUPLICATE

Section 32



2098.00

MERIDIAN
township

T 4 N, R 1 W

C-11
corner code

17
attachment no.

p. 1 of 2

SOURCE: FOLDER #2 PAGE 28

TRANSCRIBED from ~~ORIGINAL~~ on file at REMON. OFFICE
DUPLICATE

Station	Corner	Timber	Bearing	Links	Station	Corner	Timber	Bearing	Links
A	Iron set	44 ft. N.	11°		C-11				
B	Stone and Gravel	56 ft. E.	149°						
C	Post								
D	Stone	48 ft. S. 16° E.	11°						
E	Post	44 ft. S. 16° E.	19°						
F	"								

A. P. Drake.....County Surveyor.

Var. 1 deg. 22 min. C

Liber 3. *Page* 176.

Sept 2nd 1880.


MERIDIAN
township

T 9 N, R 1 W

C-11 17
corner code attachment no.

p. 2 of 2

SOURCE: FOLDER #2 PAGE 32
TRANSCRIBED from ~~SECRET~~ DUPLICATE on file at REMON. OFFICE



TRANSCRIBED from ~~ORIGINAL~~ DUPLICATE on file at REMON. OFFICE

Station	Corner.	Timber.	Bearing.	Links.	Station	Corner.	Timber.	Bearing.	Links.
A		Cherry 10	N. 26. E	21.					
"		W.D. 18	S. 79. W	19.					
B		Town 19	S. 18 1/2 E	35 2/4					
"		" 10	S. 46 1/4 W	24 3/4					
C		Iron 6	N. 45. W	28 1/3					
"		Beech 10	N. 65. E	15.					
D		B.G. 10	N. 60. W	20.					
"		Elm 22	S. 26. E	11.					

T. J. Brown County Surveyor.

Var. $2\frac{3}{4}$ deg. min. East

Libor 2 Page 357

March 5th. 1859.

37

Meridian
township

T ~~4~~ N, R / ~~SW~~

C-11 18
corner code attachment no.

p. 2 of 2