

(21)

Aug 21, 1994 WPC

D-10

Center of Section 29 TAN, END

Found B.C. #18989 at NW corner
 at the anchor post at intersection
 of East, West, & South fence
 lines. No prior to survey notes
 on this corner. Accepted as
 corner with the following
 witness

Set N. 1/4 #18994 West side 42"
 triple N. 1/4 505°E 4.43'
 (Party 505°E 5.55') *M

Set N. 1/4 #18994 SW side triple
 30" N. 1/4 583°E 33.79'
 (Party 585°E 33.90')

Benton 1010 of 2' dia gray stone
 549°W 8.97'
 (Party 545°W 8.7')

Set N. 1/4 #18994 SW side 6' 1" Porlar
 N 13°W 39.60'

Aug 21 1994 WPC

(21)

Center Section 32

D-12 TAN, END

Found 1" Bear in circle of stones
 at location called for by L. Bryan
 in 1908 survey. Excavated area with
 a 5' dia. hole 3' deep. Found pieces
 of an old post and clay brick
 in circle. Also found that 1" Bear
 was set on NW face of triangular
 stone wrapped in bits of old fence
 Accepted 1" Bear as corner with
 the following witnesses in place.

Wood fence post East 8.0' gone, 1'
 Found around in NE corner tower leg N 72°W
 138.21'

Found N. 1/4 #18998 in W side wood fence
 post (leaning north) N 04°E 33.05'
 N. 1/4 North No 149)

Found 3' dia. cap 10500 Lond co, N 02°E
 101.75'

Found N. 1/4 25832 N side 4' Cherry
 N 08°E 17.23'

Corner Falls 2' W West of North fence
 in East-West fence line

NE 1-22 Aug 3, 1994 NW-LL

6-10

EAST 1/4 CORNER SECTION 29

74N, E10

L.C.E.C. CALLS FOR 1/2" PIRE

at intersection of old fences

to South, East and West.

FD witness tags in side 8" oak

West 4.37' and in SW side

20" oak NW 15.46'. Found stump

at location of 22" Walnut East 14.83'

filled witnesses and excavated.

Found circle of stones with 4 small

pointed stone in center. Marks called

to both found witnesses. West corner

with a 3/4" x 22" bar with cap 1/8" 18994.

Corner falls on tree line to South

and extension of fence line to

West.

Found N. 1/4 18998 side 8" oak

N 89° 00' 4.37' Found N. 1/4 18998

SW side 20" oak N 35° 00' 15.46'

Found N. 1/4 25833 side 10" oak

544° 00' 45.29'

Set N. 1/4 18994 SE side 18" walnut

588° E 40.07'

NE 1-22

EH = EDU HENSEL F.L.S.

MP = MARK FENDEL

CE = CHAS KAPR

DH = DAVE HENSEL

23

9-1-94 C-11
SUNNY 55°
MR. CK. RH

LOCATED MOB BOX AT INT OF
BENNET & MAGADOWN RD.
EXC TRAIL BOX & AD 5' OF
1/2" REBAR ABOVE 4" CONC. MON

- 1) 18" MAOLE ^(SET) N 1/4 #18990 S/SIDE
N 58° W 58.72
- 2) UTILITY POLE ^(SET) N 1/4 #18990 NW 1/4 SIDE
S 57° W 49.21

- 3) POWER POLE N 1/4 #18990 S/SIDE 30897
N 142° E 54.13 WITRAC

- 4) NE COR BRICK BLDG (POWER STA)
S 38° W 141.41 WITRAC

- 5) UTILITY POLE PK. E/SIDE
S 24° E 65.73

- 6) E N.B.T MH N 34° W, 67.59'
WITRAC

9-1-94 D-11

MR. 1-23

23

FOUND MOB. BOX IN E
BENNET RD. ALL ORIGINAL
WITNESS ABOVE RD CORNER & FILL
AREA 5' ABOVE ORIGINAL
GRADE RD. TO STEPHENS N 1/4
S/SIDE P.O. 1/2 BELOW RD CORNER
CORNER LOCATED OPPOSITE C. WALK
THAT ENDS TO EAST & BY FENCE
TREE CORN DOETH & SOUTH
EXC. TRAIL BOX N/TO SAND DILL
EXCEPT EXISTING 1/2" REBAR REPLACED
WITH 3/4" x 24" FORM PIN

- 1) UTILITY POLE N/4 #18994 S/SIDE
N 83° E 144.73
- 2) UTILITY POLE ~~SET~~ N 1/4 #18994 S/SIDE
1.0' ABOVE STEPHENS TRAIL
N 68° W 89.39
- 3) UTILITY POLE ~~SET~~ N 1/4 #18994 N/SIDE
S 72° W 90.30
- 4) SET 1/2" BAR & 240 #18994 NW 1/4 COR
OF 6' SIDE WALK
N 02° E 29.26

ME 1 24 E-11 9-1-94

MP-CK-RH

FOUND 1/2" BAE #18998 IN MON. BOX
1.0' NORTH OF E. BARNETT RD
FOUND ONE NORTH & MAPLE SOUTH
AS ONLY REMAINING WITNESS FOR
FERN L.A. PC 1.2 AS 959. EX THEN
MON BOX FOUND 1" X 3/8 FLAT BAE &
STONE UNDER 1/2" BAE. ACCEPTED
POSITION OF 1/2" BAE & REPLACED
WITH 3/4" X 2" FERN PIN WITH CAP
#18994, P.A. 345

- 1) FOUND STEPHENS NAIL & TAG #16053
W/SIDE 36" OAR N 08° E 77.98
- 2) FOUND STEPHENS NAIL & TAG #16053
E/SIDE 18" MAPLE 508° W, 53.90'
- 3) NE COR OF BICK SIGN "SANDWICH EST."
S 63° W, 130.04'
- 4) SET NAIL & TAG #18994 South/SIDE
Power Pole N 72° W, 90.77'

E-13

9-1-94 MP-CK-RH ME 1 24

FOUND MON BOX IN E. JOLLY RD
FOUND STEPHENS TAG P.P. NINE
FOUND SE COR OF NSG DEL ICEC. WITNESS
ELMS GROVE FROM ICEC.
FOUND POOLS SOUTH STEPHENS TAG
FOUND MON BOX E1 (73N E14)
WITH 1" BAE MEAS 144.0' FOUND 1" SQUARE
BAE IN ACCORD WITH WITNESSES
CHISEL TO GRADE WITH 3/4" X 24" FERN
PIN & CAP #18994, P.A. 345

- 1) SET N.E.C. EGT/SIDE Power Pole
N 14° W, 27.90'
- 2) SET N.E.C. #14084 W/SIDE Power Pole
508° W, 35.63'
- 3) SE COR OF BLOCK FOUNDATION
House #2500 N 23° E 71.80'
- 4) NE COR OF CB. GARAGE
N 56° W, 42.20'
- 5) FERN PIN IN MON BOX (NOT G-1 ALLEEN)
N 59° W, 144.00'

ME1 25

D-13

9-1-94

MPCK-EH

FOUND 4" x 36" NOC. MON
PER CEC, LIBEE S AG. 378-379
IN MON BOX 0.5 NOETH E.
OF TOLLY RD FOUND MON BOX
CORNER ~~BOX~~ D-1 TAN. E/W
FOUND PK NAIL W/SIDE POWER POLE
SEE OTHER WITNESSES LOST.
STEEL MON BOX OVER COAL BOX

- 1) OK NAIL W/SIDE POWER POLE
S 01° E, 41.90'
- 2) ~~SET~~ ^{BOUND} NAIL & TAG N/SIDE POWER POLE
S 68° W, 105.64
- 3) & FIRE HYDRANT
N 69 W, 111.90'
- 4) & FIRE HYDRANT
N 77 E, 113.23
- 5) COE ~~BOX~~ TAN. E/W COAL MON
D-1 154.97', WEST

9-1-94

C-13

ME1 25

FOUND CONC MON IN MON BOX
± NO SOUTH & TOLLY RD. 10' E
WEST OF & HAZARDEN IF EXTENDED
FROM NOETH (TYPICAL TWP. JOINT)
FOUND (BEECH) REALLY A MAPLE &
THE 60" WILLOW (POOR SHAPE)
FOUND VARIOUS TAGS BY C. BEYAN
AND COE. C-1 OF AUBELIUS TWP AS
RECORDED BY D. CESTER & J. STERNIS
ACCEPTED POSITION OF MON. AS LATER

- 1) SET NAIL & TAG E/SIDE POWER POLE
S 49° E, 103.18'
- 2) FD BRYAN NIT E/SIDE POWER POLE
S 32° W, 76.35'
- 3) ~~BOUND~~ ^{BOUND} SET NIT TAG #18994 NE/SIDE
32' MAPLE N 37° W, 258.95'
- 4) FD. BRYAN NIT tag W/SIDE UTILITY POLE
N 07° W, 42.59
- 5) WEST, COE C-1 TAN. E/W,
ALAN FIDDO TWP 145.55'
- 6) FOUND 60" + WILLOW TREE N 80° E,
± 203'

MRL 26

E-12

10/5/94 WPC

Found 3" STEEL ANCHOR POST BROKEN
OF 1 1/4" IN DIAMETER AT LOCATION
CALLED FOR IN CEC. LIBER 6, PAGE 282
ELEVATED HERE AND FOUND A 1" X 1/8"
PIPE ON NORTHWEST SIDE OF POST.
FOUND NO OTHER EVIDENCE TO SUPPORT
1" PIPE IN RECORDS OR DURING ERUPTION.
ACCEPTED 3' ANCHOR POST AS CORNER
WITH 3/4" X 24" BAR WITH CAP #18994 IN
CENTER WITH THE FOLLOWING
WITNESSES

FOUND N.I.T #18989 WEST SIDE PILE

N 00°E 160.00'

FOUND N.I.T #16053 EAST SIDE 10' ELM

STAMP 501°W 43.52'

FOUND N.I.T (NO NUMBER) EAST SIDE 18" OAK

513°W 41.65'

SET N.I.T #18992 NORTH SIDE 4" ELM

N 83°W 9.20'

6" DIAMETER 500'W AND 4'W N 10°E ARE

NO LONGER THERE.

WPC 10-7-94

C-12

MRL 26

FOUND CONCRETE RUN WITH CAP #18993
IN HOU BOX 1.5' WEST OF CENTERLINE
HAGADORN ED 45 RECORDED IN CEC
LIBER 4 PAGE 276 AND RECORDED
IN LIBER 7 PAGE 326.
ACCEPTED AS CORNER WITH THE
FOLLOWING WITNESSES.

FOUND N.I.T #18993 WEST SIDE 30' OAK
S 17°E 129.72'

FOUND 4" PIPE WITH CAP 10500 LAND CO.

IN CONCRETE 587°E 33.00 TO BOTTOM

CENTERLINE.

CENTERLINE OF TOP NAT ON SOUTH SIDE

S.W. COR. OF STEEL CONSUMERS TOWER

N 68°E 64.50'

FOUND N.I.T #25832 WEST SIDE TELEPHONE
POLE S 37°E 47.68'

ME1 29

FIELD

PAGE	CORNER	DESC.
21	D-10	WITNESS, ETC.
21	D-12	" "
22	E-10	" "
22	FIELD PERSONNEL	
23	C-11	" "
23	D-11	" "
24	E-11	" "
24	E-13	" "
25	D-13	" "
25	C-13	" "
26	E-12	" "
26	C-12	" "
30-44	D-10	TRAVERSE TO
	C-10	RELATION & RELATIVE
	E-10	POSITION OF
	D-9	VA LINES WITH
	D-11	D-10 (GAS)

ME1 29

CEAD/PERSONNEL	DATE
MP-CK	8/2/94
MP-CK	" "
MP-CK	" "
MP-CK	9/1/94
MP-CK	" "
MP-CK	" "
MP-CK	" "
MP-CK	10/5/94
MP-CK	10/7/94
MP-CK	10/7/94


30

10/7/04

110-44

70° Cloudy

70' 111.30-2		70' 111.30-2	
BS 111.30-1		BS 111.30-1	
FS 111.30-D9-3		FS 111.30-4	
BSD 00-01-40	"	BSD 00-20-10	"
D 288-19-20	"	D 182-56-55	"
BSR 180-01-00	"	BSR 180-19-30	"
E 108-18-40		E 02-56-15	
BSD 90-03-30	"	BSD 90-09-25	"
D 18-21-10		D 272-46-70	
BSR 270-02-50	"	BSR 270-08-50	"
E 198-20-30		E 92-45-35	
288° 17' - 40"		182° 36' - 45"	
71 111.30-2	71 111.30-2	71 111.30-2	
BS 111.30-1	FS 111.30-D9-3	FS 111.30-4	
HD	HD	HD	
2412.545	25.80	2719.060	
2412.540	25.810	2719.060	
LEV	LEV	LEV	
2412.530	25.815	2719.065	
2412.530	25.815	2719.065	



MEI-31

10/7/94

MP-LK

76° Cloudy

TG MEI-30-4

TG MEI-30-4

BS MEI-30-2

BS MEI-30-2

FS MEI-31-C9-5

FS MEI-31-L

BSD 00-13-22

55"

BSD 00-42-10

05"

D 19-27-15

D

86-25-15

BSL 180-12-40

50"

BSL 180-41-30

05"

L 199-24-30

L

244-24-35

BSD 90-12-55

50"

BSD 90-00-10

05"

D 109-24-45

D

175-43-15

BSL 270-12-15

55"

BSL 289-37-40

05"

L 289-24-10

L

355-42-45

19° 13'-53"

85° 43'-05"

T MEI-30-4

T MEI-30-4

FS MEI-31-C9-5

FS MEI-31-L

HD

HD

95.200

2165.030

95.195

2145.030

PEV

PEV

95.200

2145.040

95.190

2145.040

MEI-30-4

MEI-31

A

⊙

MEI-31-C9-5

FD 3/4" in Wood Box

MEI-30-2

⊙

MEI-30-2

MEI-31-L

A

MEI-31-L


⊙

C-10

⊙

C-11

MEI-32	10/7/94	WPC	720 Cloudy
70 MEI-31-L		70 MEI-31-L	
BS MEI-30-4		BS MEI-30-4	
FS MEI-32-10-7		FS MEI-32-8	
BSD 00-11-20 ⁵⁵ "		BSD 00-39-40 ³⁵ "	
D 184-48-15		D 184-04-15	
BSE 180-10-40 ⁵⁵ "		BSE 180-39-05 ³⁰ "	
R 04-47-35		R 04-03-35	
BSD 90-27-50 ⁵⁰ "		BSD 90-01-05 ³⁵ "	
D 275-04-40		D 273-25-40	
BSE 270-27-10 ⁵⁰ "		BSE 270-00-30 ⁴⁰ "	
R 95-04-20		R 93-25-10	
184° 36'-53"		183° 24'-35"	
7 MEI-31-L		7 MEI-31-L	
FS MEI-32-40-7		FS MEI-32-8	
HD		HD	
512.725		3109.725	
512.725		3109.725	
REV		REV	
512.720		3109.720	
512.720		3109.720	



MEI-33


10/7/94

110-42


78° Cloudy

T@ MEI-32-8	T@ MEI-32-8
Bs MEI-31-6	Bs MEI-31-6
FS MEI-23-11-9	FS MEI-33-10
BSD 00-08-15 ⁵⁵	BSD 00-14-40 ⁵⁵
D 156-02-50	D 91-40-35
BSE 180-07-30 ³⁵	BSE 180-1405 ⁵⁵
E 334-02-05	E 271-40-00
155°-54-35"	
BSD 90-36-30 ⁵⁰	BSD 90-09-00 ⁵⁵
D 246-31-00	D 181-34-55
BSE 270-35-55 ⁵⁵	BSE 270-08-20 ⁶⁵
E 66-30-30	E 01-34-15
	91°-25'-55"
T MEI-32-8	T MEI-32-8
FS MEI-23-11-9	FS MEI-33-10
HD	HD
47.705	1979.740
47.705	1979.740
BEI	BEI
47.700	1979.740
47.700	1979.740

MEI-33



MEI-34	10/7/94	MM-LK	730 Cloudy
70 MEI-33-10		70 MEI-33-10	
BS MEI-32-8		BS MEI-32-8	
FS MEI-34-11		FS MEI-23-D11-12	
BSD 20-12-20"		BSD 20-42-35 ²⁶ "	
D 172-48-30 ¹⁰ "		D 174-55-00	
BSE 180-11-40 ¹⁰ "		BSE 180-42-00 ³⁰ "	
L 352-47-50		L 354-54-30	
BSD 90-07-05 ¹⁰ "		BSD 90-23-15 ²⁶ "	
D 442-43-45		D 444-35-35	
BSE 270-06-30 ¹⁰ "		BSE 270-22-35 ³⁵ "	
L 82-42-45		L 84-35-00	
172°-36'-10"		176°-12'-28"	
70 MEI-33-10		70 MEI-33-10	
FS MEI-34-11		FS MEI-23-D11-12	
HD		HD	
507.065		487.200	
507.065		487.200	
REV		REV	
507.075		487.200	
507.075		487.200	




MEI-34

75°C cloudy

URI-36	10/7/94	UA-CK	
TS URI-35-13		TS URI-36-15	
BS URI-33-10		BS URI-35-13	
FS URI-36-15		FS URI-36-16	
BSD 00-02-15"		BSD 00-11-50 45"	
D 122-39-20		D 172-28-35	
BSR 180-01-35"		BSR 180-11-10 45"	
R 302-38 40		R 352-27-55	
BSD 90-06-25"		BSD 90-12-05 40"	
D 212-43-25		D 242-20 45	
BSR 20-05 45"		BSR 272-11-30 40"	
R 392-42-45		R 82-28-10	
122° 37' 03"		172° 16' 43"	
TS URI-35-13		TS URI-36-15	
FS URI-36-15		FS URI-36-16	
HD		HD	
2749.410		213.510	
2749.410		213.510	
LEV		LEV	
2749.420		213.515	
2749.420		213.515	

URI-36



75° Cloudy

MEI-37

10/17/04 WALK

70 MEI-36-15

BS MEI-35-13

FS MEI-37-17

70 MEI-36-15

BS MEI-35-13

FS MEI-37-18

BSD 00-10-40³⁰

D 178-29-10

BSE 180-10-00³⁰

R 358-28-30

BSD 00-03-30¹⁵

D 175-51-45

BSE 180-02-50¹⁵

R 355-51-05

BSD 90-15-50³⁰

D 268-34-20

BSE 270-15-10³⁰

R 88-33-40

178°-18'-30"

BSD 90-06-05¹⁰

D 265-54-15

BSE 270-05-25¹⁵

R 85-53-40

175°-48'-15"

70 MEI-36-15

FS MEI-37-17

70 MEI-36-15

FS MEI-37-18

HD

HD

1806.995

1806.995

LEV

LEV

1806.995

1806.995

743.295

743.295

MEI-37-17

A

MEI-37

MEI-36-15

MEI-37-18

MEI-36-16

MEI-36-15

A

MEI-36-15

MEI-36-15

MEI-36-15

BENNETT

A

MEI-35-13

MEI-24-E11-14

MEI-38

10/7/94

ME-24

75° Cloudy

NO MEI-36-14

BS MEI-36-15

FS MEI-22-E10-19

NO MEI-37-17

BS MEI-36-15

FS MEI-38-20

BSD 20-17-10 " 40

D 83-52-50

BSL 180-14-35 " 35

R 263-52-10

BSD 20-19-35 " 40

D 241-27-15

BSL 180-18-55 " 35

R 61-24-30

BSD 90-13-25 " 40

D 173-49-05

BSL 270-12-40 " 35

R 353-48-15

B 3° 35' 38"

NO MEI-36-16

FS MEI-22-E10-19

BSD 90-19-50 " 40

D 331-27-30

BSL 270-19-10 " 35

R 151-26-45

241° 07' 38"

NO MEI-37-17

FS MEI-38-20

HD

208.585

208.585

208.590

208.590

HD

1424.920

1424.920

1424.920

1424.920

1424.920

E-9

MEI-37-17

MEI-38-20

MEI-37-18

MEI-22-E10-19

MEI-36-16

MEI-36-15

MEI-36-14

MEI-36-14


MEI-38

10/1/94


10/1/94

75° Cloudy

101-39			
101-38-20		101-39-21	
BS 101-37-17		BS 101-38-20	
FS 101-39-21		FS 101-30-1	
BSD 00-05-20	"	BSD 00-22-15	"
D 99-38-10	"	D 81-12-05	"
BSL 180-04-40	"	BSL 180-21-35	"
E 279-37-25	"	E 261-11-25	"
BSD 90-02-10	"	BSD 90-00-55	"
D 189-34-55	"	D 170-50-45	"
BSL 270-01-30	"	BSL 270-00-15	"
E 09-34-20	"	E 350-50-05	"
99° 32'-48"		80° 49'-50"	
101-38-20		101-39-21	
FS 101-39-21		FS 101-30-1	
HD		HD	
1334.345		3121.140	
1334.345		3121.140	
REV		REV	
1334.345		3121.140	
1334.345		3121.140	



UEL-40	10/7/94	MR-CL	76° Cloudy
TG UEL-30-1		TG UEL-30-1	
BS UEL-39-21		BS UEL-39-21	
FS UEL-40-E9-22		FS UEL-30-2	
BSD 00-16-30		BSD 00-2840	
D 04-54-55		D 178-14-40	
BSE 180-15-40		BSE 180-28-00	
E 184-54-00		E 358-14-00	
BSD 90-09-00		BSD 90-04-20	
D 94-47-25		D 267-50-20	
BSE 220-08-20		BSE 270-03-40	
E 274-44-40		E 87-49-40	
04° 38' 23"		177° 46' 00"	
X UEL-30-1		X UEL-30-1	
FS UEL-40-E9-22		FS UEL-30-2	
HD		HD	
249.850		2412.535	
249.850		2412.535	
EBV		EBV	
249.840		2412.540	
249.840		2412.540	




MEI-41 10/7/94

ME-CK

76° ME4 Sunny

76 ME1-34-11		76 ME1-41-23	
85 ME1-33-10		85 ME1-34-11	
15 ME1-41-23		15 ME1-41-24	
BSD 00-12-10	"	BSD 00-27-40	35"
D 65-11-20	"	D 212-20-15	
BSE 180-11-30	"	BSE 180-27-10	30"
E 245-10-40		E 32-19-40	
BSD 90-11-10	"	BSD 90-21-50	35"
D 155-10-20	"	D 302-14-25	
BSE 270-10-30	"	BSE 270-21-10	40"
E 335-09-40		E 122-13-50	
64° 59'-10"		21° 52'-35"	
76 ME1-34-11		76 ME1-41-23	
15 ME1-41-23		15 ME1-41-24	
HD		HD	
520.855		1152.590	
520.855		1152.590	
661		661	
520.860		1152.580	
520.860		1152.580	

Hagadorn




ME1-42 10/7/54

W.C.K.

77° ME1
Sunday

ME1-42	10/7/54	W.C.K.	77° ME1 Sunday
76 ME1-41-24		76 ME1-42-25	
BS ME1-41-23		BS ME1-41-24	
FS ME1-42-25		FS ME1-42-24	
BSD 00-32-30 ⁰⁵ '		BSD 00-08-20 ³⁵ '	
D 214-19-35		D 142-24-55	
BSE 180-31-50 ⁰⁵ '		BSE 180-07-40 ³⁵ '	
R 34-18-55		R 342-24-15	
BSD 90-07-15 ⁰⁵ '		BSD 90-15-10 ⁵⁵ '	
D 303-54-20		D 252-31-45	
BSE 270-06-35 ⁰⁵ '		BSE 270-14-30 ³⁵ '	
R 123-53-40 ⁰⁵ '		R 72-31-05	
213°-47'-05'		142° 16'-35'	
76 ME1-41-24		76 ME1-42-25	
FS ME1-42-25		FS ME1-42-24	
HD		HD	
413.120		269.245	
413.120		269.245	
PEV.		PEV.	
413.120		269.245	
413.120		269.245	

ME1-42



MEI-43

10/7/94

11.0.ck

72° Sunny

NG MEI-42-26

NG MEI-43-27

BS MEI-42-25

BS MEI-42-26

FS MEI-43-27

FS MEI-43-28

BSD 00-15-50⁵⁵

BSD 00-24-25³⁰

D 153-39-45

D 219-41-55

BSL 180-15-10⁵⁵

BSL 180-23-45⁵⁵

R 333-39-05

R 39-41-10

BSD 90-02-15⁵⁵

BSD 90-02-00³⁰

D 243-26-10

D 309-19-30

BSL 270-01-35⁵⁵

BSL 270-01-20²⁵

R 63-25-30

R 129-18-45

153° 23'-55"

219° 17'-28"

NG MEI-42-26

NG MEI-43-27

FS MEI-43-27

FS MEI-43-28

HD

HD

272.055

252.055

272.055

252.055

PEL

PEL

272.055

252.060

272.055

252.060

MEI-43-28

MEI-21-010

MEI-43-27

MEI-42-26

MEI-42-25

MEI-41-24

MEI-41-23

MEI-23-D11-12

MEI-43

APL-44

10/17/64

AP-26

78° Sunny

76 NE1-43-28

65 NE1-43-27

FS NE1-21-D10-29

BSD 00-01-10 45"

D 326-23-55

BSE 180-00-30 45"

E 146-23-75

BSD 90-01-50 45"

D 56-24-35

BSE 270-01-10 45"

E 236-23-55

326-22-45"

76 NE1-43-28

FS NE1-21-D10-29

AD

69.065

69.065

NE1

69.065

69.065

Δ NE1-43-28

⊙ NE1-21-D10-29

NE1-44

NE1-43-27 Δ

NE1-42-26 Δ

⊙ NE1-23-D11-12