


COUNTY SURVEYOR'S RECORD,

TOWN Four NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

SEC. 33



TOWN NORTH, RANGE, MERIDIAN OF MICHIGAN.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

- 24
- 25

INGHAM COUNTY, MICHIGAN.

TOWN Four NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Survey of the south west quarter of section Thirty Three in Township No Four North of Range No One West as represented in the accompanying plat (the scale of which is 13 chains to one inch); in which plat the names of owners, amount of land owned by each, bearing and distances of lines, letters of reference to lines and corners, the position of roads &c are respectively given.

The corners are described as follows.

- (13) Point or post in center of highway. No witness trees Old Trusque
 (12) a post from which a Buck 8 inches diam. bears N 28° 4' E 37 3/4"
 " " " " " " " " S 8° E 49 1/4"
 (26) " " " " " " " " S 1 1/2° E 38 1/2"
 " " " " " " " " S 56 1/2° W 32 "
 (27) " " " " " " " " S 87 1/2° W 18 1/2"
 " " " " " " " " S 18° E 33 1/2"
 (11) " " " " " " " " S 79° W 10 1/2"
 " " " " " " " " N 44 1/4° E 32 "
 (21) " " " " " " " " N 5° E 42 1/4"
 (28) " " " " " " " " S 34° W 65 1/2"
 29 " " " " " " " " N 64 3/4° W 52.2 "
 (23) " " " " " " " " N 55 1/2° W 18 1/2"
 " " " " " " " " N 48° E 67 1/4"
 (18) " " " " " " " " East 54 1/2 "
 (19) " " " " " " " " N 20 50° W 25 "
 " " " " " " " " N 83 1/2° W 22 1/2 "

Run by the true Meridian Magnetic Var 1° 55' East
 Surveyed Jan 3rd 1875 by T. J. Brown, Co. Surveyor for Ing. Co., Mich.

[illegible]

Pg 2 of 2

TOWN Two NORTH, RANGE One West, MERIDIAN OF MICHIGAN.

Bush 10 N 4 E 31
 K 24 D 0 12 N 36 W 40 34
 Bush 22 N 67 14 W 32
 D 28 D 0 9 N 9 E 35
 Bush 16 S 28 34 E 6
 F 26 D 0 10 N 38 1/2 E 9
 Jan 12 S 65 34 W 34
 F 27 D 0 12 N 36 1/2 W 42 14

12 Buck 12 S 54 1/2 16 1/2
B 13 Doe 14 S 67 1/2 W 35-
W Oak 56 S 50 1/2 W 29
A 14 Buck 10 S 32 1/2 37 3/4
green 6 S 41 W 22
a 15 B Ant 18 S 76 1/2 38

22 Bash 6 N 13 W 30
C 22 D 0 15 N 48 E 14

INGHAM COUNTY, MICHIGAN.


228

TOWN *Four* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

BK 4

Run by the true Meridian Var 3° E
Surveyed by J. W. Brown Dep. Co. Surveyor Feb 23. 1847
Recorded by A. Jackson Co. Surveyor May 16. 1848

COUNTY SURVEYOR'S RECORD,

TOWN *Iron* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.SEC. *Thirty Three*

Page 82, Vol 1

TOWN *Iron* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

- | | |
|----|----|
| 1 | 24 |
| 2 | 25 |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
- 12 Bush 10 m N 70 W 35
 13 Do 14 N 27 W 78
 14 Do 6 m S 38 W 23 1/2
 15 Do 10 S 71 E 17
 16
 17 In Marsh
 18 Hickory 16 N 28 1/2 W 66 1/2
 19 Bush 8 m East 54
 20

INGHAM COUNTY, MICHIGAN.

BK 4 - 82

TOWN *Four* NORTH, RANGE *One West*, MERIDIAN OF MICHIGAN.

Run by the true Meridian Var 3 1/2 E

Surveyed and recorded by A Jackson County Surveyor June 12th 1845

Misc. Field Note Book. Co. Surveyor.

Magnetic variation 0°
Surveyed Apr 26: 17 1897

I hereby certify that on the 26th & 27th days of April 1887, I examined the records, satisfied the correctness of the facts recorded the million as there is given in the foregoing survey
A. C. C.

~~N.E. corner Sec 20~~

Quenda

~~Set - Apr 28 1887 by line-
ing and measured - from
Kuparuk foot to East
Post - set 7, placed 30 rods
down with surface shown,
low. 24 clouds - 14 in N. 80 3/4 W. 238
+ Rutherford 12 in N. 81 E. 245 3/4 E,~~

Set in showing the E. 25
a of 8 1/2 S 1/4 sec 19 pr
E. C. Patrick. Posts set at
all the corners of said
land but no witnesses
made.

McCormack & Co. Surveyor

W $\frac{1}{2}$, A. 20 $\frac{1}{4}$ Sec 33

Meridian 74.14.1.23.

Swamped Aug. 2^d 1897 for C.M.
Hemilton, 3.1 moose & -
Baptism the land - N
Baptism the land - N

[illegible]

N¹/₂ cor. Back on line 13.94 ch. def. 2. How
permits you corner you thick 12 8.4 1/2 = E.
84 1/2 E.

Glucose D. 0.3 corner of $2\frac{1}{2}$ of
 A. 20 $\frac{1}{4}$ sec. 38. O.P.F. 1st. 1st of 9 above
 1st. B. 2nd. 8. 8 20 = W 2nd. 3 above B.
 1st. A. 8 4 = 20 32.1. Glucose 8 4 $\frac{1}{2}$ 1st.
 along 3 20 $\frac{1}{4}$ 1st. 20.02 $\frac{1}{2}$ 1st. 8 20 $\frac{1}{4}$
 1st. 8 20 38 O.P.F. 2 above 8 20.

back on 14 June 6:55 at 201-
 foot-pan from corner. A nest of
 mud on back of nest of 20 June.
 20 June 20 8 45 = 20 19 18 20 June 10 19 10 = 3
 6.8.

East on 1/4 line 6.25 - further
red-hot - for from corner and
within 100 yds

Then commencing at N.E. corner of Sec. 33. End in sec. line E. 28 - ch. at - geo. hpts. $2\frac{1}{2}$ ft. from corner. Hence east - E. 28 - ch. further also at - geo. hpts. from further corner. The object of this survey was

2 out of 3 the forest-2.5 acres of
2.5 acres just east from the
west-2.5 acres of the NW 1/2 of the

78

See 33 Revision

Ar. 20th 14 of Dec 33. Peruichia

Dr. A. H. Thompson
A. H. Thompson
W. B. Moore

9 hereby certify that on the 24
day of August 1881 1882 I made
the foregoing survey and so-
lemnized the corners and lines
as therein given
Wm. R. Brown. Sec. County sur-
veyor of Anguilla County.

Survey of Pe on the S.W. 1/4 of the S.W. 1/4 Sec 14 T22N. R22E. N40E. Aug. 17. 1899 per Wm. Rogers.

H. Bond and Wm Douglass, Surrey
Chommer.

The object of this survey was to set off a lot by land commencing at the intersection of the E. line of the W¹/₂ of the S. 20. 1⁴ Sec. 14 and the W. line of the State Road. To do this we began at the S¹/₄ post of Sec. 14 O.P.S. station S. 20. 1⁴ and S. 33¹/₃ of S. post at the intersection of Sec. line and State Road. O.P.S. on iron pin. Thence on sec. line N. 24. 5-ct. W. line. Thence on S. post - pin. S. 20. 1⁴ Sec. 10 E. Thence S. 58³/₄ W. 20. 1⁴ Sec. 14 line for sec. 14. Also old markers for sec. 14.

then commenced at 10th -
 10th - and says 1 1/2 = 21 1/2, 22nd
 D.P.A. has. can Church work in

[Handwritten signature]

866.2

These
instances
A. line

N. 84-22

determining
ground

1.20. 2000

with a new
kind of...

✓ 89-4

1875

David Lane

1001-6
56 1/3 x 1 1/2

Shirts

17th day
over my
table.

2000

7