

Survey of the South half of section No. thirty six in Township No. Four North of Range No. One West divided as shown by the plat, with letters of reference to the corners, described below, as follows:

Corner.	Timber.	No.	Bearing.	Links.	Corner.	Timber.	No.	Bearing.	Links.
A = Post	Beech	8	S. 26° W.	18	G = Stone	B. Walnut	1	S. 19 1/4° W.	49
B = Iron	Elm	9	N. 46° E.	22	H = Iron	Stone	4	N. 55 1/2° E.	58
C = Iron shaft 4 ft long	"	15	S. 44° W.	54 1/2	I = Stone	Elm	10	N. 79° E.	153 1/2
D = Piece of R. R.	"	4	N. 84° W.	38	L = Iron	B. Walnut	3	N. 66° E.	107
E = Stone	B. Walnut	3	N. 63° E.	119 1/2	M = Post	"	2	N. 50° E.	68
F = Post	Sugar	4	S. 20° E.	117 1/2	N. S. & C. are corners not witnessed.	Elm	10	S. 6° E.	410
	Beech	24	S. 35° E.	65 1/2		"	8	S. 17 1/2° E.	197

The N. E. 1/4 of this section was divided and stakes driven but no witness taken, consequently it is not laid out on the plat.

Run by the true meridian line 1° 50' E.

Surveyed for those named in the plat

June 5th & 6th 1879


By A. R. Drake

Co. Surveyor

150

T. 4 N. - R. 1 W.

Section 36




T. 4 N. R. 1 W.

Section 35

(5)

No 1497



Survey on the South half of Section No Thirty-five in Township No Four North of Range No One West as represented by the accompanying Plat (the scale of which is 12 chains to One inch) in which the names of the Owners, the No of acres owned by each, the bearings and distances of the lines, corners of reference to lines and corners, and the relative position of the Land surveyed are respectively given.

The corners are described as follows.

A = a Post from which a Beech 16 inches diameter bears N. $64\frac{3}{4}^{\circ}$ E. 18 1/2 chs. dist.
 " = " " " a Lynn 24 " " " N. $30\frac{1}{2}^{\circ}$ W. 35 " "
 B = " " No Trees
 C Not set
 D = a Stone No Trees
 E = Post No Trees
 F = Stone " " a W. Oak 40 " " " S. $63\frac{1}{2}^{\circ}$ W. 68 1/2 " "
 " " " " a Whitewood 3 " " " S. $3\frac{1}{2}^{\circ}$ E. 60 1/2 " "
 G = a Post No Trees
 H " " " " a W. Ash 18 " " " N. $41\frac{1}{2}^{\circ}$ E. 25 1/4 " "
 " " " " a Beech 12 " " " S. 64° E. 46 " "
 I " " " " a W. Ash 10 " " " S. $17\frac{3}{4}^{\circ}$ E. 54 1/4 " "
 L " " " " on Elm 6 " " " N. 81° E. 10 1/2 " "
 " " " " a Beech 10 " " " S. $32\frac{1}{4}^{\circ}$ W. 23 3/4 " "
 M = Post no Trees


Run by the true Meridian Magnetic Variation $1^{\circ}55'$ E.

Surveyed and recorded June 28th 1876 by

J. J. Brown Dep. County Surveyor - Ing. Co. Mich.


T. 4 N. R. 1 W.

Section 35.



T. 2 N. R. 1 W.

Section 18



Survey of the southwest Quarter of Section 35 T. 4 N. of R. 1 W. Beginning at the quarter Post in the South line of said section. represented in the accompanying Plat by D. from which a white Oak stump 40 inches diameter bears S. $63\frac{1}{2}^{\circ}$ W. $68\frac{1}{4}$ links; (new witness the old ones nearly gone) running thence N. $0^{\circ} 23'$ E. on the North & South Quarter Post line 40.23 chains to the intersection of the East & West Quarter Post line at C. from which a Beech 16 inches diameter bears N. $64\frac{3}{4}^{\circ}$ E. $18\frac{1}{4}$ links & a Lyrn 2 inches diam. bears N. $30\frac{1}{2}^{\circ}$ W. 35 links; thence S. $89^{\circ} 53'$ W. 40.02 chains on said East & West Quarter Post line, to the quarter Post in the West line of said Section (35) at A. from which Lyrn 26 inches diameter bears N. 68° W. 21 links & a Beech 12 inches diam. bears S. $72^{\circ} 6'$ 43 links thence by calculation S. $0^{\circ} 29'$ W. 39.79 chains on the West line of said Section (35) to the south west corner of the same at F. being in the center of the Highway, no bearing trees; thence on the South line of said Section (35) S. $89\frac{1}{2}^{\circ}$ E. 40.08 chains to the place of beginning; containing 160.24 Acres.

Also from the Post B, which is equidistant between A & C, a Buck 9 inches diameter bears N. 33° W. 9 links & Buck 18 inches diameter bears S. 81° E. $31\frac{1}{2}$ links; these are on the line of Lot S. $0^{\circ} 26' W.$ 40.01 chains to the Post E, in the south line of the Section, equidistant between D & E, from which Post (E) a White Ash 4 inches diameter bears S. $17\frac{3}{4}^{\circ}$ E. $54\frac{1}{4}$ links. Run by the true Meridian Magnetic Variation $2\frac{1}{4}^{\circ}$ E.

Surveyed Feb. 22^d AD. 1865 for Lewis H. Stanton & Norman Cook by
J. J. Brown Dep. Co. Surveyor for Ing. Co. Mich.


Survey of the South half of Section No three T. 2 N. R. 1 W. N. 3 W.

Commencing at the South east corner of said section represented by **F** in the Plat from which a Sugar 62
 bears N 34° W 62 to 50 S 25° W 49 ft. thence N 89 1/2° W 81 ft. set post **G** from a Beech 20 in N 3° W 87 ft. l.
 thence N 89 1/2° W 41 ft. to 1/4 post **H** Sugar 20 in S 15° W 132 ft. l. & 5° N 7° W 73 ft. l. thence N 89 1/2° W 80 ft. 17 l.
 set a post **I** Elm 4 N 4° E 84 ft. l. thence N 89 1/2° W 80 ft. 17 to South west corner of Section 8 represented
 by **K** Elm 33 in South 82 ft. l. thence from **I** W 1/2° W 160 ft. 14 l. to **B** Sugar 3 S 30° E 14 ft. 5 S 44° W 16 ft. l. thence
A White oak 5 in N 10° W 45 ft. l. **A** W Oak 16 in N 27° E 150 ft. S 89 1/2° E 80 ft. 17 l. **B** & 4 80 ft. 17 l. **C** Black cherry 12 in N 88° E 16 ft. l. bears South heavy. thence
 S 89 1/2° E 41 ft. set post in drop **D** Sassafras 14 S 10° E 115 ft. l. **D** sup. Oak 16 N 45° W 66 ft. l. thence S 89 1/2° E (Can not chain this) to 1/4 post **E**
 This is calculated. thence **D** G. S. 1/2° E. Not chained. **C** H N 1/2° W not chained. **L** sup. 1/2° S 10° W 23 ft. 11 N 30° W 30 ft.

John Bugel & Mr. Greider over Chaimmen. Run by the true Meridian Vari. $2^{\circ} 14' 8''$ by
N. H. Bannister Co. Surveyor December 15th 1864 & Recorded April 2th 1865 by order of the Parties interested.

Additional Commenced at the N. E. corner of section 3 & 2 N. R. 1 W. Represented by
 M from which a line 10 bears N 24 W 12 1/2 l. Run South between sections 2 & 3 80 W to N. ^{at 10. at 52. at 23}
 thence West to O. S. W. Oak 36° N 58° W 99 + 2. Ash 3 on line but 41 W 20 l. W ^{at 4. at 51. at 18}
 P. Beach 5 in S 50° W 31 3/4 lbs. Ensign E. Edwards & James H. Shuber Chaimen Surveyed
 Beach 5 in South 64 W. -- by the Line Meridian 2 3/4 E. January 2nd 1866 by W. H. Wagner Co. Surveyors Vol.

84 5,4 N. (H. 1 W. Sec. 26
north




- A Original Quarter Post gone
- while Cont. 15 S. 29 W. 39 L
- 160 Cont. 16. N 22 W 66.
- B. Chain 16 inches W 15 L
- C Original corner
- D. Original 1/4 Post
- E. Maple 14 S. 11 L
- F. 160 Cont. 15 S 41 W 119 L

Run by the true meridian
Variation 3. 30 East
Surveyed and Reconciled April 15th 1859
By David D. Preston County Surveyor

6


T. 4 N. R. 1 W.

Section 36



T. 2 N. R. 2 W.

Section 16



Run & Recorded February 25th 1863

Survey of South half of section Thirty six Town 4 N of Range 1 W Commencing at the South East corner of said section (on the Meridian) represented by K in the Plat running thence South $89^{\circ}50'$ West 19,89 chs to I from which a *Lynm* 20 inches diameter bears $N 10\frac{1}{4}^{\circ} W$ 44 lbs & *Lynm* 5 in. $N 51\frac{1}{2}^{\circ} E$ 70 lbs Thence 19,89 chs to H quarter post No witnesses Thence to G 19,89 chs No witnesses a big stone planted in center of the road each way. Thence North 40 chs to A from which a *Sugar* 4 inches diameter bears $S 61^{\circ} E$ 74 lbs & *Beech* 20 in. $S 57^{\circ} W$ 51 lbs. Thence $N 89^{\circ}50' E$ 19,89 chs to B from which a *Beech* 16 in bears $S 63\frac{1}{2}^{\circ} W$ 17 lbs & *Sugar* 24 in $N 31^{\circ} E$ 15 lbs. Thence still 9,78 chs to C No witnesses except the old stump (a stake drove down) Thence South on the Meridian line 20 chs to D from which a *Bash* stump 20 in bears $S 55\frac{1}{2}^{\circ} W$ 8 lbs Thence South $89^{\circ}50' W$ 19,89 chs to E from which *Beech* 6 in bears $S 10^{\circ} E$ 37 lbs & *Beech* 8 in $S 66\frac{1}{2}^{\circ} W$ 41 lbs Thence still 19,89 chs to F from which a *Beech* 20 in bears $N 27^{\circ} W$ 10 lbs & *Beech* 6 in $S 53\frac{1}{2}^{\circ} E$ 3 lbs Thence South 20 chs to H. Then run the line I to E & D to K. Chain bearers ^{Sum} Ems Woodworth & C. Johnson Run by the true Meridian $2\frac{1}{4}^{\circ} E$ By W. H. Wagner Co Surveyors

P.S. The corners A & B may not be on a line with C & west quarter post when it is established so they are subject to being rectified. Parties do not want to be to the expense. We come out on North side of Pond. Can not make a point safely. This is subject to being rectified.

W. H. Wagner Co. S.

Survey of the North West quarter of Section Sixteen Town 2 of Range 2 West Commencing at the North West corner of said section ^{represented by A in the Plat} from which a maple 8 inches in diameter bears $S 58\frac{1}{2}^{\circ} W$ 69 lbs & *Maple* 8 in $N 28^{\circ} E$ 42 lbs. Run ^{thence} East 40 chs to B the North quarter post of said section from which a *Thorn* 2 in bears $N 15^{\circ} W$ 38 lbs & *W. wood* ^{32 in} stump bears $S 68\frac{1}{2}^{\circ} W$ 119 lbs & *Beech* ^{28 in} stump $S 53^{\circ} E$ 63 lbs Thence South $90^{\circ} E$ 19,875 chs to C from which a *Beech* 16 in bears $N 40^{\circ} W$ 13 lbs & *Sugar* 24 in $S 23^{\circ} E$ 68 lbs Thence parallel 19,875 chs further to E from which an *elm* 8 in bears $S 73\frac{1}{2}^{\circ} W$ 4 lbs & *elm* 5 in $N 46^{\circ} E$ 16 lbs Thence $S 89^{\circ}55' W$ 4010 chs to west quarter post represented by F from which a *W. ash* 18 in bears $N 48\frac{1}{2}^{\circ} W$ 53 lbs. Thence North 19,805 chs to D from which a *Petunia*

