

CERTIFICATE OF SURVEY

LIBER

2185

RECORDED


for William W. :agerman
4777 Cornell Road
Okemos, Michigan 48864

Nov 22 10 27 AM '74

REGISTER OF DEEDS

Paul M. Lewis
INGHAM COUNTY, MICH.

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, commencing at the West 1/4 corner of said Section 36, thence along the East-West 1/4 line N89°29'44"E 1314.93 feet to the Southeast corner of the Southwest 1/4 of the Northwest 1/4, thence along the centerline of Van Atta Road the following two courses; N0°02'02"E 1912.0 feet, thence N9°25'W 101.37 feet to the point of beginning, thence WEST 183.65 feet, thence NORTH 250.0 feet, thence EAST 142.19 feet to the centerline of Van Atta Road, thence S9°25'E 253.41 feet to the point of beginning, subject to the right of way of Van Atta Road and an easement for ingress and egress over the South 20 feet of the above described parcel, and any other rights of way or easements of record, containing 0.935 acres of land, more or less.



This survey complies with the requirements of Section 3, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1:5000



K-13
W/4 CORNER SECTION 36, T4N, R1W,
3" IRON PEGS AND WIRELESS WIRE
Survey Tag Nailed To E. End Of Parcel
S 89°25'W 101.37' N. End Of Parcel
S 89°25'E 253.41' S. End Of Parcel
N 0°02'02"E 1912.0'

SE COR. OF SW 1/4 OF
NW 1/4 SECTION 36,
T4N, R1W, 12" IRON PEG
NAILED TO UTILITY POLE
S 89°25'E 253.41' 16"
W/4 CORNER TAG
S 89°25'W 101.37' 26"
NAILED TAG S 89°25'E
77.08'

SCALE: 1"=40'
THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY LINED ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

- LEGEND
- IRON STAKE
 - EASEMENT
 - E FENCE LINE
 - CENTER LINE
 - RECORDED DIMENSION
 - RECORDED DIMENSION
 - MEASURED DIMENSION

STEPHENS ENGINEERING, INC.
318 Marshall St.
East Lansing, MI 48823

STEPHENS ENGINEERING, INC.
CIVIL ENGINEERING LAND PLANNING SURVEYORS
BIRMINGHAM, ALABAMA 35203-0001 PH. 351-4430

BY *James E. Stephens*
REGISTRATION NO. 16053
DATE OCT 11, 1974 SURVEY NO. 6-14600

RECORDED

CERTIFICATE OF SURVEY

For: Cole S. Brembeck
360 Winterberry Lane
Okemos, Michigan

JAN 15 11 28 AM '76
REGISTER OF DEEDS
Ingham County, Mich.


Legal Description:

LEGAL DESCRIPTION OF LOT 28 - PROPOSED PLAT OF WIND-N-WOOD NO. 3

That part of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Commencing at the center of said Section 36; thence N00°25'01"W, 73.40 feet; thence S84°28'55"E, 1443.13 feet; thence S01°00'26"W, 50.17 feet; thence N84°28'55"W, 200.58 feet to the point of beginning; thence S01°10'26"W, 264.21 feet; thence N88°49'34"W, 145.63 feet; thence 290.00 feet along a curve to the left, said curve having a radius of 458.00 feet, a central angle of 36°16'45" and a chord of 285.18 feet bearing S73°02'04"W; thence N01°10'26"E, 384.65 feet; thence S84°28'55"E, 417.83 feet to the point of beginning. Containing 3.130 acres more or less, also known as Lot 28 of the proposed plat of Wind-N-Wood No. 3.

LEGAL DESCRIPTION OF LOT 29 - PROPOSED PLAT OF WIND-N-WOOD NO. 3.

That part of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Commencing at the center of said Section 36; thence N00°25'01"W, 73.40 feet; thence S84°28'55"E, 1443.13 feet; thence S01°10'26"W, 50.17 feet to the point of beginning; thence S01°10'26"W, 249.02 feet; thence N88°49'34"W, 200.00 feet; thence N01°10'26"E, 264.21 feet; thence S84°28'55"E, 200.58 feet to the point of beginning. Containing 1.178 acres more or less, also known as Lot 29 of the proposed plat of Wind-N-Wood No. 3.




Center of Section 36, T4N, R1W
Set Monument Box

Witness: N & T in 12" Ash, N30°W, 5.50 ft.
N & T in Twin 12" Maple, N80°E, 34.28 ft.
N & T in 42" Ash, South 64.08 ft.

- Found Property Corner
- Set Property Corner

We hereby certify that we have surveyed the property herein described.

FRED WHITE ENGINEERING COMPANY
2300 North Grand River Avenue
Lansing, Michigan 48906
Phone: 517 AC 371-1111



Fred N. White, P.E. & R.L.S.
Survey No. 766033
Date: January 13, 1976

LIBR 2 K 657

RECORDED

CERTIFICATE OF SURVEY



FOR Charles J. Forsberg
3656 Stagecoach Drive
Okemos, MI 48864

APR 2 9 14 AM '76

REGISTER OF DEEDS

Paul M. Lewis
INGHAM COUNTY, MICH

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Southeast 1/4 of Section 35, T4N, R1W, Meridian Township, Ingham County, Michigan, commencing at the Southeast corner of said Section, thence S89°50'30"W 1845.09 feet along the South Section line, thence NORTH 1727.84 feet to the point of beginning, said point being the Northeast corner of Lot 19, THE PONDEROSA, a subdivision recorded in Liber 26 of Plats on pages 40 and 41, Ingham County Records, thence along the North line of said Lot WEST 260.0 feet, thence perpendicular to said North line NORTH 200.0 feet, thence parallel with said North line EAST 260.0 feet, thence SOUTH 200.0 feet to the point of beginning, subject to an easement for road purposes over the East 36 feet of the South 132 feet of the above described parcel and any other rights of way or easements of record, containing 1.194 acres of land, more or less.



SCALE: 1"=50'

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

- LEGEND**
- - IRON STAKE
 - - MONUMENT
 - X - FENCE LINE
 - - CENTER LINE
 - R - RECORDED DIMENSION
 - D - DEEDED DIMENSION
 - M - MEASURED DIMENSION

1223

STEPHENS ENGINEERING, INC.
CIVIL ENGINEERING LAND PLANNING SURVEYING
318 MARSHALL STREET - EAST LANSING, MICH. 48223

BY *James E. Stephens*
REGISTRATION NO. 16053
DATE DEC. 2, 1975 SURVEY NO. L-14057


L.2/P.657

CERTIFICATE OF SURVEY

FOR: Rodney Lewis
609 Everett Drive
Lansing, Michigan 48915

LEGEND:

1. All dimensions are in feet and decimals thereof.
2. 1/2" bars with identification caps have been placed at all points marked "•" unless otherwise noted.
3. ————— = described boundary line.
4. - - - - - = fence line.
5. All bearings are relative and referenced to the South line of Section 36 which is assumed to bear due West.




NORTH
NO SCALE

LOCATION MAP

RECORDED

JAN 3 12 45 PM '78

RECORDED
JAN 3 12 45 PM '78
LANSING, MICH.



CERTIFICATE OF SURVEY

WITNESSES TO GOVERNMENT CORNERS:

L-13 South 1/4 corner Section 36, T4N, R1W
 Stephens tag in South side 24" walnut, N64°E, 66.39'
 Stephens tag in South side 8" walnut, N04°W, 70.38'
 Stephens tag in North side utility pole, S40°E, 68.82'

K-13 Southwest corner Section 36, T4N, R1W
 Stephens tag in West side power pole, N.N.E., 28.31'
 Stephens tag in North side power pole, S.S.E., 51.98'
 Railroad spike, W.S.W., 28.19'
 Boatspike, N.E. Corner Section 2, T3N, R1W, West, 44.85'

Southwest corner of East 1/2 of Southwest 1/4 Section 36, T4N, R1W
 Nail & tag in South side power pole, N.W., 51.52'
 Nail & tag in triple apple, W.S.W., 53.95'
 Nail & tag in N.W. side 6" elm, S.W., 54.14'

Northwest Corner of East 1/2 of Southwest 1/4 Section 36, T4N, R1W
 M.D.S.H. tag in utility pole, S84°E, 28.19'
 M.D.S.H. tag in 16" wild cherry, S88°W, 30.55'
 M.D.S.H. tag in 26" maple tree, S24°E, 77.08'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that we have surveyed and divided into several parcels, at the direction of said parties, a tract of land previously described as:

The West 1/2 of the Southeast 1/4 of the Southwest 1/4 except the North 282 feet thereof and also except the East 372 feet of the South 234 feet thereof; all in Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan


and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of said parcels and that the more particular legal descriptions of said parcels are as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 34,000.

Ronnie M. Lester 10/25/77

Ronnie M. Lester
 Registered Land Surveyor #18998



1663

(CONT.)

LIBER

2 PG 369

CERTIFICATE OF SURVEY

FOR Walter Heller Company
122 S. Grand Avenue
Lansing, Michigan 48933

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the North 1/2 of fractional Section 6 and the Northwest 1/4 of Section 5, T3N, R1E, Wheatfield Township, Ingham County, Michigan, the boundary of which has been surveyed and is hereby described by Michigan R.L.S. 16053 as beginning on the West line of Section 6 at a point NORTH 251.0 feet from the West 1/4 corner of said Section 6, thence continuing along the Section line NORTH 350.0 feet, thence perpendicular to said Section line EAST 622.0 feet, thence parallel with said Section line SOUTH 350.0 feet, thence WEST 622.0 feet to the point of beginning, subject to the right of way of Meridian Road and any other rights of way or easements of record, said described parcel of land containing 4.998 acres, more or less.

NE CORNER SEC. 1, T3N, R1W
FOUND 5/8" DIA. IRON ROD

WITNESSES FOUND:


PLAIN TAG NAILED TO NE SIDE UTILITY POLE
N 26° 16' W 60.55', PLAIN TAG NAILED TO SE
SIDE 24" WILD CHERRY TREE N 43° 56' E 42.00',
PLAIN TAG NAILED TO NW SIDE UTILITY POLE
S 57° 57' W 51.59'

RECORDED


JAN 10 2 09 PM '77

Paula Johnson

Register of Deeds
Ingham County, Michigan



NW 1/4 CORNER SEC. 6, T3N, R1E
FOUND 1" DIA. IRON ROD IN MON. BOX
WITNESSED WITH SURVEYOR TAGS NAILED TO:
SW SIDE 24" OAK TREE N 39° W 37.73'
NORTH SIDE 6" OAK TREE N 43° 50' E 37.90'
NORTH SIDE 30" OAK TREE N 89° 13' E 29.86'



SCALE: 1" = 30'. This survey complies with the requirements of Section 3, P.A. 132 of 1970.
THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON
ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND

- IRON STAKE
- MONUMENT
- X — FENCE LINE
- C — CENTER LINE
- R— RECORDED DIMENSION
- D— DEEDED DIMENSION
- M— MEASURED DIMENSION

Ratio of Closure: 1:20

STEPHENS ENGINEERING, INC.

CIVIL ENGINEERING LAND PLANNING SURVEYING
318 MARSHALL STREET - EAST LANSING, MICH. 48823

BY

REGISTRATION NO.

DATE

Nov. 2, 1975

SURVEY NO.

L-15053

1389

2/969

CERTIFICATE OF SURVEY

316 436


FOR Harvey W. Wolfe
4408 Arbor Drive
Okemos, Michigan 48864

RECORDED

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, commencing at the West 1/4 corner of said Section 36, thence along the East-West 1/4 line N89°29'44"E 1314.93 feet to the Southeast corner of the Southwest 1/4 of the Northwest 1/4, thence along the centerline of VanAtta Road N0°02'02"E 1812.0 feet to the point of beginning, thence running WEST 200.0 feet, thence SOUTH 55.4 feet, thence WEST 101.34 feet, thence NORTH 255.4 feet, thence EAST 284.81 feet to the centerline of VanAtta Road, thence S9°25'E 101.37 feet, thence S0°02'02"W 100.0 feet to the point of beginning, subject to the right of way of Van Atta Road and any other rights of way or easements of record, said described parcel containing 1.494 acres of land, more or less.

JUL 17 4 15 PM '79

REGISTERED
Ingham County, Mich.



This survey complies with the requirements of Section 3, P.A. 132 of 1970

SCALE: 1" = 50'

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

- LEGEND**
- - IRON STAKE
 - - MONUMENT
 - - FENCE LINE
 - - CENTER LINE
 - R - RECORDED DIMENSION
 - D - DEED DIMENSION
 - M - MEASURED DIMENSION

Ratio of Closure: 1:00

STEPHENS ENGINEERING, INC.
CIVIL ENGINEERING LAND PLANNING SURVEYING
818 MARSHALL STREET - EAST LANSING, MICH. 48823
PHONE: AREA CODE 517 361-4480


REGISTRATION NO. 24591

DATE APR. 24, 1978 SURVEY NO. L-15336

OCT 18 3 59 PM '78

REGISTER OF DEEDS

Paul Johnson
INGHAM COUNTY, MICH.



CERTIFICATE OF SURVEY

31 579

FOR: Edwin Ross
2140 Butternut Drive
Okemos, Michigan 48864

MASTER DEED DESCRIPTION - S 1/2 of the North 12 1/2 acres of fractional Section 6, and the S 1/2 of the North 75 acres of the NW 1/4 of Section 5, all in T.3 N., R.1 E.,

ALSO - The North 1/2 of the following described parcel of land: Commencing at the W 1/4 corner of fractional Section 6, thence East on 1/4 line to the center of Section 5, thence North a distance sufficient that by running West to the West line of Section 6, thence South to the place of beginning will contain 80 acres of land. T.3 N., R.1 E.,

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PARCEL "A" - That part of the NW fractional 1/4 of Section 5, and the North part of fractional Section 6, T.3 N., R.1 E., Wheatfield Township, Ingham County, Michigan, described as follows: Commencing at the NW corner of said Section 5, thence S 00° 11' 10" W 620.96 feet along the West line of said Section 5 to the point of beginning, thence N 89° 50' 46" E 1036.15 feet, thence S 00° 11' 10" W 613.78 feet, thence S 89° 34' 41" W 665.49 feet, thence North 96.43 feet, thence N 89° 57' 40" W 370.18 feet to the West line of said Section 6, thence N 00° 11' 10" E 519.20 feet to the point of beginning. Containing 17.824 acres. Subject to easement for ingress and egress along the North 1/4 line thereof, also subject to easement for the Mutual County Drain, for the right of way for Meridian Road, and all easements and restrictions of record.

PARCEL "B" - That part of the NW fractional 1/4 of Section 5, T.3 N., R.1 E., Wheatfield Township, Ingham County, Michigan, described as follows: Commencing at the NW corner of fractional Section 6 of said township, thence S 00° 11' 10" W 620.96 feet and N 89° 50' 46" E 1036.15 feet to the point of beginning; thence N 89° 50' 46" E 904.50 feet, thence S 00° 11' 10" W 609.55 feet, thence S 89° 34' 41" W 904.54 feet, thence N 00° 11' 10" E 613.78 feet to the point of beginning. Together with the right of ingress and egress across a 66 feet wide easement lying South of the following described line: Commencing at the NW corner of fractional Section 6 of said township, thence S 00° 11' 10" W 620.96 feet along the West line of said section to the point of beginning, thence N 89° 50' 46" E 1036.15 feet to the terminus. Subject to easement for right of ingress and egress across the North 66 feet thereof, also subject to easement for the Mutual County Drain and all easements and restrictions of record. Containing 17.700 acres.

PARCEL "C" - That part of the NW fractional 1/4 of Section 5, T.3 N., R.1 E., Wheatfield Township, Ingham County, Michigan, described as follows: Commencing at the North 1/4 corner of said Section 5, thence S 00° 56' 29" E 606.10 feet along the N-S 1/4 line (as occupied) to the point of beginning, thence S 00° 56' 29" E 603.76 feet, thence S 89° 34' 41" W 1247.89 feet, thence N 00° 11' 10" E 609.55 feet, thence N 89° 50' 46" E 1235.97 feet to the point of beginning. Containing 17.295 acres and with the right of ingress and egress across a 66 feet wide easement lying South of the following described line: Commencing at the NW corner of fractional Section 6 of said township, thence S 00° 11' 10" W 620.96 feet along the West line of said section to the point of beginning; thence N 89° 50' 46" E 1940.65 feet to the terminus. Subject to all easements and restrictions of record.

I hereby certify that I have made a survey of the above described property and that the survey was made in compliance with "Act 132 of Public Acts of 1970" and that the unadjusted relative error of closure was no greater than 1/5000.

Sheet #2 of 2
Survey No. 77209
Survey Completed 11/03/77
Survey field book 9/77

Arden S. Pierson
Arden S. Pierson
Registered Land Surveyor
P.O. Box 551
Dewitt, Michigan 48820



188

3 N 648


CERTIFICATE OF SURVEY

RECORDED

FOR Cottage Gardens, Inc.
S. Waverly Road & Bishop Hwy.
Lansing, Michigan 48910

REC # H 27 NW 588
REGISTER OF DEEDS

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the West 1/2 of Section 25, T4N, R1W, Meridian Township, Ingham County, Michigan, beginning at the West 1/4 INGHAM COUNTY, MICH. corner of said Section 25, thence running along the West Section line N00°03'54"W 309.85 feet, thence parallel with the North Section line N89°34'02"E 1318.88 feet to the centerline of Vanatta Road, thence along said centerline SOUTH 333.00 feet, thence parallel with said North Section line S89°34'02"W 1318.17 feet to the West Section line, thence N00°53'15"W 23.15 feet to the point of beginning, subject to the right of way of Vanatta Road and any other rights of way or easements of record, containing 10.08 acres of land, more or less.



Pcl. 8 10.08 Ac.

S.W. Cor., Sec. 25 K-11
S.W. COR. SEC. 25, T4N, R1W.
1-1/4" Gas Pipe
WITNESSES:
S.E. leg of Power tower; N13°W, 135.50'
A tag in a 9" Box Elder; N78°E, 49.10'
A tag in a 9" Maple Tree, S80°E, 53.50'
A tag in a 12" Box Elder, S15°E, 35.40'

L.B.P. 649-652



SCALE: 1" = 200' This survey complies with the requirements of Section 9, P.A. 132 of 1970.
THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT A MONUMENT WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON APPEARED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.
L.B.P. 649-652
JAMES C. STEPHENS
LAND SURVEYOR
NO. 16051
STATE OF MICHIGAN
1995
DATE: OCT. 2, 1993
DRAWING NO. 51850-0


L.3/P. 641-652

CERTIFIED BOUNDARY SURVEY

FOR Robert Boyd
14840 DeWitt Road
Lansing, Michigan

LOCATION MAP
(NO SCALE)

LEGEND. All dimensions are in feet and decimals thereof. $\frac{1}{2}$ " bars with identification caps have been placed at all points marked "•" unless otherwise noted. — described boundary. --- fence line. All bearings are relative and are referenced to the East line of Section 36, T4N, R1W, which is assumed to bear North-South.



RECORDED

AUG 20 11 01 AM '79

REGISTER OF DEEDS

Dana Johnson

INCHAM COUNTY, MICH.

WILLIAMS

Surveying

2104

1148 Okemos Rd.
Mason, Michigan 48854
PH. (517) 676-5153

DRAWN

COMPUTED

FLD. SURVEY

aw July 79
aw July 79
aw July 79

SEC. 36, T4N-R1W

JOB NO. 1909

sheet 1 of 2

A

CERTIFIED BOUNDARY SURVEY

LEGAL DESCRIPTIONS:

Parcel A

A part of the South 32 acres of the North 100 acres of the NE $\frac{1}{4}$ of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Commencing at the NE corner of said Section 36; thence South along the East line of said Section 36, 1332.15' to the point of beginning; thence S89°15'29"W, 217.8'; thence North 200.0'; thence S89°15'29"W, 2438.97'; thence S00°17'06"E, 264.3'; thence N88°33'25"E, 2438.22'; thence N89°17'04"E, 217.8' to the East line of said Section 36; thence North along the East line of said Section 36, 34.58' to the point of beginning. Contains 14.132 acres, more or less, and subject to all easements and restrictions of record.

Parcel B

A part of the South 32 acres of the North 100 acres of the NE $\frac{1}{4}$ of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Commencing at the NE corner of said Section 36; thence South along the East line of said Section 36, 1401.32' to the point of beginning; thence S89°18'46"W, 217.8'; thence South 262.0'; thence S89°18'46"W, 2436.31'; thence N00°17'06"W, 264.3'; thence N88°33'25"E, 2438.22'; thence N89°17'04"E, 217.8' to the East line of said Section 36; thence South along the East line of said Section 36, 34.59' to the point of beginning. Contains 15.859 acres, more or less, and subject to all easements and restriction of record.

I hereby certify to the parties named hereon that we have surveyed two parcels of land within the NE $\frac{1}{4}$ of Section 36, T4N, R1W; as it is apparently peacefully occupied at present, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcels shown hereon, and the more particular descriptions of said parcels are as designated hereon. This survey was performed with an error of closure no greater than a ratio of 1' in 5000'. This survey complies with the requirements of P.A. 132 of 1970.

NE corner Section 36, T4N, R1W

Nail & tag in quad. 6" Elm clump S70°W 31.90'

Nail & tag in 48" stump West 29.72'

Nail & tag in 24" stump N30°W 73.14'

East $\frac{1}{4}$ corner Section 36, T4N, R1W

Nail & tag in power pole West 27.60'

Nail & tag in fence post East 31.98'


Nail & tag in power pole N30°E 33.42'

Austin C. Williams

Austin C. Williams

Registered Land Surveyor

Mich. Registration No. 21275



WILLIAMS

Surveying

2104

1148 Okemos Rd.
Mason, Michigan 48854
PH. (517) 678-5153

DRAWN

aw July 79

COMPUTED

aw July 79

FLD. SURVEY

aw July 79

SEC. 36, T4N-R1W

JOB NO. 1909

sheet 2 of 2


A

(CONT)

CERTIFICATE OF SURVEY

LIBER 4 p 237

LEGAL DESCRIPTION (SEE ATTACHED)



We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

Fred N. White
Fred N. White, P.E. & R.L.S.

- LUMBER
 - Set Iron
 - Found Iron
 - Fence Line
 - Recorded Distances
 - Measured Distances
 - Beaded Distances
- 2389

Forsberg Brothers
3636 Stagecoach
Okemos, Michigan

FRED WHITE ENGINEERING COMPANY, INC.
2200 NORTH GRAND RIVER AVENUE
LANSING, MICHIGAN - 48205 PH 221-7111

FIELD	F.S.	DATE	October 27, 1980
DRAWN	H.E.	SURVEY NO.	801603
CHECKED	F.W.U.	SHEET	2 OF 2



CERTIFICATE OF SURVEY

LEGAL DESCRIPTION: That part of the East 1/2 of Section 35, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Beginning at the SE corner of The Ponderosa, a subdivision of a part of the East 1/2 of Section 35, T4N, R1W, Meridian Township, Ingham County, Michigan, as recorded in Liber 26 of Plats on pages 40 and 41 of the Ingham County Records, said point of beginning being S89°50'30"W, 1635.10 feet from the SE corner of Section 35, T4N, R1W; thence due North 485.00 feet along the East line of Lots 12 and 13 of The Ponderosa to the NE corner of said Lot 13; thence N21°14'18"E, 220.00 feet along the East line of Lot 14 of The Ponderosa to the NE corner of said Lot 14, said point being on the Southerly line of Scenic Lake Drive; thence N42°39'40"E, 61.88 feet to the Southernmost corner of Lot 15 of The Ponderosa; thence N42°39'40"E, 163.63 feet on the Easterly line of Lot 15 to the NE corner of Lot 15 of The Ponderosa; thence S39°00'44"E, 392.51 feet; thence S01°10'10"E, 205.05 feet; thence S24°36'51"W, 158.40 feet; thence S33°00'10"W, 239.79 feet to a point on the South line of said Section 35, also being the centerline of Jolly Road; thence S89°50'30"W, 287.20 feet along said South line and the centerline of Jolly Road to the point of beginning. Containing 7.096 acres.

RECORDED

FEB 27 1 18 PM '81

REGISTER OF DEEDS
Paul Johnson
INGHAM COUNTY, MICH.

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown herein.
We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

Fred N. White
Fred N. White, P.E. & R.L.S.

LEGEND

- Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Dotted Distance

2388

FOR

Forsberg Brothers
3656 Stagecoach
Okemos, Michigan

FRED WHITE ENGINEERING COMPANY, INC.
2300 NORTH GRAND RIVER AVENUE
LANSING, MICHIGAN 48906 PH: 281-7111

FIELD	F.S.	DATE	October 27, 1980
DRAWN	H.E.	SURVEY NO.	801603
CHECKED	F.N.W.	SHEET	1 OF 2

STATE OF MICHIGAN

FRED N. WHITE
LAND SURVEYOR
No. 12034

REGISTERED LAND SURVEYOR

(CONT)

CERTIFIED SURVEY MAP

LIBER

2 PG 306

FOR: PHILIP N. CASSEN

LEGAL DESCRIPTION: A PARCEL OF LAND IN SECTION 36, T4N, R1W, MERIDIAN TOWNSHIP, INGHAM COUNTY, MICHIGAN THE BOUNDARY OF WHICH IS DESCRIBED AS: BEGINNING AT A POINT ON THE EAST LINE OF SAID SECTION 36 DISTANT NORTH 240.00 FEET FROM THE SE CORNER OF SAID SECTION 36; THENCE WEST AT RIGHT ANGLES TO SAID EAST LINE 400.00 FEET; THENCE NORTH PARALLEL WITH SAID EAST LINE 200.00 FEET; THENCE EAST AT RIGHT ANGLES TO SAID EAST LINE 400.00 FEET TO A POINT ON SAID EAST LINE; THENCE SOUTH ALONG SAID EAST LINE 200.00 FEET TO THE POINT OF BEGINNING; CONTAINING 1.836 ACRES MORE OR LESS, THE EAST 33 FEET THEREOF BEING SUBJECT TO THE RIGHTS OF THE PUBLIC IN MERIDIAN ROAD.

I HEREBY CERTIFY TO THE PARTIES NAMED HEREON THAT WE HAVE SURVEYED THE PARCEL OF LAND DESCRIBED ABOVE AND THAT WE HAVE SET 3/4" PIPES WITH IDENTIFICATION CAPS BEARING THE LEGEND "RLS 18989" AT ALL CORNERS OF SAID PARCEL. I FURTHER CERTIFY THAT THIS SURVEY COMPLIES WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970 AND THAT THE ERROR OF CLOSURE IS NO GREATER THAN A RATIO OF 1 IN 5000.




M-12

EAST 1/4 CORNER, SECTION 36, T4N, R1W
FOUND 1/2" BAR AND CAP SET BY AUSTIN WILLIAMS
WITNESSES BY WILLIAMS:
NAIL IN NORTH SIDE UTIL. POLE NEST 27.6'
NAIL IN NORTH SIDE FENCE POST ESE 32.8'
NAIL IN SE SIDE UTIL. POLE NE 33.48'

RECORDED

JUN 19 4 17 PM '81
REGISTER OF DEEDS
INGHAM COUNTY, MICH.

SCALE
1" = 100'



M-13

SOUTHEAST CORNER SECTION 36, T4N, R1W
FOUND BORTSPIKE FROM WITNESSES:
TAG AND NAIL NW SIDE UTIL. POLE SW 51.48'
TAG AND NAIL EAST SIDE UTIL. POLE NE 50.58'
TAG AND NAIL NE SIDE 18" WALNUT SE 33.80'
TAG AND NAIL SE SIDE 30" CHERRY NE 42.50'

2424

MARVIN F. FOUTY, P.C.
LAND SURVEYING & MAPPING
717 beach street
east Lansing, michigan - 48823
phone 332-5354

DATE 11-9-79

JOB NO. 262


SHEET 1 OF 1

Marvin Fouty
REGISTERED LAND SURVEYOR NO. 18989

II

1" = 100

(SEE ATTACHED)



and that there are no visible encroachments upon


Fred N. White, P.E. & R.L.S.

FOR

- Musselman Realty
322 Abbott Road
East Lansing, Michigan

FRIED WHITE ENGINEERING COMPANY, INC.
2300 NORTH GRAND RIVER AVENUE
LANSING, MICHIGAN - 48906 PH: 321-7111

FIELD	D.L. & F.S.	DATE	July 8, 1981
DRAWN	D.C.	SURVEY NO.	810730
CHECKED	F.N.W.	SHEET	2 OF 2



CERTIFICATE OF SURVEY



LIBER

4 PG 1012

FOR: Mrs. Marjorie Matchette
3310 Meridian Road
Okemos, Michigan 48864

LEGEND:

1. All dimensions are in feet and decimals thereof.
2. 1/2" bar and identification cap have been placed at all points marked "•".
3. Existing corner markers were found at points marked "O".
4. ————— = described boundary line.
5. —*—*—*—*—*— = fence line.
6. ———— indicates distance not to scale.
7. All bearings are relative and referenced to a survey as recorded in Liber 3, Pages 578 and 579 of Ingham County Survey records.



POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517/676-3630

fld. survey	RL	Mar 85	Sec. 5&6, T 3N, R 1E
drawn	RL	Mar 85	Co. Ingham
sheet 1 of 2	Drawing number A-4010		

CERTIFICATE OF SURVEY

LIBER

4 pc1013

LEGAL DESCRIPTION:

A parcel of land in the Northwest fractional 1/4 of Section 5 and the North 1/2 of fractional Section 6, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel being described as commencing at the Northwest corner of said Section 6; thence S00°11'10"W along the West line of said Section 6, 928.80 feet to the point of beginning of this description; thence N89°44'17"E, 3182.61 feet to a point on the North-South 1/4 line of Section 5; thence S00°56'29"E along the North-South 1/4 line of Section 5, 499.45 feet; thence S89°34'41"W parallel to the East-West 1/4 line of Sections 5 and 6, 2821.37 feet; thence North, 294.00 feet; thence N89°57'40"W, 370.18 feet to a point on the East line of Section 6; thence N00°11'10"E along the West line of said Section 6, 211.35 feet to the point of beginning; said parcel containing more or less 34.05 acres, said parcel subject to all easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

West 1/4 corner Section 6, T3N, R1E, Liber 5, page 138.

Nail and tag in 6" oak, N.W., 37.83'

Nail and tag in 30" oak, East, 29.86'

Nail and tag in 24" oak, N40°W, 37.70'

Northwest corner Section 6, T3N, R1E, Liber 3, page 525.

Nail and tag in power pole, N14°W, 113.03'

1/2" bar, East, 12.40'

1/2" bar, West, 11.85'

Northwest corner Section 1, T3N, R1W, Liber 5, page 139.

Nail and tag in power pole, S60°W, 51.56'

Nail and tag in power pole, N24°W, 60.25'

Nail and tag in cherry tree, N.E., 42.85'

North 1/4 corner Section 5, T3N, R1E, Liber 5, page 149.

Steel fence post in fence corner. Fences North, South, East, and West.

Center of Section 5, T3N, R1E, Liber 5, page 148.

Steel fence post in fence intersection. Fences East, West, and North. Located on South bank of East-West drain.

1 1/2" oak, S.E., 5.40'

3" oak S.W., 18.20'

3" apple, South, 5.50'

CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that I have surveyed a parcel of land within;

The South 1/2 of the North 12 1/2 acres of fractional Section 6 and the South 1/2 of the North 75 acres of the Northwest 1/4 of Section 5; also the North 1/2 of the following described parcel of land; commencing at the West 1/4 corner of fractional Section 6, thence East on 1/4 line to the center of Section 5, thence North a distance sufficient that by running West to the West line of Section 6, thence South to the place of beginning will contain 80 acres; all being in T3N, R1E, Ingham County, Michigan.

and that I have found or set, as noted hereon, permanent markers at all corners of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Ronnie M. Lester 3/13/85
Ronnie M. Lester
Licensed Land Surveyor #18998

2874


POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517/676-3630

fld. survey	RL	Mar 85	Sec. 5&6 T3N R1E
drawn	RL	Mar 85	Co. Ingham
sheet 2 of 2	Drawing number	A-4010	

C.4/P.1013

LEGAL DESCRIPTION: That part of the SE 1/4 of Section 25, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Beginning at the East 1/4 corner of said Section 25; thence S00°05'21"E, along the East line of said Section 25, 875.53 feet; thence S89°23'50"W, 1270.74 feet; thence N34°55'46"E, 249.93 feet; thence N00°10'27"W, 672.13 feet to the East-West 1/4 line of said Section 25; thence N89°23'50"E, along said Last-West 1/4 line, 1128.31 feet to the Point of Beginning. Containing 23.000 Acres, more or less. The East 33.00 feet subject to an easement for Meridian Road. Subject to any easements or restriction of record.



WITNESSES:

East 1/4 Corner, Sec. 25

Fd. 1/2" iron

Nail & tag, 12" Elm, N30°E, 63.70

Nail & tag, 50" Oak, S45°W, 24.26

Nail & tag, 40" Oak, West, 43.95

SE Corner, Section 25,

Fd. 1/2" iron,

Nail & tag, 6" Elm, S70°E, 50.25

Nail & tag, 8" Tri-Elm, S45°W, 30.92

Nail & tag, P. pole, N50°W, 44.00

NE Cor. Bldg. N80°W, 97.60

I hereby certify that I have surveyed the property herein described, and that there are no visible encroachments upon the subject property, except as shown hereon.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

This drawing is the property of BEERY & ASSOCIATES, INC. and shall not be used for any purpose without the written consent of an authorized agent of BEERY & ASSOCIATES, INC. BEERY & ASSOCIATES, INC. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1986 BEERY & ASSOCIATES, INC.

SE Corner
Section 25
T4N-R1W
M-11

David R. Lohr

David R. Lohr, L.L.S. #30090


DATE: May 21, 1987
FILE NO: 2249
SHEET: 1/1
FIELD: RRB-RA
DRAWN: NHA
CHECKED: DRL
REVISED: May 26, 1987

3174



BEERY
& ASSOCIATES, INC.

849 N AURELIUS ROAD
MASON MICHIGAN
48854
PHONE (517) 676-4686



N 1/4 Corner
Sec. 25, T4N-R1W
(LA - Pg. 113)

N-S 1/4 Line
Section 25





WITNESSES

East 1/4 corner of Section 25, T4N, R1W
Found 1/2" iron cap


Iron and Cap #25832, W 33.0'
N&T #18998, N. Side 60" Oak, S40°W, 24.20'
N&T #18998, N. Side 48" Oak, N85°W, 45.95'
N&T #18998, NW Side 12" Elm, N35°E, 63.73'
Centerline Meridian Road, East 4.3'

Center Sec. 25,
T4N-R1W
(LA - Pg. 143)
Point of
Beginning #2



L-11
S 1/4 Corner
Sec. 25, T4N-R1W
(MOOT-L11)
L.S/P. 329-331
1-30-87

REVISIONS		CLIENT: O'LEARY REAL ESTATE
ITEM	DATE	TITLE: PROPERTY SURVEY
Set Loc's	2-3-87	Part of Sec. 25, T4N-R1W, Meridian Twp., Ingham Co., Michigan
		FRED WHITE ENGINEERING COMPANY, INC.
		2300 NORTH GRAND RIVER AVENUE
		LANSING, MICHIGAN 48906



LIBER

5 PG 340

CERTIFIED SURVEY MAP


FOR: Phillip Cassen

REGISTER OF DEEDS

Ingram County, Mich.

LEGAL DESCRIPTION: That part of the SE 1/4 of the SE 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Beginning at a point on the South line of said Section 36 distant S89°07'48"W 400.00 feet from the SE corner of said Section 36; thence continuing S89°07'48"W 920.29 feet along said South line to the South 1/8 corner of said SE 1/4; thence N00°26'04"W 1331.05 feet along the East 1/8 line of said Section 36; to a point on the South line of Wind-n-Wood No. 2 as recorded in Liber 32 Pages 9 and 10 Ingham County Records; thence N89°31'31"E 1323.17 feet along said South line of Wind-n-Wood No. 2 and the South line of Wind-n-Wood as recorded in Liber 30, Pages 29 and 30 Ingham County Records to a point on the East line of said Section 36; thence S00°18'29"E 881.95 feet along said East Section line; thence S89°41'31"W 400.00 feet; thence S00°18'29"E 443.12 feet to the point of beginning; containing 36.191 acres more or less and subject to the rights of the public in Meridian and Jolly Roads.

I hereby certify to the parties named hereon that we have surveyed the above described parcel of land and that we have set 1/2" bars with identification caps at all corners of said parcel and that there are no encroachments of physical improvements either way across property line and that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.



PROJ. NO. 574

DATE 6-25-87

SCALE: 1" = 300'

FIELD BY: RH

DRAWN BY: TCP

SHEET 1 OF 1

REGISTERED LAND SURVEYOR NO. 18989

3240

MARVIN F. FOUTY, P.C.
LAND SURVEYING & MAPPING1551 Haslett Road
P.O. Box 707
Haslett, Michigan 48840
Phone: 517-339-1263

L. S. / P. 340

LIBER

5 507

CERTIFICATE OF SURVEY

RECORDED

FOR: Mrs. Marjorie Matchette
3310 Meridian Road
Okemos, Mich. 48864


SEP 23 8 43 AM '88

REGISTER OF DEEDS

Paula Johnson
INGHAM COUNTY, MICH.

LEGEND:

1. All dimensions are in feet and decimals thereof.
2. 1/2" bar and identification cap have been placed at all points marked "•".
3. ————— indicates described boundary line.
4. —*—*—*—*— indicates fence line.
5. ——— indicates not to scale.
6. All bearings are relative and referenced to a survey as recorded in Liber 3, Pages 578 and 579 of Ingham County Survey Records.



3335

POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517/676-3630

fld. survey	RL	Sep 30	Sec. 5 & 6, T. 3N, R. 1E
drawn	RL	Sep 88	Co. Ingham
sheet 1 of 2		Drawing number	A 4113

L. 5
P. 507

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:

A parcel of land in the Northwest fractional 1/4 of Section 5 and the North 1/2 of fractional Section 6, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel being described as beginning at the West 1/4 corner of said Section 6; thence North along the West line of said Section 6 a distance of 250.00 feet; thence N89°34'41"E parallel to the East-West 1/4 line of said Section 5 and 6 a distance of 3202.33 feet to a point on the North-South 1/4 line of said Section 5; thence S00°56'29"E along the North-South 1/4 line of said Section 5 a distance of 250.00 feet to the Center of said Section 5; thence S89°34'41"W along the East-West 1/4 line of said Section 5 and 6 a distance of 3206.44 feet to the West 1/4 Corner of said Section 6 and the point of beginning; said parcel containing more or less 18.390 acres; said parcel subject to the rights of the public across Meridian Road; said parcel subject to all easements and restrictions of record.


WITNESSES TO GOVERNMENT CORNERS:

West 1/4 Corner Section 6, T3N, R1E, Liber 5, Page 138. 1/2" pipe in monument box.
Nail and tag in 6" oak, N.W., 37.83'
Nail and tag in 30" oak, East, 29.86'
Nail and tag in 24" oak, N.W., 37.70'

North east corner Section 1, T3N, R1W, Liber 5, Page 139. 1/2" bar.
Nail and cap on East side power pole, N.W., 60.2'
Northwest corner of pole barn, N.E., 120.6'
Southwest corner of pole barn, E.N.E., 104.4'
Centerline of Catch basin, E.S.E., 31.4'

Center of Section 5, T3N, R1E, Liber 5, Page 148. Steel fence post. South bank of drain. Fences East, West, and North.
3" oak, S.E. 5.4'
5" oak, S.W., 18.2'
5" apple, South, 5.5'

North 1/4 Corner Section 5, T3N, R1E, Liber 5, Page 148.
Steel fence post in fence corner. Fences North, South, East, and West.



CERTIFICATE OF SURVEY:

I hereby certify to the parties named hereon that I have surveyed a parcel of land within:

The South 1/2 of the North 12 1/2 acres of fractional Section 6 and the South 1/2 of the North 75 acres of the Northwest 1/4 of Section 5; also the North 1/2 of the following described parcel of land; commencing at the West 1/4 corner of fractional Section 6, thence East on 1/4 line to the Center of Section 5, thence North a distance sufficient that by running West to the West line of Section 6, thence South to the place of beginning will contain 80 acres; all being in T3N, R1E, Ingham County, Michigan.

and that I have found or set, as shown hereon, permanent markers to all corners of the boundary of the parcel shown hereon and that the more particular surveyed description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

Ronnie M. Lester 9/8/88
Ronnie M. Lester, Licensed Land Surveyor #18998

3335

POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517/676-3630

fld. survey	RL	Sep 88	Sec. 5&6, T. 3N, R1E
drawn	RL	Sep 88	Co. Ingham
sheet 2 of 2			

L. 5
p. 508

CERTIFIED SURVEY MAP

FOR: Century Cellunet, Inc.

LIBER

5 578

LEGAL DESCRIPTION: That part of the Southwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Beginning at a point on the South line of said Section 36 distant S89°06'13" West 658.90 feet from the South 1/4 corner of said Section 36; thence S89°06'13" West 372.00 feet along said South line; thence N00°41'37" West 234.00 feet; thence N89°06'13" East 372.00 feet to a point on the East line of the West 1/2 of the Southeast 1/4 of the Southwest 1/4 of said Section 36; thence S00°41'37" East 234.00 feet along said East line to the Point of Beginning; said parcel containing 1.998 acres more or less and subject to all easements and restrictions of record. said parcel also subject to the rights of the public in Jolly Road


I hereby certify to the parties named hereon that we have surveyed the above described parcel of land and that we have found or set 1/2" bars with identification caps at all corners of said parcel. I further certify that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

Note: Bearings were established from the Plat of Wind-N-Wood No. 3 as recorded in Liber 33, Pages 47 and 48 Ingham County Records.

RECORDED

DEC 22 8 43 AM '88

REGISTER OF DEEDS

Paula Johnson
INGHAM COUNTY, MICH.

PROJ. NO. 599 DATE 11-13-87 SCALE: 1" = 100'

FIELD BY: RH DRAWN BY: TCP SHEET 1 OF 1

MARVIN F. FOUTY, P.C.
LAND SURVEYING & MAPPING1551 Haslett Road
P.O. Box 707
Haslett, Michigan 48840
Phone: 517-339-1263

REGISTERED LAND SURVEYOR NO. 18989

3383


L.S/P. 578

CERTIFIED BOUNDARY SURVEY

LIPER

5 - 564

LOCATION MAP
(NO SCALE)



FOR: **MARGARET KUNZE**


L-11

NORTH 1/4 CORNER
SECTION 36, T4N, RIW

NORTH-SOUTH 1/4 LINE
OF SECTION 36

L-12

CENTER OF SECTION
36, T4N, RIW



RECORDED

DEC 6 4 09 PM '88


REGISTER OF DEEDS

INCHAM COUNTY, MICH.

±13.10 ACRES

SOUTH LINE OF THE NORTH
14 ACRES OF THE SOUTH
59 ACRES OF THE EAST
1/2 OF THE NORTHWEST 1/4
AS PRESENTLY OCCUPIED

NORTH



Larry D. Bryan
LEGEND

- = SET 1/2" BAR WITH CAP
- = FOUND IRON AS NOTED
- = SURVEY BOUNDARY LINE
- = DISTANCE NOT TO SCALE
- = FENCE


ALL DIMENSIONS ARE IN FEET
AND DECIMALS THEREOF.

3371

IMPROVEMENTS NOT SHOWN

E VAN ATTA RD.

SUBJECT TO RIGHT-OF-WAY FOR ROAD PURPOSES



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014

DRAWN BY G J W

SECTION 36, T4N, RIW

FIELD WORK BY R S

JOB NUMBER:

SHEET 1 OF 2

88-B-22783

L.5/P.581

CERTIFICATE OF SURVEY:

I hereby certify only to the parties named hereon that we have surveyed a parcel of land within:

The East 1/2 of the Northwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of the parcel shown hereon and that the more particular legal description of said parcel is as follows:

A parcel of land in the Northwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the North 1/4 corner of said Section 36; thence S00°23'35"W along the North-South 1/4 line of said Section 36 a distance of 503.00 feet to the point of beginning of this description; thence S00°23'35"W continuing along said North-South 1/4 line 652.00 feet; thence N89°46'54"W along the South line of the North 14 acres of the South 59 acres of the East 1/2 of said Northwest 1/4 as presently occupied 663.82 feet; thence N00°21'35"E 165.00 feet; thence N89°46'54"W 291.85 feet; thence N00°21'35"E 159.00 feet; thence N89°46'54"W 367.00 feet to the centerline of Van Atta Road; thence N00°07'05"W along said centerline 138.11 feet; thence S89°48'37"E 660.00 feet; thence N00°21'35"E 190.00 feet; thence S89°44'37"E 664.20 feet to the point of beginning; said parcel containing 13.10 acres more or less; said parcel subject right of way for road purposes on Van Atta Road; said parcel subject to all other easements and restrictions if any.

WITNESSES TO SECTION CORNERS:

North 1/4 corner Section 36, T4N, R1W.

Found 3/4" pipe at fence intersection on West side of Anchor Post, fence lines North, South & East.

Found nail & tag West side 24" Twin Maple, S05°E, 6.05'

Found nail & tag North side 18" Maple, S45°W, 30.60'

Found nail & tag West side 20" Maple, North, 36.80'

Center of Section 36, T4N, R1W, Liber 4, Page 105.

Found concrete monument 123' South of centerline of Railroad.

Found nail & tag East side 14" Ash, N20°W, 5.40'


Found nail & tag East side 12" Ash, S45°E, 15.52'

Found nail & tag West side 6" Ash, South, 8.80'

This survey was performed with an error of closure no greater than a ratio of 1 in 37,654.

All bearings are derived from the South line of Section 36, which is recorded to bear East in Liber 4 of Surveys Page 344 of the Ingham County Records.

Larry A. Bryan 11-30-88
Larry A. Bryan Date:
Licensed Land Surveyor No. 25832



3371

BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014

DRAWN BY G J W

SECTION 36, T4N, R1W

FIELD WORK BY R S

JOB NUMBER:

SHEET 2 OF 2

88-B-22783

(cont)

LIBER

5 PC 1041

CERTIFICATE OF SURVEY

RECORDED

APR 19 2 57 PM '89


REGISTER OF DEEDS

Paula Johnson
INGHAM COUNTY, MICH.

FOR: David Hatchette
3310 Meridian Road
Okemos, Mich. 48864

LEGEND:

1. All dimensions are in feet and decimals thereof.
2. 1/2" bar and identification cap have been placed at all points marked "•".
3. 1" pipe was found at point marked "o".
4. ————— indicates described boundary line.
5. ——— indicates not to scale.
6. All bearings are relative and referenced to a survey as recorded in Liber 5, Pages 507 and 508 of Ingham County Survey records.



3614

L 5/P. 1041

POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517/676-3630

fld. survey	RL	Feb '89	Sec. 6, T 3N, R 1E
drawn	RL	Feb '89	Co. Ingham
sheet 1 of 2	Drawing number A-4120		

PER

5 PG 1098

CERTIFICATE OF SURVEY

RECORDED


JUL 19 8 13 AM '89

FOR: Marjorie Matchette
3310 Meridian Road
Okemos, Mich. 48864


REGISTER OF DEEDS
James Johnson
INGHAM COUNTY, MICH.

LEGEND:

1. All dimensions are in feet and decimals thereof.
2. 1/2" bar and identification cap have been placed at all points marked "o".
3. 1/2" bar and identification cap were found at points marked "●".
4. ————— indicates described boundary line.
5. ——— indicates not to scale.
6. All bearings are relative and referenced to a survey as recorded in Liber 5, Pages 1041 and 1042 of Ingham County Survey Records.



SCALE 1" = 100'



3643

L.5/P.1098

POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517/676-3630

fld. survey	RL	Jun 89	Sec. 6, T 3N, R 1E
drawn	RL	Jun 89	Co. Ingham
sheet 1 of 2	Drawing number A-4141		

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:

A parcel of land in Section 6, T3N, R1E, Wheatfield Township, Ingham County, Michigan; the surveyed boundary of said parcel being described as commencing at the West 1/4 Corner of said Section 6; thence North along the West line of said Section 6 a distance of 565.00 feet to the point of beginning of this description; thence North continuing along the West line of said Section 6 a distance of 165.00 feet; thence S89°58'30"E a distance of 370.40 feet; thence South parallel to the West line of said Section 6 a distance of 165.00 feet; thence N89°58'30"W a distance of 370.40 feet to a point on the West line of said Section 6 and the point of beginning; said parcel containing more or less 1.403 acres; said parcel subject to the rights of the public across Meridian Road; said parcel subject to all easements and restrictions of record.

WITNESSES TO GOVERNMENT CORNERS:

West 1/4 Corner Section 6, T3N, R1E, Liber 5, Page 138, 1/2" pipe in monument box.
Nail and tag #18998 in West side 30" maple, 172° az., 123.2'
Nail and tag #18998 in North side 36" red oak, 96° az., 30.0'
Nail and tag #18998 in South side 36" oak, 326° az., 36.8'
Nail and tag #18998 in West side 12" oak, 167° az., 88.3'

Northeast corner Section 1, T3N, R1W, Liber 5, Page 139, 1/2" bar.
Found nail and cap on North side utility pole, 240° az., 51.6'
Found nail and cap on East side utility pole, 338° az., 50.3'
Southwest corner pole barn, 82° az., 104.4'
Northwest corner pole barn, 63° az., 120.6'

CERTIFICATE OF SURVEY:


I hereby certify to the parties named hereon that I have surveyed a parcel of land within:

The South 1/2 of the North 12 1/2 acres of fractional Section 6 and the South 1/2 of the North 75 acres of the NW 1/4 of Section 5; also the North 1/2 of the following described parcel of land: commencing at the West 1/4 corner of fractional Section 6; thence East on 1/4 line to the Center of Section 5, thence North a distance sufficient that by running West to the Section line of Section 6, thence South to the place of beginning will contain 80 acres; all being in T3N, R1E, Ingham County Michigan.

and that I have found or set, as noted hereon, permanent markers to all corners of the boundary of the parcel shown hereon and that the more particular surveyed description of said parcel is as designated hereon.

This survey complies with the requirements of P.A. 132 of 1970.

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.



Ronnie M. Lester

6/5/89

Ronnie M. Lester, Licensed Land Surveyor #18998

3643

LS/P. 1099

POLARIS
SURVEYING CO.

3081 Holt Road
Mason, Michigan 48854
517-376-3630

fld. survey	RE	Jun 89	Sec. 6, T 3N, R 1E
drawn	RE	Jun 89	Co. Ingham
sheet 2 of 2	Drawing number		A-4141

Nov 22 10 51 AM '89

PER

5 PC 1195


CERTIFICATE OF SURVEY

REGISTERED DEEDS

INGHAM COUNTY HIGH

LEGAL DESCRIPTION:
That part of the North 45 acres of Fractional Sections 5 and 6, T3N, R1E, Wheatfield Township, Ingham County, Michigan, described as: Beginning on the West line of Fractional Section 6, T3N, R1E, also being the Michigan Principle Meridian, at a point 360.96 feet S00°11'10"W from the NW corner of Section 6; thence N89°49'00"E, 265.22 feet parallel with the South line of the North 45 acres of Fractional Sections 5 and 6 (as monumented); thence N00°11'10"E, 20.00 feet; thence N89°49'00"E, 687.16 feet; thence S00°11'10"W, 280.00 feet to said South line; thence S89°49'00"W, 952.38 feet along said South line to the West line of Fractional Section 6; thence N00°11'10"E, 260.00 feet along the West line of Fractional Section 6 to the point of beginning. Contains 6.00 acres. Subject to right of way for Meridian Road and any other easements or restrictions of use or record.


Note: Bearings used are based upon the West line of Fractional Section 6 according to the survey recorded in Liber 3 on Pages 578 and 579 of the Ingham County Records.



We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

Douglas K. Richardson
Douglas K. Richardson, L.L.S. #31603

LEGEND ○ Set Iron ● Found II — Fence Lin. R Recorded Distance M Measured Distance D Deeded Distance △ Set Line Stake 3707	FOR Julia A. and Republic Bankcorp Mortgage, Inc. James C. Zeller 500 N. Homer St. 3450 Meridian Rd. Lansing, Michigan Okemos, Michigan		 L.5/P 1195
	FRED WHITE ENGINEERING COMPANY, INC. 2300 NORTH GRAND RIVER AVENUE LANSING, MICHIGAN - 48905 PH: 321-7111		
	FIELD M.P.	DATE February 13, 1989	
	DRAWN D.R.	SURVEY NO 894253	
	CHECKED D.R.	SHEET 1 CFI	

1072

6 456


CERTIFICATE OF SURVEY

OCT 23 10 44 AM '90

FOR Dr. & Mrs. Andrew Skidmore
c/o Walter Neller Enterprises
122 South Grand
Lansing, Michigan 48933

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: (see sheet 2)

REGISTER OF DEEDS
Frank J. Johnson
 INGHAM COUNTY, MICH.



SCALE: 1" = 60' This survey complies with the requirements of Section 3, P.A. 132 of 1970.
THE UNDERSIGNED LICENSED LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN
ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND

- — IRON STAKE
- O — MONUMENT
- X -- X FENCE LINE
- ⊙ — CENTER LINE
- R — RADIUS
- D — DEEDED DIMENSION
- M — MEASURED DIMENSION
- P — PLATTED

Ratio of Closure: 1:56,268

STEPHENS-KYES & ASSOCIATES, INC.

1401 EAST LANSING DRIVE, SUITE 112
EAST LANSING, MICHIGAN 48823 — PHONE (517) 351-2574

BY James E. Stephen
 LICENSED LAND SURVEYOR NO. 16053

DATE Sept. 13, 1990 DRAWING NO. L-18632

3947

RE: 18632-E

L.6/p.456

LIBER

6 pc 457

CERTIFICATE OF SURVEY

Dr. & Mrs. Andrew Skidmore
 FOR c/o Walter Neller Enterprises
 122 South Grand
 Lansing, Michigan 48933

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

That part of the North $\frac{1}{2}$ of fractional Section 31 and the Northwest $\frac{1}{4}$ of Section 32, T4N, R1E, Williamstown Township, Ingham County, Michigan, beginning on the West line of Section 31 at a point N00°04'47"W 581.56 feet from the West $\frac{1}{4}$ corner of said Section 31, said point being the Southwest corner of the North $\frac{1}{2}$ of the South 71 rods of the North $\frac{1}{2}$ of fractional Section 31; thence continuing along the Section line N00°04'47"W 240.00 feet; thence N89°28'40"E 375.00 feet; thence S00°04'47"E 240.00 feet to the South line of the North $\frac{1}{2}$ of the South 71 rods of the NW $\frac{1}{4}$ of Section 32; thence along said South line S89°28'40"W 375.00 feet to the point of beginning, subject to the right of way of Meridian Road and any other rights of way or easements of record. Described parcel contains 2.0661 acres of land, more or less.

NOTE: The bearing of the East line of the SE $\frac{1}{4}$ of Section 25, T4N, R1W, as platted in CHIMNEY OAKS, recorded in Liber 44, Pages 1 through 4, Ingham County Records, was used as the bearing orientation for this survey.

West $\frac{1}{4}$ corner, Sec. 31, T4N, R1E, Liber 3, Page 625
 $\frac{1}{2}$ " bar and cap witnessed by:

Nail and tag in SE side 18" Ash, NE 39.82'
 Nail and tag in South side 15" Ash, ENE, 30.73'
 Nail and tag in U.P. SSW, 70.55'

SE corner, Sec. 25, T4N, R1W


$\frac{1}{2}$ " bar located 3' West of centerline of Meridian Road witnessed by tags nailed to:

Utility pole N50°W 44.00 feet
 West side of 10" Elm tree S40°E 66.45 feet
 East side of 12" Oak tree S30°W 86.20 feet
 NE corner MBTC Bldg. N80°W 97.60 feet

M-11

NW corner, Sec. 31, T4N, R1E, Liber 4, Page 355
 $\frac{1}{2}$ " pipe in monument box witnessed by:

Nail and tag in 20" Wild Cherry N75°E 73.00'
 North end of 12" culvert N80°E 47.7'
 South end of 12" culvert S65°E 48.8'
 Face of street sign post N57°E 44.05'
 Face of Bell telephone pedestal S38°E 49.05'



SCALE: This survey complies with the requirements of Section 3, P.A. 132 of 1970.

THE UNDERSIGNED LICENSED LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND

- — IRON STAKE
- O — MONUMENT
- X — X FENCE LINE
- Q — CENTER LINE
- R — RADIUS
- D — DEEDED DIMENSION
- M — MEASURED DIMENSION
- P — PLATTED

Ratio of Closure: 1:56,268

STEPHENS-KYES & ASSOCIATES, INC.

1401 EAST LANSING DRIVE, SUITE 112
 EAST LANSING, MICHIGAN 48823 — PHONE (517) 351-2574

BY

James E. Stephens

LICENSED LAND SURVEYOR NO.

16053

DATE Sept. 13, 1990 DRAWING NO. L-18632

3847

RE: 18632-EL

(CONT)

RECORDED

LIPER

6 PG 470

CERTIFIED BOUNDARY SURVEY


NOV 5 2 14 PM '90

REGISTER OF DEEDS
Ingham County, Mich.

FOR: JAMES SPANOS




LOCATION MAP
(NO SCALE)



WEST LINE OF SECTION 36

SOUTHWEST CORNER
SECTION 36, T4N, R1W

WEST 1/4 CORNER
SECTION 36, T4N, R1W



LEGEND

- SET 1/2" BAR & CAP
- SURVEY BOUNDARY LINE
- DISTANCE NOT TO SCALE
- FENCE

ALL DIMENSIONS ARE IN FEET AND

BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48340

Ph. (517) 339-1014

DRAWN BY G J W

SECTION 36, T4N, R1W

FIELD WORK BY R S

JOB NUMBER

L.6/P.470-473

CERTIFIED BOUNDARY SURVEY

WITNESSES:

West 1/4 corner Section 36, T4N, R1W
 Found spike at base steel fence corner post, Liber 3, Page 293,
 Fence South & East & North
 Found nail & tag South side 40" twin Poplar, North 29.88'
 Set nail & tag South side 20" Maple, N85°W, 16.1'
 Set nail & tag South side 10" Ash, N85°E, 35.34'

Southwest corner Section 36, T4N, R1W
 Found railroad spike
 Railroad spike, West, 28.2'
 Found nail & tag #16053 West side power pole, N05°E, 28.25'
 Found nail & tag #16053 North side power pole, S05°E, 52.0'
 Centerline Southeast rail post of bridge, S85°W, 28.4'

Northeast corner West 1/2 of Southwest 1/4 Section 36, T4N, R1W
 Found bar & cap 3' East of centerline of VanAtta fence West
 Set nail & tag South side 30" Wild Cherry 33.08'
 Set nail & tag West power pole N15°E, 119.33'
 Set nail & tag West side 40" Maple, S20°E, 74.55'
 Bent bar & cap #13165 East, 32.8'

Southeast corner West 1/2 of Southwest 1/4 Section 36, T4N, R1W
 Found bar & cap 1" North of centerline Jolly Road, 6' East of
 Centerline of Van Atta
 Found nail & tag #18998 Southwest side power pole, N45°W, 51.90'
 Set nail & tag Northwest side Twin Apple, S45°W, 54.28'
 Found nail & tag West side 20" Elm, S20°W, 54.13'

All bearings are derived from the South line of Section 36 which
 is recorded to bear East in Liber 4 of Surveys page 344 of the
 Ingham County Records.

This survey was performed with an error of closure no greater
 than a ratio of 1 in 82,896.

Larry A. Bryan 4-24-87

Larry A. Bryan Date:
 Licensed Land Surveyor No. 25832



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014

DRAWN BY G J W

SECTION 36, T4N, R1W

FIELD WORK BY R S

JOB NUMBER:

87-B-15116

L.6/P.470-473
 (CONT.)

CERTIFICATE OF SURVEY

LIPED

6 - 527

LEGAL DESCRIPTION: THE SOUTH 200 FEET OF THE EAST 300 FEET OF THE NORTH 68 ACRES OF THE NE $\frac{1}{4}$ OF SECTION 36, T4N,R1W, MERIDIAN TOWNSHIP, INGHAM COUNTY, MICHIGAN; MORE PARTICULARLY DESCRIBED AS: BEGINNING AT A POINT ON THE EAST LINE OF SAID SECTION 36, 932.15 FEET SOUTH OF THE NE CORNER OF SAID SECTION; THENCE CONTINUING SOUTH ALONG SAID EAST LINE, 200.00 FEET; THENCE S89°15'29"W ALONG THE SOUTH LINE OF SAID NORTH 68 ACRES, 300.00 FEET; THENCE NORTH 200.00 FEET; THENCE N89°15'29"E, 300.00 FEET TO THE POINT OF BEGINNING, SAID PARCEL CONTAINING 1.37 ACRES AND SUBJECT TO A RIGHT-OF-WAY FOR MERIDIAN ROAD OVER THE EAST 33 FEET.

RECORDED


Nov 28 12 45 PM '90

REGISTERED DEEDS
Ingham County, Michigan

2 NORTH

Scale:
1 in. = 50 ft.

NOTE: BEARINGS ARE RELATIVE
TO A SURVEY RECORDED IN
LIBER 3, PAGE 1012
INGHAM COUNTY RECORDS.



We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

Ron Helsel
RON HELSEL R.L.S. No. 18994

LEGEND ○ Set Iron ● Found Iron ✖✖ Fence Line R Recorded Distance M Measured Distance D Deeded Distance 3982	ACCOLADE SURVEYING, INC. 604 North Court Mason, Michigan 48854 (517) 676-1580		STATE OF MICHIGAN ★ ★ RON HELSEL LAND SURVEYOR No. 18994 REGISTERED LAND SURVEYOR
	Harry Rhodes 3785 Meridian Rd. Okemos, Michigan		
	FIELD M.P. 8-27-88	DATE 8-30-88	
	DRAWN MLM 8-29-88	SURVEY NO. 88154	
	CHECKED RH 8-30-88	SHEET 1 OF 1	


CERTIFIED BOUNDARY SURVEY

1989

6 p. 573

FOR: **RON PARISH**

LOCATION MAP
(NO SCALE)



EAST-WEST 1/4 LINE OF
SECTION 36

N89°53'58"E 1317.87'

NORTHWEST CORNER OF
THE EAST 1/2 OF THE
SOUTHWEST 1/4 OF
SECTION 36, T4N, RIW

L-12

CENTER OF SECTION
36, T4N, RIW

NORTH LINE OF THE
SOUTHEAST 1/4 OF THE
SOUTHWEST 1/4 OF
SECTION 36

N89°57'00"E
164.73'

N00°13'57"E 2638.87'
WEST LINE OF THE EAST
1/2 OF THE SOUTHWEST
1/4 OF SECTION 36

WEST LINE OF THE EAST
1/2 OF THE SOUTHWEST
1/4 OF SECTION 36

*4.99
ACRES

N00°14'00"E 1320.01'

EAST LINE OF THE WEST 1/2
OF THE WEST 1/2 OF THE
EAST 1/2 OF THE SOUTHWEST 1/4 OF
SECTION 36

NORTH-SOUTH 1/4 LINE
OF SECTION 36

RECORDED

Dec 4 8 30 AM '90

NORTH

REGISTER OF DEEDS
Frank J. Johnson
INGHAM COUNTY, MICH

1/2" BAR
& CAP

33' RIGHT OF WAY

164.72'

494.17'

SOUTHWEST CORNER OF
THE EAST 1/2 OF THE
SOUTHWEST 1/4 OF
SECTION 36, T4N, RIW

WEST 1317.78'
SOUTH LINE OF SECTION 36
AND Q OF JOLLY ROAD

P.O.B.

SOUTH 1/4 CORNER
SECTION 36, T4N, RIW

L-13


LEGEND

- = SET 1/2" BAR WITH CAP
- = FOUND IRON AS NOTED
- = DISTANCE NOT TO SCALE
- = SURVEY BOUNDARY LINE

ALL DIMENSIONS ARE IN FEET
AND DECIMALS THEREOF

IMPROVEMENTS NOT SHOWN

4002



BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014

DRAWN BY	SL	SECTION 36, T4N, RIW
FIELD WORK BY	DK	JOB NUMBER:
SHEET	1 OF 2	87 - B - 18677

L.6/p. 573, 574

CERTIFIED BOUNDARY SURVEY

CERTIFICATE OF SURVEY:

LIBER 6 574

I hereby certify only to the parties named hereon that we have surveyed at the direction of said parties, a parcel of land previously described as:

The West 5 acres of the West 10 acres of the East 20 acres of the Southeast 1/4 of the Southwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan.

and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundary of said parcel and that the more particular legal description of said parcel is as follows:

A parcel of land in the Southwest 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan; the surveyed boundary of said parcel described as commencing at the South 1/4 corner of said Section 36; thence West along the South line of said Section 36 a distance of 494.17 feet to the point of beginning of this description; thence West continuing along said South line 164.72 feet; thence N00°14'00"E along the West line of the East 1/2 of the Southeast 1/4 of said Southwest 1/4 a distance of 1320.01 feet; thence N89°57'00"E along the North line of the Southeast 1/4 of said Southwest 1/4 a distance of 164.73 feet; thence S00°14'00"W along the East line of the West 1/2 of the West 1/2 of the East 1/2 of the Southeast 1/4 of said Southwest 1/4 a distance of 1320.16 feet to the point of beginning; said parcel containing 4.99 acres more or less including 0.12 acre more or less presently in use as public right of way; said parcel subject to all easements and restrictions of record.

WITNESSES:

U-13
 South 1/4 corner Section 36, T4N, R1W, Liber 3, Page 291.
 Found 1" pipe in centerline of Jolly road on fence line to the North.
 Found nail & tag in South side 24" Walnut, N65°E, 66.39'
 Found nail & tag in South side 8" Walnut, N05°W, 70.38'
 Found nail & tag in North side power pole, N40°E, 68.82'

U-12
 Center of Section 36, T4N, R1W, Liber 4, Page 105.
 Found 4" concrete monument as called for in Plat of "Wind N. Wood".
 Found concrete monument, North, 73.52'
 Found nail & tag in East side 14" Ash, N20°W, 5.40'
 Found nail & tag in East side 12" Ash, S45°E, 15.52'
 Found nail & tag in West side 6" Ash, South, 8.61'

Northwest corner of East 1/2 of Southwest 1/4 Section 36, T4N, R1W.
 Found bar & cap 3' East of centerline of Van Atta on fence to the West.
 Found nail & tag in South side 30' Wild Cherry, West, 33.08'
 Found nail & tag in West side power pole, N15°E, 119.33'
 Found nail & tag in West side 40" Maple, S20°E, 74.55'
 Found bent bar & cap #13165, East, 32.80'


Southwest corner of West 1/2 of Southwest 1/4 Section 36, T4N, R1W.
 Found bar & cap 1" North of the centerline Jolly road and 6' East of the centerline of Van Atta road.
 Found nail & tag in Southwest side power pole, N45°W, 51.90'
 Found nail & tag in Northwest side twin Apple, S45°W, 54.28'
 Found nail & tag in West side 20" Elm, S20°W, 54.13'

This survey was performed with an error of closure no greater than a ratio of 1 in 5000.

All bearings are derived from the South line of Section 36 which is recorded to bear East in Liber 4 of Surveys Page 344 of the Ingham County Records.

Larry A. Bryan 12-3-87

Larry A. Bryan Date:
 Licensed Michigan Surveyor No. 25832



4002

BRYAN LAND SURVEYS, P.C.

6019 Marsh Road

HASLETT, MICHIGAN 48840

Ph. (517) 339-1014


DRAWN BY	SL	SECTION 36, T4N, R1W
FIELD WORK BY	DK	JOB NUMBER:
SHEET 2 OF 2		37 - B - 18677

CONT

CERTIFICATE OF PROPERTY SURVEY TO: MR. CHARLES SAWAYA

LEGAL DESCRIPTION:

PARCEL 1: That part of the North fractional 1/2 of Section 1, T3N, R1W, Alameda Township, Ingham County, Michigan described as: Beginning at the North 1/4 corner of said Section 1; thence N 89° 04' 54" E, 44.00 feet; thence S 00° 29' 50" E, parallel with the North-South 1/4 line, 842.57 feet; thence S 89° 10' 08" W, 521.88 feet; thence N 00° 30' 44" W, 842.50 feet to the North Section line; thence N 89° 10' 08" E, along said Section line, 478.10 feet to the P.O.B. Containing 10.0957 Acres, more or less. Subject to an easement over the North 33 feet for Jolly Road. Subject to any easements or restrictions of record.



TO: Red Cedar Evangelical Free Church

RECORDED

FEB 6 12 21 PM '91

REGISTER OF DEEDS
INGHAM COUNTY MICH.

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1990 Beery & Associates, Inc.

4040

- LEGEND
- - FOUND IRON
- - SET IRON
- - MONUMENT
- X - FENCE LINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION



I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 112 of 1970 and that the ratio of error or closure of this survey is no greater than 1/5000.

David R. Lohr
Licensed Land Surveyor

RATIO OF CLOSURE:

BEERY & ASSOCIATES, INC.
849 N AURELIUS ROAD
MASON, MICHIGAN 48854
PHONE (517) 676-4606

DATE: JULY 27, 1990 SCALE: 1" = 200'
SHEET: 1 of 7 CHECKED: D.
DRAWN: JJJ REVISED: 7-13-90
FIELD: 64 JJ FILE NO.: 123


CERTIFICATE OF PROPERTY SURVEY

L.G. P. 646

BY: CHARLES SAWAY

LEGAL DESCRIPTION:

PARCEL 2: That part of the Northwest fractional 1/4 of Section 1, T3N, R10W, Alcona Township, Ingham County, Michigan described as: Commencing at the North 1/4 corner of said Section 1; thence S 89° 10' 08" W, 478.10 feet to the Point of Beginning; thence S 00° 30' 44" E, 842.50 feet; thence N 99° 10' 08" E, 112.90 feet; thence S 00° 30' 44" E, 387.50 feet; thence S 89° 10' 08" W, 433.00 feet; thence N 00° 30' 44" W, 1230.00 feet to the North Section Line; thence N 89° 10' 08" E, along said Section line, 320.10 feet to the P.O.B. Containing 10.0428 Acres, more or less. Subject to an easement over the North 33 feet for Jolly Road. Subject to any easements or restrictions of record.



HOUSE DETAIL
1" = 30'

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1988 Beery & Associates, Inc.

4040

LEGEND

- - FOUND IRON
- - SET IRON
- ⊙ - MONUMENT
- X - FENCE LINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION

RATIO OF CLOSURE: _____



I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970 and that the ratio of error of closure of this survey is no greater than 1/5000.

David R. Lohr

David R. Lohr
Licensed Land Surveyor



849 N. AURELIUS ROAD
MASON MICHIGAN 48854
PHONE (517) 676 4686

DATE: Nov. 09, 1990 SCALE: 1" = 200'
SHEET: 2 of 9 CHECKED: DL
DRAWN: JJ
FIELD: JJ

L.G. P. 645-653 (cont.)

CERTIFICATE OF PROPERTY SURVEY

TO: MR. CHARLES SAWAYA

1987

6 653

LEGAL DESCRIPTION:

PAPCEL 8: That part of the North fractional 1/2 of Section 1, T3N, R1W, Alameda Township, Ingham County, Michigan described as: Commencing at the North 1/4 corner of said Section 1; thence N 89° 04' 54" E, 44.00 feet to the Point of Beginning; thence N 89° 04' 54" E, along North Section line, 666.49 feet; thence S 00° 29' 50" E, parallel with the North-South 1/4 line, 1241.45 feet; thence N 89° 04' 54" E, 34.32 feet; thence S 00° 29' 50" E, 106.26 feet; thence S 89° 02' 14" W, 11.02 feet; thence S 00° 29' 50" E, parallel with the North-South 1/4 line, 635.23 feet; thence N 98° 25' 21" W, 734.25 feet to the North-South 1/4 line; thence N 89° 25' 21" W, 69.75 feet; thence N 22° 53' 29" W, 774.76 feet; thence N 00° 30' 44" W, 387.50 feet; thence N 89° 10' 08" E, 408.98 feet; thence N 00° 29' 50" W, 842.57 feet to the P.O.B. Containing 38.4773 Acres, more or less. Subject to an easement over the North 33 feet for Jolly Road. Subject to any easements or restrictions of record.

SECTION CORNER WITNESSES: SECTION 1, T3N, R1W, ALAMEDA TOWNSHIP, INGHAM CO.

NORTHWEST CORNER

Fd. PK Nail C/L Jolly Rd. & Every Rd.
Fd. N&T W. side PP. N70°E. 53.75'
Fd. N&T top post. S60°W. 41.45'
Fd. N&T top post. S70°W. 37.02'

NORTH 1/4 CORNER L6, PG. 71

Fd. 1/2" IRON IN MON. BOX
Fd. N 8 T P. POLE S30°E. 81.75'
Fd. N 8 T 14" WALNUT N10°E. 71.24'
Fd. 3/4" PIPE. EAST. 17.51'
SET IRON. S00°30'E. 33.00'

NORTHEAST CORNER

Fd. 1/2" IRON JOLLY & MERIDIAN RD.
Fd. N&T P. POLE N40°W. 60.30'
Fd. N&T 18" TREE N45°E. 41.50'
Fd. N&T 18" TREE S45°E. 35.83'
SET N&T 30090 P. POLE S45°W. 51.90'

EAST 1/4 CORNER

Fd. 1/2" IRON MERIDIAN & BUTTON RD.
Fd. N&T 21" POPLAR N65°E. 52.10'
Fd. N&T 10" MAPLE S40°E. 100.45'
SET N&T 30090 28" MAP. S40°W. 120.42'
SE COR. USGS GAUGE BOX. N45°W. 50.77'
Fd. PK NAIL SOUTH. 65'

CENTER OF SECTION. L5, PG. 120

Fd. 1/2" IRON 2' SO. C/L BUTTON
Fd. N&T 24" HICK. S75°E. 56.60'
Fd. N&T 16" CHERRY N50°E. 38.88'
Fd. N&T 12" TW. HICK. N75°W. 70.00'

WEST 1/4 CORNER L2, PG. 503

Fd. 3/4" IRON. BUTTON & EVERY RD.
Fd. N&T 36" CATALPA. S45°E. 33.77'
Fd. N&T 20" CATALPA. S30°E. 35.18'
Fd. N&T 30" CATALPA. N45°W. 48.35'

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1988 Beery & Associates, Inc.

4040

LEGEND

- - FOUND IRON
- - SET IRON
- ⊙ - MONUMENT
- X - FENCE LINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION

RATIO OF CLOSURE: _____



I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970 and that the ratio of error of closure of this survey is no greater than 1/5000.

David R. Lohr

David R. Lohr
Licensed Land Surveyor

L.6/P.645-653
(CONT)

AUG 4 8 00 AM '92

LIBER

6-1007


REGISTER OF DEEDS

INGHAM COUNTY, MICH

CERTIFIED SURVEY MAP

PAGE 1 OF 2

66 FT. WIDE R/W
VAN ATTA ROAD



- FOUND IRON
- SET 1/2" REBAR WITH LS30101 CAP
- (R) = RECORDED AS
- (M) = MEASURED AS

L-11 N. 1/4 CORNER,
SEC. 36,
T. 4N., R. 1W.

L.S. CAP 25832
L.S. OF SURVEYS,
PP. 561-562

NOTE: IRONS FOUND WERE IN ACCORDANCE WITH
UNRECORDED SURVEY BY L.S. STEADMAN
DATED 12/19/67, DRAWING No. 732.

S. 89°46'05"E. 132.172' (M)

(N. LINE OF N. 10 ACRES
OF S. 40 ACRES OF E. 1/2 OF
NW 1/4 OF SEC. 36, AS OCCUPIED,
AND AS MONUMENTED.

PARCEL B

JACK AND NORMA
HOYT

PARCEL C

BASIS OF BEARINGS IS THE
NORTH-SOUTH 1/4 LINE OF
SECTION 36, T. 4N., R. 1W.
(S. 00°23'35"W.) AS RECORDED
IN L. 5 OF SURVEYS, PAGE 561,
INGHAM COUNTY RECORDS.

DEED TITLE DESCRIPTION (AS PROVIDED BY
OWNER): **PARCEL B:** The North 10 acres of
the South 40 acres of the East 1/2 of the NW 1/4 of Section 36,
except a parcel out of the SW corner thereof 130 ft. North and
South by 310 ft. East and West, T. 4N., R. 1W., Meridian Twp., Ingham
County, Michigan. **PARCEL C:** The East 5 acres of the North 10 acres of the
South 30 acres of the East 1/2 of the NW 1/4 of Section 36, T. 4N., R. 1W., Ingham
County, Michigan.

(SEE PAGE 2 FOR SURVEYOR'S NOTE REGARDING LEGAL DESCRIPTION)
WITNESSES TO 1/4 SECTION CORNERS:

CENTER OF SECTION 36, T. 4N., R. 1W.:
Found concrete monument. Witnesses substantially as recorded in L. 4 of Corners,
Page 105.

1. North 5.44' (5.40'R) to nail & tag E. face 15" Ash. 2. S. 15°E. 15.55' (15.52'R) to nail East face 15" Ash. 3. S. 15°W. 8.83' (8.81'R) to nail & tag W. face 10" Maple. 4. S. 85°E. 23.91' to LS 30101 tag N. face 10" Ash.

NORTH 1/4 CORNER OF SECTION 36, T. 4N., R. 1W.:
Found 3/4" pipe. Witnesses substantially as recorded in L. 7 of Corners, P. 56.

1. Found nail and tag W. side 24" twin Maple, S. 05°E., 6.05'.
2. Found nail and tag N. side 18" Maple, S. 45°W., 30.60'.
3. Found nail and tag W. side 20" Maple, North, 36.80'.

Survey for: Jack and Norma Hoyt

Location: Section 36, T. 4N., R. 1W.,
Meridian Township

Scale: 1" = 200'


Date: 07/28/92

By: KJS

Job No.: 92-275

I hereby certify the following: this survey was performed and map
prepared by me, or under my direct supervision; the ratio of closure of
latitudes and departures resulting from field work is one foot in
5000 feet; the requirements of Act No. 132, Public Acts of 1970,
and Act No. 24, Public Acts of 1988, have been complied with.

Keyno J. Shellenbarger 07/28/92
Keyno J. Shellenbarger, Ph.D., P.E., L.S.
L.L.S. No. 30101




SHELLENBARGER ENGINEERING AND SURVEYING, P.C.
5910 N. Hagadorn Road East Lansing, Michigan 48823
Phone: (517) 337-8270

L. 6/P. 1007

CERTIFIED SURVEY MAP

PAGES ARE RECORDED
AGAIN IN L. 6 / P. 1092-1093 !

REVISIONS REC. IN. L. 6/P. 1278
L. 7/P. 575



4249

Licensed Land Surveyor No. 18989

MARVIN F. FOUTY, PC
LAND SURVEYING & MAPPING

185 E. Grand River Ave.
Williamston, Mich. 48895
Phone (517) 349-2442
FAX (517) 349-2328

L.6/P.1090-1093

CERTIFIED SURVEY MAP

For: Tom Boyd

Legal Description: *Parcel A* - That part of the South 32 acres of the North 100 acres of the NE 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Beginning at a point on the East line of said Section 36 distant N00°01'56"W 998.59 feet from the East 1/4 corner of said Section 36; thence S89°18'54"W 1164.80 feet; thence N01°41'28"W 262.98 feet; thence N89°21'42"E 1172.40 feet to a point on said East Section line; thence S00°01'56"E 262.00 feet along said East line to the point of beginning; containing 7.041 acres more or less and subject to the rights of the public in Meridian Road.

Legal Description: *Parcel B* - That part of the South 32 acres of the North 100 acres of the NE 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan described as: Beginning at a point on the East line of said Section 36 distant N00°01'56"W 1260.59 feet from the East 1/4 corner of said Section 36; thence S89°21'42"W 1172.40 feet; thence S01°41'28"E 262.98 feet; thence S89°18'54"W 1487.59 feet to a point on the N-S 1/4 line of said Section 36; thence N00°04'55"W 528.36 feet along said N-S 1/4 line; thence N89°16'26"E 2435.07 feet; thence S00°01'56"E 200.00 feet parallel with said East Section line; thence N89°16'29"E 217.80 feet to a point on said East Section line; thence S00°01'56"E 68.24 feet along said East line to the point of beginning; containing 24.189 acres more or less and subject to the rights of the public in Meridian Road.

I hereby certify to the parties named hereon that we have surveyed and divided into parcels those tracts of land previously surveyed and described in Liber 3, Pages 1012 and 1013 Certified Survey Maps of Ingham County Michigan and that we have set 1/2" bars with identification caps at all corners of said parcels except as noted and that this survey complies with the requirements of Public Act 132 of 1970 and was performed with an error of closure no greater than a ratio of 1 in 5000.

Bearings are relative and are referenced to the East Line of said Section 36 which is recorded to bear N00°01'56"W in the recorded Condominium of Baan Gan Aka Ingham County Records.

Project No. 875 Date 1-15-93 Scale: 1" = -Field By: DH Drawn By: TCP Sheet 2 of 2

42-19

Licensed Land Surveyor No. 18989

MARVIN F. FOUTY, PC
LAND SURVEYING & MAPPING185 E. Grand River Ave.
Williamston, Mich. 48895
Phone (517) 349-2442
FAX (517) 349-2328

CERTIFICATE OF PROPERTY SURVEY

TO: ROBERT MAYNARD

LIBER

7 p 220

"Chimney Oaks"

L 44 - pg. 1-4

L-11

N 1/4 Cor.
Sec. 36, T4N, R1W

N. 89° 04' 29" E.
1010.00'

North Section Line

50'

Set

Township Line

N.E. Cor.
Sec. 36, T4N, R1W

M-11

5.797 Ac.

"Vacant"

N. 00° 10' 00" W.
250.00'

250.00'

Set

S. 89° 04' 29" W.
1010.00'

S. 00° 10' 00" E. 250.00'

33'

Meridian Rd.

NOTE:

Bearings obtained from plat of
"Chimney Oaks"


RECORDED

MAY 17 2 18 PM '94

REGISTER OF DEEDS

Paul J. Johnson

TNGHAM COUNTY, MICH.



1" = 100'

W 1/4 Cor.
Sec 31, T4N, R1E

E 1/4 Cor.
Sec. 36, T4N, R1W

S. 00° 08' 20" E.
m 1197.72'

M-12

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1993 Beery & Associates, Inc.

4466

LEGEND

- - FOUND IRON
- - SET IRON
- ⊙ - MONUMENT
- X - FENCE LINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION

RATIO OF CLOSURE: _____



I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1970 and that the ratio of error of closure of this survey is no greater than 1/5000.

David R. Lohr
David R. Lohr
Licensed Land Surveyor



BEERY
& ASSOCIATES, INC.

849 N. AURELIUS ROAD
MASON, MICHIGAN 48854
PHONE (517) 676-4686

DATE: 12-17-93 SCALE: 1" = 100'
SHEET: 1-2 CHECKED: DL
DRAWN: MS REVISED:
FIELD: DL FILE NO.: 8448

CERTIFICATE OF PROPERTY SURVEY

TO: ROBERT MAYNARD

LIBER

7 PG 221

LEGAL DESCRIPTION:

That part of the NE 1/4 of Section 36, T4N, R1W, Meridian Township, Ingham County, Michigan, described as: Beginning at the NE Corner of said Section 36; thence S 00° 10' 00" E, along the East line of said Section 36, 250.00 feet; thence S 89° 04' 29" W, parallel with the North Section line of said Section 36, 1010.00 feet, thence N 00° 10' 00" W, 250.00 feet, to the North Section line; thence N 89° 04' 29" E, along said North Section line, 1010.00 feet, to the point of beginning. Containing 5.797 Acres, more or less. The East 33 feet subject to an easement for Meridian Road. Subject to any easements or restrictions of record.

Witnesses to Section Corners

M-11	NE Corner Section 36, T4N, R1W		
	Found 1/2" bar, 1.5' West of Centerline Meridian Rd.		
	Found Nail/Tag #25332,	8" Tri-Box Elder,	S 45° W, 30.92'
	Found Nail/Tag,	6" Elm,	S 70° E, 50.25'
	NE Corner MBTC Bldg.		N 80° W, 97.60'
L-11	Set Nail/Tag #30090, Power Pole,		
			N 50° W, 44.00'
	North 1/4 Corner Section 36, T4N, R1W		
	Found 4" monument at intersection of fence lines North-South & East		
	Found Nail/Tag West side	30" Maple,	S 10° E, 6.07'
M-12	Found Nail/Tag West side	18" Hickory, North,	38.72'
	Found Nail/Tag North side	14" Oak,	S 35° W, 30.65'
	East 1/4 Corner Section 36, T4N, R1W		
	Found 1/2" iron, 1' East centerline Meridian Road		
	Found Nail/Tag #16053 S/S anchor post	N 45° E,	52.31'
	Found Nail/Tag #16053 SE/S Tele. Pole,	S 73° E,	30.93'
	Found Nail/Tag #16053 NE/S 14" Walnut,	S 45° E,	71.22'
	Found Nail/Tag #16053 S/S Power Pole,	West,	27.60'
	West 1/4 Corner Section 31, T4N, R1E		
	Found 1/2" bar with cap, 1' West of Centerline Meridian Rd.		
	Found Nail/Tag #16053,	N/S Pole	S 20° W 70.55'
	Found Nail/Tag #16053,	SE/S 15" Maple	S 22° W 101.30'
	Found 4" Monument		N 89° E 34.33'
	Found 4" Monument		N 27° E 74.20'

NOTE: This instrument is for the exclusive use of the parties named above and we offer no liability to present or future owners of said property. This drawing is the property of Beery & Associates, Inc., and shall not be used for any purpose without the written consent of an authorized agent of Beery & Associates, Inc. Beery & Associates, Inc. accepts no responsibility for the use of this drawing for any purpose after six months from the date indicated herein. All rights reserved. Copyright 1993 Beery & Associates, Inc.

4466

- LEGEND**
- - FOUND IRON
 - - SET IRON
 - ⊙ - MONUMENT
 - X - FENCE LINE
 - R - RECORDED DIMENSION
 - D - DEEDED DIMENSION
 - M - MEASURED DIMENSION



I hereby certify that I have surveyed the property herein described, and that except as shown, there are no visible encroachments upon the above described property.

I further certify that I have fully complied with the requirements of Section 3, Public Act 132 of 1979 and that the ratio of error of closure of this survey is no greater than 1/5000.

David R. Lohr
David R. Lohr
Licensed Land Surveyor

RATIO OF CLOSURE: _____



BEERY & ASSOCIATES, INC.

849 N AURELIUS ROAD
MASON, MICHIGAN 48854
PHONE (517) 676-4686

DATE: 12-17-93	SCALE: 1" = 100'
SHEET: 2-2	CHECKED: DL
DRAWN: MS	REVISED:
FIELD: DL	FILE NO.: 8448