

11 830

CERTIFICATE OF SURVEY

FOR Amoco Production Co
P.O. Box 3092
Houston, Texas

NW 1/4 CORNER SECTION 6
T1N R2W (3/4" IRON PIPE
WITNESSED WITH SURVEY
TAG INJULIED TO SE. SIDE
24" PINE TREE N52°07'W
47.96'. SW. SIDE 36" PINE
TREE N47°15' E 63.12' W. SIDE
30" PINE TREE 563°04' E
64.51'.

N 1/4 CORNER
SECTION 6, T1N R2W
(RAILROAD SPIKE WITNESSED
WITH SURVEY TAG NAILED
TO S. SIDE S 1/2 WILD CHERRY
TREE N74°34'W 110.0' W. SIDE
S 1/2 ELM TREE N58°53'E
50.44' N. SIDE S 1/2 ELM TREE
S65°55'W 58.63').


This survey complies with the requirements of Section 3, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1:5000

CENTER OF SECTION 6,
T1N, R2W (TIRON WITNESS)
WITH SURVEY TAG NAILED TO
SIDE 5' OAK TREE N 84° 48' W
W. SIDE 12' APPLE TREE
41° 12' E 16.87', E. SIDE
4' OAK CHERRY TREE
N 42° W 11.75').

NOTE: BUILDINGS
ON PROPERTY
NOT SHOWN



5/4 CORNER SECTION 6.
T1N, R2W, (AS RECORDED
IN 'LIBER 1' OF LAND
CORNERS ON PAGE 327



SCALE: 1"=500'

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

STEPHENS ENGINEERING INC.

CIVIL ENGINEERING LAND PLANNING SURVEYORS
ADD. P.O. BOX 1202, LANSING, MICHIGAN 48104 PH. 351-4450

James S. Hunter

BY J. Edgar Hoover
REGISTRATION NO. 16053

DATE June 19, 1973 SURVEY NO. L-14320-A

<https://doi.org/10.1016/j.jmb.2019.05.005>

LEGEND

S-IRON STAKE
O-MONUMENT
X-X FENCE LINE
C-CENTER LINE
R-RECORDED DIMENSION
D-DEED DIMENSION
M-MEASURED DIMENSION

STEPHENS ENGINEERING, INC.
318 Marshall St.
East Lansing, MI 48823

East Lansing, MI 48823

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

© 2006 Blackwell Publishing Ltd, *Journal of Internal Medicine* 260: 459–466

5

1

1

1

1990

THE

100-443614-100

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

Abstract

31 MAR 78


LIBER 31 291

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT 1680.0 FEET N 89 DEG 26 MIN 50 SEC W OF THE NORTH $\frac{1}{4}$ POST OF SECTION 7, TOWN 1 NORTH, RANGE 2 WEST, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE N 89 DEG 26 MIN 50 SEC W 150.0 FEET ALONG THE SECTION LINE, THENCE S 0 DEG 36 MIN 30 SEC W 330.0 FEET, THENCE S 89 DEG 26 MIN 50 SEC E 150.0 FEET PARALLEL WITH THE NORTH LINE OF SAID SECTION 7, THENCE N 0 DEG 36 MIN 30 SEC E 330.0 FEET TO THE POINT OF BEGINNING.

THE ERROR OF CLOSURE IS 0.



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

MARCH 30, 1978

SURVEY 7 13281 "B"

Laverne J. Hendryx
 LAVERNE J. HENDRYX
 2621 S. WAVERLY ROAD
 LANSING, MICHIGAN 48910
 R. L. S. 3276

RECORDED

MAR 31 1 54 PM '78
 REGISTER OF DEEDS
Paul Johnson
 INGHAM COUNTY, MICH.

1719

REGISTER OF DEEDS
James Johnson
 INGHAM COUNTY, MICH.

31 MAR 78


CERTIFICATE OF SURVEY

316 290

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT 1830.0 FEET N 89 DEG 26 MIN 50 SEC W OF THE NORTH CORNER POST OF SECTION 7, TOWN 1 NORTH, RANGE 2 WEST, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE N 89 DEG 26 MIN 50 SEC W 150.0 FEET ALONG THE SECTION LINE, THENCE S 0 DEG 36 MIN 30 SEC W 330.0 FEET, THENCE S 89 DEG 26 MIN 50 SEC E 150.0 FEET PARALLEL WITH THE NORTH LINE OF SAID SECTION 7, THENCE N 0 DEG 36 MIN 30 SEC E 330.0 FEET TO THE POINT OF BEGINNING.

THE ERROR OF CLOSURE IS 0.



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

MARCH 30, 1978

SURVEY # 13281 "A"

1721

Laverne J. Hendryx
LAVERNE J. HENDRYX
2621 S. WAVELEY ROAD
LANSING, MICHIGAN 48910
R. L. S. 3276

RECORDED

MAR 31 1 54 PM '78


REGISTER OF DEEDS
Ruth Johnson
INGHAM COUNTY, MICH.

1960 31 202

FOR Wallace E. Segerstrom
6085 W. Plains Road
Eaton Rapids, Michigan

LOCATION MAP
(NO SCALE)

LEGEND: 1-All dimensions are in feet and decimals thereof. 2-^{1/2}" bars with identification caps have been placed at all points marked "•" unless otherwise noted. 3- described boundary. 4- fence line. 5-All bearings are relative and are referenced to the North line of Section 6, T1N, R2W, which is recorded to bear S88°03'10"E in a previously recorded survey.



27 MAR 78

36 289

CERTIFIED BOUNDARY SURVEY

LEGAL DESCRIPTIONS:

Parcel 1

A parcel of land in Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 6; thence S00°05'30"W along the East line of said Section 6, 329.0'; thence N88°53'10"W parallel with the North line of said Section 6, 220.0'; thence N00°05'30"E parallel with the East line of said Section 6, 329.0' to the North line of said Section 6; thence S88°53'10"E along the North line of said Section 6, 220.0' to the point of beginning. Contains 1.662 acres, more or less, and subject to the rights of the public over existing Plains and Gale Roads.

Parcel 2

A parcel of land in Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 6; thence N88°53'10"W along the North line of said Section 6, 220.0' to the point of beginning of this description; thence S00°05'30"W parallel with the East line of said Section 6, 329.0'; thence N88°53'10"W parallel with the North line of said Section 6, 220.0'; thence N00°05'30"E parallel with the East line of said Section 6, 329.0' to the North line of said Section 6; thence S88°53'10"E along the North line of said Section 6, 220.0' to the point of beginning. Contains 1.662 acres, more or less, and subject to the rights of the public over existing Plains Road.

Parcel 3

A parcel of land in Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 6; thence N88°53'10"W along the North line of said Section 6, 220.0' to the point of beginning of this description; thence S00°05'30"W parallel with the East line of said Section 6, 329.0'; thence N88°53'10"W parallel with the North line of said Section 6, 220.0'; thence N00°05'30"E parallel with the East line of said Section 6, 329.0' to the North line of said Section 6; thence S88°53'10"E along the North line of said Section 6, 220.0' to the point of beginning. Contains 1.698 acres, more or less, and subject to the rights of the public over existing Plains Road.

Parcel 4

A parcel of land in Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 6; thence S00°05'30"W along the East line of said Section 6, 329.0' to the point of beginning of this description; thence continuing S00°05'30"W along the East line of said Section 6, 1017.55' to the E/W 1/8 line of said Section 6; thence N88°53'10"W along the E/W 1/8 line of said Section 6, 664.90'; thence N00°05'30"E parallel with the East line of said Section 6, 1013.85'; thence S88°53'10"E parallel with the North line of said Section 6, 664.83' to the point of beginning. Contains 15.499 acres, more or less, and subject to the rights of the public over existing Gale Road.

I hereby certify to the parties named hereon that we have surveyed four parcels of land with the NE1/4 of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; as it is apparently, peacefully occupied at present, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcels shown hereon, and the more particular descriptions of said parcels are as designated hereon.

Austin C. Williams
Austin C. Williams
Registered Land Surveyor
Mich. Registration No. 21275

This survey was performed with an error of closure no greater than a ratio of 1" in 5,000'. This survey complies with the requirements of P.A. 132 of 1970.

1217

WILLIAMS

Surveying

1149 Okemos Rd.
Mason, Michigan 48854
PH. (517) 878-6183

DRAWN

AW 3/4/78

SEC. 6, T1N-R2W

COMPUTED

AW 5/4/78

301 1.666

FLD. SURVEY

AW 7/13/78

301 20.42

sheet / of 2

1525

16 SEPT 77


USER 2 01238

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:
COMMENCING IN THE SECTION LINE AT A POINT
264.0 FEET WEST OF THE NORTH & POST OF SECTION 5,
TOWN 1 NORTH, RANGE 2 WEST, ONONDAGA TOWNSHIP,
INGHAM COUNTY, MICHIGAN, THENCE S 1 DEG 15 MIN E
330.0 FEET, THENCE WEST 44.0 FEET, THENCE
N 1 DEG 15 MIN W 330.0 FEET TO THE SECTION LINE,
THENCE EAST 44.0 FEET TO THE POINT OF BEGINNING.

THE ERROR OF CLOSURE IS 0.

ROY ROGERS AND GWEDOLYN C. ROGERS
HUSBAND AND WIFE
5773 PLAINS ROAD
EATON RAPIDS, MICHIGAN



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES
THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO
THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

JUNE 10, 1976

SURVEY # 13061 "B"

Laverne J. Hendryx
LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48910
R. L. S. 3276

RECORDED

SEP 16 10 18 AM '77

REGISTER OF DEEDS
Charles Johnson
INGHAM COUNTY, MICH.

16 SEPT 77

CERTIFICATE OF SURVEY


LIBER

2 161241

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT
626.0 FEET S 0 DEG 0 MIN 30 SEC W OF THE N W CORNER
OF SECTION 5, TOWN 1 NORTH, RANGE 2 WEST, ONONDAGA
TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE S 89 DEG
59 MIN 30 SEC E 263.0 FEET, THENCE S 0 DEG 0 MIN
30 SEC W 208.0 FEET, THENCE N 89 DEG 59 MIN 30 SEC W
263.0 FEET TO THE SECTION LINE, THENCE N 0 DEG
0 MIN 30 SEC E 208.0 FEET TO THE POINT OF BEGINNING.

THE ERROR OF CLOSURE IS 0.



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES
THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO
THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970 AND THAT THE
IMPROVEMENTS ARE ENTIRELY ON THE LAND AS PLATTED WITH NO ENCROACHMENTS
ON ADJOINING PROPERTY.

JUNE 10, 1976

SURVEY # 13061 "A"

Laverne J. Hendryx

LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN
R. L. S. 3276

RECORDED

48910 SEP 16 10 18 AM '77

REGISTER OF DEEDS
Paula Johnson
INGHAM COUNTY, MICH.

23 JULY 73

829

CERTIFICATE OF SURVEY

RECORDED

FOR Amoco Production Co.
P.O. Box 3092
Houston, Texas 77001

JUL 23 10 25 AM '73


SURVEY OF PROPERTY LEGALLY DESCRIBED AS: The West 100 acres of the Southwest Quarter, Section 6, Town 1 North, Range 2 West, except a parcel described as commencing 630 feet North of the Southwest corner of said Section 6, thence East 350 feet, thence North 1039.2 feet, thence West 350 feet, thence South 1039.2 feet to the point of beginning, also the West 107 acres of the Northwest 1/4, Section 6, Town 1 North, Range 2 West, except a parcel described as commencing in the North line of said Section 6 at a point 591 feet East of the Northwest corner of said Section 6, thence at right angles to Section line South 232 feet, thence parallel to the Section line East 536.25 feet, thence at right angles to the Section line North 232 feet to the North Section line, thence West 536.25 feet to the point of beginning.

REGISTER OF DEEDS

Paul M. Lewis
INGHAM COUNTY, MICH.

MORE PARTICULARLY DESCRIBED AS: That part of the West 1/2 of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan, beginning at the Southwest corner of said Section 6, thence N0°39'58"E 630.0 feet along the West Section line, thence S89°20'02"E 350.0 feet at right angles to said West Section line, thence N0°39'58"E 1039.20 feet parallel with said West Section line, thence N89°20'02"W 350.0 feet to said Section line, thence along said West Section line N0°39'58"E 994.08 feet to the West 1/4 corner of said Section, thence along the West Section line N0°27'50"E 2711.28 feet to the Northwest corner of said Section, thence along the North Section line S89°04'10"E 591.0 feet, thence S0°55'50"W 232.0 feet at right angles to said North Section line, thence S89°04'10"E 536.25 feet parallel with said North Section line, thence N0°55'50"E 232.0 feet to said Section line, thence S89°04'10"E 638.25 feet along said North Section line, thence S0°27'50"W 2702.23 feet parallel with the West Section line to the East-West 1/4 line, thence N89°21'48"W 129.15 feet along said 1/4 line, thence parallel with the West Section line S 39'58"W 2660.88 feet to the South Section line, thence along the South Section line N89°25'50"W 1636.35 feet to the point of beginning, subject to the right of way of Ferris Road, Waverly Road and Plains Road and any other rights or easements of record, containing 198.495 acres of land, more or less.


AMOCO NO. 519402



SHEET 1 OF 2

This survey complies with the requirements of Section 3, P.A. 136 of 1970, and that said survey was performed with an error of closure no greater than 1:5000

WITNESSES FOR SW CORNER SEC. 6
(RAILROAD SPURS WITNESSED WITH
SURVEY TAG NAMED TO S. SIDE 24"
HICKORY TREE N0°53'W 125.88'
SW. SIDE 36" HICKORY TREE N56°44'E
39.26', NE. SIDE 18" HICKORY TREE
S36°09'W 55.05')



SCALE:

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND

● - IRON STAKE
○ - MONUMENT
X - X FENCE LINE
— - CENTER LINE
R - RECORDED DIMENSION
D - DEEDED DIMENSION
M - MEASURED DIMENSION

STEPHENS ENGINEERING, INC.
318 Marshall St.
East Lansing, MI 48823

STEPHENS ENGINEERING
CIVIL ENGINEERING LAND PLANNING SURVEYORS
BUS. ADD. - P.O. BOX 1202, LANSING, MICHIGAN 48904 PH. 351-4450

BY *James F. Stephens*

REGISTRATION NO. 16053

DATE June 19, 1973 SURVEY NO. L-14320-B

570

CERTIFICATE OF SURVEY

LIBER

10 329

FOR Richard Nolan
5891 Ferris Road, R#1
Eaton Rapids, Michigan 48827


SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northwest 1/4 of Section 8, T1N, R2W, Onondaga Township, Ingham County, Michigan, beginning on the section line at a point 596.5 feet North of the West 1/4 corner of said Section 8, running thence North 180.0 feet on the section line thence East 300.0 feet at right angle to the section line, thence South 180.0 feet, thence West 300.0 feet to the point of beginning, subject to highway right of way and any other easements of record.

RECORDED

JUN 26 10 31 AM '72

REGISTER OF DEEDS

Conrad M. Lewis
INGHAM COUNTY, MICH.



This survey complies with the requirements of Section 5, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1:5000.



23 JULY 73

1 821

RECORDED

CERTIFICATE OF SURVEY JUL 23 10 23 AM '73

FOR Amoco Production Co.
P.O. Box 3092
Houston, Texas 77001


REGISTER OF DEEDS

Paul M. Stephens
INGHAM COUNTY, MICH.

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: W 1/2 of NE 1/4, except beginning on North line of Section 6, T1N, R2W, at a point 1846.45 feet West of the Northeast corner of said Section 6, West 490.55 feet on the North line of said Section, South 381.4 feet, N64°22'00"E 230 feet and N45°10'00"E 400.4 feet along Northerly bank of drain ditch to place of beginning, also East 60 acres of NW 1/4 of Section 6.

MORE PARTICULARLY DESCRIBED AS: That part of the North 1/2 of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan, beginning at the North 1/4 corner of said Section 6, thence S88°53'10"E 322.33 feet along the North Section line, thence S1°06'50"W 381.40 feet at right angles to the North Section line, thence N65°28'50"E 230.0 feet and N46°14'40"E 399.58 feet along the Northerly bank of a drainage ditch to the North Section line, thence along the North Section line S88°53'10"E 516.78 feet to the East line of the W 1/2 of the NE 1/4 of said Section 6, thence along said East line S0°00'42"E 2686.39 feet to the East-West 1/4 line, thence along the East-West 1/4 line N89°21'48"W 2312.77 feet, said point being 984.20 feet Westerly of the center of Section, thence N0°27'50"E 2702.23 feet to the North Section line, thence S89°04'10"E 960.96 feet to the point of beginning, subject to the right of way of Plains Road and any other rights or easements of record, containing 139,907 acres of land, more or less.

AMOCO NO. 308438



5412

12

APR

93

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION: (SEE PAGE 2)

RECORDED


5-12-83 3:28 PM '83

W 1/4 CORNER
SECTION 5
T1N, R2W
L12 P 535

SURVEY BY L. HENDRIX
RECORDED L.S. P 591

FOUND BARE CAP
32716

FOUND BARE CAP
32716




SW CORNER
SECTION 5
T1N, R2W
L1 P 321

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 16 Public Act 132 of 1970, and that the ratio of closure of this survey is no greater than 1/5000.

LEGEND

- Set Iron
- Found Iron
- Fence Line
- R Recovered Distance
- M Measured Distance
- D Deeded Distance



Ron Helsel
RON HELSEL, R.L.S. No. 18994

ACCOLADE, INC.

Land Surveying and Planning Specialists
807 Kerns Rd., Suite 101, Mason, Mich. 48854
Phone 517-676-1580

FOR: SARAH BOCHER REIMY
806 S. MAIN STREET
EAST LANSING, MICH. 48022

FIELD MP/GR

891

DRAWN KLM


100

CHECKED RH

LIBER 1 PG 138 CERTIFICATE OF SURVEY

FOR William A. Beery
1830 N. Waverly Road
Holt, Michigan 48842

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: Beginning on the section line at a point 1127.. feet West of the Northeast corner of Section 7, T1N, R2W, Onondaga Township, Ingham County, Michigan, running thence West 198.0 feet on the section line, thence South 660.0 feet at right angle to the section line, thence East 198.0 feet, thence North 660.0 feet to the point of beginning, containing 3.0 acres more or less, subject to highway right of way and any other easements or rights of way of record.



STEPHENS' tags were used to mark all corners.

This survey complies with the requirements of Section 3, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1 in 5000.

SCALE: 1"=50'

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND
 S-IRON STAKE
 O-MONUMENT
 X-X FENCE LINE
 C-CENTER LINE
 R-RECORDED DIMENSION
 D-DEEDED DIMENSION
 M-MEASURED DIMENSION

STEPHENS ENGINEERING
 CIVIL ENGINEERING LAND PLANNING SURVEYORS
 BUS. ADD.-P.O. BOX 1202, LANSING, MICHIGAN 48904 PH 351-4450


BY Clyde K. Stephens

REGISTRATION NO. 3829

DATE Nov. 22, 71 SURVEY NO. L-1

RECORDED

Nov 10 4 46 PM '71
 REGISTERED OF DEEDS
 MICHIGAN
 HOLT, MICHIGAN



9 DEC 91


CERTIFICATE OF SURVEY

1994

6-873

LEGAL DESCRIPTION:

BEGINNING ON THE WEST LINE OF SECTION 5, T1N, R2W, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN AT A POINT 834.00 FEET S00°00'30"W FROM THE NW CORNER OF SAID SECTION 5; THENCE S89°59'30"E, 263.00 FEET; THENCE S00°00'30"W, 523.00 FEET; THENCE N89°59'30"W, 263.00 FEET TO THE WEST LINE OF SECTION 5; THENCE N00°00'30"E ALONG SAID WEST LINE, 523.00 FEET TO THE POINT OF BEGINNING. CONTAINING 3.15 ACRES AND SUBJECT TO A RIGHT-OF-WAY OVER THE WEST 33 FEET FOR PUBLIC ROAD PURPOSES.



W 1/4 CORNER, SECTION 5, T1N, R2W
SURVEY TAG IN THE SW SIDE OF A 40" OAK
TREE, N64°56'E, 27.42 FEET.
SURVEY TAG IN THE WEST SIDE OF A WOOD
FENCE ANCHOR POST, S87°19'E, 25.33 FEET.
SURVEY TAG IN THE SOUTH SIDE OF A 30"
MAPLE TREE, N15°07'W, 106.45 FEET.

NW CORNER, SECTION 5, T1N, R2W
FD 1/2" BAR & CAP IN CON. BOX
FD N & T #28414 E/SIDE 26" OAK, S60°W,
52.68'.
FD N & T #28414 S/SIDE UTILITY POLE,
N70°W, 87.23'.
FD N & T #28414 E/SIDE TWIN 16" EIM,
N20°W, 102.75'.
SQ. BAR @ SW COR SEC. 32, AURELIUS,
WEST, 9.87'.

Agreed property line
per adjoining owners,
being family members.

NORTH

Scale:
1 in. = 150 ft.

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

LEGEND

- Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Deeded Distance



Ron Helsel
RON HELSEL, R.L.S. No. 18994

ACCOLADE, INC.

Land Surveying and Planning Specialists
807 Kerns Rd., Suite 101, Mason, Mich. 48854
Phone 517-676-1580

FOR: KYLE & MARGARET BRADFORD
P.O. BOX 67
ONONDAGA, MICHIGAN

FIELD MP/6K	DATE JUN 91
DRAWN MCM	SURVEY NO.
CHECKED RH	SHEET 1 OF 1

9 AUG 90

RE-RECORDED


DEED

6 p 324

SEP

5 p 1119


RECORDED



12 SEPT 89

5 PG 1119

RECORDED



CERTIFICATE OF SURVEY

SEP 12 12 44 PM '89

REGISTER OF DEEDS
Daniel Johnson
INGHAM COUNTY, MICH.

RECORDING SPACE

NW CORNER
SECTION 6,
T1N-R2W


WITNESSED BY:

Nail & Tag 17640 SE Face
36" Pine N 45° E 54.05'
Nail & Tag 17640 NE Face
24" Walnut N 45° W 50.94'
Nail & Tag 17640 SE Face
36" Pine S 55° W 84.43'
Nail & Tag 17640 E Face
28" Walnut N 30° W 80.24'

N 1/4 CORNER
SECTION 6,
T1N-R2W

WITNESSED BY:

NW Corner Section 6, West
2728.01'
NE Corner Section 6,
S 89° 54' 21" E 2650.98'
S 1/4 Corner Section 31,
Aurelius Twp. West 2790'
Nail & Tag 17640 in S Face
18" Cherry N 80° W 109.96'



DESCRIPTION

A part of the Northwest 1/4 of Section 6, T1N-R2W, Onondaga Township, Ingham County, Michigan, described as beginning on the North section line at a point East 1,978.11 feet from the Northeast Corner of Section 6; thence continuing East 248.91 feet along the North section line; thence South 350.00 feet perpendicular to the North section line; thence West 248.91 feet parallel with the North section line; thence North 350.00 feet to the point of beginning and containing 2.00 acres of land more or less, and subject to any easements or right-of-ways of record.

The Bearings for this survey are based on assuming East for the North section line.

I hereby certify that I have surveyed and mapped the land above platted and/or described on August 15, 1989, and that the ratio of closure on the unadjusted field observations of such survey was 1/20,000, and that all of the requirements of P.A. 132 1970 have been complied with.


WOLVERINE ENGINEERS & SURVEYORS, INC.

Maurice H. Mahieu
Maurice H. Mahieu, L.S. #28414



LEGEND

ALL DIMENSIONS ARE IN FEET AND DECIMALS THEREOF
D= DEEDED
P= PLATTED
M= MEASURED
PROPERTY CORNER IRON
CONCRETE MONUMENT
FENCE LINE



3657



WOLVERINE ENGINEERS & SURVEYORS, INC.
312 NORTH ST. MASON, MICHIGAN 48854
PHONE (517) 676-9200

SURVEY FOR:	SINACOLA
FIELD SURVEY:	TY
DRAWN BY:	BP
SCALE:	1" = 100'
DATE:	8-16-
SHEET:	1
JOB NO.:	88-001

Revised 8/29/89

18 OCT 89


PER

5 1163

CERTIFICATE OF SURVEY

LEGAL DESCRIPTION:

THAT PART OF THE NW $\frac{1}{4}$ OF SECTION 8, T1N, R2W, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS BEGINNING ON THE NORTH LINE OF SAID SECTION 8 AT A POINT N89°19'30"W, 975.0 FEET FROM THE N $\frac{1}{4}$ CORNER OF SAID SECTION 8; THENCE S00°09'30"W, 1343.13 FEET; THENCE N89°27'00"W, 600.00 FEET; THENCE NORTH 388.48 FEET; THENCE S89°19'30"E, 381.81 FEET; THENCE NORTH 956.0 FEET TO THE NORTH LINE OF SAID SECTION 8; THENCE S89°19'30"E ALONG SAID NORTH LINE, 221.92 FEET TO THE POINT OF BEGINNING. CONTAINING 10.188 ACRES AND SUBJECT TO A RIGHT-OF-WAY OVER THE NORTH 33 FEET FOR PUBLIC ROAD PURPOSES.



We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

Ron Helsel
RON HELSEL R.L.S. No. 18994

LEGEND

- Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Deeded Distance

3857

ACCOLADE, INC.

807 KERNS RD. SUITE 101
MASON, MICHIGAN

For: Sara Bucher Realty
Easton Rapids, Michigan

FIELD R.H. / B.F.


DRAWN M.L.M.

CHECKED R.H.

DATE May 23, 1989

SURVEY NO. 89346

SHEET 1 OF 1



ORIGINAL

5 - 248 CERTIFICATE OF SURVEY

RECORDED


FOR Lute Hartenburg
2727 Waverly Road
Eaton Rapids, Michigan 48827

OCT 27 10 52 AM '97

REGISTER OF DEEDS
THOMAS COUNTY, MISSISSIPPI

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: (see sheet 2 of 2 for description)

NW CORNER, SECTION 6,
T1N, R2W, ONONDAGA TWP.



SCALE: 1" = 60' This survey complies with the requirements of Section 3, P.A. 132 of 1970.

THE UNDERSIGNED LICENSED LAND SURVEYOR HEREBY CERTIFIES THAT A SURVEY WAS MADE UNDER HIS SUPERVISION OF THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE SKETCH INDICATES THE DIMENSIONS AND ENCR OACHMENTS OF SAID PROPERTY.

LEGEND

- -- IRON STAKE
- O -- MONUMENT
- X -- FENCE LINE
- Q -- CENTER LINE
- H -- RADIUS
- D -- DEEDED DIMENSION
- M -- MEASURED DIMENSION
- P -- PLATTED

RATIO OF CLOSURE: 1:10,000

STEPHENS-KYES & ASSOCIATES, INC.

1401 EAST LANSING DRIVE, SUITE 112
EAST LANSING, MICHIGAN 48823 — PHONE (517) 351-2574

BY: James C. Steg
 LICENSED LAND SURVEYOR NO. 16053

DATE Sept. 14, 1987 DRAWING NO. 1-17981

1246

22 OCT 73

LIBER 1 PG 990

CERTIFICATE OF SURVEY


RECORDED

FOR Dawn Berry
6115 Ferris Road
Eaton Rapids, Michigan

OCT 22 9 13 AM '73

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: That part of the Northeast 1/4 of Section 7, T1N, R2W, Onondaga Township, Ingham County, Michigan, beginning on the North Section line at a point WEST 1127.0 feet from the Northeast corner of said Section 7, thence continuing WEST 125.0 feet along said Section line, thence SOUTH 283.0 feet perpendicular to said Section line, thence EAST 125.0 feet parallel with said Section line, thence NORTH 283.0 feet to the point of beginning, subject to the right of way of Ferris Road and any other rights of way or easements of record, containing 0.312 acres of land, more or less.

REGISTER OF DEEDS
James E. Stephens
INGHAM COUNTY, MICH



This survey complies with the requirements of Section 3, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1:5000

SCALE: 1"=50'

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

660

LEGEND

- P-IRON STAKE
- O-MONUMENT
- X-X FENCE LINE
- C-CENTER LINE
- R-RECORDED DIMENSION
- D-DEED DIMENSION
- M-MEASURED DIMENSION

STEPHENS ENGINEERING, INC.
318 Marshall St.
East Lansing, MI 48823

STEPHENS ENGINEERING INC.
CIVIL ENGINEERING LAND PLANNING SURVEYORS
PH. 351-4450

BY *James E. Stephens*
REGISTRATION NO. 16053
DATE OCT 17, 1973 SURVEY NO. L-14397
RE: L-1310

17 APR 78

CERTIFIED BOUNDARY SURVEY

USE

316 299

FOR William Berry
3330 Gald Road
Easton Rapids, Michigan


LOCATION MAP
(NO SCALE)

LEGEND: 1-All dimensions are in feet and decimals thereof. 2- $\frac{1}{2}$ " bars with identification caps have been placed at all points marked "•" unless otherwise noted. 3- $\cdots$ described boundary. 4- $\cdots$ fence line. 5-All bearings are relative and a. referenced to the North line of Section 7, T1N, R2W, which is recorded to bear West 1 a previously recorded survey.

LEGAL DESCRIPTION: A parcel of land in Section 7, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 7; thence West along the North line of said Section 7, 1758.0' to the point of beginning of this description; thence continuing West along the North line of said Section 7, 331.0'; thence South perpendicular to the North line of said Section 7, 1320.0'; thence East parallel with the North line of said Section 7, 331.0'; thence North perpendicular to the North line of said Section 7, 1320.0' to the point of beginning. Contains 10.030 acres, more or less and subject to the rights of the public over existing Ferris Road.

I hereby certify to the parties named hereon that we have surveyed a parcel of land within the NE $\frac{1}{4}$ of Section 7, T1N, R2W, Onondaga Township, Ingham County, Michigan; as it is apparently, peacefully occupied at present, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcel shown hereon, and the more particular description of said parcel is as designated hereon.

This survey was performed with an error of closure no greater than a ratio of 1" in 5,000'. This survey complies with the requirements of P.A. 132 of 1970.



WITNESS TO U.S. PUBLIC LAND CORNERS

NE corner Section 7, T1N, R2W
Nail & tag in East side 24" Oak, N39°57'W, 45.64'
Nail & tag in South side utility pole, N62°11'E, 81.30'
Nail & tag in North side utility pole, S33°26'W, 43.54'

North $\frac{1}{4}$ Corner Section 7, T1N, R2W
Nail & tag in South side 20" Hickory, N81°23'W, 124.25'
SW corner 2-S. Fr. house, N55°23'E, 130.75'
Nail & tag in North side utility pole, S75°19'E, 103.40'

Austin C. Williams
Austin C. Williams
Registered Land Surveyor
Mich. Registration No. 21275

RECORDED

APR 17 4 16 PM '78

REGISTER OF DEEDS

David Johnson
INGHAM COUNTY, MICH.

1726

WILLIAMS
Surveying

1148 Owens Rd.
Mason, Michigan 48854
PH. (517) 676-5153

DRAWN	AW	4/12/78	SEC. 7, T1N - R2W
COMPUTED			JOB NO. 1676
FLD. SURVEY	AW	4/11/78	sheet 1 of 1

A

17 APR 78

CERTIFIED BOUNDARY SURVEY

USER 316 306

LEGAL DESCRIPTIONS:

Parcel 5

A parcel of land in Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 6; thence N88°53'10"W along the North line of said Section 6, 661.83' to the point of beginning of this description; thence S00°05'30"W parallel with the East line of said Section 6, 1342.85' to the E/W 1/8 line of said Section 6; thence N88°34'02"W along the E/W 1/8 line of said Section 6, 331.75'; thence N00°02'21"E, 1341.03' to the North line of said Section 6; thence S88°53'12"E along the north line of said Section 6, 332.92' to the point of beginning. Contains 10.235 acres, more or less, and subject to the rights of the public over existing Plains Road.

Parcel 6

A parcel of land in Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; the boundary being described as commencing at the NE corner of said Section 6, thence N88°53'10"W along the North line of said Section 6, 997.75' to the point of beginning of this description; thence S00°02'21"W, 1341.03' to the E/W 1/8 line of said Section 6; thence N88°34'02"W along the E/W 1/8 line of said Section 6, 331.75' to the N/S 1/8 line of said Section 6; thence N00°00'42"W along the N/S 1/8 line of said Section 6, 1339.20' to the North line of said Section 6; thence S88°53'10"E along the North line of said Section 6, 332.91' to the point of beginning. Contains 10.144 acres, more or less, and subject to the rights of the public over existing Plains Road.


I hereby certify to the parties named hereon that we have surveyed two parcels of land within the NE 1/4 of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan; as it is apparently peacefully occupied at present, and that we have found or set, as noted hereon, Permanent markers to all corners and angle points of the boundaries of the parcels shown hereon, and the more particular descriptions of said parcels are as designated hereon.

This survey was performed with an error of closure no greater than a ratio of 1" in 5,000'.

This survey complies with the requirements of P.A. 132 of 1970.

Austin C. Williams

Austin C. Williams
Registered Land Surveyor
Mich. Registration No. 21275



1730

WILLIAMS

Surveying

1148 Okemos Rd.
Okemos, Michigan 48864
PH. (517) 676-5163

DRAWN	AW 4/6/78	SEC 6, T1N-R2W
COMPUTED	AW 4/7/78	NO. 1475
FLD. SURVEY	AW 4/7/78	Sheet 2 of 2

22 AUG 78

CERTIFIED BOUNDARY SURVEY


Lot 3 493

FOR William A. and Lendora Van Derry
P.O. Box 123
Eaton Rapids, Mich.

LOCATION MAP
(NO SCALE)

LEGEND

1. All dimensions are in feet and decimals thereof.
2. 1" bars with identification caps have been placed at all points marked "•" unless otherwise noted.
3. ———— Descriptive boundary.
4. ———— Fence line.
5. All bearings are relative and are referred to the North line of Section 7, T11N R2W, which is recorded to bear West-West at a previously recorded survey.



RECORDED

AUG 22 9 16 AM '78
REGISTER OF DEEDS
Darius Johnson
INCHAM COUNTY, MICH.

77

1826

WILLIAMS
Surveying

1414 U.S. Hwy. 10
Eaton Rapids, Mich. 48824
Ph. (616) 676-5152

DRAWN

COMPUTED

FLD. SURVEY

SEC 7 T11N R2W

JOB NO. 1747

Sheet 1 of 2

6 NOV 78

CERTIFICATE OF SURVEY

LIBER 3 PG 595

LEGAL DESCRIPTION:


THAT PART OF THE SOUTH $\frac{1}{2}$ OF THE S W $\frac{1}{4}$ OF THE N W $\frac{1}{4}$ OF SECTION 5, TOWN 1 NORTH, RANGE 2 WEST, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN DESCRIBED AS FOLLOWS: COMMENCING IN THE SECTION LINE AT A POINT 461.5 FEET N 0 DEG 0 MIN 30 SEC E OF THE WEST $\frac{1}{4}$ POST OF SAID SECTION 5, THENCE N 0 DEG 0 MIN 30 SEC E 200.0 FEET ALONG THE WEST LINE OF SAID SECTION 5, THENCE S 89 DEG 03 MIN 30 SEC E 435.6 FEET PARALLEL WITH THE EAST AND WEST $\frac{1}{4}$ LINE OF SAID SECTION 5, THENCE S 0 DEG 0 MIN 30 SEC W 200.0 FEET, THENCE N 89 DEG 03 MIN 30 SEC W 435.6 FEET TO THE POINT OF BEGINNING. CONTAINING 2 ACRES OF LAND.

RECORDED

Nov 6 4 09 PM '78

REGISTER OF DEEDS
Paul Johnson
 INGHAM COUNTY, MICH.

THE ERROR OF CLOSURE IS 0.



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

SEPTEMBER 11, 1978

SURVEY # 13355

Laverne J. Hendryx
 LAVERNE J. HENDRYX
 2621 S. WAVERLY ROAD
 LANSING, MICHIGAN 48910
 R. L. S. 3276

1888

22 MAR 83

CERTIFIED BOUNDARY SURVEY

LIBER

4 PG 641⁴

642

FOR Wallace E. Segerstrom

LOCATION MAP
(NO SCALE)

LEGEND. All dimensions are in feet and decimals thereof. $\frac{1}{8}$ " bars with identification caps have been placed at all points marked "P" unless otherwise noted. --- described boundary. --- fence line. All bearings are relative and are referenced to the North line of Section 6, T1N, R2W, which is recorded to bear N88°53'10"W in a previously recorded survey.

LEGAL DESCRIPTION:

Parcel # 5-B

A part of the NE $\frac{1}{4}$ of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan, described as: Commencing at the NE corner of said Section 6; thence N88°53'10"W along the North line of said Section 6, 664.83'; thence S00°05'30"W, 329.0' to the point of beginning; thence continuing S00°05'30"W, 1013.85'; thence N88°34'02"W, 331.75'; thence N00°02'24"E, 1012.03'; thence S88°53'10"E, 332.62' to the point of beginning. Contains 7.722 acres, more or less, and subject to all easements and restrictions of record.

I hereby certify to the parties named hereon that we have surveyed a parcel of land in the NE $\frac{1}{4}$ of Section 6, T1N, R2W, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcel shown hereon, and the more particular description of said parcel is as designated hereon. This survey was performed with an error of closure no greater than a ratio of 1' in 5000'. This survey complies with the requirements of P.A. 132 of 1970.


RECORDED

MAR 22 11 19 AM '83

REGISTER OF DEEDS

Paula Johnson

INGHAM COUNTY, MICH.



Austin C. Williams
Austin C. Williams
Registered Land Surveyor
Mich. Registration No. 21275

2638

WILLIAMS

Surveying

1148 Okemos Rd.
Mason, Michigan 48854
PH. (517) 676 5153

DRAWN	aw	P2 Dec	SEC	17
COMPUTED	aw	P2 Dec	JOB NO. 5033	A
FLD. SURVEY	aw	P2 Dec	sheet 1 of 1	

22 MAR 83

CERTIFIED BOUNDARY SURVEY

FOR Wallace E. Segerstrom

LOCATION MAP
(NO SCALE)

LIBER 4 PG 642
LIBER 4 PG 642

LEGEND. All dimensions are in feet and decimals thereof. $\frac{1}{2}$ " bars with identification caps have been placed at all points marked "•" unless otherwise noted. ————— described boundary. ———— fence line. All bearings are relative and are referenced to the North line of Section 6, T1N, R2W, which is recorded to bear N88°53'10"W in a previously recorded survey.

LEGAL DESCRIPTION:

Parcel # 5--

A part of the NE $\frac{1}{4}$ of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan, described as: Commencing at the NE corner of said Section 6; thence N88°53'10"W along the North line of said Section 6, 664.83' to the point of beginning; thence S00°05'30"W, 329.0'; thence N88°53'10"W, 332.62'; thence N00°02'24"E, 329.0' to the North line of said Section 6; thence S88°53'10"E along the north line of said Section 6, 332.92' to the point of beginning. Contains 2.513 acres, more or less, and subject to all easements and restrictions of record.


I hereby certify to the parties named hereon that we have surveyed a parcel of land in the NE $\frac{1}{4}$ of Section 6, T1N, R2W, and that we have found or set, as noted hereon, permanent markers to all corners and angle points of the boundaries of the parcel shown hereon, and the more particular description of said parcel is as designated hereon.

This survey was performed with an error of closure no greater than a ratio of 1' in 5000'. This survey complies with the requirements of P.A. 132 of 1970.

RECORDED

MAR 22 11 20 AM '83

REGISTER OF DEEDS
Ingham County, Mich.



Austin C. Williams
Austin C. Williams
Registered Land Surveyor
Mich. Registration No. 21275

2639

WILLIAMS
Surveying

114K Okenus Rd
Mason, Michigan 48854
PH (517) 675-5153

DRAWN	rw	82 Dec	SEC 6, T1N
COMPUTED	rw	82 Dec	JOB NO. 9032
FLD. SURVEY	rw	82 Dec	sheet 1 of 1

A

26 NOV 86

CERTIFICATE OF SURVEY


5-105
RECORDED

LEGAL DESCRIPTION:

COMMENCING IN THE SECTION LINE AT A POINT 660.0 FEET N 89 DEG 26 MIN 50 SEC W OF THE N E CORNER OF THE WEST FRACTIONAL 1/2 OF THE N W 1/4 OF SECTION 7, TOWN 1 NORTH, RANGE 2 WEST, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, THENCE S 0 DEG 36 MIN 30 SEC W 264.0 FEET, THENCE N 89 DEG 26 MIN 50 SEC W 330.0 FEET PARALLEL WITH THE NORTH LINE OF SAID SECTION 7, THENCE N 0 DEG 36 MIN 30 SEC E 264.0 FEET TO THE NORTH LINE OF SAID SECTION 7, THENCE S 89 DEG 26 MIN 50 SEC E 330.0 FEET TO THE POINT OF BEGINNING.

THE ERROR OF CLOSURE IS 0.

THE BEARINGS WERE TAKEN FROM AN ADJACENT SURVEY.



THE UNDERSIGNED, CIVIL ENGINEER AND LAND SURVEYOR, HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON THE ANNEXED PLAT ACCORDING TO THE REQUIREMENTS OF P. A. 132, MICHIGAN P. A. OF 1970.

NOVEMBER 8, 1986

SURVEY # 13853

Laverne J. Hendryx

LAVERNE J. HENDRYX
2621 S. WAVERLY ROAD
LANSING, MICHIGAN 48911
R. L. S. 3276

23 JULY 73

1 822

CERTIFICATE OF SURVEY

RECORDED

FOR Amoco Production Co.
P.O. Box 3092
Houston, Texas 77001

JUL 23 10 23 AM '73


REGISTER OF DEEDS

Carrie M. Lewis

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: Beginning in the North line of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan, at a point 591 feet East of the Northwest corner of said Section 6, thence at right angles to the Section line, South 232 feet, thence parallel to the Section line, East 444.25 feet, thence at right angles to the Section line, North 232 feet to the Section line, thence West 444.25 feet to the beginning.


MORE PARTICULARLY DESCRIBED AS: That part of the Northwest 1/4 of Section 6, T1N, R2W, Onondaga Township, Ingham County, Michigan, beginning on the North line of said Section 6 at a point S89°04'10"E 591.0 feet from the Northwest corner thereof, thence S0°55'50"W 232.0 feet at right angles to said Section line, thence S89°04'10"E 444.25 feet parallel with said Section line, thence at right angles to said Section line N0°55'50"E 232.0 feet to the North Section line, thence N89°04'10"W 444.25 feet to the point of beginning, subject to the right of way of Plains Road and any other rights or easements of record, containing 2.366 acres of land, more or less.

AMOCO NO. 519403



NOTE: BUILDINGS ON PROPERTY NOT SHOWN

This survey complies with the requirements of Section 3, P.A. 132 of 1970, and that said survey was performed with an error of closure no greater than 1:5000



SCALE: 1"=100'

THE UNDERSIGNED REGISTERED LAND SURVEYOR HEREBY CERTIFIES THAT HE HAS SURVEYED THE PROPERTY SHOWN ON ANNEXED PLAT, AND THAT THE ABOVE SKETCH INDICATES THE DIMENSIONS AND ENCROACHMENTS OF SAID PROPERTY.

LEGEND

- IRON STAKE
- MONUMENT
- X-X FENCE LINE
- CENTER LINE
- R-RECORDED DIMENSION
- DEEDED DIMENSION
- M-MEASURED DIMENSION

STEPHENS ENGINEERING, INC.

1115 MANHATTAN BL.

ANN ARBOR, MI 48106

STEPHENS ENGINEERING INC.
CIVIL ENGINEERING LAND PLANNING SURVEYORS
BUS. ADD. P.O. BOX 1403, ANN ARBOR, MICHIGAN 48106 PH. 351-4450

BY *James E. Stephens*

REGISTRATION NO. 16053

DATE June 19, 1973 SURVEY NO. L-14318

543


CERTIFICATE OF SURVEY

LIBER

7 PG 165

LEGAL DESCRIPTION:

THAT PART OF THE WEST 1/2 OF THE SW 1/4 OF SECTION 5, T1N,R2W, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS: BEGINNING ON THE WEST LINE OF SAID SECTION 5 AT A POINT 660.00 FEET, S00°00'30"E FROM THE WEST 1/4 CORNER OF SAID SECTION 5; THENCE S89°03'30"E, 396.00 FEET; THENCE S00°00'30"E, 220.00 FEET; THENCE N89°03'30"W 396.00 FEET; THENCE N00°00'30"W ALONG THE WEST LINE OF SAID SECTION, 220.00 FEET TO THE POINT OF BEGINNING. CONTAINING 2.0 ACRES, SUBJECT TO THE WEST 33 FEET FOR USE AS A PUBLIC RIGHT-OF-WAY AND TO ANY OTHER ENCUMBRANCES OF RECORD.



SOUTHWEST CORNER
SECTION 5, T1N,R2W
LIBER 1, PAGE 327

FOUND RAILROAD SPIKE IN MONUMENT BOX.
FOUND NAIL & TAG No. 3829 IN NORTH SIDE OF UTILITY POLE: S33°26'W, 43.31'
FOUND NAIL & TAG No. 3829 IN SOUTH SIDE OF UTILITY POLE: N62°11'E, 84.27'
SET NAIL & TAG No. 18994 IN EAST SIDE OF WOOD ANCHOR POST: N40°W, 41.36'
SET NAIL & TAG No. 18994 IN SOUTH SIDE OF 20" OAK: N70°W, 78.86'

RECORDED

MAY 3 1 13 PM '94

REGISTER OF DEEDS
INGHAM COUNTY, MICH.

SCALE: 1 IN = 100 FT

NOTE: BEARINGS ARE RELATIVE TO ACCOLADE SURVEY No. 91-2602, RECORDED IN L.6, P.1175, INGHAM CO. RECORDS.

WEST 1/4 CORNER
SECTION 5, T1N,R2W
LIBER 2, PAGE 535


FOUND RAILROAD SPIKE.
FOUND NAIL & TAG No. 16053 IN SOUTHWEST SIDE OF 40" OAK: N64°56'E, 27.22'
FOUND NAIL & TAG No. 28414 IN SOUTH SIDE OF 30" MAPLE: N15°07'W, 107.11'
FOUND NAIL & TAG No. 16053 IN EAST SIDE OF TWIN 12" BOX ELDER: N20°W, 71.38'
SET NAIL & TAG No. 18994 IN WEST SIDE OF 12" WALNUT: S15°E, 120.81'

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

LEGEND

- Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Deeded Distance



RON HELSEL, R.L.S. No. 18994

4437

ACCOLADE, INC.

Land Surveying and Planning Specialists
807 Kerns Rd., Suite 107, Mason, Mich. 48854
P.O. Box 144 Phone 517-676-1580

FOR: RICHARD & JANICE NOLAN
2977 GALE ROAD
EATON RAPIDS, MICHIGAN 48827

FIELD MP/CK 4-14-94	DATE APR. 20, 1994
DRAWN 4-19-94	SURVEY NO. 94-5874
CHECKED RH 4-20-94	SHEET 1 OF 1

12

APR

93

CERTIFICATE OF SURVEY

6-1178

LEGAL DESCRIPTION:

PARCEL "A"

THAT PART OF THE WEST $\frac{1}{2}$ OF THE SW $\frac{1}{4}$, SECTION 5, T1N,R2W, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS: BEGINNING AT THE WEST $\frac{1}{4}$ CORNER OF SAID SECTION 5, THENCE S89°03'30"E, 396.0 FEET ON A LINE IDENTIFIED AS THE EAST-WEST $\frac{1}{4}$ LINE OF SECTION 5, RECORDED IN LIBER 3, PAGE 595 OF INGHAM COUNTY SURVEYS, THENCE S00°00'30"E, 220.0 FEET, THENCE N89°03'30"W, 396.0 FEET TO THE WEST LINE OF SECTION 5, THENCE N00°00'30"W ON SAID WEST LINE, 220.0 FEET TO THE POINT OF BEGINNING. CONTAINING 2.0 ACRES AND SUBJECT TO THE WEST 33 FEET THEREOF FOR USE AS PUBLIC RIGHT-OF-WAY.

PARCEL "B"

THAT PART OF THE WEST $\frac{1}{2}$ OF THE SW $\frac{1}{4}$, SECTION 5, T1N,R2W, ONONDAGA TOWNSHIP, INGHAM COUNTY, MICHIGAN, DESCRIBED AS: BEGINNING ON THE WEST LINE OF SECTION 5, 220.0 FEET, S00°00'30"E FROM THE WEST $\frac{1}{4}$ CORNER OF SECTION 5, THENCE S89°03'30"E, 396.0 FEET, THENCE S00°00'30"E, 220.0 FEET, THENCE N89°03'30"W, 396.0 FEET TO THE WEST LINE OF SECTION 5, THENCE N00°00'30"W ON SAID WEST LINE, 220.0 FEET TO THE POINT OF BEGINNING. CONTAINING 2.0 ACRES AND SUBJECT TO THE WEST 33 FEET THEREOF FOR USE AS PUBLIC RIGHT-OF-WAY AND ANY RIGHTS OF THE INGHAM COUNTY DRAIN COMMISSION CONCERNING WILLOW CREEK.

*BEARINGS ARE RELATIVE TO A SURVEY BY L. HENDRYX RECORDED IN LIBER 3, PAGE 595, INGHAM COUNTY RECORDS.

W $\frac{1}{4}$ CORNER, SECTION 5, T1N,R2W

SURVEY TAG IN THE SW SIDE OF A 40" OAK TREE, N64°56'E, 27.42'

SURVEY TAG IN THE WEST SIDE OF A WOOD FENCE ANCHOR POST, S87°19'E, 25.33'

SURVEY TAG IN THE SOUTH SIDE OF A 30" MAPLE TREE, N15°07'W, 106.45'

SW CORNER, SECTION 5, T1N,R2W

SURVEY TAG THE EAST SIDE OF A 24" OAK, N39°57'W, 45.64'

SURVEY TAG IN THE SOUTH SIDE OF A UTILITY POLE, N62°11'E, 84.30'

SURVEY TAG IN THE NORTH SIDE OF A UTILITY POLE, S33°26'W, 43.54'

C-3

We hereby certify that we have surveyed the property herein described, and that there are no visible encroachments upon the above described property, except as shown hereon.

We further certify that we have fully complied with the requirements of Section 3, Public Act 132 of 1970, and that the ratio of error of closure of this survey is no greater than 1/5000.

LEGEND

- Set Iron
- Found Iron
- Fence Line
- R Recorded Distance
- M Measured Distance
- D Deeded Distance



Ron Helzel
RON HELSEL, R.L.S. No. 18994

ACCOLADE, INC.

Land Surveying and Planning Specialists
807 Kerns Rd., Suite 101, Mason, Mich. 48854
Phone 517-676-1580

FOR: SARA BUCHER REALTY
806 S. MAIN STREET
EATON RAPIDS, MICHIGAN

FIELD MP/GR

DATE 4/1/93

DRAWN HLM

SURVEY 18994

CHECKED RH

SHEET 2 OF 2

Sections 6 & 7 F. 1 N. B. 2 W. Oneida

6 to Dist. var. N. $\frac{1}{2}$ mile point 202.

6 to B. with 0'45" N. 40.39 d. and C 16.2 h.

N. to O North 40. 06 ch. Var. E. 53 1/2 Lbs.

α 15 B N. $0^{\circ} 30' E$. 40.25 ch. γ_{61} N. $30^{\circ} E$.

C to P 40. 5/1 ch. — SH 82.13 ch.

L to E 80.0/ch.

E to N east 42.03 A. Var S of the $\frac{1}{2}$

mile point 4.875 of S 19 Lk. so that

SF = 39.51 ch. as it was left.

Note Pl. O South 35' B. var. w 12 L.

To H. West 72.76% ch. to E bank. of the

River thence N 50° W. 2.5806. for

base line) thence $S 50^{\circ} 50' W$

to an ~~islet~~ across the River, in the

line 37; crossing the River

Object, Thinner west on the same

line G 74, 5.345 m to the town line,

war. 3. 6 Lbs. of the middle point

in the west limb of sec. 7 being

the said town line.

From L^o towards E. 40.06 1/2 ch.

to Rand's line (G.H.) then on to River

2700 ft. near top of 1700 ft. at 30° 45' E

4.19 ch. across the Bridge (Lat. 3.60 ch

on Sec. Line across Van River)

Thence west, 0.555 mi. being on the

other side of the River. on the east

corner (C) Thru East 42.03

1116 / S. 42' E 39.83 ch. var. E

80.22% var. w.

10m S. 52° W 3.7802. W B O and 7.24


W. Bath 18 in S. 25 ft. E. 11 in. & W. Bath 21 in S.

10 Oct 1968 P 24 W. 312 & 2 Oct 1968

W. 1000 ft. 5 238 19 L. 8 W. 1000 ft. 26 in. 1

Maple 125, No. 2250-B.D.

135 18 17 5 3 6 1


[illegible]

5320.26 0°13'37"

3-31

Further calculations on the survey of sections 607 & 1st R 2d.
To find the inaccessible distance rv across Grand River

The angles α & v , found from the bearings, are as seen in
the annexed figure. Hence $\sin v : ar :: \sin \alpha : rv$



$$\begin{array}{lcl} \sin v & 39^{\circ} 10' & \text{Ar.} \quad 0.199573 \\ : ar & 2.58 & \text{Log.} \quad .411620 \\ \hline \sin \alpha & 100^{\circ} 50' 15'' & \text{Log.} \quad 9.992190 \\ : rv & 4.012 & \text{Ar.} \quad 0.603343 \end{array}$$

That is, the River at the intersection
of the quarter Post line G H, is 4.01 ch.
wide. Also at the crossing of the
Section line L E, it is 3.60 ch. in

width; or rather 3.60 ch. is the distance from the station line the section
line on the bank of the River at c, to the object o, on the said line across the river.

But not being provided with notes for the bearing trees at the River, the assumed
point may have been a few links ^{lost or} west of the line.

SEC. 224

NORTE



23
Page 23 Vol 1

TOWN Corn NORTH, RANGE Five West, MERIDIAN OF MICHIGAN.

- 1 Hick 7 S 61 E 9 lks
90 S 57 1/2 W 25-
- 2 W Oak 28 S 74 1/4 W 66 lks
- 3 Hick 12 S 82 1/2 E 135 lks
W Oak 24 S 67 E 73 lks
- 4 No other tree
B Oak 14 S 84 W 450
- 5 do 12 S 44 1/2 E 355- C
- 6
- 7 W Oak 14 N 42 E 74 lks
- 8 Elm 14 N 12 W 65 lks
- 9
- 10 In Marsh
Elm 24 S 8 W 608
- 11 no other tree
W Oak 16 N 27 1/2 E 10 lks
- 12 W Oak 24 N 16 1/4 W 32 lks
- 13 In Marsh
Poplar 5- N 27 E 41 lks
- 14 no other tree
W Oak 18 S 25 1/2 E 111 lks
- 15 do 24 S 76 W 298
- 16
- 17
- 18 Nope 7- S 53 W 9 lks
- 19 Elm 5 S 58 1/2 E 30 lks
W Oak 14 N 30 W 65 1/2 lks
- 20 W Oak 13 N 87 E 62 lks


- 24 No Oak 14 S 71 3/4 W 136
No other trees
13 Oak 20 S 24 W 31 Hts
25 By Oak 12 N 8 1/2 E 32 C-3

A. Jackson, Jun 1841

COUNTY SURVEYOR

SEC. 7-8-3

NORTH



TOWN 47N NORTH, RANGE 12E, MERIDIAN OF MICHIGAN.

The corners are described as follows

- C-3 1 a stone B.D. 16 S 27° E 75 1/2
 1 " " B.D. 18 N 11° E 119 1/2
 1 " " Stone 35 1/2 W 29 1/2 24
 2 25
 B-3 3 a stone to set for corner
 4 a post Hickory 5 S 6 1/2 W 43
 4 " a stone Butternut 5 N 44 1/2 E 63
 A-3 5 " " Hickory 5 S 71 1/2 E 157 1/2 (103.8)
 5 " " Hickory 5 N 51 W 72 (47.52)

- 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20

A.P. Drake
 June 1878

INGHAM COUNTY, MICHIGAN.

TOWN One North, RANGE Two West, MERIDIAN OF MICHIGAN.

Survey of that part of section No Seven in Township No One North of Range No Two West lying on the north side of Grand River as shown by the plat (Scale 1/32 chain = one inch) by which the names of owners, the bearings and lengths of lines surveyed, letters referring to lines and corners ~~are~~ are respectively given.

The section corners (5) & (1) were lost and reestablished by the intersection with nearest corners, also the quarter post (10) was lost and was made intersecting by the east and west quarter lines of section (See Vol 2 Page 75) with the section line. At the corner (3) we found one original witness stump and an old stake to the satisfaction of all present. The survey No 1574 was described as the east-half of the north-west one fourth agreeable to the U.S. Survey, therefore by the U.S. Survey the lines ~~5~~ (5) (3) measured 42.05 chains and by present survey 41.90 chains. Hence by comparison we found that 42.05:41.90:: 20.00:19.93 and 42.05:41.90:: 22.05:21.97 Nearly.

The corner (26) is 50 links and (27) is 25 links east of quarter line.

Run by the true Meridian Var 1° 51' East.

Surveyed June 16th 7th 1878

Recorded, Oct 11th, 1878.

by A.P. Drake Co Surv,
Ing. Co., Mich.