

North On the East Boundary of Sec. 25

14.10 W.O. 8 in. di.

33.30 Hick 8" "

40.00 Set $\frac{1}{4}$ the post for a

13 stave 16 in. 518 W 25 N.

Do. 12" N 21 $\frac{1}{2}$ W 32"

52.81 Cont. 3 am. Stave 4 am. 12 in. diam.

62.00 Lower Stave 4 am. 8 in. diam.

80.00 Set post on to Stave 24025 for a

W.O. 18 in. 51 W 82 N.

Stave 7" N 13 W 74"

Found Redding & 9th sec. Timber

Logan, Buck, Oak, Ash, Elm.

Lynx & Hickory.

North On the East Boundary of Sec. 24

12.55 W.O. 14 in. di.

30.40 W.O. 20" "

40.00 Set $\frac{1}{4}$ the line post for an

8 am. 6 in. 514 W 35 N.

Maple 16 in. N 10 W 53"

58.52 4 Buck 8 in. Corner N W

57.55 13. Oak 24 in. diam.

80.00 Set post on to Stave 13424 for a

W. 11 in. 54 W 80 N.

Do 8" N 35 W 27"

Found land & 2nd sec. Timber. Oak

Buck, Logan, ~~Logan~~, Elm, Maple

Shoewood &c. N. S. 1 am.

North On the East Boundary of Sec. 13.

9.04 Sugar 10 in di

23.50 Corn 50 in. 50 lb.

37.50 Lard 20 "

40.00 Set 1/4 Steepest fur a

Bush 7 in of 8 W 13 M

Do. 5" N 20 W 35"

44.17 Hick. 20. di.

55.62 Do 12 "

80.00 Set post-end to Steepest 12413 fur a

Bush 7 in. of 9 W 54 M

W. D. 9" N 32 W 75"

Land & Timber same as last mile

North On the East Boundary of Sec. 12.

7.53 Cherry 7 in. di.

21.48 W. D. 48" "

40.00 Set 1/4 Steepest fur a

W. 44 in 9 in. of 59 W 41 M

Sugar 8" N 52 W 86"

55.52 W. D. 14" di.

63.00 Corn. 50 in.

70.50 Lard 20.

74.91 W. D. 48 in di.

80.00 Set post-end to Steepest 18412 fur a

the 7 in of 20 W 43 M

Do. 9" N 62 W 63"

Land & Timber. Timber re. same as
the last mile

East On a Random Section 24x25

20.00 Center Town. Swamp.

30.00 Left " "

40.00 Set a trap 1/4 mile, front

44.00 East Willow Swamp.

54.25 at Buck 12 mi. Center Elm

61.00 Left Willow Swamp. & Eastern Town on

65.00 Left Town on Swamp

74.98 Start the East 1/2 Section 40 Mi. Start of post

Found trace of 2nd water. Timber, Oak & Birch. Buck

West Covered Station Dec. 24x25

79.54 Town 10 mi. down

39.98 Set 1/4 mile front of road on the line. Swamp
covered 5 mi. of 200 B. 1 Mi.

Do. 1/4 mi. of 1887 16"

60.07 W.D. 20 mi. di.

74.98 To the corner

North Between Sections 23 & 24.

29.62 W.D. 14 mi. di

45.00 Set 1/4 mile front of road on the line. Swamp

W.D. 6 mi. of 1408 1/4 mi. Swamp

W.D. 14 mi. of 1/4 D. 1811 Mi. Swamp

Do. 18" of 168 W 233"

58.58 Elm 18" down

59.00 Center Town. Swamp.

60.00 Set front of road 13 1/4. 23x24 down

Elm 14 mi. of 1618 9 Mi

Town 16" Swamp 38 1/2"

Found trace 1 1/4 mile 2nd water. Oak.

the 2 1/4 mile 3rd water. Timber. Oak,

Elm, Swamp & W.S. Oak & Elm

East on a hard on line between 18024

3.10 Left sharp.

29.75 at Brook 6 in. Course straight

40.00 Delta temple? $\frac{1}{4}$ in. de. post.

79.60 Just the E. boundary 7110 South of post.

Found Hottel's and 2nd water. Heavy

Sandstone with Crin. heads, etc. etc.

Heavy in thickness with same

West Contact Between Steel 13824

20.44 B. Oak 14 in. di.

39.80 Set $\frac{1}{2}$ in. de. post at over. di. on line in.

Ac. 10 in. at 34 E 9 M

Do. 10 in. at 42 W 10 in.

61.63 B. O. 14 in. diam.

79.60 To Sea. E. end.

North between sections 13814.

2.50 Left sharp.

3.87 Jargon 10 in. di.

40.00 Delta $\frac{1}{4}$ in. de. post from

Mudflat 14 in. at 78 W 8 M.

Shoreward 5 in. at 76 E 7 in.

59.72 W. O. 16 in. di.

71.50 Enter Murch

78.00 Left do.

90.00 Set post - East of steel 11.12.13814 from

W. O. 12 in. at 61 E 13 M

Ac. 10 in. at 34 E 9 M

61.63 B. O. 14 in. diam.

79.60 To Sea. E. end.

East On Hamilton Avenue, Sept 12 & 13

23.00 Enter Town, clearway

36.00 Left " "

40.00 Left on bridge 1/4 Sec, post

79.64 West East Avenue 300 ft. through 1st post

found on N. 1/4 mile 3rd post, 2nd mile

2nd post, Tintin, Maple, Bush, Can

Summary

West Collected between Sept 12 & 13

19.73 Cherry Pin down

39.82 Set 1/4 Sec, post at corner with Pine Ave

Maple 14 in East 26 lbs

A. D. 28, 27 1/2 W 11 in

59.83 *Stenogramma* 18 in. di.

79.64 To Sec. Corner. West 9th 18 25

West. Redburn Station 198-12

24.10 Be 8 in. di.

24.50 Ent ~~the~~ through

27.00 Left Do.

38.80 At Black Pl. Corner 28

40.00 Set 1/4 Sec post for a

A. D. 10 in. 35 W 8 lbs

Do. 10. 46 48 27 in.

64.50 B. 27 1/2 12 in di.

69.60 At Black Pl. 7 lbs wide Corner west

79.30 Enter Town & 27 1/2 Sec. clearway

80.00 Set a post (Can. to Sept 11 & 12 for a

Town 10 in 46 5 W 16 lbs

A. D. 10 in. 46 18 13 "

Found west Tintin same as last mile.

Section 13, Overlooked

Survey of Lewis & Clark See 13.
T. 1 N. R. 2 W. Section 13, Overlooked
of Green Lake and Mill Creek.

Aug 28th and 29th - 1900.
May 28th Variation 10' West

Chas. W.
E. Johnson & Son

Corner at W corner of and See 13
a line 1/2 W. N. 20.5 - 11.3 E

W. Oct 13 - N 27 W - 89 E
Aug 6 - S 25 1/4 W - 63 1/2 E.

S 4 1/2 E about 100 N 89 1/2 E on
corner at 40.00 00 feet from S. &
79.50 on point 11 1/2 E south of the corner.

Aug 29th - 1900.

Corner at NE corner of Sec 13. Stone
set 21 1/4 E. back, rough about on corner
of 40.00 00 feet from S. & back 1/2 W. N. 20.5 - 11.3 E
80.20. 1/2 W. N. 20.5 - 11.3 E on corner of the
Sec 13. Stone set 21 1/4 E. back, rough about on corner
of 40.00 00 feet from S. & back 1/2 W. N. 20.5 - 11.3 E

W. Oct 10 - N 16 W 138 E W.
Sept 14 - S 39 E - 72 E.

Corner at NW corner of and See 13
a line 1/2 W. N. 20.5 - 11.3 E
W. Oct 10 - N 16 W 138 E W.
Sept 14 - S 39 E - 72 E.

W. Oct 10 - N 16 W 138 E W.
Sept 14 - S 39 E - 72 E.

See 13 Overlooked

From above this 1/2 W. N. 20.5 - 11.3 E
998 old 1/2 W. N. 20.5 - 11.3 E
W. Oct 13 - N 27 W - 89 E
13.00 00 feet from S. & back 1/2 W. N. 20.5 - 11.3 E

13992 2 with 1/4 front of Sec 13. All things
good.

By E. A. O'Brien
D. Co. Surveyor

